

Spurious Emission at Antenna Terminals


11.21 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	859.607	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1840	-53.87	-13	40.87	Pass	841
1840	1925	1	RMS	1878.038	23.05	60	36.95	Pass	401
1925	3000	1	RMS	2985	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11996	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13605	-39.75	-13	26.75	Pass	8001



11.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.18	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	966.478	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1838	-53.8	-13	40.8	Pass	841
1840	1925	1	RMS	1878.038	22.12	60	37.88	Pass	401
1925	3000	1	RMS	2981	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13607	-39.9	-13	26.9	Pass	8001



11.23 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	869.313	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1832	-53.93	-13	40.93	Pass	841
1840	1925	1	RMS	1905.45	23.06	60	36.94	Pass	401
1925	3000	1	RMS	2464	-50.96	-13	37.96	Pass	1076
3000	12000	1	RMS	11987	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13606	-39.83	-13	26.83	Pass	8001




11.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	845.1	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1839	-53.9	-13	40.9	Pass	841
1840	1925	1	RMS	1905.45	22.22	60	37.78	Pass	401
1925	3000	1	RMS	3000	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11997	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




11.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	822.1	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1840	-47.96	-13	34.96	Pass	841
1840	1925	1	RMS	1850.838	22.94	60	37.06	Pass	401
1925	3000	1	RMS	2992	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13600	-39.88	-13	26.88	Pass	8001




11.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	854.404	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1840	-48.08	-13	35.08	Pass	841
1840	1925	1	RMS	1850.838	22.16	60	37.84	Pass	401
1925	3000	1	RMS	2991	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11998	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




11.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.39	-13	58.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	848.6	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1840	-53.79	-13	40.79	Pass	841
1840	1925	1	RMS	1875.7	22.98	60	37.02	Pass	401
1925	3000	1	RMS	2993	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11997	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13600	-39.85	-13	26.85	Pass	8001




11.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	856.005	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1838	-53.85	-13	40.85	Pass	841
1840	1925	1	RMS	1875.7	22.09	60	37.91	Pass	401
1925	3000	1	RMS	2975	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	11999	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13599	-39.89	-13	26.89	Pass	8001



11.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	868.713	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1838	-53.85	-13	40.85	Pass	841
1840	1925	1	RMS	1900.775	22.99	60	37.01	Pass	401
1925	3000	1	RMS	2979	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11998	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13602	-39.84	-13	26.84	Pass	8001



11.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	58.23	Pass	2986
30	1000	0.1	RMS	986.091	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1839	-53.92	-13	40.92	Pass	841
1840	1925	1	RMS	1900.775	22.2	60	37.8	Pass	401
1925	3000	1	RMS	2990	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	12000	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13603	-39.86	-13	26.86	Pass	8001



11.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	851.602	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1840	-48.89	-13	35.89	Pass	841
1840	1925	1	RMS	1851.05	22.84	60	37.16	Pass	401
1925	3000	1	RMS	2993	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13598	-39.88	-13	26.88	Pass	8001



11.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.19	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	975.384	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-48.89	-13	35.89	Pass	841
1840	1925	1	RMS	1851.05	22.09	60	37.91	Pass	401
1925	3000	1	RMS	2979	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11998	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13607	-39.89	-13	26.89	Pass	8001



11.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	849.8	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1838	-48.46	-13	35.46	Pass	841
1840	1925	1	RMS	1873.575	22.74	60	37.26	Pass	401
1925	3000	1	RMS	2984	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11996	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13604	-39.89	-13	26.89	Pass	8001



11.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	846.2	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1838	-49.94	-13	36.94	Pass	841
1840	1925	1	RMS	1873.575	21.83	60	38.17	Pass	401
1925	3000	1	RMS	2992	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11995	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001



11.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.17	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	844.5	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1840	-53.82	-13	40.82	Pass	841
1840	1925	1	RMS	1895.888	22.74	60	37.26	Pass	401
1925	3000	1	RMS	2999	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11996	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13603	-39.71	-13	26.71	Pass	8001



11.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	851.201	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1836	-53.82	-13	40.82	Pass	841
1840	1925	1	RMS	1895.888	21.92	60	38.08	Pass	401
1925	3000	1	RMS	2987	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11997	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001



12. LTE_Band26(part22)


12.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	814	0.1	RMS	813.6	-64.69	-13	51.69	Pass	7841
814	860	0.1	RMS	824.3	19.98	60	40.02	Pass	461
860	1000	0.1	RMS	993.2	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1648	-46.09	-13	33.09	Pass	2001
3000	10000	1	RMS	6801	-45.52	-13	32.52	Pass	7001




12.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.19	-72.42	-13	59.42	Pass	2986
30	814	0.1	RMS	813.5	-64.86	-13	51.86	Pass	7841
814	860	0.1	RMS	824.3	19	60	41	Pass	461
860	1000	0.1	RMS	983.3	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1648	-47.22	-13	34.22	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




12.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-13	60.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	58.29	Pass	2986
30	814	0.1	RMS	811.6	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	836.1	20.07	60	39.93	Pass	461
860	1000	0.1	RMS	957.5	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1672	-46.51	-13	33.51	Pass	2001
3000	10000	1	RMS	6797	-45.59	-13	32.59	Pass	7001




12.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.17	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	810.8	-65.43	-13	52.43	Pass	7841
814	860	0.1	RMS	836.1	19.01	60	40.99	Pass	461
860	1000	0.1	RMS	957.9	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1672	-47.64	-13	34.64	Pass	2001
3000	10000	1	RMS	6802	-45.53	-13	32.53	Pass	7001




12.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	814	0.1	RMS	811.8	-65.18	-13	52.18	Pass	7841
814	860	0.1	RMS	847.8	20.05	60	39.95	Pass	461
860	1000	0.1	RMS	919.4	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1695	-45.22	-13	32.22	Pass	2001
3000	10000	1	RMS	6801	-45.52	-13	32.52	Pass	7001




12.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.29	-72.9	-13	59.9	Pass	2986
30	814	0.1	RMS	811.9	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	847.9	19.27	60	40.73	Pass	461
860	1000	0.1	RMS	861.8	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1695	-46.31	-13	33.31	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




12.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-13	58.81	Pass	2986
30	814	0.1	RMS	813.5	-64.43	-13	51.43	Pass	7841
814	860	0.1	RMS	824.2	20.39	60	39.61	Pass	461
860	1000	0.1	RMS	978	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1648	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




12.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	813.6	-64.52	-13	51.52	Pass	7841
814	860	0.1	RMS	824.2	19.37	60	40.63	Pass	461
860	1000	0.1	RMS	876.9	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1648	-46.95	-13	33.95	Pass	2001
3000	10000	1	RMS	6801	-45.47	-13	32.47	Pass	7001



12.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	58.97	Pass	2986
30	814	0.1	RMS	809.2	-65.14	-13	52.14	Pass	7841
814	860	0.1	RMS	835.2	20.39	60	39.61	Pass	461
860	1000	0.1	RMS	968.9	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1670	-45.27	-13	32.27	Pass	2001
3000	10000	1	RMS	6798	-45.57	-13	32.57	Pass	7001



12.10 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	814	0.1	RMS	811.2	-65.29	-13	52.29	Pass	7841
814	860	0.1	RMS	835.2	19.25	60	40.75	Pass	461
860	1000	0.1	RMS	939.9	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1670	-46.54	-13	33.54	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001



12.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.16	-72.53	-13	59.53	Pass	2986
30	814	0.1	RMS	808.2	-64.98	-13	51.98	Pass	7841
814	860	0.1	RMS	846.2	20.33	60	39.67	Pass	461
860	1000	0.1	RMS	895.2	-65.17	-13	52.17	Pass	1401
1000	3000	1	RMS	1692	-45.12	-13	32.12	Pass	2001
3000	10000	1	RMS	6802	-45.5	-13	32.5	Pass	7001



12.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.17	-71.43	-13	58.43	Pass	2986
30	814	0.1	RMS	814	-65.39	-13	52.39	Pass	7841
814	860	0.1	RMS	846.2	19.49	60	40.51	Pass	461
860	1000	0.1	RMS	969.8	-65.15	-13	52.15	Pass	1401
1000	3000	1	RMS	1692	-46.12	-13	33.12	Pass	2001
3000	10000	1	RMS	6802	-45.5	-13	32.5	Pass	7001



12.13 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	58.65	Pass	2986
30	814	0.1	RMS	813.6	-64.3	-13	51.3	Pass	7841
814	860	0.1	RMS	824.3	20.19	60	39.81	Pass	461
860	1000	0.1	RMS	977.5	-65.09	-13	52.09	Pass	1401
1000	3000	1	RMS	1648	-46.31	-13	33.31	Pass	2001
3000	10000	1	RMS	6798	-45.56	-13	32.56	Pass	7001




12.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	814	0.1	RMS	813.6	-64.56	-13	51.56	Pass	7841
814	860	0.1	RMS	824.3	19.2	60	40.8	Pass	461
860	1000	0.1	RMS	933.2	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1648	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6801	-45.49	-13	32.49	Pass	7001




12.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	814	0.1	RMS	810.3	-65.19	-13	52.19	Pass	7841
814	860	0.1	RMS	834.3	20.32	60	39.68	Pass	461
860	1000	0.1	RMS	958.1	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1668	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	6800	-45.5	-13	32.5	Pass	7001



12.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.19	-71.96	-13	58.96	Pass	2986
30	814	0.1	RMS	810.3	-65.26	-13	52.26	Pass	7841
814	860	0.1	RMS	834.3	19.39	60	40.61	Pass	461
860	1000	0.1	RMS	942.8	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1668	-46.75	-13	33.75	Pass	2001
3000	10000	1	RMS	6802	-45.49	-13	32.49	Pass	7001



12.17 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	59.41	Pass	2986
30	814	0.1	RMS	811.9	-65.31	-13	52.31	Pass	7841
814	860	0.1	RMS	844.3	20.32	60	39.68	Pass	461
860	1000	0.1	RMS	944.9	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1688	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	6800	-45.49	-13	32.49	Pass	7001




12.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.3	-72.41	-13	59.41	Pass	2986
30	814	0.1	RMS	812.9	-65.37	-13	52.37	Pass	7841
814	860	0.1	RMS	844.3	19.51	60	40.49	Pass	461
860	1000	0.1	RMS	936.3	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1688	-46.83	-13	33.83	Pass	2001
3000	10000	1	RMS	6796	-45.54	-13	32.54	Pass	7001



12.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-13	58.44	Pass	2986
30	814	0.1	RMS	813.9	-61.1	-13	48.1	Pass	7841
814	860	0.1	RMS	824.6	20.79	60	39.21	Pass	461
860	1000	0.1	RMS	969.8	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1649	-46.53	-13	33.53	Pass	2001
3000	10000	1	RMS	6800	-45.44	-13	32.44	Pass	7001



12.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	59.49	Pass	2986
30	814	0.1	RMS	813.9	-61.98	-13	48.98	Pass	7841
814	860	0.1	RMS	824.6	19.92	60	40.08	Pass	461
860	1000	0.1	RMS	899.6	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1649	-47.6	-13	34.6	Pass	2001
3000	10000	1	RMS	6801	-45.46	-13	32.46	Pass	7001



12.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.2	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	814	-64.89	-13	51.89	Pass	7841
814	860	0.1	RMS	832.1	20.79	60	39.21	Pass	461
860	1000	0.1	RMS	995.2	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1664	-46.15	-13	33.15	Pass	2001
3000	10000	1	RMS	6804	-45.47	-13	32.47	Pass	7001



12.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	814	-64.52	-13	51.52	Pass	7841
814	860	0.1	RMS	832.1	19.76	60	40.24	Pass	461
860	1000	0.1	RMS	870.4	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1664	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	6800	-45.5	-13	32.5	Pass	7001



12.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	58.76	Pass	2986
30	814	0.1	RMS	811.6	-65.11	-13	52.11	Pass	7841
814	860	0.1	RMS	839.6	20.79	60	39.21	Pass	461
860	1000	0.1	RMS	971.6	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1679	-46.53	-13	33.53	Pass	2001
3000	10000	1	RMS	6802	-45.66	-13	32.66	Pass	7001



12.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-13	58.59	Pass	2986
30	814	0.1	RMS	811.6	-65.16	-13	52.16	Pass	7841
814	860	0.1	RMS	839.6	19.79	60	40.21	Pass	461
860	1000	0.1	RMS	942	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1679	-47.64	-13	34.64	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001



12.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	58.83	Pass	2986
30	814	0.1	RMS	811.5	-49.62	-13	36.62	Pass	7841
814	860	0.1	RMS	824.8	20.19	60	39.81	Pass	461
860	1000	0.1	RMS	935.4	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1649	-46.34	-13	33.34	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001



12.26 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	814	0.1	RMS	811.5	-50.46	-13	37.46	Pass	7841
814	860	0.1	RMS	824.8	19.36	60	40.64	Pass	461
860	1000	0.1	RMS	994.1	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1649	-47.28	-13	34.28	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001



12.27 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.18	-72.53	-13	59.53	Pass	2986
30	814	0.1	RMS	809.9	-61.62	-13	48.62	Pass	7841
814	860	0.1	RMS	829.8	20.21	60	39.79	Pass	461
860	1000	0.1	RMS	869.3	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1659	-46.11	-13	33.11	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001



12.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	813.9	-62.59	-13	49.59	Pass	7841
814	860	0.1	RMS	829.8	19.21	60	40.79	Pass	461
860	1000	0.1	RMS	926.1	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1659	-47.48	-13	34.48	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001



12.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	811.8	-59.27	-13	46.27	Pass	7841
814	860	0.1	RMS	834.8	20.19	60	39.81	Pass	461
860	1000	0.1	RMS	922.3	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1669	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	6799	-45.67	-13	32.67	Pass	7001



12.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	811.8	-60.12	-13	47.12	Pass	7841
814	860	0.1	RMS	834.8	19.24	60	40.76	Pass	461
860	1000	0.1	RMS	869.5	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1669	-46.75	-13	33.75	Pass	2001
3000	10000	1	RMS	6800	-45.48	-13	32.48	Pass	7001



1. LTE_Band26(part90)


1.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.41	-13	52.41	Pass	401
0.15	30	0.01	Peak	0.24	-64.59	-13	51.59	Pass	2986
30	809	0.1	Peak	506.1	-54.12	-13	41.12	Pass	7791
809	829	0.1	Peak	814.3	25.33	60	34.67	Pass	401
829	1000	0.1	Peak	831.5	-53.6	-13	40.6	Pass	1711
1000	3000	1	Peak	1629	-36.67	-13	23.67	Pass	2001
3000	10000	1	Peak	6820	-33.54	-13	20.54	Pass	7001




1.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.31	-13	52.31	Pass	401
0.15	30	0.01	Peak	0.2	-63.59	-13	50.59	Pass	2986
30	809	0.1	Peak	808.9	-54.05	-13	41.05	Pass	7791
809	829	0.1	Peak	814.25	25.63	60	34.37	Pass	401
829	1000	0.1	Peak	893.4	-53.98	-13	40.98	Pass	1711
1000	3000	1	Peak	1629	-38.1	-13	25.1	Pass	2001
3000	10000	1	Peak	9302	-33.68	-13	20.68	Pass	7001




1.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.92	-13	51.92	Pass	401
0.15	30	0.01	Peak	0.19	-63.52	-13	50.52	Pass	2986
30	809	0.1	Peak	443.3	-53.92	-13	40.92	Pass	7791
809	829	0.1	Peak	818.6	25.4	60	34.6	Pass	401
829	1000	0.1	Peak	998.5	-53.61	-13	40.61	Pass	1711
1000	3000	1	Peak	1637	-37.08	-13	24.08	Pass	2001
3000	10000	1	Peak	6960	-33.31	-13	20.31	Pass	7001




1.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.31	-13	53.31	Pass	401
0.15	30	0.01	Peak	0.24	-64.77	-13	51.77	Pass	2986
30	809	0.1	Peak	775.3	-54.42	-13	41.42	Pass	7791
809	829	0.1	Peak	818.6	25.62	60	34.38	Pass	401
829	1000	0.1	Peak	830.7	-54.29	-13	41.29	Pass	1711
1000	3000	1	Peak	1637	-37.89	-13	24.89	Pass	2001
3000	10000	1	Peak	7295	-33.63	-13	20.63	Pass	7001




1.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.04	-13	53.04	Pass	401
0.15	30	0.01	Peak	0.53	-63.99	-13	50.99	Pass	2986
30	809	0.1	Peak	572.7	-54.89	-13	41.89	Pass	7791
809	829	0.1	Peak	822.9	25.86	60	34.14	Pass	401
829	1000	0.1	Peak	937.6	-53.73	-13	40.73	Pass	1711
1000	3000	1	Peak	1646	-36.9	-13	23.9	Pass	2001
3000	10000	1	Peak	6844	-33.86	-13	20.86	Pass	7001




1.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.13	-13	52.13	Pass	401
0.15	30	0.01	Peak	0.22	-63.94	-13	50.94	Pass	2986
30	809	0.1	Peak	804.5	-54.43	-13	41.43	Pass	7791
809	829	0.1	Peak	822.9	25.52	60	34.48	Pass	401
829	1000	0.1	Peak	854.8	-53.55	-13	40.55	Pass	1711
1000	3000	1	Peak	1646	-37.14	-13	24.14	Pass	2001
3000	10000	1	Peak	7938	-33.36	-13	20.36	Pass	7001




1.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.31	-13	51.31	Pass	401
0.15	30	0.01	Peak	0.2	-64.5	-13	51.5	Pass	2986
30	809	0.1	Peak	809	-44.74	-13	31.74	Pass	7791
809	829	0.1	Peak	814.25	25.49	60	34.51	Pass	401
829	1000	0.1	Peak	930.6	-53.92	-13	40.92	Pass	1711
1000	3000	1	Peak	1628	-37.79	-13	24.79	Pass	2001
3000	10000	1	Peak	7276	-33.62	-13	20.62	Pass	7001




1.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.01	-13	50.01	Pass	401
0.15	30	0.01	Peak	0.44	-64.36	-13	51.36	Pass	2986
30	809	0.1	Peak	809	-45.43	-13	32.43	Pass	7791
809	829	0.1	Peak	814.2	25.74	60	34.26	Pass	401
829	1000	0.1	Peak	972.8	-54.45	-13	41.45	Pass	1711
1000	3000	1	Peak	1629	-38.4	-13	25.4	Pass	2001
3000	10000	1	Peak	7080	-33.33	-13	20.33	Pass	7001




1.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.03	-13	52.03	Pass	401
0.15	30	0.01	Peak	0.15	-64.73	-13	51.73	Pass	2986
30	809	0.1	Peak	578.8	-54.6	-13	41.6	Pass	7791
809	829	0.1	Peak	817.75	25.85	60	34.15	Pass	401
829	1000	0.1	Peak	841.6	-53.89	-13	40.89	Pass	1711
1000	3000	1	Peak	1635	-37.73	-13	24.73	Pass	2001
3000	10000	1	Peak	9977	-33.23	-13	20.23	Pass	7001




1.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.62	-13	52.62	Pass	401
0.15	30	0.01	Peak	0.15	-64.43	-13	51.43	Pass	2986
30	809	0.1	Peak	799.9	-53.87	-13	40.87	Pass	7791
809	829	0.1	Peak	817.8	25.4	60	34.6	Pass	401
829	1000	0.1	Peak	851.6	-54.44	-13	41.44	Pass	1711
1000	3000	1	Peak	1635	-37.96	-13	24.96	Pass	2001
3000	10000	1	Peak	7939	-33.76	-13	20.76	Pass	7001




1.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-65.52	-13	52.52	Pass	401
0.15	30	0.01	Peak	0.33	-63.67	-13	50.67	Pass	2986
30	809	0.1	Peak	759.6	-54.93	-13	41.93	Pass	7791
809	829	0.1	Peak	821.25	25.6	60	34.4	Pass	401
829	1000	0.1	Peak	829	-39.6	-13	26.6	Pass	1711
1000	3000	1	Peak	1642	-37.44	-13	24.44	Pass	2001
3000	10000	1	Peak	7482	-34.05	-13	21.05	Pass	7001




1.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.63	-13	53.63	Pass	401
0.15	30	0.01	Peak	0.79	-63.83	-13	50.83	Pass	2986
30	809	0.1	Peak	711.5	-54.53	-13	41.53	Pass	7791
809	829	0.1	Peak	821.25	26.04	60	33.96	Pass	401
829	1000	0.1	Peak	829	-43.96	-13	30.96	Pass	1711
1000	3000	1	Peak	1642	-37.36	-13	24.36	Pass	2001
3000	10000	1	Peak	7263	-33.38	-13	20.38	Pass	7001




1.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.32	-13	52.32	Pass	401
0.15	30	0.01	Peak	0.19	-64.23	-13	51.23	Pass	2986
30	809	0.1	Peak	809	-37.92	-13	24.92	Pass	7791
809	829	0.1	Peak	814.35	25.81	60	34.19	Pass	401
829	1000	0.1	Peak	830.1	-47.83	-13	34.83	Pass	1711
1000	3000	1	Peak	1629	-37.51	-13	24.51	Pass	2001
3000	10000	1	Peak	7779	-33.81	-13	20.81	Pass	7001




1.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.77	-13	52.77	Pass	401
0.15	30	0.01	Peak	0.22	-63.94	-13	50.94	Pass	2986
30	809	0.1	Peak	808.9	-50.3	-13	37.3	Pass	7791
809	829	0.1	Peak	814.3	25.98	60	34.02	Pass	401
829	1000	0.1	Peak	998.3	-54.08	-13	41.08	Pass	1711
1000	3000	1	Peak	1629	-37.9	-13	24.9	Pass	2001
3000	10000	1	Peak	9931	-33.33	-13	20.33	Pass	7001




1.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.97	-13	52.97	Pass	401
0.15	30	0.01	Peak	0.16	-63.67	-13	50.67	Pass	2986
30	809	0.1	Peak	808.1	-49.76	-13	36.76	Pass	7791
809	829	0.1	Peak	816.85	25.53	60	34.47	Pass	401
829	1000	0.1	Peak	829.5	-46.11	-13	33.11	Pass	1711
1000	3000	1	Peak	1634	-37.58	-13	24.58	Pass	2001
3000	10000	1	Peak	7269	-33.29	-13	20.29	Pass	7001




1.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.55	-13	53.55	Pass	401
0.15	30	0.01	Peak	0.15	-64.45	-13	51.45	Pass	2986
30	809	0.1	Peak	808.2	-48.45	-13	35.45	Pass	7791
809	829	0.1	Peak	816.8	25.25	60	34.75	Pass	401
829	1000	0.1	Peak	905.8	-53.95	-13	40.95	Pass	1711
1000	3000	1	Peak	1634	-37.89	-13	24.89	Pass	2001
3000	10000	1	Peak	7500	-33.82	-13	20.82	Pass	7001




1.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.02	-13	53.02	Pass	401
0.15	30	0.01	Peak	0.15	-64.39	-13	51.39	Pass	2986
30	809	0.1	Peak	504.7	-54.93	-13	41.93	Pass	7791
809	829	0.1	Peak	819.35	25.4	60	34.6	Pass	401
829	1000	0.1	Peak	829	-48.25	-13	35.25	Pass	1711
1000	3000	1	Peak	1639	-37.79	-13	24.79	Pass	2001
3000	10000	1	Peak	6816	-33.58	-13	20.58	Pass	7001




1.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.87	-13	51.87	Pass	401
0.15	30	0.01	Peak	0.2	-63.26	-13	50.26	Pass	2986
30	809	0.1	Peak	749.2	-54.65	-13	41.65	Pass	7791
809	829	0.1	Peak	819.3	25.43	60	34.57	Pass	401
829	1000	0.1	Peak	829	-48.08	-13	35.08	Pass	1711
1000	3000	1	Peak	1638	-38.24	-13	25.24	Pass	2001
3000	10000	1	Peak	7910	-33.73	-13	20.73	Pass	7001




**1.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.8	-13	53.8	Pass	401
0.15	30	0.01	Peak	0.28	-64.37	-13	51.37	Pass	2986
30	809	0.1	Peak	805.8	-44.02	-13	31.02	Pass	7791
809	829	0.1	Peak	814.6	25.62	60	34.38	Pass	401
829	1000	0.1	Peak	832.2	-38.87	-13	25.87	Pass	1711
1000	3000	1	Peak	1629	-37.2	-13	24.2	Pass	2001
3000	10000	1	Peak	9471	-34.06	-13	21.06	Pass	7001



1.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.59	-13	51.59	Pass	401
0.15	30	0.01	Peak	0.59	-64.33	-13	51.33	Pass	2986
30	809	0.1	Peak	805.8	-46.65	-13	33.65	Pass	7791
809	829	0.1	Peak	814.55	25.72	60	34.28	Pass	401
829	1000	0.1	Peak	832.2	-38.77	-13	25.77	Pass	1711
1000	3000	1	Peak	1629	-36.91	-13	23.91	Pass	2001
3000	10000	1	Peak	7904	-33.24	-13	20.24	Pass	7001



--BLANK BELOW--