




6dB Bandwidth_Ant1



IEEE 802.11n20 / Channel 149 / 5745MHz_Ant1




IEEE 802.11n20 / Channel 157 / 5785MHz_Ant1




IEEE 802.11n20 / Channel 165 / 5825MHz_Ant1


6dB Bandwidth_Ant1




IEEE 802.11n40 / Channel 151 / 5755MHz_Ant1




IEEE 802.11n40 / Channel 159 / 5795MHz_Ant1




IEEE 802.11ac20 / Channel 149 / 5745MHz_Ant1




IEEE 802.11ac20 / Channel 157/ 5785MHz_Ant1




IEEE 802.11ac20 / Channel 165 / 5825MHz_Ant1



IEEE 802.11ac40 / Channel 151 / 5755MHz_Ant1




IEEE 802.11ac40 / Channel 159 / 5795MHz_Ant1




IEEE 802.11ac80 / Channel 155 / 5775MHz_Ant1


99% Occupied Bandwidth_Ant1



IEEE 802.11a / Channel 149 / 5745MHz_Ant1




IEEE 802.11a / Channel 157 / 5785MHz_Ant1




IEEE 802.11a / Channel 165 / 5825MHz_Ant1


99% Occupied Bandwidth_Ant1



IEEE 802.11n20 / Channel 149 / 5745MHz_Ant1




IEEE 802.11n20 / Channel 157 / 5785MHz_Ant1




IEEE 802.11n20 / Channel 165 / 5825MHz_Ant1


99% Occupied Bandwidth_Ant1




IEEE 802.11n40 / Channel 151 / 5755MHz_Ant1




IEEE 802.11n40 / Channel 159 / 5795MHz_Ant1




IEEE 802.11ac20 / Channel 149 / 5745MHz_Ant1




IEEE 802.11ac20 / Channel 157 / 5785MHz_Ant1




IEEE 802.11ac20 / Channel 165 / 5825MHz_Ant1



IEEE 802.11ac40 / Channel 151 / 5755MHz_Ant1



IEEE 802.11ac40 / Channel 159 / 5795MHz_Ant1



IEEE 802.11ac80 / Channel 155 / 5775MHz_Ant1

C.5 Undesirable Emissions Measurement

Ant0

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11A	149	5650.0	-56.62	12.00	-44.62	Peak	27.0	Pass
		5650.0	-68.31	12.00	-56.31	Average	27.0	Pass
		5700.0	-55.70	12.00	-43.70	Peak	15.6	Pass
		5700.0	-67.93	12.00	-55.93	Average	15.6	Pass
		5720.0	-52.55	12.00	-40.55	Peak	10.0	Pass
		5720.0	-66.19	12.00	-54.19	Average	10.0	Pass
		5725.0	-47.02	12.00	-35.02	Peak	-27.0	Pass
		5725.0	-62.40	12.00	-50.40	Average	-27.0	Pass
	165	5850.0	-46.90	12.00	-34.90	Peak	-27.0	Pass
		5850.0	-62.87	12.00	-50.87	Average	-27.0	Pass
		5855.0	-51.87	12.00	-39.87	Peak	10.0	Pass
		5855.0	-64.96	12.00	-52.96	Average	10.0	Pass
		5875.0	-53.98	12.00	-41.98	Peak	15.6	Pass
		5875.0	-66.18	12.00	-54.18	Average	15.6	Pass
		5925.0	-55.80	12.00	-43.80	Peak	27.0	Pass
		5925.0	-67.11	12.00	-55.11	Average	27.0	Pass
11N20	149	5650.0	-56.77	12.00	-44.77	Peak	27.0	Pass
		5650.0	-68.42	12.00	-56.42	Average	27.0	Pass
		5700.0	-56.18	12.00	-44.18	Peak	15.6	Pass
		5700.0	-65.78	12.00	-53.78	Average	15.6	Pass
		5720.0	-52.61	12.00	-40.61	Peak	10.0	Pass
		5720.0	-67.93	12.00	-55.93	Average	10.0	Pass
		5725.0	-45.06	12.00	-33.06	Peak	-27.0	Pass
		5725.0	-61.35	12.00	-49.35	Average	-27.0	Pass
	165	5850.0	-47.64	12.00	-35.64	Peak	-27.0	Pass
		5850.0	-63.94	12.00	-51.94	Average	-27.0	Pass
		5855.0	-51.27	12.00	-39.27	Peak	10.0	Pass
		5855.0	-65.09	12.00	-53.09	Average	10.0	Pass
		5875.0	-54.88	12.00	-42.88	Peak	15.6	Pass
		5875.0	-66.34	12.00	-54.34	Average	15.6	Pass
		5925.0	-56.04	12.00	-44.04	Peak	27.0	Pass
		5925.0	-67.19	12.00	-55.19	Average	27.0	Pass

Ant0

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11N40	151	5650.0	-56.52	12.00	-44.52	Peak	27.0	Pass
		5650.0	-68.32	12.00	-56.32	Average	27.0	Pass
		5700.0	-55.45	12.00	-43.45	Peak	15.6	Pass
		5700.0	-67.68	12.00	-55.68	Average	15.6	Pass
		5720.0	-49.91	12.00	-37.91	Peak	10.0	Pass
		5720.0	-62.06	12.00	-50.06	Average	10.0	Pass
		5725.0	-46.88	12.00	-34.88	Peak	-27.0	Pass
		5725.0	-59.97	12.00	-47.97	Average	-27.0	Pass
	159	5850.0	-50.12	12.00	-38.12	Peak	-27.0	Pass
		5850.0	-64.62	12.00	-52.62	Average	-27.0	Pass
		5855.0	-50.72	12.00	-38.72	Peak	10.0	Pass
		5855.0	-65.11	12.00	-53.11	Average	10.0	Pass
		5875.0	-53.02	12.00	-41.02	Peak	15.6	Pass
		5875.0	-66.39	12.00	-54.39	Average	15.6	Pass
		5925.0	-54.89	12.00	-42.89	Peak	27.0	Pass
		5925.0	-67.35	12.00	-55.35	Average	27.0	Pass
11AC20	149	5650.0	-55.80	12.00	-43.80	Peak	27.0	Pass
		5650.0	-68.39	12.00	-56.39	Average	27.0	Pass
		5700.0	-56.00	12.00	-44.00	Peak	15.6	Pass
		5700.0	-65.97	12.00	-53.97	Average	15.6	Pass
		5720.0	-51.61	12.00	-39.61	Peak	10.0	Pass
		5720.0	-67.93	12.00	-55.93	Average	10.0	Pass
		5725.0	-46.47	12.00	-34.47	Peak	-27.0	Pass
		5725.0	-61.80	12.00	-49.80	Average	-27.0	Pass
	165	5850.0	-47.94	12.00	-35.94	Peak	-27.0	Pass
		5850.0	-64.07	12.00	-52.07	Average	-27.0	Pass
		5855.0	-50.41	12.00	-38.41	Peak	10.0	Pass
		5855.0	-65.52	12.00	-53.52	Average	10.0	Pass
		5875.0	-54.21	12.00	-42.21	Peak	15.6	Pass
		5875.0	-66.26	12.00	-54.26	Average	15.6	Pass
		5925.0	-56.32	12.00	-44.32	Peak	27.0	Pass
		5925.0	-67.48	12.00	-55.48	Average	27.0	Pass
11AC40	151	5650.0	-56.13	12.00	-44.13	Peak	27.0	Pass
		5650.0	-68.30	12.00	-56.30	Average	27.0	Pass
		5700.0	-55.92	12.00	-43.92	Peak	15.6	Pass
		5700.0	-67.51	12.00	-55.51	Average	15.6	Pass
		5720.0	-48.16	12.00	-36.16	Peak	10.0	Pass
		5720.0	-61.15	12.00	-49.15	Average	10.0	Pass
		5725.0	-44.80	12.00	-32.80	Peak	-27.0	Pass
		5725.0	-58.83	12.00	-46.83	Average	-27.0	Pass
	159	5850.0	-51.43	12.00	-39.43	Peak	-27.0	Pass
		5850.0	-65.19	12.00	-53.19	Average	-27.0	Pass
		5855.0	-52.88	12.00	-40.88	Peak	10.0	Pass
		5855.0	-65.62	12.00	-53.62	Average	10.0	Pass
		5875.0	-55.66	12.00	-43.66	Peak	15.6	Pass
		5875.0	-66.73	12.00	-54.73	Average	15.6	Pass
		5925.0	-56.45	12.00	-44.45	Peak	27.0	Pass
		5925.0	-67.47	12.00	-55.47	Average	27.0	Pass
11AC80	155	5725.0	-37.12	12.00	-25.12	Peak	-27	Pass
		5720.0	-39.78	12.00	-27.78	Average	10	Pass
		5700.0	-44.04	12.00	-32.04	Peak	15.6	Pass
		5650.0	-50.24	12.00	-38.24	Average	27	Pass
		5725.0	-50.88	12.00	-38.88	Peak	-27	Pass
		5720.0	-52.04	12.00	-40.04	Average	10	Pass
		5700.0	-57.30	12.00	-45.30	Peak	15.6	Pass
		5650.0	-63.26	12.00	-51.26	Average	27	Pass
		5850.0	-37.12	12.00	-25.12	Peak	-27	Pass
		5855.0	-39.78	12.00	-27.78	Average	10	Pass
		5875.0	-44.04	12.00	-32.04	Peak	15.6	Pass
		5925.0	-50.24	12.00	-38.24	Average	27	Pass
		5850.0	-50.88	12.00	-38.88	Peak	-27	Pass
		5855.0	-52.04	12.00	-40.04	Average	10	Pass
		5875.0	-57.30	12.00	-45.30	Peak	15.6	Pass
		5925.0	-63.26	12.00	-51.26	Average	27	Pass

Ant1

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11A	149	5650.0	-55.91	12.00	-43.91	Peak	27.0	Pass
		5650.0	-68.15	12.00	-56.15	Average	27.0	Pass
		5700.0	-56.12	12.00	-44.12	Peak	15.6	Pass
		5700.0	-67.88	12.00	-55.88	Average	15.6	Pass
		5720.0	-56.07	12.00	-44.07	Peak	10.0	Pass
		5720.0	-67.77	12.00	-55.77	Average	10.0	Pass
		5725.0	-52.35	12.00	-40.35	Peak	-27.0	Pass
		5725.0	-67.03	12.00	-55.03	Average	-27.0	Pass
	165	5850.0	-54.15	12.00	-42.15	Peak	-27.0	Pass
		5850.0	-66.16	12.00	-54.16	Average	-27.0	Pass
		5855.0	-54.47	12.00	-42.47	Peak	10.0	Pass
		5855.0	-66.47	12.00	-54.47	Average	10.0	Pass
		5875.0	-55.33	12.00	-43.33	Peak	15.6	Pass
		5875.0	-66.77	12.00	-54.77	Average	15.6	Pass
		5925.0	-55.55	12.00	-43.55	Peak	27.0	Pass
		5925.0	-67.06	12.00	-55.06	Average	27.0	Pass
11N20	149	5650.0	-55.74	12.00	-43.74	Peak	27.0	Pass
		5650.0	-68.10	12.00	-56.10	Average	27.0	Pass
		5700.0	-56.34	12.00	-44.34	Peak	15.6	Pass
		5700.0	-67.62	12.00	-55.62	Average	15.6	Pass
		5720.0	-55.84	12.00	-43.84	Peak	10.0	Pass
		5720.0	-67.87	12.00	-55.87	Average	10.0	Pass
		5725.0	-54.12	12.00	-42.12	Peak	-27.0	Pass
		5725.0	-66.79	12.00	-54.79	Average	-27.0	Pass
	165	5850.0	-54.74	12.00	-42.74	Peak	-27.0	Pass
		5850.0	-66.04	12.00	-54.04	Average	-27.0	Pass
		5855.0	-55.07	12.00	-43.07	Peak	10.0	Pass
		5855.0	-66.36	12.00	-54.36	Average	10.0	Pass
		5875.0	-54.60	12.00	-42.60	Peak	15.6	Pass
		5875.0	-66.70	12.00	-54.70	Average	15.6	Pass
		5925.0	-55.16	12.00	-43.16	Peak	27.0	Pass
		5925.0	-67.01	12.00	-55.01	Average	27.0	Pass

Ant1

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11N40	151	5650.0	-56.48	12.00	-44.48	Peak	27.0	Pass
		5650.0	-67.90	12.00	-55.90	Average	27.0	Pass
		5700.0	-56.97	12.00	-44.97	Peak	15.6	Pass
		5700.0	-67.69	12.00	-55.69	Average	15.6	Pass
		5720.0	-52.34	12.00	-40.34	Peak	10.0	Pass
		5720.0	-65.85	12.00	-53.85	Average	10.0	Pass
		5725.0	-52.65	12.00	-40.65	Peak	-27.0	Pass
	159	5725.0	-64.91	12.00	-52.91	Average	-27.0	Pass
		5850.0	-54.42	12.00	-42.42	Peak	-27.0	Pass
		5850.0	-65.85	12.00	-53.85	Average	-27.0	Pass
		5855.0	-53.94	12.00	-41.94	Peak	10.0	Pass
		5855.0	-65.91	12.00	-53.91	Average	10.0	Pass
		5875.0	-54.27	12.00	-42.27	Peak	15.6	Pass
		5875.0	-66.09	12.00	-54.09	Average	15.6	Pass
11AC20	149	5925.0	-54.67	12.00	-42.67	Peak	27.0	Pass
		5925.0	-66.43	12.00	-54.43	Average	27.0	Pass
	165	5650.0	-55.92	12.00	-43.92	Peak	27.0	Pass
		5650.0	-68.08	12.00	-56.08	Average	27.0	Pass
		5700.0	-55.47	12.00	-43.47	Peak	15.6	Pass
		5700.0	-67.57	12.00	-55.57	Average	15.6	Pass
		5720.0	-55.91	12.00	-43.91	Peak	10.0	Pass
		5720.0	-67.86	12.00	-55.86	Average	10.0	Pass
	151	5725.0	-53.84	12.00	-41.84	Peak	-27.0	Pass
		5725.0	-66.77	12.00	-54.77	Average	-27.0	Pass
		5850.0	-53.64	12.00	-41.64	Peak	-27.0	Pass
		5850.0	-65.98	12.00	-53.98	Average	-27.0	Pass
		5855.0	-53.86	12.00	-41.86	Peak	10.0	Pass
		5855.0	-66.26	12.00	-54.26	Average	10.0	Pass
		5875.0	-55.22	12.00	-43.22	Peak	15.6	Pass
11AC40	151	5875.0	-66.54	12.00	-54.54	Average	15.6	Pass
		5925.0	-55.74	12.00	-43.74	Peak	27.0	Pass
		5925.0	-66.84	12.00	-54.84	Average	27.0	Pass
	159	5650.0	-56.46	12.00	-44.46	Peak	27.0	Pass
		5650.0	-67.99	12.00	-55.99	Average	27.0	Pass
		5700.0	-52.25	12.00	-40.25	Peak	15.6	Pass
		5700.0	-65.61	12.00	-53.61	Average	15.6	Pass
		5720.0	-43.35	12.00	-31.35	Peak	10.0	Pass
		5720.0	-56.62	12.00	-44.62	Average	10.0	Pass
	155	5725.0	-40.23	12.00	-28.23	Peak	-27.0	Pass
		5725.0	-54.37	12.00	-42.37	Average	-27.0	Pass
		5850.0	-39.10	12.00	-27.10	Peak	-27.0	Pass
		5850.0	-54.88	12.00	-42.88	Average	-27.0	Pass
		5855.0	-42.41	12.00	-30.41	Peak	10.0	Pass
		5855.0	-56.13	12.00	-44.13	Average	10.0	Pass
		5875.0	-47.88	12.00	-35.88	Peak	15.6	Pass
11AC80	155	5875.0	-61.00	12.00	-49.00	Average	15.6	Pass
		5925.0	-53.59	12.00	-41.59	Peak	27.0	Pass
		5925.0	-65.93	12.00	-53.93	Average	27.0	Pass
	155	5725.0	-37.78	12.00	-25.78	Peak	-27	Pass
		5720.0	-38.26	12.00	-26.26	Average	10	Pass
		5700.0	-46.39	12.00	-34.39	Peak	15.6	Pass
		5650.0	-51.64	12.00	-39.64	Average	27	Pass
		5725.0	-52.23	12.00	-40.23	Peak	-27	Pass
		5720.0	-53.31	12.00	-41.31	Average	10	Pass
		5700.0	-58.35	12.00	-46.35	Peak	15.6	Pass
	155	5650.0	-63.90	12.00	-51.90	Average	27	Pass
		5850.0	-37.78	12.00	-25.78	Peak	-27	Pass
		5855.0	-38.26	12.00	-26.26	Average	10	Pass
		5875.0	-46.39	12.00	-34.39	Peak	15.6	Pass
		5925.0	-51.64	12.00	-39.64	Average	27	Pass
		5850.0	-52.23	12.00	-40.23	Peak	-27	Pass
		5855.0	-53.31	12.00	-41.31	Average	10	Pass
	155	5875.0	-58.35	12.00	-46.35	Peak	15.6	Pass
		5925.0	-63.90	12.00	-51.90	Average	27	Pass


Combined Ant0 and Ant1

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)			Directional Gain [dBi]	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
			Ant0	Ant1	Sum					
11N20	149	5650.0	-56.77	-55.74	-53.21	15.01	-38.20	Peak	-27.0	Pass
		5650.0	-68.42	-68.10	-65.25	15.01	-50.24	Average	-27.0	Pass
		5700.0	-56.18	-56.34	-53.25	15.01	-38.24	Peak	10	Pass
		5700.0	-65.78	-67.62	-63.59	15.01	-48.58	Average	10	Pass
		5720.0	-52.61	-55.84	-50.92	15.01	-35.91	Peak	15.6	Pass
		5720.0	-67.93	-67.87	-64.89	15.01	-49.88	Average	15.6	Pass
		5725.0	-45.06	-54.12	-44.55	15.01	-29.54	Peak	27.0	Pass
		5725.0	-61.35	-66.79	-60.26	15.01	-45.25	Average	27.0	Pass
	165	5850.0	-47.64	-54.74	-46.87	15.01	-31.86	Peak	27.0	Pass
		5850.0	-63.94	-66.04	-61.85	15.01	-46.84	Average	27.0	Pass
		5855.0	-51.27	-55.07	-49.76	15.01	-34.75	Peak	15.6	Pass
		5855.0	-65.09	-66.36	-62.67	15.01	-47.66	Average	15.6	Pass
		5875.0	-54.88	-54.60	-51.73	15.01	-36.72	Peak	10	Pass
		5875.0	-66.34	-66.70	-63.51	15.01	-48.50	Average	10	Pass
		5925.0	-56.04	-55.16	-52.57	15.01	-37.56	Peak	-27.0	Pass
		5925.0	-67.19	-67.01	-64.09	15.01	-49.08	Average	-27.0	Pass


Combined Ant0 and Ant1

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)			Directional Gain [dBi]	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
			Ant0	Ant1	Sum					
11N40	151	5650.0	-56.52	-56.48	-53.49	15.01	-38.48	Peak	-27.0	Pass
		5650.0	-68.32	-67.90	-65.09	15.01	-50.08	Average	-27.0	Pass
		5700.0	-55.45	-56.97	-53.13	15.01	-38.12	Peak	10	Pass
		5700.0	-67.68	-67.69	-64.67	15.01	-49.66	Average	10	Pass
		5720.0	-49.91	-52.34	-47.95	15.01	-32.94	Peak	15.6	Pass
		5720.0	-62.06	-65.85	-60.54	15.01	-45.53	Average	15.6	Pass
		5725.0	-46.88	-52.65	-45.86	15.01	-30.85	Peak	27.0	Pass
		5725.0	-59.97	-64.91	-58.76	15.01	-43.75	Average	27.0	Pass
	159	5850.0	-50.12	-54.42	-48.75	15.01	-33.74	Peak	27.0	Pass
		5850.0	-64.62	-65.85	-62.18	15.01	-47.17	Average	27.0	Pass
		5855.0	-50.72	-53.94	-49.03	15.01	-34.02	Peak	15.6	Pass
		5855.0	-65.11	-65.91	-62.48	15.01	-47.47	Average	15.6	Pass
		5875.0	-53.02	-54.27	-50.59	15.01	-35.58	Peak	10	Pass
		5875.0	-66.39	-66.09	-63.23	15.01	-48.22	Average	10	Pass
		5925.0	-54.89	-54.67	-51.77	15.01	-36.76	Peak	-27.0	Pass
		5925.0	-67.35	-66.43	-63.86	15.01	-48.85	Average	-27.0	Pass
11AC20	149	5650.0	-55.80	-55.92	-52.85	15.01	-37.84	Peak	-27.0	Pass
		5650.0	-68.39	-68.08	-65.22	15.01	-50.21	Average	-27.0	Pass
		5700.0	-56.00	-55.47	-52.72	15.01	-37.71	Peak	10	Pass
		5700.0	-65.97	-67.57	-63.69	15.01	-48.68	Average	10	Pass
		5720.0	-51.61	-55.91	-50.24	15.01	-35.23	Peak	15.6	Pass
		5720.0	-67.93	-67.86	-64.88	15.01	-49.87	Average	15.6	Pass
		5725.0	-46.47	-53.84	-45.74	15.01	-30.73	Peak	27.0	Pass
		5725.0	-61.80	-66.77	-60.60	15.01	-45.59	Average	27.0	Pass
	165	5850.0	-47.94	-53.64	-46.90	15.01	-31.89	Peak	27.0	Pass
		5850.0	-64.07	-65.98	-61.91	15.01	-46.90	Average	27.0	Pass
		5855.0	-50.41	-53.86	-48.79	15.01	-33.78	Peak	15.6	Pass
		5855.0	-65.52	-66.26	-62.86	15.01	-47.85	Average	15.6	Pass
		5875.0	-54.21	-55.22	-51.68	15.01	-36.67	Peak	10	Pass
		5875.0	-66.26	-66.54	-63.39	15.01	-48.38	Average	10	Pass
		5925.0	-56.32	-55.74	-53.01	15.01	-38.00	Peak	-27.0	Pass
		5925.0	-67.48	-66.84	-64.14	15.01	-49.13	Average	-27.0	Pass
11AC40	151	5650.0	-56.13	-56.46	-53.28	15.01	-38.27	Peak	-27.0	Pass
		5650.0	-68.30	-67.99	-65.13	15.01	-50.12	Average	-27.0	Pass
		5700.0	-55.92	-52.25	-50.70	15.01	-35.69	Peak	10	Pass
		5700.0	-67.51	-65.61	-63.45	15.01	-48.44	Average	10	Pass
		5720.0	-48.16	-43.35	-42.11	15.01	-27.10	Peak	15.6	Pass
		5720.0	-61.15	-56.62	-55.31	15.01	-40.30	Average	15.6	Pass
		5725.0	-44.80	-40.23	-38.93	15.01	-23.92	Peak	27.0	Pass
		5725.0	-58.83	-54.37	-53.04	15.01	-38.03	Average	27.0	Pass
	159	5850.0	-51.43	-39.10	-38.85	15.01	-23.84	Peak	27.0	Pass
		5850.0	-65.19	-54.88	-54.49	15.01	-39.48	Average	27.0	Pass
		5855.0	-52.88	-42.41	-42.04	15.01	-27.03	Peak	15.6	Pass
		5855.0	-65.62	-56.13	-55.67	15.01	-40.66	Average	15.6	Pass
		5875.0	-55.66	-47.88	-47.21	15.01	-32.20	Peak	10	Pass
		5875.0	-66.73	-61.00	-59.97	15.01	-44.96	Average	10	Pass
		5925.0	-56.45	-53.59	-51.78	15.01	-36.77	Peak	-27.0	Pass
		5925.0	-67.47	-65.93	-63.62	15.01	-48.61	Average	-27.0	Pass
11AC80	155	5725.0	-37.12	-37.78	-34.43	15.01	-19.42	Peak	27.0	Pass
		5720.0	-39.78	-38.26	-35.94	15.01	-20.93	Peak	15.6	Pass
		5700.0	-44.04	-46.39	-42.05	15.01	-27.04	Peak	10	Pass
		5650.0	-50.24	-51.64	-47.87	15.01	-32.86	Peak	-27.0	Pass
		5725.0	-50.88	-52.23	-48.49	15.01	-33.48	Average	27.0	Pass
		5720.0	-52.04	-53.31	-49.62	15.01	-34.61	Average	15.6	Pass
		5700.0	-57.30	-58.35	-54.78	15.01	-39.77	Average	10	Pass
		5650.0	-63.26	-63.90	-60.56	15.01	-45.55	Average	-27.0	Pass
		5850.0	-37.12	-37.78	-34.43	15.01	-19.42	Peak	27.0	Pass
		5855.0	-39.78	-38.26	-35.94	15.01	-20.93	Peak	15.6	Pass
		5875.0	-44.04	-46.39	-42.05	15.01	-27.04	Peak	10	Pass
		5925.0	-50.24	-51.64	-47.87	15.01	-32.86	Peak	-27.0	Pass
		5850.0	-50.88	-52.23	-48.49	15.01	-33.48	Average	27.0	Pass
		5855.0	-52.04	-53.31	-49.62	15.01	-34.61	Average	15.6	Pass
		5875.0	-57.30	-58.35	-54.78	15.01	-39.77	Average	10	Pass
		5925.0	-63.26	-63.90	-60.56	15.01	-45.55	Average	-27.0	Pass

Undesirable Emissions Measurement_Ant0




IEEE 802.11a / Channel 149 / 5745MHz / Peak_Ant0




IEEE 802.11a / Channel 148 / 5745MHz / Average_Ant0

Undesirable Emissions Measurement_Ant0




IEEE 802.11a / Channel 165 / 5825MHz / Peak_Ant0




IEEE 802.11a / Channel 165 / 5825MHz / Average_Ant0

Undesirable Emissions Measurement_Ant0




IEEE 802.11n20 / Channel 149 / 5745MHz / Peak_Ant0




IEEE 802.11n20 / Channel 149 / 5745MHz / Average_Ant0

Undesirable Emissions Measurement_Ant0




IEEE 802.11n20 / Channel 165 / 5825MHz / Peak_Ant0




IEEE 802.11n20 / Channel 165 / 5825MHz / Average_Ant0

Undesirable Emissions Measurement_Ant0




IEEE 802.11n40 / Channel 151 / 5755MHz / Peak_Ant0




IEEE 802.11n40 / Channel 151 / 5755MHz / Average_Ant0


Undesirable Emissions Measurement_Ant0




IEEE 802.11n40 / Channel 159 / 5795MHz / Peak_Ant0




IEEE 802.11n40 / Channel 159 / 5795MHz / Average_Ant0




IEEE 802.11ac20 / Channel 149 / 5745MHz / Peak_Ant0




IEEE 802.11ac20 / Channel 149 / 5745MHz / Average_Ant0




IEEE 802.11ac20 / Channel 165 / 5825MHz / Peak_Ant0





IEEE 802.11ac20 / Channel 165 / 5825MHz / Average_Ant0




IEEE 802.11ac40 / Channel 151 / 5755MHz / Peak_Ant0




IEEE 802.11ac40 / Channel 151 / 5755MHz / Average_Ant0







IEEE 802.11ac80 / Channel 155 / 5775MHz / Peak_Ant0



IEEE 802.11ac80 / Channel 155 / 5775MHz / Average_Ant0




IEEE 802.11ac80 / Channel 155/ 5775MHz / Peak_Ant0




IEEE 802.11ac80 / Channel 155 / 5775MHz / Average_Ant0

Undesirable Emissions Measurement_Ant1




IEEE 802.11a / Channel 149 / 5745MHz / Peak_Ant1




IEEE 802.11a / Channel 148 / 5745MHz / Average_Ant1

Undesirable Emissions Measurement_Ant1




IEEE 802.11a / Channel 165 / 5825MHz / Peak_Ant1




IEEE 802.11a / Channel 165 / 5825MHz / Average_Ant1

Undesirable Emissions Measurement_Ant1




IEEE 802.11n20 / Channel 149 / 5745MHz / Peak_Ant1




IEEE 802.11n20 / Channel 149 / 5745MHz / Average_Ant1

Undesirable Emissions Measurement_Ant1




IEEE 802.11n20 / Channel 165 / 5825MHz / Peak_Ant1




IEEE 802.11n20 / Channel 165 / 5825MHz / Average_Ant1

Undesirable Emissions Measurement_Ant1




IEEE 802.11n40 / Channel 151 / 5755MHz / Peak_Ant1




IEEE 802.11n40 / Channel 151 / 5755MHz / Average_Ant1


Undesirable Emissions Measurement_Ant1




IEEE 802.11n40 / Channel 159 / 5795MHz / Peak_Ant1




IEEE 802.11n40 / Channel 159 / 5795MHz / Average_Ant1




IEEE 802.11ac20 / Channel 149 / 5745MHz / Peak_Ant1




IEEE 802.11ac20 / Channel 149 / 5745MHz / Average_Ant1




IEEE 802.11ac20 / Channel 165 / 5825MHz / Peak_Ant1




IEEE 802.11ac20 / Channel 165 / 5825MHz / Average_Ant1




IEEE 802.11ac40 / Channel 151 / 5755MHz / Peak_Ant1




IEEE 802.11ac40 / Channel 151 / 5755MHz / Average_Ant1




IEEE 802.11ac40 / Channel 159 / 5795MHz / Peak_Ant1




IEEE 802.11ac40 / Channel 159 / 5795MHz / Average_Ant1




IEEE 802.11ac80 / Channel 155 / 5775MHz / Peak_Ant1



IEEE 802.11ac80 / Channel 155 / 5775MHz / Average_Ant1



IEEE 802.11ac80 / Channel 155/ 5775MHz / Peak_Ant1



IEEE 802.11ac80 / Channel 155 / 5775MHz / Average_Ant1