


Specification For Approval

Client:	Beijing Yueme Technology Co.,Ltd. Room C608, Building No. B-2, Zhongguancun Dongsheng Science and Technology Park.Phase I, No. 66, Xixiaokou Road, Haidian District, Beijing P.R. China
Customer P/N	JX195-34

Technical parameters

Design Specifications	Typical
Antenna Type	internal antenna
working Frequency	2400-2500MHz
Gain	0.56dBi Max@2402-2480MHz
VSWR	≤3.70
Polarization	H/V
Radiation pattern	Omni
impedance	50Ω
Weight	≤5g

Standing wave ratio & return loss diagram



Antenna parameters:

JX195-34 无源数据			
Frequency (MHz)	Gain(dBi)	Efficiency(dB)	Efficiency (%)
2400	0.21	-5.4	28.83
2410	0.15	-5.34	29.22
2420	0.03	-5.33	29.33
2430	-0.07	-5.33	29.33
2440	-0.05	-5.32	29.35
2450	0.06	-5.32	29.38
2460	0.19	-5.32	29.38
2470	0.37	-5.3	29.49
2480	0.56	-5.28	29.63
2490	0.63	-5.29	29.56
2500	0.55	-5.35	29.15
AVG	0.24	-5.33	29.33

Radiation pattern (3D&2D)

