







BLE_1M-Ant1-2440-1000~25000-PASS




BLE_1M-Ant1-2480-30~1000-PASS




BLE_1M-Ant1-2480-1000~25000-PASS




BLE_2M-Ant1-2402-30~1000-PASS




BLE_2M-Ant1-2402-1000~25000-PASS




BLE_2M-Ant1-2440-30~1000-PASS




BLE_2M-Ant1-2440-1000~25000-PASS




BLE_2M-Ant1-2480-30~1000-PASS




BLE_2M-Ant1-2480-1000~25000-PASS




BLE_125K-Ant1-2402-30~1000-PASS




BLE_125K-Ant1-2402-1000~25000-PASS




BLE_125K-Ant1-2440-30~1000-PASS




BLE_125K-Ant1-2440-1000~25000-PASS




BLE_125K-Ant1-2480-30~1000-PASS




BLE_125K-Ant1-2480-1000~25000-PASS




BLE_500K-Ant1-2402-30~1000-PASS




BLE_500K-Ant1-2402-1000~25000-PASS




BLE_500K-Ant1-2440-30~1000-PASS




BLE_500K-Ant1-2440-1000~25000-PASS



BLE_500K-Ant1-2480-30~1000-PASS




BLE_500K-Ant1-2480-1000~25000-PASS




Appendix F: Duty Cycle

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant1	2402	2.13	2.50	85.20	0.70
BLE_1M	Ant1	2440	2.13	2.50	85.20	0.70
BLE_1M	Ant1	2480	2.13	2.50	85.20	0.70
BLE_2M	Ant1	2402	1.08	1.88	57.45	2.41
BLE_2M	Ant1	2440	1.08	1.88	57.45	2.41
BLE_2M	Ant1	2480	1.08	1.88	57.45	2.41
BLE_125K	Ant1	2402	17.06	17.50	97.49	0.11
BLE_125K	Ant1	2440	17.05	17.50	97.43	0.11
BLE_125K	Ant1	2480	17.06	17.50	97.49	0.11
BLE_500K	Ant1	2402	4.56	5.00	91.20	0.40
BLE_500K	Ant1	2440	4.57	5.00	91.40	0.39
BLE_500K	Ant1	2480	4.57	5.00	91.40	0.39


NTNV-BLE_1M-Ant1-2402




NTNV-BLE_1M-Ant1-2440




NTNV-BLE_1M-Ant1-2480




NTNV-BLE_2M-Ant1-2402




NTNV-BLE_2M-Ant1-2440




NTNV-BLE_2M-Ant1-2480




NTNV-BLE_125K-Ant1-2402




NTNV-BLE_125K-Ant1-2440




NTNV-BLE_125K-Ant1-2480




NTNV-BLE_500K-Ant1-2402



NTNV-BLE_500K-Ant1-2440




NTNV-BLE_500K-Ant1-2480



Appendix G: Emissions in Restricted Bands

Transmit at 2402MHz by LE_1Mbps

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	49.0	40.52	-8.480	74.00	33.48	PK	Horizo	PASS
2	4804.00	44.5	36.06	-8.480	54.00	17.94	AV	Horizo	PASS
3	7206.00	56.4	54.76	-1.620	74.00	19.24	PK	Horizo	PASS
4	7206.00	55.4	53.82	-1.620	54.00	0.18	AV	Horizo	PASS
5	9608.00	42.6	43.99	1.380	74.00	30.01	PK	Horizo	PASS
6	9608.00	37.7	39.06	1.380	54.00	14.94	AV	Horizo	PASS

Transmit at 2402MHz by LE_1Mbps

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	48.1	39.59	-8.480	74.00	34.41	PK	Vertic	PASS
2	4804.00	44.3	35.77	-8.480	54.00	18.23	AV	Vertic	PASS
3	7206.75	56.6	55.02	-1.620	74.00	16.48	PK	Vertic	PASS
4	7207.50	54.8	53.21	-1.620	54.00	0.79	AV	Vertic	PASS
5	9608.00	42.4	43.73	1.380	74.00	30.27	PK	Vertic	PASS
6	9608.00	37.3	38.71	1.380	54.00	15.29	AV	Vertic	PASS

Transmit at 2440MHz by LE_1Mbps

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	45.0	36.87	-8.160	54.00	17.13	AV	Horizo	PASS
2	4880.00	48.2	40.05	-8.160	74.00	33.95	PK	Horizo	PASS
3	7319.25	56.8	55.36	-1.450	74.00	18.64	PK	Horizo	PASS
4	7320.75	53.5	52.04	-1.440	54.00	1.96	AV	Horizo	PASS
5	9760.00	37.4	38.87	1.450	54.00	15.13	AV	Horizo	PASS
6	9760.00	42.6	44.08	1.450	74.00	29.92	PK	Horizo	PASS

Transmit at 2440MHz by LE_1Mbps

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	47.3	39.10	-8.160	74.00	34.90	PK	Vertic	PASS
2	4880.00	42.7	34.51	-8.160	54.00	19.49	AV	Vertic	PASS
3	7320.00	54.4	52.98	-1.450	54.00	1.02	AV	Vertic	PASS
4	7320.75	55.6	54.16	-1.440	74.00	19.84	PK	Vertic	PASS
5	9760.00	42.3	43.75	1.450	74.00	30.25	PK	Vertic	PASS
6	9760.00	37.7	39.15	1.450	54.00	14.85	AV	Vertic	PASS

Transmit at 2480MHz by LE_1Mbps

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	47.7	39.87	-7.830	74.00	34.13	PK	Horizo	PASS
2	4960.00	43.8	35.99	-7.830	54.00	18.01	AV	Horizo	PASS
3	7440.75	55.4	54.08	-1.320	74.00	19.92	PK	Horizo	PASS
4	7441.50	54.4	53.09	-1.320	54.00	0.91	AV	Horizo	PASS
5	9920.00	41.7	44.05	2.350	74.00	29.95	PK	Horizo	PASS
6	9920.00	38.8	41.14	2.350	54.00	12.86	AV	Horizo	PASS

Transmit at 2480MHz by LE_1Mbps

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	47.1	39.26	-7.830	74.00	34.74	PK	Vertic	PASS
2	4960.00	44.3	36.50	-7.830	54.00	17.50	AV	Vertic	PASS
3	7440.00	54.4	53.10	-1.300	54.00	0.90	AV	Vertic	PASS
4	7440.75	55.9	54.57	-1.320	74.00	19.43	PK	Vertic	PASS
5	9920.00	42.0	44.39	2.350	74.00	29.61	PK	Vertic	PASS
6	9920.00	37.2	39.58	2.350	54.00	14.42	AV	Vertic	PASS

Transmit at 2402MHz by LE_2Mbps

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	47.4	38.94	-8.480	74.00	35.06	PK	Horizo	PASS
2	4804.00	43.9	35.41	-8.480	54.00	18.59	AV	Horizo	PASS
3	7207.50	58.8	57.17	-1.620	74.00	15.33	PK	Horizo	PASS
4	7208.25	54.5	52.84	-1.610	54.00	1.16	AV	Horizo	PASS
5	9608.00	42.7	44.03	1.380	74.00	29.97	PK	Horizo	PASS
6	9608.00	38.3	39.67	1.380	54.00	14.33	AV	Horizo	PASS

Transmit at 2402MHz by LE_2Mbps

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	42.5	34.02	-8.480	54.00	19.98	AV	Vertic	PASS
2	4804.00	48.2	39.75	-8.480	74.00	34.25	PK	Vertic	PASS
3	7207.50	57.3	55.63	-1.620	74.00	18.37	PK	Vertic	PASS
4	7208.25	54.9	53.33	-1.610	54.00	0.67	AV	Vertic	PASS
5	9608.00	38.9	40.29	1.380	54.00	13.71	AV	Vertic	PASS
6	9608.00	42.2	43.59	1.380	74.00	30.41	PK	Vertic	PASS

Transmit at 2440MHz by LE_2Mbps

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	47.5	39.35	-8.160	74.00	34.65	PK	Horizo	PASS
2	4880.00	44.0	35.85	-8.160	54.00	18.15	AV	Horizo	PASS
3	7318.50	55.8	54.33	-1.450	74.00	19.67	PK	Horizo	PASS
4	7319.25	54.3	52.84	-1.450	54.00	1.16	AV	Horizo	PASS
5	9760.00	37.0	38.41	1.450	54.00	15.59	AV	Horizo	PASS
6	9760.00	41.9	43.35	1.450	74.00	30.65	PK	Horizo	PASS

Transmit at 2440MHz by LE_2Mbps

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	47.4	39.22	-8.160	74.00	34.78	PK	Vertic	PASS
2	4880.00	42.2	34.02	-8.160	54.00	19.98	AV	Vertic	PASS
3	7318.50	56.1	54.62	-1.450	74.00	19.38	PK	Vertic	PASS
4	7319.25	54.7	53.22	-1.450	54.00	0.78	AV	Vertic	PASS
5	9760.00	39.0	40.46	1.450	54.00	13.54	AV	Vertic	PASS
6	9760.00	42.7	44.12	1.450	74.00	29.88	PK	Vertic	PASS


Transmit at 2480MHz by LE_2Mbps

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	47.0	39.14	-7.830	74.00	34.86	PK	Horizo	PASS
2	4960.00	42.2	34.38	-7.830	54.00	19.62	AV	Horizo	PASS
3	7438.50	56.5	55.16	-1.290	74.00	18.84	PK	Horizo	PASS
4	7439.25	54.5	53.23	-1.300	54.00	0.77	AV	Horizo	PASS
5	9920.00	36.3	38.60	2.350	54.00	15.40	AV	Horizo	PASS
6	9920.00	40.8	43.13	2.350	74.00	30.87	PK	Horizo	PASS

Transmit at 2480MHz by LE_2Mbps**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	45.2	37.33	-7.830	74.00	36.67	PK	Vertic	PASS
2	4960.00	41.1	33.23	-7.830	54.00	20.77	AV	Vertic	PASS
3	7438.50	56.9	55.62	-1.290	74.00	18.38	PK	Vertic	PASS
4	7439.25	54.4	53.14	-1.300	54.00	0.86	AV	Vertic	PASS
5	9920.00	37.8	40.18	2.350	54.00	13.82	AV	Vertic	PASS
6	9920.00	40.8	43.14	2.350	74.00	30.86	PK	Vertic	PASS

Transmit at 2402MHz by Coded S=8

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	49.9	41.41	-8.480	74.00	32.59	PK	Horizo	PASS
2	4804.00	45.7	37.22	-8.480	54.00	16.78	AV	Horizo	PASS
3	7206.00	54.4	52.75	-1.620	54.00	1.25	AV	Horizo	PASS
4	7206.75	55.8	54.19	-1.620	74.00	19.81	PK	Horizo	PASS
5	9608.00	39.8	41.18	1.380	54.00	12.82	AV	Horizo	PASS
6	9608.00	43.9	45.26	1.380	74.00	28.74	PK	Horizo	PASS

Transmit at 2402MHz by Coded S=8

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	47.7	39.19	-8.480	74.00	34.81	PK	Vertic	PASS
2	4804.00	42.5	34.00	-8.480	54.00	20.00	AV	Vertic	PASS
3	7206.00	55.3	53.66	-1.620	74.00	19.84	PK	Vertic	PASS
4	7206.75	54.5	52.88	-1.620	54.00	1.12	AV	Vertic	PASS
5	9608.00	38.9	40.25	1.380	54.00	13.75	AV	Vertic	PASS
6	9608.00	43.0	44.38	1.380	74.00	29.62	PK	Vertic	PASS

Transmit at 2440MHz by Coded S=8

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	47.8	39.61	-8.160	74.00	34.39	PK	Horizo	PASS
2	4880.00	43.7	35.51	-8.160	54.00	18.49	AV	Horizo	PASS
3	7319.25	55.4	53.96	-1.450	74.00	20.04	PK	Horizo	PASS
4	7321.50	54.3	52.86	-1.440	54.00	1.14	AV	Horizo	PASS
5	9760.00	41.6	43.02	1.450	74.00	30.98	PK	Horizo	PASS
6	9760.00	37.7	39.15	1.450	54.00	14.85	AV	Horizo	PASS

Transmit at 2440MHz by Coded S=8

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	46.3	38.11	-8.160	74.00	35.89	PK	Vertic	PASS
2	7321.50	57.2	55.77	-1.440	74.00	18.23	PK	Vertic	PASS
3	7321.50	54.6	53.12	-1.440	54.00	0.88	AV	Vertic	PASS
4	9760.00	41.7	43.14	1.450	74.00	30.86	PK	Vertic	PASS

Transmit at 2480MHz by Coded S=8

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	47.7	39.82	-7.830	74.00	34.18	PK	Horizo	PASS
2	4960.00	44.1	36.22	-7.830	54.00	17.78	AV	Horizo	PASS
3	7440.00	54.2	52.93	-1.300	54.00	1.07	AV	Horizo	PASS
4	7440.75	56.2	54.92	-1.320	74.00	19.08	PK	Horizo	PASS
5	9920.00	41.2	43.50	2.350	74.00	30.50	PK	Horizo	PASS
6	9920.00	38.0	40.35	2.350	54.00	13.65	AV	Horizo	PASS

Transmit at 2480MHz by Coded S=8

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	46.6	38.75	-7.830	74.00	35.25	PK	Vertic	PASS
2	4960.00	43.8	35.98	-7.830	54.00	18.02	AV	Vertic	PASS
3	7439.25	56.8	55.50	-1.300	74.00	18.50	PK	Vertic	PASS
4	7440.00	54.4	53.11	-1.300	54.00	0.89	AV	Vertic	PASS
5	9920.00	41.6	43.92	2.350	74.00	30.08	PK	Vertic	PASS
6	9920.00	37.4	39.74	2.350	54.00	14.26	AV	Vertic	PASS

Transmit at 2402MHz by Coded S=2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	48.2	39.67	-8.480	74.00	34.33	PK	Horizo	PASS
2	4804.00	44.9	36.42	-8.480	54.00	17.58	AV	Horizo	PASS
3	7206.00	54.8	53.22	-1.620	54.00	0.78	AV	Horizo	PASS
4	7206.75	56.4	54.82	-1.620	74.00	19.18	PK	Horizo	PASS
5	9608.00	37.7	39.06	1.380	54.00	14.94	AV	Horizo	PASS
6	9608.00	42.8	44.14	1.380	74.00	29.86	PK	Horizo	PASS

Transmit at 2402MHz by Coded S=2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	46.2	37.69	-8.480	74.00	36.31	PK	Vertic	PASS
2	4804.00	42.6	34.16	-8.480	54.00	19.84	AV	Vertic	PASS
3	7206.00	55.1	53.52	-1.620	54.00	0.48	AV	Vertic	PASS
4	7206.75	57.0	55.33	-1.620	74.00	18.67	PK	Vertic	PASS
5	9608.00	37.9	39.27	1.380	54.00	14.73	AV	Vertic	PASS
6	9608.00	42.1	43.45	1.380	74.00	30.55	PK	Vertic	PASS

Transmit at 2440MHz by Coded S=2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	47.3	39.18	-8.160	74.00	34.82	PK	Horizo	PASS
2	4880.00	42.9	34.74	-8.160	54.00	19.26	AV	Horizo	PASS
3	7320.75	56.2	54.75	-1.440	74.00	19.25	PK	Horizo	PASS
4	7321.50	53.6	52.17	-1.440	54.00	1.83	AV	Horizo	PASS
5	9760.00	41.4	42.82	1.450	74.00	31.18	PK	Horizo	PASS
6	9760.00	37.1	38.51	1.450	54.00	15.49	AV	Horizo	PASS

Transmit at 2440MHz by Coded S=2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4880.00	48.3	40.14	-8.160	74.00	33.86	PK	Vertic	PASS
2	4880.00	43.8	35.60	-8.160	54.00	18.40	AV	Vertic	PASS
3	7320.00	54.6	53.18	-1.450	54.00	0.82	AV	Vertic	PASS
4	7320.75	56.5	55.10	-1.440	74.00	18.90	PK	Vertic	PASS
5	9760.00	37.1	38.59	1.450	54.00	15.41	AV	Vertic	PASS
6	9760.00	41.4	42.81	1.450	74.00	31.19	PK	Vertic	PASS

Transmit at 2480MHz by Coded S=2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	47.8	39.99	-7.830	74.00	34.01	PK	Horizo	PASS
2	4960.00	45.1	37.31	-7.830	54.00	16.69	AV	Horizo	PASS
3	7440.75	55.7	54.35	-1.320	74.00	19.65	PK	Horizo	PASS
4	7441.50	54.2	52.90	-1.320	54.00	1.10	AV	Horizo	PASS
5	9920.00	41.2	43.57	2.350	74.00	30.43	PK	Horizo	PASS
6	9920.00	37.1	39.46	2.350	54.00	14.54	AV	Horizo	PASS

Transmit at 2480MHz by Coded S=2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	47.8	39.92	-7.830	74.00	34.08	PK	Vertic	PASS
2	4960.00	42.2	34.39	-7.830	54.00	19.61	AV	Vertic	PASS
3	7440.75	56.4	55.06	-1.320	74.00	18.94	PK	Vertic	PASS
4	7441.50	54.6	53.29	-1.320	54.00	0.71	AV	Vertic	PASS
5	9920.00	41.3	43.64	2.350	74.00	30.36	PK	Vertic	PASS
6	9920.00	37.6	39.96	2.350	54.00	14.04	AV	Vertic	PASS

Transmit at 2402MHz by LE_1Mbps

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	49.1	40.61	-8.480	74.00	33.39	PK	Horizo	PASS
2	4804.00	45.8	37.31	-8.480	54.00	16.69	AV	Horizo	PASS
3	7206.75	58.7	57.04	-1.620	74.00	16.96	PK	Horizo	PASS
4	7207.50	54.7	53.12	-1.620	54.00	0.88	AV	Horizo	PASS
5	9608.00	41.7	43.06	1.380	74.00	30.94	PK	Horizo	PASS
6	9608.00	38.5	39.91	1.380	54.00	14.09	AV	Horizo	PASS

Transmit at 2402MHz by LE_1Mbps

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	47.3	38.81	-8.480	74.00	35.19	PK	Vertic	PASS
2	4804.00	42.0	33.56	-8.480	54.00	20.44	AV	Vertic	PASS
3	7205.25	58.3	56.65	-1.620	74.00	17.35	PK	Vertic	PASS
4	7207.50	53.8	52.22	-1.620	54.00	1.28	AV	Vertic	PASS
5	9608.00	42.7	44.12	1.380	74.00	29.88	PK	Vertic	PASS
6	9608.00	38.7	40.10	1.380	54.00	13.90	AV	Vertic	PASS

Note:

1. Level = Reading + Factor

2. Margin = Limit - Level


3. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.

4. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.

The worst case of Radiated Emission below 1GHz :

Transmit at 2402MHz by LE_1Mbps

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	38.97	13.0	26.76	13.750	40.00	13.24	PK	Horizo	PASS
2	79.23	13.5	23.29	9.840	40.00	16.71	PK	Horizo	PASS
3	118.76	14.7	25.76	11.040	43.50	17.74	PK	Horizo	PASS
4	212.85	13.9	26.22	12.310	43.50	17.28	PK	Horizo	PASS
5	402.97	14.6	30.88	16.320	46.00	15.12	PK	Horizo	PASS
6	740.04	16.2	37.59	21.350	46.00	8.41	PK	Horizo	PASS

Transmit at 2402MHz by LE_1Mbps

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	35.34	12.9	26.10	13.220	40.00	13.90	PK	Vertic	PASS
2	68.32	13.4	24.04	10.670	40.00	15.96	PK	Vertic	PASS
3	117.79	13.8	25.01	11.180	43.50	18.49	PK	Vertic	PASS
4	174.05	13.9	24.13	10.250	43.50	19.37	PK	Vertic	PASS
5	295.78	13.9	27.84	13.990	46.00	18.16	PK	Vertic	PASS
6	652.74	14.5	34.66	20.170	46.00	11.34	PK	Vertic	PASS

Note:

1. All Readings below 1GHz are PK, PK as an alternative to CISPR quasi-peak measurements or average measurements.
2. Level=Reading+Factor.

The End