

Appendix B: Test Results of Radiation Spurious Emissions & Mains Conducted Emission

Band Edges, 4.5GHz ~ 5.15GHz


U-NII-1

802.11a

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.50	70.49	27.62	42.87	74.00	-3.51	100	278	Peak	Horizontal		
2	5180.00	122.57	79.61	42.96	68.20	54.37	100	278	Peak	Horizontal		
3	5401.50	57.29	14.12	43.17	74.00	-16.71	100	278	Peak	Horizontal		

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.00	59.13	16.76	42.37	74.00	-14.87	100	350	Peak	Vertical		
2	5180.00	115.45	72.99	42.46	68.20	47.25	100	350	Peak	Vertical		
3	5440.00	55.46	12.49	42.97	74.00	-18.54	100	350	Peak	Vertical		

802.11a

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.00	50.78	7.91	42.87	54.00	-3.22	100	278 Average	Horizontal	
2	5180.00	115.25	70.29	42.96	54.00	59.25	100	278 Average	Horizontal	
3	5369.50	44.90	1.93	42.97	54.00	-9.10	100	278 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	47.50	5.13	42.37	54.00	-6.50	100	350 Average	Vertical	
2	5180.00	105.96	63.58	42.40	54.00	51.96	100	350 Average	Vertical	
3	5408.00	43.63	0.82	42.81	54.00	-10.37	100	350 Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5126.00	57.28	14.43	42.85	74.00	-16.72	149			210 Peak	Horizontal	
2 *	5220.00	117.25	74.39	42.95	68.20	49.05	149			210 Peak	Horizontal	
3	5366.00	56.98	14.68	42.90	74.00	-17.02	149			210 Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5121.00	58.77	16.42	42.35	74.00	-15.23	185			176 Peak	Vertical	
2 *	5220.00	121.68	79.15	42.53	68.20	53.48	185			176 Peak	Vertical	
3	5366.00	57.60	14.85	42.75	74.00	-16.40	185			176 Peak	Vertical	

802.11a

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




		Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1		4799.50	46.05	3.77	42.26	54.00	-7.95	149	210	Average	Horizontal	Horizontal
2	*	5220.00	107.54	64.59	42.95	54.00	53.54	149	210	Average	Horizontal	Horizontal
3		5365.00	43.73	0.79	42.94	54.00	-10.27	149	210	Average	Horizontal	Horizontal

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5146.50	61.94	19.87	42.87	74.00	-12.06	100	86	Peak	Horizontal		
2 *	5240.00	122.26	79.38	42.88	68.20	54.06	100	86	Peak	Horizontal		
3	5386.50	57.15	14.87	43.08	74.00	-16.85	100	86	Peak	Horizontal		

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5131.00	56.33	13.97	42.36	74.00	-17.67	132	354	Peak	Vertical		
2 *	5240.00	114.91	72.37	42.58	68.20	46.71	132	354	Peak	Vertical		
3	5436.00	56.34	13.40	42.94	74.00	-17.66	132	354	Peak	Vertical		

802.11a


CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20_OFDM

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	66.79	23.92	42.87	68.20	-1.41	201	183	Peak	Horizontal	
2	5180.00	118.90	75.94	42.96	68.20	50.70	201	183	Peak	Horizontal	
3	5411.00	57.14	14.00	43.14	74.00	-16.86	201	183	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5140.50	60.70	26.33	42.37	74.00	-5.30	182	174	Peak	Vertical	
2	5180.00	122.96	80.50	42.46	68.20	54.76	182	174	Peak	Vertical	
3	5366.00	57.36	14.61	42.75	74.00	-16.64	182	174	Peak	Vertical	

802.11ax HE20_OFDM

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	52.55	9.68	42.87	54.00	-1.45	201	183	Average	Horizontal	
2	5180.00	107.50	64.54	42.96	54.00	53.50	201	183	Average	Horizontal	
3	5376.00	44.36	1.35	43.01	54.00	-9.64	201	183	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5140.00	53.46	11.09	42.37	54.00	-0.54	182	174	Average	Vertical	
2	5180.00	111.36	68.98	42.40	54.00	57.36	182	174	Average	Vertical	
3	5373.50	45.08	2.33	42.75	54.00	-8.92	182	174	Average	Vertical	


802.11ax HE20_OFDM

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5125.50	57.11	14.26	42.85	74.00	-16.89	151	209	Peak	Horizontal	
2	5220.00	117.79	74.84	42.95	68.20	49.59	151	209	Peak	Horizontal	
3	5423.50	56.68	13.58	43.10	74.00	-17.32	151	209	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5125.50	58.70	16.35	42.35	74.00	-15.30	193	177	Peak	Vertical	
2	5220.00	122.79	89.26	42.53	68.20	54.59	193	177	Peak	Vertical	
3	5415.50	57.04	14.19	42.85	74.00	-16.96	193	177	Peak	Vertical	

802.11ax HE20_OFDM

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4799.50	45.78	3.50	42.28	54.00	-8.22	151	209 Average	Horizontal	
2	5220.00	105.85	62.90	42.95	54.00	51.85	151	209 Average	Horizontal	
3	5396.50	43.66	0.51	43.15	54.00	-10.34	151	209 Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4799.50	49.91	8.03	41.88	54.00	-4.09	193	177 Average	Vertical	
2	5220.00	111.19	68.66	42.53	54.00	57.19	193	177 Average	Vertical	
3	5365.00	45.09	2.34	42.75	54.00	-8.91	193	177 Average	Vertical	


802.11ax HE20_OFDM

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5140.50	57.49	14.63	42.86	74.00	-16.51	200	172	Peak	Horizontal		
2	5240.00	129.97	78.09	42.88	68.20	52.77	200	172	Peak	Horizontal		
3	5422.50	56.98	13.88	43.10	74.00	-17.02	200	172	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.50	59.83	17.46	42.37	74.00	-14.17	180	182	Peak	Vertical		
2	5240.00	124.18	81.64	42.54	68.20	55.98	180	182	Peak	Vertical		
3	5372.50	57.45	14.70	42.75	74.00	-16.55	180	182	Peak	Vertical		

802.11ax HE20_OFDM

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	45.74	2.88	42.86	54.00	-8.26	200	172	Average	Horizontal	
2 *	5240.00	100.66	65.78	42.88	54.00	54.66	200	172	Average	Horizontal	
3	5382.00	44.88	1.83	43.05	54.00	-9.12	200	172	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4799.50	50.76	8.88	41.88	54.00	-3.24	180	182	Average	Vertical	
2 *	5240.00	111.75	69.21	42.54	54.00	57.75	180	182	Average	Vertical	
3	5384.00	45.22	2.46	42.76	54.00	-8.78	180	182	Average	Vertical	

802.11ax HE40_OFDM

CH 38 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.50	61.59	18.72	42.87	74.00	-12.41	192	198	Peak	Horizontal		
2 *	5190.00	115.28	72.30	42.98	68.20	47.08	192	198	Peak	Horizontal		
3	5414.50	56.25	13.12	43.13	74.00	-17.75	192	198	Peak	Horizontal		

CH 38 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5143.50	62.78	20.41	42.37	74.00	-11.22	191	177	Peak	Vertical		
2 *	5190.00	117.63	75.15	42.48	68.20	49.43	191	177	Peak	Vertical		
3	5360.50	56.53	13.79	42.74	74.00	-17.47	191	177	Peak	Vertical		

802.11ax HE40_OFDM

CH 38 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5145.50	50.10	7.23	42.87	54.00	-3.90	192	198	Average	Horizontal	
2	5190.00	104.83	61.85	42.98	54.00	50.83	192	198	Average	Horizontal	
3	5376.00	44.15	1.14	43.01	54.00	-9.85	192	198	Average	Horizontal	

CH 38 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	51.31	8.94	42.37	54.00	-2.69	191	177	Average	Vertical	
2	5190.00	107.01	64.53	42.48	54.00	53.01	191	177	Average	Vertical	
3	5383.00	44.55	1.79	42.76	54.00	-9.45	191	177	Average	Vertical	


802.11ax HE40_OFDM

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5142.00	63.13	20.26	42.87	74.00	-10.87	198	183	Peak	Horizontal	
2	5230.00	117.82	74.90	42.92	68.20	49.62	198	183	Peak	Horizontal	
3	5354.00	59.03	16.17	42.86	74.00	-14.97	198	183	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5146.50	66.42	24.05	42.37	74.00	-7.58	184	173	Peak	Vertical	
2	5230.00	121.16	78.62	42.54	68.20	52.96	184	173	Peak	Vertical	
3	5352.50	59.34	16.60	42.74	74.00	-14.66	184	173	Peak	Vertical	

802.11ax HE40_OFDM

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.00	48.93	6.06	42.87	54.00	-5.07	198	183	Average	Horizontal	
2	5230.00	106.51	63.69	42.92	54.00	52.61	198	183	Average	Horizontal	
3	5366.50	44.84	1.89	42.95	54.00	-9.16	198	183	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	50.14	8.26	41.88	54.00	-3.86	184	173	Average	Vertical	
2	5230.00	109.41	66.87	42.54	54.00	55.41	184	173	Average	Vertical	
3	5364.00	45.61	2.87	42.74	54.00	-8.39	184	173	Average	Vertical	


802.11ax HE80_OFDM

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.00	65.36	22.49	42.87	74.00	-8.64	176	177	Peak	Horizontal	
2 *	5219.00	114.32	71.34	42.98	68.29	46.12	176	177	Peak	Horizontal	
3	5386.00	57.99	14.51	43.08	74.00	-16.01	176	177	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	66.53	24.16	42.37	74.00	-7.47	181	183	Peak	Vertical	
2 *	5219.00	116.54	74.02	42.52	68.29	48.34	181	183	Peak	Vertical	
3	5362.50	57.60	14.86	42.74	74.00	-16.40	181	183	Peak	Vertical	

802.11ax HE80_OFDM

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.50	52.90	10.83	42.07	54.00	-1.10	176	177	Average	Horizontal		
2	5210.00	101.70	58.72	42.98	54.00	47.70	176	177	Average	Horizontal		
3	5376.00	44.33	1.32	43.01	54.00	-9.67	176	177	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	53.94	11.57	42.37	54.00	-0.06	181	183	Average	Vertical		
2	5210.00	104.55	62.03	42.52	54.00	50.55	181	183	Average	Vertical		
3	5364.00	44.75	2.01	42.74	54.00	-9.25	181	183	Average	Vertical		

802.11ax HE20_OFDMA

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.00	59.32	16.45	42.87	74.00	-14.68	164	331 Peak	Horizontal	
2 *	5180.00	121.07	78.11	42.96	68.28	52.87	164	331 Peak	Horizontal	
3	5407.00	57.99	14.84	43.15	74.00	-16.01	164	331 Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	65.42	23.05	42.37	68.20	-2.78	187	360 Peak	Vertical	
2 *	5180.00	124.73	82.27	42.46	68.28	56.53	187	360 Peak	Vertical	
3	5370.50	57.44	14.69	42.75	74.00	-16.56	187	360 Peak	Vertical	

802.11ax HE20_OFDMA

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	47.66	4.79	42.87	54.00	-6.34	164	331	Average	Horizontal	
2 *	5180.00	100.00	65.64	42.96	54.00	54.00	164	331	Average	Horizontal	
3	5373.00	44.78	1.79	42.99	54.00	-9.22	164	331	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	52.67	10.79	41.88	54.00	-1.33	187	360	Average	Vertical	
2 *	5180.00	114.12	71.66	42.46	54.00	60.12	187	360	Average	Vertical	
3	5372.50	45.85	3.10	42.75	54.00	-8.15	187	360	Average	Vertical	

802.11ax HE20_OFDMA

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.00	57.57	14.71	42.86	74.00	-16.43	183	200	Peak	Horizontal	
2 *	5220.00	117.59	74.64	42.95	68.20	49.39	183	200	Peak	Horizontal	
3	5409.50	56.06	12.92	43.14	74.00	-17.94	183	200	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5125.00	58.74	16.39	42.35	74.00	-15.26	184	178	Peak	Vertical	
2 *	5220.00	122.99	80.46	42.53	68.20	54.79	184	178	Peak	Vertical	
3	5365.00	56.58	13.83	42.75	74.00	-17.42	184	178	Peak	Vertical	

802.11ax HE20_OFDMA

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	46.42	4.14	42.28	54.00	-7.58	183	200	Average	Horizontal	
2 *	5220.00	106.50	63.55	42.95	54.00	52.50	183	200	Average	Horizontal	
3	5365.50	43.61	0.67	42.94	54.00	-10.39	183	200	Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	50.49	8.61	41.88	54.00	-3.51	184	178	Average	Vertical	
2 *	5220.00	111.53	69.00	42.53	54.00	57.53	184	178	Average	Vertical	
3	5365.00	45.61	2.86	42.75	54.00	-8.39	184	178	Average	Vertical	


802.11ax HE20_OFDMA

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.00	58.11	15.24	42.87	74.00	-15.89	143	333	Peak	Horizontal	
2 *	5240.00	120.51	77.63	42.88	68.20	52.31	143	333	Peak	Horizontal	
3	5404.00	57.36	14.20	43.16	74.00	-16.64	143	333	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.50	62.04	19.67	42.37	74.00	-11.96	195	357	Peak	Vertical	
2 *	5240.00	125.26	82.72	42.54	68.20	57.06	195	357	Peak	Vertical	
3	5383.00	57.67	14.91	42.76	74.00	-16.33	195	357	Peak	Vertical	

802.11ax HE20_OFDMA

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	48.69	6.41	42.28	54.00	-5.31	143	333	Average	Horizontal	
2 *	5240.00	100.52	65.64	42.88	54.00	54.52	143	333	Average	Horizontal	
3	5384.50	44.58	1.51	43.07	54.00	-9.42	143	333	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	52.77	10.89	41.88	54.00	-1.23	195	357	Average	Vertical	
2 *	5240.00	114.72	72.18	42.54	54.00	60.72	195	357	Average	Vertical	
3	5384.50	46.35	3.59	42.76	54.00	-7.65	195	357	Average	Vertical	


802.11ax HE40_OFDMA

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	63.65	20.78	42.87	74.00	-10.35	174	360	Peak	Horizontal	
2 *	5190.00	115.56	72.58	42.98	68.20	47.36	174	360	Peak	Horizontal	
3	5380.50	58.20	15.16	43.04	74.00	-15.80	174	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	64.49	22.12	42.37	74.00	-9.51	196	360	Peak	Vertical	
2 *	5190.00	119.77	77.29	42.48	68.20	51.57	196	360	Peak	Vertical	
3	5453.50	57.20	14.18	43.02	74.00	-16.80	196	360	Peak	Vertical	

802.11ax HE40_OFDMA

CH 38 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.00	50.51	7.64	42.87	54.00	-3.49	174	360 Average	Horizontal	
2	5190.00	103.90	61.00	42.90	54.00	49.90	174	360 Average	Horizontal	
3	5377.00	44.51	1.49	43.02	54.00	-9.49	174	360 Average	Horizontal	

CH 38 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	53.75	11.38	42.37	54.00	-0.25	196	360 Average	Vertical	
2	5190.00	100.52	66.04	42.48	54.00	54.52	196	360 Average	Vertical	
3	5383.50	44.64	1.88	42.76	54.00	-9.36	196	360 Average	Vertical	


802.11ax HE40_OFDMA

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.50	60.39	17.52	42.87	74.00	-13.61	142	333	Peak	Horizontal	
2 *	5238.00	117.91	74.99	42.92	68.20	49.71	142	333	Peak	Horizontal	
3	5364.00	56.73	13.81	42.92	74.00	-17.27	142	333	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.00	66.12	23.75	42.37	74.00	-7.88	195	360	Peak	Vertical	
2 *	5238.00	123.76	81.22	42.54	68.20	55.56	195	360	Peak	Vertical	
3	5357.00	58.86	16.12	42.74	74.00	-15.14	195	360	Peak	Vertical	

802.11ax HE40_OFDMA


CH 46 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80_OFDMA

CH 42 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	64.18	21.31	42.87	74.00	-9.82	215	360	Peak	Horizontal	
2 *	5210.00	112.18	69.20	42.98	68.20	43.98	215	360	Peak	Horizontal	
3	5394.00	57.69	14.63	43.06	74.00	-16.31	215	360	Peak	Horizontal	

CH 42 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	69.01	26.64	42.37	74.00	-4.99	215	360	Peak	VERTICAL	
2 *	5210.00	115.11	72.59	42.52	68.20	46.91	215	360	Peak	VERTICAL	
3	5394.00	57.45	14.68	42.77	74.00	-16.55	215	360	Peak	VERTICAL	

802.11ax HE80_OFDMA

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5145.50	50.81	7.94	42.87	54.00	-3.19	215	360	Average	Horizontal	
2	5210.00	101.06	50.08	42.98	54.00	47.06	215	360	Average	Horizontal	
3	5403.50	44.65	1.48	43.17	54.00	-9.35	215	360	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5142.50	52.96	10.59	42.37	54.00	-1.04	215	360	Average	VERTICAL	
2	5210.00	103.90	61.38	42.52	54.00	49.90	215	360	Average	VERTICAL	
3	5362.00	45.25	2.51	42.74	54.00	-8.75	215	360	Average	VERTICAL	

Band Edges, 5.35GHz

U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5114.00	58.52	15.68	42.84	74.00	-15.48	105	84	Peak	Horizontal	
2 *	5260.00	123.44	80.55	42.88	68.20	55.24	105	84	Peak	Horizontal	
3	5355.50	61.86	18.99	42.87	74.00	-12.14	105	84	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5093.00	56.57	14.37	42.20	74.00	-17.43	152	353	Peak	Vertical	
2 *	5260.00	113.86	71.28	42.58	68.20	45.66	152	353	Peak	Vertical	
3	5458.50	56.62	13.60	43.02	74.00	-17.38	152	353	Peak	Vertical	

802.11a

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5114.00	58.52	15.68	42.84	74.00	-15.48	105	84	Peak	Horizontal	
2 *	5260.00	123.44	80.55	42.88	68.20	55.24	105	84	Peak	Horizontal	
3	5355.50	61.86	18.99	42.87	74.00	-12.14	105	84	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5093.00	56.57	14.37	42.20	74.00	-17.43	152	353	Peak	Vertical	
2 *	5260.00	113.86	71.28	42.58	68.20	45.66	152	353	Peak	Vertical	
3	5458.50	56.62	13.60	43.02	74.00	-17.38	152	353	Peak	Vertical	

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4973.50	56.75	14.27	42.48	74.00	-17.25	100	82	Peak	Horizontal		
2 *	5300.00	129.13	77.14	42.99	68.20	51.93	100	82	Peak	Horizontal		
3	5400.00	60.52	17.35	43.17	74.00	-13.48	100	82	Peak	Horizontal		

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5007.00	56.49	14.20	42.29	74.00	-17.51	151	354	Peak	Vertical		
2 *	5300.00	111.49	68.80	42.69	68.20	43.29	151	354	Peak	Vertical		
3	5367.00	56.65	13.90	42.75	74.00	-17.35	151	354	Peak	Vertical		

802.11a


CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	57.65	14.88	42.85	74.00	-16.35	105	82	Peak	Horizontal	
2 *	5320.00	120.59	77.65	42.93	68.20	52.39	105	82	Peak	Horizontal	
3 !	5351.50	73.48	30.64	42.84	74.00	-0.52	105	82	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5111.50	57.04	14.70	42.34	74.00	-16.96	100	38	Peak	Vertical	
2 *	5320.00	110.59	67.65	42.71	68.20	42.39	100	38	Peak	Vertical	
3	5353.50	63.73	20.99	42.74	74.00	-10.27	100	38	Peak	Vertical	

802.11a

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5134.00	45.29	2.43	42.86	54.00	-8.71	105	82	Average	Horizontal	
2 *	5320.00	103.04	60.11	42.93	54.00	49.04	105	82	Average	Horizontal	
3 !	5350.00	53.93	11.10	42.83	54.00	-0.07	105	82	Average	Horizontal	

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.00	43.65	1.29	42.36	54.00	-10.35	100	38	Average	Vertical	
2 *	5320.00	93.72	51.01	42.71	54.00	39.72	100	38	Average	Vertical	
3 !	5350.00	48.47	5.74	42.73	54.00	-5.53	100	38	Average	Vertical	


802.11ax HE20_OFDM

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5070.50	57.18	14.61	42.57	74.00	-16.82	215	174	Peak	Horizontal	
2 *	5260.00	120.30	77.42	42.88	68.20	52.10	215	174	Peak	Horizontal	
3	5355.50	57.61	14.74	42.87	74.00	-16.39	215	174	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5100.50	56.69	14.35	42.34	74.00	-17.31	181	178	Peak	Vertical	
2 *	5260.00	124.04	81.46	42.58	68.20	55.84	181	178	Peak	Vertical	
3	5355.50	62.06	19.32	42.74	74.00	-11.94	181	178	Peak	Vertical	

802.11ax HE20_OFDM

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



		Freq	Level	Read Level Factor		Limit	Over Limit	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1		4800.00	44.45	2.17	42.28	54.00	-9.55	215	174	Average	Horizontal	
2	3	5260.00	109.11	66.23	42.88	54.00	55.11	215	174	Average	Horizontal	
		5354.00	47.17	4.31	42.86	54.00	-6.83	215	174	Average	Horizontal	


802.11ax HE20_OFDM

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5091.00	56.47	13.72	42.75	74.00	-17.53		176	151	Peak	Horizontal	
2 *	5300.00	119.49	76.59	42.99	68.20	51.29		176	151	Peak	Horizontal	
3	5395.00	56.92	13.78	43.14	74.00	-17.08		176	151	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	57.70	15.82	41.88	74.00	-16.30		171	178	Peak	Vertical	
2 *	5300.00	133.48	89.79	42.69	68.20	55.28		171	178	Peak	Vertical	
3	5395.50	59.36	16.59	42.77	74.00	-14.64		171	178	Peak	Vertical	

802.11ax HE20_OFDM

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	45.64	3.36	42.28	54.00	-8.36	176	151	Average	Horizontal	
2 *	5395.50	106.83	63.84	42.99	54.00	52.83	176	151	Average	Horizontal	
3	5395.50	45.64	2.50	43.14	54.00	-8.36	176	151	Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	52.00	10.12	41.88	54.00	-2.00	171	178	Average	Vertical	
2 *	5395.50	111.39	68.70	42.69	54.00	57.39	171	178	Average	Vertical	
3	5397.50	48.13	5.36	42.77	54.00	-5.87	171	178	Average	Vertical	


802.11ax HE20_OFDM

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read		Limit		Over	APos	TPos	Remark	Pol/Phase	Note
			Line	Factor	Line	Limit						
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	5150.00	57.10	14.23	42.87	68.20	-11.10		214	212	Peak	Horizontal	
2	5320.00	117.80	74.87	42.93	68.20	49.60		214	212	Peak	Horizontal	
3	5353.00	60.07	17.21	42.86	74.00	-13.93		214	212	Peak	Horizontal	

802.11ax HE20_OFDM

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	46.68	4.32	42.28	54.00	-7.40	214	212	Average	Horizontal	
2 *	5320.00	105.46	62.53	42.93	54.00	51.46	214	212	Average	Horizontal	
3	5352.00	45.85	3.00	42.85	54.00	-8.15	214	212	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	51.10	9.22	41.88	54.00	-2.90	191	178	Average	Vertical	
2 *	5320.00	110.99	68.28	42.71	54.00	56.99	191	178	Average	Vertical	
3	5350.00	48.87	6.14	42.73	54.00	-5.13	191	178	Average	Vertical	

802.11ax HE40_OFDM

CH 54 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.50	57.92	15.06	42.86	74.00	-16.08	186	173	Peak	Horizontal	
2	5270.00	117.53	74.62	42.91	68.20	49.33	186	173	Peak	Horizontal	
3	5356.00	60.44	17.56	42.88	74.00	-13.56	186	173	Peak	Horizontal	

CH 54 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	59.38	17.01	42.37	74.00	-14.62	182	178	Peak	Vertical	
2	5270.00	121.95	79.34	42.61	68.20	53.75	182	178	Peak	Vertical	
3	5352.00	66.24	23.50	42.74	74.00	-7.76	182	178	Peak	Vertical	

802.11ax HE40_OFDM

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5138.50	45.54	2.68	42.86	54.00	-8.46	186	173	Average	Horizontal	
2	5270.00	106.99	64.08	42.91	54.00	52.99	186	173	Average	Horizontal	
3	5358.00	47.24	4.35	42.89	54.00	-6.76	186	173	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4799.50	50.28	8.48	41.80	54.00	-3.72	182	178	Average	Vertical	
2	5270.00	109.68	67.07	42.61	54.00	55.68	182	178	Average	Vertical	
3	5351.00	50.24	7.51	42.73	54.00	-3.76	182	178	Average	Vertical	


802.11ax HE40_OFDM

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5133.50	56.58	13.72	42.86	74.00	-17.42	188	188	Peak	Horizontal		
2	5310.00	117.93	74.07	42.96	68.20	46.83	188	188	Peak	Horizontal		
3	5355.00	60.93	18.06	42.87	74.00	-13.07	188	188	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.50	56.58	14.21	42.37	74.00	-17.42	182	190	Peak	Vertical
2	5310.00	119.39	76.69	42.70	68.20	51.19	182	190	Peak	Vertical
3	5351.00	64.30	21.57	42.73	74.00	-9.70	182	190	Peak	Vertical

802.11ax HE40_OFDM

CH 62 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5333.50	44.31	1.45	42.86	54.00	-9.69	188	188	Average	Horizontal		
2	5310.00	104.86	61.90	42.96	54.00	50.86	188	188	Average	Horizontal		
3	5354.50	48.97	6.10	42.87	54.00	-5.03	188	188	Average	Horizontal		

CH 62 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	49.78	7.90	41.88	54.00	-4.22	182	190	Average	Vertical		
2	5310.00	100.87	65.37	42.70	54.00	56.87	182	190	Average	Vertical		
3	5350.00	52.37	9.64	42.73	54.00	-1.63	182	190	Average	Vertical		

802.11ax HE80_OFDM

CH 58 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5098.00	57.47	14.66	42.81	74.00	-16.53	216	177	Peak	Horizontal		
2 *	5290.00	112.94	69.98	42.96	68.20	44.74	216	177	Peak	Horizontal		
3	5354.00	64.47	21.61	42.86	74.00	-9.53	216	177	Peak	Horizontal		

CH 58 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5145.00	58.07	15.70	42.37	74.00	-15.93	168	178	Peak	Vertical		
2 *	5290.00	116.05	73.39	42.66	68.20	47.85	168	178	Peak	Vertical		
3	5352.50	65.87	23.13	42.74	74.00	-8.13	168	178	Peak	Vertical		

802.11ax HE80_OFDM

CH 58 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.58	45.87	2.28	42.87	54.00	-8.93	216	177	Average	Horizontal		
2	5290.00	102.38	59.42	42.96	54.00	-48.38	216	177	Average	Horizontal		
3	5356.00	51.28	8.40	42.88	54.00	-2.72	216	177	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	46.89	5.81	41.88	54.00	-7.11	168	178	Average	Vertical		
2	5290.00	105.62	62.96	42.66	54.00	-51.62	168	178	Average	Vertical		
3	5351.00	53.99	11.26	42.73	54.00	-0.01	168	178	Average	Vertical		

802.11ax HE160_OFDM

CH 50 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5138.00	64.91	22.05	42.86	74.00	-9.09	194	188	Peak	Horizontal	
2	5250.00	100.37	65.42	42.85	68.20	40.07	194	188	Peak	Horizontal	
3	5358.00	64.03	21.14	42.89	74.00	-9.97	194	188	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5146.00	66.39	24.02	42.37	74.00	-7.61	178	180	Peak	Vertical	
2	5250.00	110.13	67.58	42.55	68.20	41.93	178	180	Peak	Vertical	
3	5361.50	62.95	20.21	42.74	74.00	-11.05	178	180	Peak	Vertical	

802.11ax HE160_OFDM

CH 50 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5145.00	51.82	8.95	42.87	54.00	-2.18	194	188	Average	Horizontal		
2 * 5250.00	97.00	54.23	42.85	54.00	43.00	194	188	Average	Horizontal		
3 5384.50	46.77	3.70	43.07	54.00	-7.23	194	188	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5142.00	53.62	11.25	42.37	54.00	-0.38	178	180	Average	Vertical		
2 * 5250.00	99.37	55.82	42.55	54.00	45.37	178	180	Average	Vertical		
3 5361.00	47.98	5.24	42.74	54.00	-6.02	178	180	Average	Vertical		


802.11ax HE20_OFDMA

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5113.50	56.81	13.97	42.84	74.00	-17.19	187	175	Peak	Horizontal	
2 *	5260.00	119.41	76.53	42.88	68.20	51.21	187	175	Peak	Horizontal	
3	5354.50	59.46	16.59	42.87	74.00	-14.54	187	175	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5113.50	57.30	14.96	42.34	74.00	-16.70	185	177	Peak	Vertical	
2 *	5260.00	123.64	81.06	42.58	68.20	55.44	185	177	Peak	Vertical	
3	5355.00	60.53	17.79	42.74	74.00	-13.47	185	177	Peak	Vertical	

802.11ax HE20_OFDMA


CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20_OFDMA

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5123.50	57.36	14.51	42.85	74.00	-16.64	209	170	Peak	Horizontal	
2 *	5390.00	118.95	79.96	42.99	68.20	50.75	209	170	Peak	Horizontal	
3	5397.50	58.79	15.63	43.16	74.00	-15.21	209	170	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5097.50	57.29	14.97	42.32	74.00	-16.71	193	175	Peak	Vertical	
2 *	5390.00	122.36	79.67	42.69	68.20	54.16	193	175	Peak	Vertical	
3	5396.50	60.31	17.54	42.77	74.00	-13.69	193	175	Peak	Vertical	

802.11ax HE20_OFDMA

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	44.24	1.96	42.28	54.00	-9.76	209	170	Average	Horizontal	
2 *	5300.00	105.62	65.63	42.99	54.00	54.62	209	170	Average	Horizontal	
3	5394.50	47.43	4.29	43.14	54.00	-6.57	209	170	Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	50.83	8.95	41.88	54.00	-3.17	193	175	Average	Vertical	
2 *	5300.00	111.07	68.36	42.69	54.00	57.07	193	175	Average	Vertical	
3	5397.00	48.58	5.81	42.77	54.00	-5.42	193	175	Average	Vertical	

802.11ax HE20_OFDMA

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5134.50	57.14	14.28	42.86	74.00	-16.86	201	178	Peak	Horizontal	
2 *	5320.00	119.77	76.64	42.93	68.20	51.57	201	178	Peak	Horizontal	
3	5351.50	61.27	18.43	42.84	74.00	-12.73	201	178	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5137.50	57.21	14.85	42.36	74.00	-16.79	197	184	Peak	Vertical	
2 *	5320.00	123.67	81.16	42.71	68.20	55.67	197	184	Peak	Vertical	
3	5352.00	62.50	19.76	42.74	74.00	-11.50	197	184	Peak	Vertical	