


802.11ax HE20_OFDMA

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5040.00	44.79	2.39	42.40	54.00	-9.21	201	178	Average	Horizontal	
2 *	5320.00	107.86	64.93	42.93	54.00	53.86	201	178	Average	Horizontal	
3 !	5350.00	48.57	5.74	42.83	54.00	-5.43	201	178	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	4800.00	50.47	8.59	41.88	54.00	-3.53	197	184	Average	Vertical	
2 *	5320.00	111.65	68.94	42.71	54.00	57.65	197	184	Average	Vertical	
3 !	5350.00	49.85	7.12	42.73	54.00	-4.15	197	184	Average	Vertical	

802.11ax HE40_OFDMA

CH 54 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5189.58	57.65	14.81	42.84	74.00	-16.35	193	175 Peak	Horizontal	
2 *	5278.00	117.68	74.77	42.91	68.20	-49.48	193	175 Peak	Horizontal	
3	5366.50	59.29	16.34	42.95	74.00	-14.71	193	175 Peak	Horizontal	

CH 54 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	57.54	15.66	41.88	74.00	-16.46	183	178 Peak	Vertical	
2 *	5278.00	120.47	77.86	42.61	68.20	-52.27	183	178 Peak	Vertical	
3	5366.00	63.14	20.39	42.75	74.00	-10.86	183	178 Peak	Vertical	

802.11ax HE40_OFDMA

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.00	45.16	2.29	42.87	54.00	-8.84	193	175	Average	Horizontal	
2 *	5278.00	107.83	64.12	42.91	54.00	53.83	193	175	Average	Horizontal	
3	5363.50	47.01	4.09	42.92	54.00	-6.99	193	175	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4799.50	50.50	8.62	41.88	54.00	-3.50	183	178	Average	Vertical	
2 *	5278.00	109.55	66.94	42.61	54.00	55.55	183	178	Average	Vertical	
3	5367.50	49.60	6.85	42.75	54.00	-4.40	183	178	Average	Vertical	


802.11ax HE40_OFDMA

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4922.50	56.78	14.36	42.42	74.00	-17.22	219	177	Peak	Horizontal	
2 *	5318.00	117.64	74.68	42.96	68.20	49.44	219	177	Peak	Horizontal	
3 !	5358.50	70.26	27.37	42.89	74.00	-3.74	219	177	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	58.93	17.05	41.88	74.00	-15.07	190	178	Peak	Vertical	
2 *	5318.00	119.76	77.06	42.70	68.20	51.56	190	178	Peak	Vertical	
3 !	5352.00	72.26	29.52	42.74	74.00	-1.74	190	178	Peak	Vertical	

802.11ax HE40_OFDMA

CH 62 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5138.00	44.38	1.52	42.86	54.00	-9.62	219	177	Average	Horizontal	
2 *	5318.00	106.05	63.09	42.96	54.00	52.05	219	177	Average	Horizontal	
3 !	5358.00	52.69	9.86	42.83	54.00	-1.31	219	177	Average	Horizontal	

CH 62 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	4800.00	51.55	9.67	41.88	54.00	-2.45	190	178	Average	Vertical	
2 *	5318.00	100.72	66.82	42.78	54.00	54.72	190	178	Average	Vertical	
3 !	5358.50	53.19	10.46	42.73	54.00	-0.81	190	178	Average	Vertical	


802.11ax HE80_OFDMA

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5112.00	57.43	14.59	42.84	74.00	-16.57	209	174	Peak	Horizontal	
2 *	5290.00	114.70	71.74	42.96	68.20	46.50	209	174	Peak	Horizontal	
3	5355.50	64.87	21.99	42.88	74.00	-9.13	209	174	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.00	58.99	16.63	42.36	74.00	-15.01	173	177	Peak	Vertical	
2 *	5290.00	117.54	74.88	42.66	68.20	49.34	173	177	Peak	Vertical	
3	5355.50	64.94	22.20	42.74	74.00	-9.06	173	177	Peak	Vertical	

802.11ax HE80_OFDMA

CH 58 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.00	45.33	2.46	42.87	54.00	-8.67	209	174	Average	Horizontal	
2 *	5298.00	102.86	59.90	42.96	54.00	48.86	209	174	Average	Horizontal	
3 !	5356.50	50.78	7.90	42.88	54.00	-3.22	209	174	Average	Horizontal	

CH 58 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4799.50	46.86	4.98	41.88	54.00	-7.14	173	177	Average	Vertical	
2 *	5298.00	105.21	62.55	42.66	54.00	51.21	173	177	Average	Vertical	
3 !	5358.50	53.85	11.12	42.73	54.00	-0.15	173	177	Average	Vertical	

802.11ax HE160_OFDMA

CH 50 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 5142.50	69.72	26.85	42.87	74.00	-4.28	191	180	Peak	Horizontal		
2 * 5250.00	109.49	66.64	42.85	68.20	41.29	191	180	Peak	Horizontal		
3 5362.50	67.76	24.85	42.91	74.00	-6.24	191	180	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 5140.50	71.47	29.10	42.37	74.00	-2.53	193	180	Peak	Vertical		
2 * 5250.00	110.56	68.81	42.55	68.20	42.36	193	180	Peak	Vertical		
3 5381.50	70.42	27.66	42.76	74.00	-3.58	193	180	Peak	Vertical		

802.11ax HE160_OMFDA

CH 50 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.50	51.72	8.86	42.86	54.00	-2.28	191	180 Average	Horizontal	
2	5250.00	93.13	50.28	42.85	54.00	39.13	191	180 Average	Horizontal	
3	5357.00	47.18	4.30	42.88	54.00	-6.82	191	180 Average	Horizontal	

CH 50 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.00	53.88	11.43	42.37	54.00	-0.20	193	180 Average	Vertical	
2	5250.00	95.28	52.75	42.55	54.00	41.28	193	180 Average	Vertical	
3	5372.50	48.75	6.00	42.75	54.00	-5.25	193	180 Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5405.50	59.76	16.60	43.16	74.00	-14.24	100	293 Peak	Horizontal	
2	5469.00	63.56	20.45	43.11	68.20	-4.64	100	293 Peak	Horizontal	
3	5500.00	121.75	78.50	43.25	68.20	53.55	100	293 Peak	Horizontal	
4	5760.50	57.40	14.01	43.39	68.20	-10.80	100	293 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5441.00	57.28	14.31	42.97	74.00	-16.72	109	33 Peak	Vertical	
2	5469.00	57.87	14.84	43.03	68.20	-10.33	109	33 Peak	Vertical	
3	5500.00	112.81	69.76	43.05	68.20	44.61	109	33 Peak	Vertical	
4	5825.50	57.93	14.26	43.67	68.20	-10.27	109	33 Peak	Vertical	

802.11a


CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5398.58	57.23	14.12	43.11	74.00	-16.77	256	350 Peak	Horizontal	
2	5464.58	56.56	13.47	43.09	68.20	-11.64	256	350 Peak	Horizontal	
3 *	5580.00	118.92	75.60	43.32	68.20	50.72	256	350 Peak	Horizontal	
4	5848.50	57.85	14.31	43.54	68.20	-10.35	256	350 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5428.58	57.92	15.81	42.91	74.00	-16.08	237	360 Peak	Vertical	
2	5466.00	56.41	13.38	43.03	68.20	-11.79	237	360 Peak	Vertical	
3 *	5580.00	121.91	78.79	43.12	68.20	53.71	237	360 Peak	Vertical	
4	5769.00	57.58	14.07	43.51	68.20	-10.62	237	360 Peak	Vertical	

802.11a

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5390.00	44.67	1.56	43.11	54.00	-9.33	256	350	Average	Horizontal		
2 *	5500.00	109.56	66.24	43.32	54.00	55.56	256	350	Average	Horizontal		

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5387.00	45.77	3.81	42.76	54.00	-8.23	237	360	Average	Vertical		
2 *	5500.00	112.76	69.64	43.12	54.00	58.76	237	360	Average	Vertical		

802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5393.50	57.14	14.01	43.13	74.00	-16.86	246	360 Peak	Horizontal	
2	5466.00	55.21	12.11	43.10	68.20	-12.99	246	360 Peak	Horizontal	
3 *	5700.00	114.52	71.30	43.22	68.20	46.32	246	360 Peak	Horizontal	
4 !	5725.00	63.96	20.67	43.29	68.20	-4.24	246	360 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5395.00	56.88	14.12	42.76	74.00	-17.12	253	336 Peak	Vertical	
2	5466.50	56.01	12.98	43.03	68.20	-12.19	253	336 Peak	Vertical	
3 *	5700.00	118.01	74.79	43.22	68.20	49.81	253	336 Peak	Vertical	
4 !	5725.00	65.52	22.18	43.34	68.20	-2.68	253	336 Peak	Vertical	

802.11a


CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20_OFDM

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5458.00	57.92	14.87	43.05	74.00	-16.08		295	360	Peak	Horizontal	
2	5467.00	61.55	18.45	43.10	68.20	-6.65		295	360	Peak	Horizontal	
3 *	5500.00	121.49	78.24	43.25	68.20	53.29		295	360	Peak	Horizontal	
4	5760.50	57.65	14.26	43.39	68.20	-10.55		295	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5458.00	63.28	20.26	43.02	74.00	-10.72		247	350	Peak	Vertical	
2	5469.50	65.93	22.90	43.03	68.20	-2.27		247	350	Peak	Vertical	
3 *	5500.00	125.32	82.27	43.05	68.20	57.12		247	350	Peak	Vertical	
4	5760.50	58.24	14.75	43.49	68.20	-9.96		247	350	Peak	Vertical	

802.11ax HE20_OFDM

CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	46.28	3.22	43.06	54.00	-7.72	295	360	Average	Horizontal	
2 *	5500.00	100.21	64.96	43.25	54.00	54.21	295	360	Average	Horizontal	

CH 100 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	49.47	6.45	43.02	54.00	-4.53	247	350	Average	Vertical	
2 *	5500.00	112.56	69.51	43.05	54.00	58.56	247	350	Average	Vertical	

802.11ax HE20_OFDM

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5438.50	57.30	14.24	43.06	74.00	-16.70	270	352 Peak	Horizontal	
2	5470.00	56.39	13.26	43.11	68.20	-11.81	270	352 Peak	Horizontal	
3 *	5580.00	121.04	77.72	43.32	68.20	52.84	270	352 Peak	Horizontal	
4	5775.50	58.50	15.07	43.43	68.20	-9.70	270	352 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5438.50	57.71	14.71	43.00	74.00	-16.29	244	2 Peak	Vertical	
2	5470.00	57.73	14.70	43.03	68.20	-10.47	244	2 Peak	Vertical	
3 *	5580.00	125.28	82.16	43.12	68.20	57.08	244	2 Peak	Vertical	
4	5726.50	58.26	14.91	43.35	68.20	-9.94	244	2 Peak	Vertical	

802.11ax HE20_OFDM

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5391.50	45.31	2.19	43.12	54.00	-8.69	270	352	Average	Horizontal		
2 *	5588.00	109.50	66.18	43.32	54.00	55.50	270	352	Average	Horizontal		

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5388.50	46.24	3.48	42.76	54.00	-7.76	244	2	Average	Vertical		
2 *	5588.00	112.52	69.40	43.12	54.00	58.52	244	2	Average	Vertical		


802.11ax HE20_OFDM

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5418.50	56.89	13.77	43.12	74.00	-17.11	297	360 Peak	Horizontal	
2	5460.00	56.22	13.16	43.06	68.20	-11.98	297	360 Peak	Horizontal	
3 *	5700.00	117.37	74.15	43.22	68.20	49.17	297	360 Peak	Horizontal	
4	5727.50	59.83	16.53	43.30	68.20	-8.37	297	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5447.00	57.15	14.15	43.00	74.00	-16.85	277	2 Peak	Vertical	
2	5462.00	56.65	13.63	43.02	68.20	-11.55	277	2 Peak	Vertical	
3 *	5700.00	120.03	76.81	43.22	68.20	51.83	277	2 Peak	Vertical	
4 !	5725.00	65.16	21.82	43.34	68.20	-9.04	277	2 Peak	Vertical	

802.11ax HE20_OFDM


CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40_OFDM

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5374.00	57.36	14.37	42.99	74.00	-16.64	266	13	Peak	Horizontal		
2	5470.00	57.39	14.28	43.11	68.20	-10.81	266	13	Peak	Horizontal		
3 *	5510.00	113.87	70.61	43.26	68.20	45.67	266	13	Peak	Horizontal		
4	5760.50	58.08	14.69	43.39	68.20	-10.12	266	13	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5453.00	59.19	16.17	43.02	74.00	-14.81	272	350	Peak	Vertical		
2	5466.50	64.80	21.77	43.03	68.20	-3.40	272	350	Peak	Vertical		
3 *	5510.00	118.48	75.42	43.06	68.20	50.28	272	350	Peak	Vertical		
4	5760.00	59.97	16.48	43.49	68.20	-8.23	272	350	Peak	Vertical		

802.11ax HE40_OFDM


CH 102 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40_OFDM

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5437.50	58.63	15.58	43.05	74.00	-15.37	264	9 Peak	Horizontal	
2	5469.00	69.94	17.84	43.10	68.20	-7.26	264	9 Peak	Horizontal	
3 *	5550.00	115.53	72.23	43.30	68.20	47.33	264	9 Peak	Horizontal	
4	5760.00	57.56	14.17	43.39	68.20	-10.64	264	9 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	61.94	18.92	43.02	68.20	-6.26	257	360 Peak	Vertical	
2	5469.50	62.20	19.17	43.03	68.20	-6.00	257	360 Peak	Vertical	
3 *	5550.00	120.39	77.29	43.10	68.20	52.19	257	360 Peak	Vertical	
4	5760.50	59.95	16.46	43.49	68.20	-8.25	257	360 Peak	Vertical	

802.11ax HE40_OFDM

CH 110 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.00	46.50	3.45	43.05	54.00	-7.50	264		9 Average	Horizontal	
2 *	5550.00	104.73	61.43	43.30	54.00	50.73	264		9 Average	Horizontal	

CH 110 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5452.50	49.71	6.69	43.02	54.00	-4.29	257		360 Average	Vertical	
2 *	5550.00	108.76	65.66	43.10	54.00	54.76	257		360 Average	Vertical	


802.11ax HE40_OFDM

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5455.00	57.34	14.38	43.04	74.00	-16.66	289	360	Peak	Horizontal		
2 *	5670.00	114.70	71.57	43.13	68.20	-46.50	289	360	Peak	Horizontal		
3	5670.00	56.45	13.32	43.13	68.20	-11.75	289	360	Peak	Horizontal		
4 !	5725.50	66.38	23.09	43.29	68.20	-1.82	289	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5396.50	56.97	14.28	42.77	74.00	-17.03	275	2	Peak	Vertical		
2	5460.50	56.65	13.63	43.02	68.20	-11.55	275	2	Peak	Vertical		
3 *	5670.00	118.71	75.52	43.19	68.20	-50.51	275	2	Peak	Vertical		
4 !	5733.00	68.05	24.68	43.37	68.20	-0.15	275	2	Peak	Vertical		

802.11ax HE40_OFDM


CH 134 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80_OFDM

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5445.00	59.33	16.38	43.03	74.00	-14.67	274	3 Peak	Horizontal	
2	5470.00	59.42	16.31	43.11	68.20	-8.78	274	3 Peak	Horizontal	
3 *	5530.00	113.05	69.77	43.28	68.20	44.85	274	3 Peak	Horizontal	
4	5840.00	57.64	14.11	43.53	68.20	-18.56	274	3 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5440.00	62.85	19.83	43.03	68.20	-5.35	264	3 Peak	Vertical	
2	5465.00	66.02	22.99	43.03	68.20	-2.18	264	3 Peak	Vertical	
3 *	5530.00	115.91	72.83	43.08	68.20	47.71	264	3 Peak	Vertical	
4	5760.00	58.99	15.50	43.49	68.20	-9.21	264	3 Peak	Vertical	

802.11ax HE80_OFDM


CH 106 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80_OFDM

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5454.50	59.00	15.96	43.04	74.00	-15.00		354	19	Peak	Horizontal	
2	5460.50	61.27	18.21	43.06	68.20	-6.93		354	19	Peak	Horizontal	
3 *	5610.00	113.05	70.57	43.28	68.20	45.65		354	19	Peak	Horizontal	
4 !	5731.00	63.05	19.75	43.30	68.20	-5.15		354	19	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5451.50	64.20	21.18	43.02	74.00	-9.80		280	360	Peak	Vertical	
2 !	5465.00	66.17	23.14	43.03	68.20	-2.03		280	360	Peak	Vertical	
3 *	5610.00	118.50	75.44	43.14	68.20	50.38		280	360	Peak	Vertical	
4 !	5731.50	66.51	23.14	43.37	68.20	-1.69		280	360	Peak	Vertical	

802.11ax HE80_OFDM


CH 122 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE160_OFDM

CH 114 (Horizontal) Peak

CH 114 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5456.50	61.48	18.43	43.05	74.00	-12.52		318	18	Peak	Horizontal	
2	5460.00	60.83	17.77	43.06	68.20	-7.37		318	18	Peak	Horizontal	
3 *	5570.00	108.19	64.88	43.31	68.20	39.99		318	18	Peak	Horizontal	
4	5809.50	58.72	15.21	43.51	68.20	-9.48		318	18	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5455.50	69.23	26.21	43.02	74.00	-4.77		286	360	Peak	Vertical	
2	5460.00	65.73	22.71	43.02	68.20	-2.47		286	360	Peak	Vertical	
3 *	5570.00	112.68	69.57	43.11	68.20	44.48		286	360	Peak	Vertical	
4	5810.00	64.86	21.23	43.63	68.20	-3.34		286	360	Peak	Vertical	

802.11ax HE160_OFDM

CH 114 (Horizontal) Average



CH 114 (Vertical) Average




802.11ax HE20_OFDMA

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5488.00	59.67	16.62	43.05	74.00	-14.33	298	360	Peak	Horizontal	
2	5469.50	63.77	20.66	43.11	68.20	-4.43	298	360	Peak	Horizontal	
3 *	5500.00	120.24	76.99	43.25	68.20	52.04	298	360	Peak	Horizontal	
4	5813.00	61.64	18.13	43.51	68.20	-6.56	298	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5387.00	44.18	1.10	43.08	54.00	-9.82	329	23	Average	Horizontal	
2 *	5500.00	100.70	65.38	43.32	54.00	54.70	329	23	Average	Horizontal	

802.11ax HE20_OFDMA

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.00	46.49	3.44	43.05	54.00	-7.51	298	360 Average	Horizontal	
2 *	5500.00	109.04	65.79	43.25	54.00	55.04	298	360 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.00	49.38	6.36	43.02	54.00	-4.62	260	1 Average	Vertical	
2 *	5500.00	112.11	69.86	43.05	54.00	58.11	260	1 Average	Vertical	

802.11ax HE20_OFDMA

CH 116 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20_OFDMA

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20_OFDMA

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5398.00	56.49	13.38	43.11	74.00	-17.51	290	352	Peak	Horizontal	
2	5462.50	56.19	13.12	43.07	68.20	-12.01	290	352	Peak	Horizontal	
3 *	5700.00	116.84	73.62	43.22	68.20	48.64	290	352	Peak	Horizontal	
4 !	5725.50	62.72	19.43	43.29	68.20	-5.48	290	352	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5363.50	56.43	13.69	42.74	74.00	-17.57	264	2	Peak	Vertical	
2	5463.50	55.90	12.87	43.03	68.20	-12.30	264	2	Peak	Vertical	
3 *	5700.00	119.47	76.25	43.22	68.20	51.27	264	2	Peak	Vertical	
4 !	5725.00	66.78	23.44	43.34	68.20	-1.42	264	2	Peak	Vertical	

802.11ax HE20_OFDMA

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5483.50	44.00	0.83	43.17	54.00	-10.00	290	352 Average	Horizontal	
2 *	5700.00	104.61	61.39	43.22	54.00	50.61	290	352 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5451.50	43.93	0.91	43.02	54.00	-10.07	264	2 Average	Vertical	
2 *	5700.00	107.94	64.72	43.22	54.00	53.94	264	2 Average	Vertical	


802.11ax HE40_OFDMA

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5453.50	58.45	15.42	43.03	74.00	-15.55	267	2	Peak	Horizontal	
2	5469.50	60.50	17.47	43.11	68.20	-7.62	267	2	Peak	Horizontal	
3 *	5510.00	115.30	72.04	43.26	68.20	47.10	267	2	Peak	Horizontal	
4	5751.50	57.83	14.47	43.36	68.20	-10.37	267	2	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5454.00	61.25	18.23	43.02	74.00	-12.75	234	347	Peak	Vertical	
2 !	5466.50	65.27	22.24	43.03	68.20	-2.93	234	347	Peak	Vertical	
3 *	5510.00	118.88	75.82	43.06	68.20	50.68	234	347	Peak	Vertical	
4	5760.50	58.94	15.45	43.49	68.20	-9.26	234	347	Peak	Vertical	

802.11ax HE40_OFDMA


CH 102 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40_OFDMA

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5498.50	63.62	20.57	43.05	74.00	-10.38	263	16	Peak	Horizontal	
2	5460.50	62.87	19.81	43.06	68.20	-5.33	263	16	Peak	Horizontal	
3 *	5550.00	115.85	72.55	43.30	68.20	47.65	263	16	Peak	Horizontal	
4	5837.50	57.19	13.66	43.53	68.20	-11.01	263	16	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5498.50	64.17	21.15	43.02	74.00	-9.83	266	360	Peak	Vertical	
2	5460.50	64.72	21.70	43.02	68.20	-3.48	266	360	Peak	Vertical	
3 *	5550.00	120.66	77.56	43.10	68.20	52.46	266	360	Peak	Vertical	
4	5760.50	57.51	14.02	43.49	68.20	-10.69	266	360	Peak	Vertical	

802.11ax HE40_OFDMA

CH 110 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.50	47.58	4.53	43.05	54.00	-6.42	263	16 Average	Horizontal	
2 *	5558.00	109.32	62.02	43.30	54.00	51.32	263	16 Average	Horizontal	

CH 110 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5452.50	50.51	7.49	43.02	54.00	-3.49	266	360 Average	Vertical	
2 *	5558.00	109.65	66.55	43.10	54.00	55.65	266	360 Average	Vertical	


802.11ax HE40_OFDMA

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5386.00	56.11	13.03	43.08	74.00	-17.89	286	353	Peak	Horizontal	
2	5463.00	56.98	13.90	43.08	68.20	-11.22	286	353	Peak	Horizontal	
3 *	5678.00	116.37	73.24	43.13	68.20	48.17	286	353	Peak	Horizontal	
4 !	5725.00	65.48	22.19	43.29	68.20	-2.72	286	353	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5433.50	56.65	13.72	42.93	74.00	-17.35	271	347	Peak	Vertical	
2	5466.00	57.23	14.20	43.03	68.20	-10.97	271	347	Peak	Vertical	
3 *	5678.00	119.68	76.49	43.19	68.20	51.48	271	347	Peak	Vertical	
4 !	5726.50	67.54	24.19	43.35	68.20	-0.66	271	347	Peak	Vertical	

802.11ax HE40_OFDMA


CH 134 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80_OFDMA

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5445.00	60.48	17.45	43.03	74.00	-13.52	310	25	Peak	Horizontal	
2	5465.00	62.13	19.04	43.09	68.20	-6.07	310	25	Peak	Horizontal	
3 *	5530.00	109.97	66.69	43.28	68.20	41.77	310	25	Peak	Horizontal	
4	5815.50	57.68	14.17	43.51	68.20	-10.52	310	25	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5445.00	64.68	21.66	43.02	74.00	-9.32	250	2	Peak	Vertical	
2 !	5465.00	68.00	24.97	43.03	68.20	-0.20	250	2	Peak	Vertical	
3 *	5530.00	115.00	71.92	43.08	68.20	46.80	250	2	Peak	Vertical	
4	5760.50	58.19	14.70	43.49	68.20	-10.01	250	2	Peak	Vertical	

802.11ax HE80_OFDMA

CH 106 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5450.00	46.53	3.52	43.01	54.00	-7.47	310	25 Average	Horizontal	
2 *	5530.00	98.82	55.54	43.28	54.00	44.82	310	25 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5453.00	51.39	8.37	43.02	54.00	-2.61	250	2 Average	Vertical	
2 *	5530.00	104.07	60.99	43.08	54.00	50.07	250	2 Average	Vertical	


802.11ax HE80_OFDMA

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.00	61.27	18.22	43.05	74.00	-12.73	269	6	Peak	Horizontal	
2	5468.50	64.06	20.96	43.10	68.20	-4.14	269	6	Peak	Horizontal	
3 *	5618.00	113.87	70.59	43.28	68.20	45.67	269	6	Peak	Horizontal	
4	5727.50	61.33	18.03	43.30	68.20	-6.87	269	6	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5453.00	65.96	22.94	43.02	74.00	-8.04	275	352	Peak	Vertical	
2	5470.00	66.37	23.34	43.03	68.20	-1.83	275	352	Peak	Vertical	
3 *	5618.00	118.96	75.82	43.14	68.20	50.76	275	352	Peak	Vertical	
4	5732.50	66.39	23.02	43.37	68.20	-1.81	275	352	Peak	Vertical	

802.11ax HE80_OFDMA

CH 122 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.00	47.90	4.84	43.06	54.00	-6.10	269	6 Average	Horizontal	
2 *	5610.00	102.01	58.73	43.28	54.00	48.01	269	6 Average	Horizontal	

CH 122 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	51.50	8.48	43.02	54.00	-2.50	275	352 Average	Vertical	
2 *	5610.00	106.04	62.90	43.14	54.00	52.04	275	352 Average	Vertical	

802.11ax HE160_OFDMA

CH 114 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.00	63.49	20.43	43.06	74.00	-10.51	296	1	Peak	Horizontal	
2	5464.00	64.44	21.35	43.09	68.20	-3.76	296	1	Peak	Horizontal	
3 *	5570.00	107.44	64.13	43.31	68.20	39.24	296	1	Peak	Horizontal	
4	5752.00	57.04	13.68	43.36	68.20	-11.16	296	1	Peak	Horizontal	

CH 114 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5450.50	67.05	24.03	43.02	74.00	-6.95	268	359	Peak	Vertical	
2	5469.00	66.78	23.75	43.03	68.20	-1.42	268	359	Peak	Vertical	
3 *	5570.00	110.01	66.90	43.11	68.20	41.81	268	359	Peak	Vertical	
4	5726.50	60.51	17.16	43.35	68.20	-7.69	268	359	Peak	Vertical	

802.11ax HE80_OFDMA

CH 114 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5458.50	47.40	4.35	43.05	54.00	-6.60	296		1 Average	Horizontal	
2 *	5578.00	91.38	48.07	43.31	54.00	37.38	296		1 Average	Horizontal	

CH 114 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5452.50	50.10	7.08	43.02	54.00	-3.90	268	359	Average	Vertical	
2 *	5578.00	94.66	51.55	43.11	54.00	40.66	268	359	Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5587.50	57.12	13.79	43.33	68.20	-11.08	278	354 Peak	Horizontal	
2	5656.00	56.93	13.84	43.09	72.66	-15.73	278	354 Peak	Horizontal	
3	5719.00	59.30	16.03	43.27	110.52	-51.22	278	354 Peak	Horizontal	
4	5724.00	61.98	18.69	43.29	119.92	-57.94	278	354 Peak	Horizontal	
5	5745.00	113.69	70.35	43.34	122.20	-8.51	278	354 Peak	Horizontal	
6	5856.50	56.97	13.43	43.54	121.06	-64.09	278	354 Peak	Horizontal	
7	5866.50	57.45	13.83	43.62	107.58	-50.13	278	354 Peak	Horizontal	
8	5923.00	57.22	13.37	43.85	69.67	-12.45	278	354 Peak	Horizontal	
9	5980.50	57.63	13.69	43.94	68.20	-10.57	278	354 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5557.00	57.88	14.78	43.10	68.20	-10.32	260	345 Peak	Vertical	
2	5655.50	57.80	14.62	43.18	72.29	-14.49	260	345 Peak	Vertical	
3	5717.00	62.28	18.98	43.30	109.96	-47.68	260	345 Peak	Vertical	
4	5725.00	64.86	21.52	43.34	122.20	-57.34	260	345 Peak	Vertical	
5	5745.00	117.26	73.83	43.43	122.20	-4.94	260	345 Peak	Vertical	
6	5853.50	57.48	13.73	43.75	114.22	-56.74	260	345 Peak	Vertical	
7	5869.50	58.89	15.10	43.79	106.74	-47.85	260	345 Peak	Vertical	
8	5908.50	58.02	14.14	43.88	86.29	-28.27	260	345 Peak	Vertical	
9	5979.00	58.98	15.08	43.90	68.20	-9.22	260	345 Peak	Vertical	