


**802.11a**

**CH 157 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase  | Note |
|---|---------|--------|-------|-------|--------|--------|------|----------|------------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |            |      |
| 1 | 5593.00 | 57.00  | 13.75 | 43.33 | 68.20  | -11.12 | 288  | 353 Peak | Horizontal |      |
| 2 | 5673.00 | 56.55  | 13.40 | 43.15 | 65.26  | -20.71 | 288  | 353 Peak | Horizontal |      |
| 3 | 5719.50 | 56.34  | 13.07 | 43.27 | 110.66 | -54.32 | 288  | 353 Peak | Horizontal |      |
| 4 | 5725.00 | 55.65  | 12.36 | 43.29 | 122.20 | -66.55 | 288  | 353 Peak | Horizontal |      |
| 5 | 5785.00 | 113.96 | 70.50 | 43.46 | 122.20 | -8.24  | 288  | 353 Peak | Horizontal |      |
| 6 | 5853.00 | 56.92  | 13.37 | 43.55 | 115.36 | -58.44 | 288  | 353 Peak | Horizontal |      |
| 7 | 5859.00 | 58.18  | 14.59 | 43.59 | 109.68 | -51.50 | 288  | 353 Peak | Horizontal |      |
| 8 | 5883.00 | 58.24  | 14.54 | 43.70 | 99.26  | -41.02 | 288  | 353 Peak | Horizontal |      |
| 9 | 5932.50 | 57.60  | 13.72 | 43.88 | 68.20  | -10.60 | 288  | 353 Peak | Horizontal |      |

**CH 157 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1 | 5545.00 | 57.47  | 14.38 | 43.09 | 68.20  | -10.73 | 274  | 360 Peak | Vertical  |      |
| 2 | 5689.00 | 58.88  | 15.59 | 43.21 | 97.09  | -30.29 | 274  | 360 Peak | Vertical  |      |
| 3 | 5713.00 | 57.43  | 14.15 | 43.28 | 108.84 | -51.41 | 274  | 360 Peak | Vertical  |      |
| 4 | 5720.50 | 57.31  | 14.00 | 43.31 | 111.94 | -54.63 | 274  | 360 Peak | Vertical  |      |
| 5 | 5785.00 | 118.04 | 74.48 | 43.56 | 122.20 | -4.16  | 274  | 360 Peak | Vertical  |      |
| 6 | 5851.50 | 57.31  | 13.57 | 43.74 | 118.78 | -61.47 | 274  | 360 Peak | Vertical  |      |
| 7 | 5875.00 | 58.27  | 14.46 | 43.81 | 105.30 | -46.93 | 274  | 360 Peak | Vertical  |      |
| 8 | 5878.50 | 59.16  | 15.34 | 43.82 | 102.60 | -43.44 | 274  | 360 Peak | Vertical  |      |
| 9 | 5955.50 | 57.79  | 13.96 | 43.83 | 68.20  | -10.41 | 274  | 360 Peak | Vertical  |      |

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq    | Level  | Read         | Limit | Over   | APos   | TPos | Remark  | Pol/Phase  | Note |
|---|---------|--------|--------------|-------|--------|--------|------|---------|------------|------|
|   | MHz     | dBuV/m | Level Factor | Line  | Limit  | cm     | deg  |         |            |      |
| 1 | 5572.50 | 57.07  | 13.76        | 43.31 | 68.20  | -11.13 | 353  | 21 Peak | Horizontal |      |
| 2 | 5697.50 | 56.57  | 13.37        | 43.20 | 103.36 | -46.79 | 353  | 21 Peak | Horizontal |      |
| 3 | 5705.50 | 55.94  | 12.71        | 43.23 | 106.74 | -50.80 | 353  | 21 Peak | Horizontal |      |
| 4 | 5723.50 | 56.14  | 12.85        | 43.29 | 118.78 | -62.64 | 353  | 21 Peak | Horizontal |      |
| 5 | 5825.00 | 112.55 | 69.03        | 43.52 | 122.20 | -9.65  | 353  | 21 Peak | Horizontal |      |
| 6 | 5850.00 | 59.65  | 16.11        | 43.54 | 122.20 | -62.55 | 353  | 21 Peak | Horizontal |      |
| 7 | 5855.00 | 58.01  | 14.45        | 43.56 | 110.90 | -52.79 | 353  | 21 Peak | Horizontal |      |
| 8 | 5923.00 | 58.89  | 15.04        | 43.85 | 69.67  | -10.78 | 353  | 21 Peak | Horizontal |      |
| 9 | 5969.00 | 57.26  | 13.33        | 43.93 | 68.20  | -10.94 | 353  | 21 Peak | Horizontal |      |

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read         | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|--------------|-------|--------|--------|------|----------|-----------|------|
|   | MHz     | dBuV/m | Level Factor | Line  | Limit  | cm     | deg  |          |           |      |
| 1 | 5520.50 | 58.04  | 14.97        | 43.07 | 68.20  | -10.16 | 268  | 339 Peak | Vertical  |      |
| 2 | 5683.00 | 57.00  | 13.80        | 43.20 | 92.66  | -35.65 | 268  | 339 Peak | Vertical  |      |
| 3 | 5720.00 | 57.09  | 13.78        | 43.31 | 110.80 | -53.71 | 268  | 339 Peak | Vertical  |      |
| 4 | 5720.50 | 58.45  | 15.14        | 43.31 | 111.94 | -53.49 | 268  | 339 Peak | Vertical  |      |
| 5 | 5825.00 | 118.45 | 74.78        | 43.67 | 122.20 | -3.75  | 268  | 339 Peak | Vertical  |      |
| 6 | 5850.00 | 65.85  | 22.11        | 43.74 | 122.20 | -56.35 | 268  | 339 Peak | Vertical  |      |
| 7 | 5855.00 | 62.02  | 18.27        | 43.75 | 110.90 | -48.78 | 268  | 339 Peak | Vertical  |      |
| 8 | 5923.00 | 60.45  | 16.60        | 43.85 | 69.67  | -9.22  | 268  | 339 Peak | Vertical  |      |
| 9 | 5926.00 | 59.27  | 15.42        | 43.85 | 68.20  | -8.93  | 268  | 339 Peak | Vertical  |      |


**802.11ax HE20\_OFDM**

**CH 149 (Horizontal) Peak**

**CH 149 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark  | Pol/Phase  | Note |
|---|---------|--------|--------|-------|--------|--------|------|---------|------------|------|
|   | MHz     | dBuV/m | Factor | Line  | Limit  | cm     | deg  |         |            |      |
| 1 | 5558.50 | 57.11  | 13.81  | 43.30 | 68.20  | -11.09 | 334  | 21 Peak | Horizontal |      |
| 2 | 5664.50 | 57.35  | 14.23  | 43.12 | 78.96  | -21.61 | 334  | 21 Peak | Horizontal |      |
| 3 | 5718.00 | 57.71  | 14.44  | 43.27 | 110.24 | -52.53 | 334  | 21 Peak | Horizontal |      |
| 4 | 5725.00 | 61.90  | 18.61  | 43.29 | 122.20 | -60.30 | 334  | 21 Peak | Horizontal |      |
| 5 | 5745.00 | 114.64 | 71.30  | 43.34 | 122.20 | -7.56  | 334  | 21 Peak | Horizontal |      |
| 6 | 5853.00 | 57.18  | 13.63  | 43.55 | 115.36 | -58.18 | 334  | 21 Peak | Horizontal |      |
| 7 | 5873.00 | 57.35  | 13.70  | 43.65 | 105.76 | -48.41 | 334  | 21 Peak | Horizontal |      |
| 8 | 5904.50 | 58.78  | 14.99  | 43.79 | 83.33  | -24.55 | 334  | 21 Peak | Horizontal |      |
| 9 | 5988.50 | 57.69  | 13.74  | 43.95 | 68.20  | -10.51 | 334  | 21 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|--------|-------|--------|--------|------|----------|-----------|------|
|   | MHz     | dBuV/m | Factor | Line  | Limit  | cm     | deg  |          |           |      |
| 1 | 5647.50 | 58.83  | 14.86  | 43.17 | 68.20  | -10.17 | 276  | 360 Peak | Vertical  |      |
| 2 | 5682.00 | 57.95  | 14.75  | 43.20 | 91.92  | -33.97 | 276  | 360 Peak | Vertical  |      |
| 3 | 5718.00 | 63.75  | 20.45  | 43.30 | 110.24 | -46.49 | 276  | 360 Peak | Vertical  |      |
| 4 | 5725.00 | 63.92  | 20.58  | 43.34 | 122.20 | -50.28 | 276  | 360 Peak | Vertical  |      |
| 5 | 5745.00 | 118.91 | 75.48  | 43.43 | 122.20 | -3.29  | 276  | 360 Peak | Vertical  |      |
| 6 | 5855.00 | 58.20  | 14.45  | 43.75 | 110.80 | -52.60 | 276  | 360 Peak | Vertical  |      |
| 7 | 5855.00 | 58.20  | 14.45  | 43.75 | 110.80 | -52.60 | 276  | 360 Peak | Vertical  |      |
| 8 | 5903.00 | 58.30  | 14.43  | 43.87 | 84.44  | -26.14 | 276  | 360 Peak | Vertical  |      |
| 9 | 5926.50 | 57.73  | 13.88  | 43.85 | 68.20  | -10.47 | 276  | 360 Peak | Vertical  |      |


**802.11ax HE20\_OFDM**

**CH 157 (Horizontal) Peak**

**CH 157 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark  | Pol/Phase  | Note |
|---|---------|--------|-------|-------|--------|--------|------|---------|------------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg     |            |      |
| 1 | 5617.50 | 57.63  | 14.38 | 43.25 | 68.20  | -10.57 | 318  | 21 Peak | Horizontal |      |
| 2 | 5662.50 | 56.63  | 13.52 | 43.11 | 77.48  | -20.85 | 318  | 21 Peak | Horizontal |      |
| 3 | 5710.00 | 55.95  | 12.70 | 43.25 | 108.00 | -52.05 | 318  | 21 Peak | Horizontal |      |
| 4 | 5721.50 | 56.47  | 13.20 | 43.27 | 114.22 | -57.75 | 318  | 21 Peak | Horizontal |      |
| 5 | 5785.00 | 115.63 | 72.17 | 43.46 | 122.20 | -6.57  | 318  | 21 Peak | Horizontal |      |
| 6 | 5852.50 | 57.30  | 13.75 | 43.55 | 116.50 | -59.20 | 318  | 21 Peak | Horizontal |      |
| 7 | 5860.50 | 58.24  | 14.62 | 43.62 | 107.62 | -48.78 | 318  | 21 Peak | Horizontal |      |
| 8 | 5889.00 | 57.94  | 14.21 | 43.73 | 94.81  | -36.87 | 318  | 21 Peak | Horizontal |      |
| 9 | 5988.50 | 58.38  | 14.43 | 43.95 | 68.20  | -9.02  | 318  | 21 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1 | 5520.50 | 57.37  | 14.30 | 43.07 | 68.20  | -10.83 | 281  | 360 Peak | Vertical  |      |
| 2 | 5698.00 | 57.20  | 13.98 | 43.22 | 109.73 | -46.53 | 281  | 360 Peak | Vertical  |      |
| 3 | 5718.00 | 57.80  | 14.50 | 43.30 | 110.24 | -52.44 | 281  | 360 Peak | Vertical  |      |
| 4 | 5723.00 | 56.00  | 12.67 | 43.33 | 117.64 | -61.64 | 281  | 360 Peak | Vertical  |      |
| 5 | 5785.00 | 119.61 | 76.05 | 43.56 | 122.20 | -2.59  | 281  | 360 Peak | Vertical  |      |
| 6 | 5854.00 | 57.06  | 13.31 | 43.75 | 113.08 | -56.02 | 281  | 360 Peak | Vertical  |      |
| 7 | 5864.00 | 57.99  | 14.21 | 43.78 | 108.28 | -50.29 | 281  | 360 Peak | Vertical  |      |
| 8 | 5886.50 | 58.35  | 14.51 | 43.84 | 96.66  | -38.31 | 281  | 360 Peak | Vertical  |      |
| 9 | 5997.50 | 57.32  | 13.37 | 43.95 | 68.20  | -10.08 | 281  | 360 Peak | Vertical  |      |


**802.11ax HE20\_OFDM**

**CH 165 (Horizontal) Peak**

**CH 165 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read         | Limit | Over   | APos   | TPos | Remark  | Pol/Phase  | Note |
|---|---------|--------|--------------|-------|--------|--------|------|---------|------------|------|
|   | MHz     | dBuV/m | Level Factor | Line  | Limit  | cm     | deg  |         |            |      |
| 1 | 5556.50 | 56.88  | 13.58        | 43.30 | 68.20  | -11.32 | 359  | 22 Peak | Horizontal |      |
| 2 | 5691.00 | 56.29  | 13.10        | 43.19 | 98.56  | -42.27 | 359  | 22 Peak | Horizontal |      |
| 3 | 5704.00 | 56.77  | 13.54        | 43.23 | 106.32 | -49.55 | 359  | 22 Peak | Horizontal |      |
| 4 | 5720.00 | 55.81  | 12.54        | 43.27 | 110.00 | -54.99 | 359  | 22 Peak | Horizontal |      |
| 5 | 5825.00 | 112.72 | 69.20        | 43.52 | 122.20 | -9.48  | 359  | 22 Peak | Horizontal |      |
| 6 | 5851.00 | 64.07  | 20.53        | 43.54 | 119.92 | -55.85 | 359  | 22 Peak | Horizontal |      |
| 7 | 5856.00 | 57.06  | 14.30        | 43.56 | 110.52 | -52.66 | 359  | 22 Peak | Horizontal |      |
| 8 | 5914.50 | 58.52  | 14.70        | 43.82 | 75.94  | -17.42 | 359  | 22 Peak | Horizontal |      |
| 9 | 5932.50 | 57.57  | 13.69        | 43.88 | 68.20  | -10.63 | 359  | 22 Peak | Horizontal |      |




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read         | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note |
|---|---------|--------|--------------|-------|--------|--------|------|--------|-----------|------|
|   | MHz     | dBuV/m | Level Factor | Line  | Limit  | cm     | deg  |        |           |      |
| 1 | 5624.50 | 57.25  | 14.09        | 43.16 | 68.20  | -10.95 | 264  | 1 Peak | Vertical  |      |
| 2 | 5699.00 | 57.24  | 14.02        | 43.22 | 104.46 | -47.22 | 264  | 1 Peak | Vertical  |      |
| 3 | 5718.50 | 56.73  | 13.43        | 43.30 | 110.38 | -53.65 | 264  | 1 Peak | Vertical  |      |
| 4 | 5725.00 | 56.66  | 13.32        | 43.34 | 122.20 | -65.54 | 264  | 1 Peak | Vertical  |      |
| 5 | 5825.00 | 118.75 | 75.08        | 43.67 | 122.20 | -3.45  | 264  | 1 Peak | Vertical  |      |
| 6 | 5850.00 | 66.76  | 23.02        | 43.74 | 122.20 | -55.44 | 264  | 1 Peak | Vertical  |      |
| 7 | 5855.50 | 62.32  | 18.57        | 43.75 | 110.66 | -40.34 | 264  | 1 Peak | Vertical  |      |
| 8 | 5923.50 | 61.74  | 17.89        | 43.85 | 69.31  | -7.57  | 264  | 1 Peak | Vertical  |      |
| 9 | 5925.00 | 59.88  | 16.03        | 43.85 | 68.20  | -0.32  | 264  | 1 Peak | Vertical  |      |

**802.11ax HE40\_OFDM**
**CH 151 (Horizontal) Peak**
**CH 151 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note       |
|---|---------|--------|-------|-------|--------|--------|------|--------|-----------|------------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |            |
| 1 | 5622.50 | 56.98  | 13.76 | 43.22 | 68.20  | -11.22 | 284  | 360    | Peak      | Horizontal |
| 2 | 5651.00 | 57.43  | 14.35 | 43.08 | 68.94  | -11.51 | 284  | 360    | Peak      | Horizontal |
| 3 | 5712.50 | 62.11  | 18.86 | 43.25 | 108.70 | -46.59 | 284  | 360    | Peak      | Horizontal |
| 4 | 5724.00 | 67.35  | 24.06 | 43.29 | 119.92 | -52.57 | 284  | 360    | Peak      | Horizontal |
| 5 | 5755.00 | 110.59 | 67.22 | 43.37 | 122.20 | -11.61 | 284  | 360    | Peak      | Horizontal |
| 6 | 5850.50 | 56.36  | 12.82 | 43.54 | 121.06 | -64.70 | 284  | 360    | Peak      | Horizontal |
| 7 | 5862.00 | 57.87  | 14.27 | 43.60 | 108.84 | -50.97 | 284  | 360    | Peak      | Horizontal |
| 8 | 5918.50 | 57.92  | 14.09 | 43.83 | 72.99  | -15.07 | 284  | 360    | Peak      | Horizontal |
| 9 | 5944.00 | 57.63  | 13.73 | 43.90 | 68.20  | -10.57 | 284  | 360    | Peak      | Horizontal |




TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note     |
|---|---------|--------|-------|-------|--------|--------|------|--------|-----------|----------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |          |
| 1 | 5648.00 | 59.15  | 15.98 | 43.17 | 68.20  | -9.05  | 261  | 4      | Peak      | Vertical |
| 2 | 5700.00 | 60.65  | 17.43 | 43.22 | 105.20 | -44.55 | 261  | 4      | Peak      | Vertical |
| 3 | 5719.50 | 67.99  | 24.68 | 43.31 | 110.66 | -42.67 | 261  | 4      | Peak      | Vertical |
| 4 | 5720.00 | 67.74  | 24.43 | 43.31 | 110.80 | -43.06 | 261  | 4      | Peak      | Vertical |
| 5 | 5755.00 | 115.65 | 72.18 | 43.47 | 122.20 | -6.55  | 261  | 4      | Peak      | Vertical |
| 6 | 5852.00 | 59.10  | 15.36 | 43.74 | 117.64 | -58.54 | 261  | 4      | Peak      | Vertical |
| 7 | 5866.50 | 58.49  | 14.71 | 43.78 | 107.58 | -49.09 | 261  | 4      | Peak      | Vertical |
| 8 | 5923.50 | 58.49  | 14.64 | 43.85 | 69.31  | -10.82 | 261  | 4      | Peak      | Vertical |
| 9 | 5996.50 | 58.38  | 14.43 | 43.95 | 68.20  | -9.82  | 261  | 4      | Peak      | Vertical |

**802.11ax HE40\_OFDM**
**CH 159 (Horizontal) Peak**
**CH 159 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark  | Pol/Phase  | Note |
|---|---------|--------|-------|-------|--------|--------|------|---------|------------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg     |            |      |
| 1 | 5469.50 | 57.06  | 13.95 | 43.11 | 68.20  | -11.14 | 343  | 16 Peak | Horizontal |      |
| 2 | 5695.50 | 57.19  | 13.98 | 43.20 | 101.88 | -44.70 | 343  | 16 Peak | Horizontal |      |
| 3 | 5719.00 | 57.88  | 14.61 | 43.27 | 110.52 | -52.64 | 343  | 16 Peak | Horizontal |      |
| 4 | 5722.50 | 56.86  | 13.58 | 43.28 | 116.50 | -59.64 | 343  | 16 Peak | Horizontal |      |
| 5 | 5795.00 | 111.58 | 68.10 | 43.48 | 122.20 | -10.62 | 343  | 16 Peak | Horizontal |      |
| 6 | 5851.50 | 60.58  | 17.03 | 43.55 | 118.78 | -58.20 | 343  | 16 Peak | Horizontal |      |
| 7 | 5864.50 | 58.17  | 14.56 | 43.61 | 100.14 | -49.97 | 343  | 16 Peak | Horizontal |      |
| 8 | 5893.00 | 58.46  | 14.72 | 43.74 | 91.84  | -33.38 | 343  | 16 Peak | Horizontal |      |
| 9 | 5997.00 | 57.91  | 13.95 | 43.96 | 68.20  | -10.29 | 343  | 16 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1 | 5513.50 | 57.24  | 14.17 | 43.07 | 68.20  | -10.96 | 277  | 360 Peak | Vertical  |      |
| 2 | 5684.50 | 57.83  | 14.63 | 43.20 | 93.76  | -35.93 | 277  | 360 Peak | Vertical  |      |
| 3 | 5718.00 | 58.92  | 15.62 | 43.30 | 110.24 | -51.32 | 277  | 360 Peak | Vertical  |      |
| 4 | 5723.00 | 58.46  | 15.13 | 43.33 | 117.64 | -59.18 | 277  | 360 Peak | Vertical  |      |
| 5 | 5795.00 | 116.09 | 72.51 | 43.58 | 122.20 | -6.11  | 277  | 360 Peak | Vertical  |      |
| 6 | 5850.00 | 60.58  | 16.84 | 43.74 | 122.20 | -61.62 | 277  | 360 Peak | Vertical  |      |
| 7 | 5857.00 | 61.32  | 17.57 | 43.75 | 110.24 | -48.92 | 277  | 360 Peak | Vertical  |      |
| 8 | 5892.50 | 59.57  | 15.71 | 43.86 | 92.21  | -32.64 | 277  | 360 Peak | Vertical  |      |
| 9 | 5943.00 | 58.70  | 14.88 | 43.82 | 68.20  | -9.50  | 277  | 360 Peak | Vertical  |      |


**802.11ax HE80\_OFDM**

**CH 155 (Horizontal) Peak**

**CH 155 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note       |
|---|---------|--------|-------|-------|--------|--------|------|--------|-----------|------------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |            |
| 1 | 5574.00 | 57.84  | 14.53 | 43.31 | 68.20  | -10.36 | 287  | 345    | Peak      | Horizontal |
| 2 | 5699.50 | 60.87  | 17.65 | 43.22 | 104.83 | -49.96 | 287  | 345    | Peak      | Horizontal |
| 3 | 5717.50 | 65.20  | 21.53 | 43.27 | 110.10 | -44.90 | 287  | 345    | Peak      | Horizontal |
| 4 | 5721.50 | 62.91  | 19.64 | 43.27 | 114.22 | -51.31 | 287  | 345    | Peak      | Horizontal |
| 5 | 5775.00 | 111.55 | 68.12 | 43.43 | 122.20 | -10.65 | 287  | 345    | Peak      | Horizontal |
| 6 | 5851.50 | 59.74  | 16.19 | 43.55 | 118.78 | -59.04 | 287  | 345    | Peak      | Horizontal |
| 7 | 5874.00 | 59.70  | 16.04 | 43.66 | 105.48 | -45.78 | 287  | 345    | Peak      | Horizontal |
| 8 | 5884.00 | 57.94  | 14.23 | 43.71 | 98.52  | -40.58 | 287  | 345    | Peak      | Horizontal |
| 9 | 5957.50 | 58.66  | 14.73 | 43.93 | 68.20  | -9.54  | 287  | 345    | Peak      | Horizontal |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note     |
|---|---------|--------|-------|-------|--------|--------|------|--------|-----------|----------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |          |
| 1 | 5646.50 | 58.48  | 15.31 | 43.17 | 68.20  | -9.72  | 266  | 2      | Peak      | Vertical |
| 2 | 5699.00 | 63.46  | 20.24 | 43.22 | 109.73 | -40.27 | 266  | 2      | Peak      | Vertical |
| 3 | 5719.50 | 65.57  | 22.26 | 43.31 | 110.66 | -45.09 | 266  | 2      | Peak      | Vertical |
| 4 | 5720.50 | 66.24  | 22.93 | 43.31 | 111.94 | -45.70 | 266  | 2      | Peak      | Vertical |
| 5 | 5775.00 | 113.25 | 69.72 | 43.53 | 122.20 | -8.95  | 266  | 2      | Peak      | Vertical |
| 6 | 5850.00 | 59.81  | 16.87 | 43.74 | 122.20 | -62.39 | 266  | 2      | Peak      | Vertical |
| 7 | 5850.50 | 60.73  | 16.96 | 43.77 | 109.82 | -49.09 | 266  | 2      | Peak      | Vertical |
| 8 | 5880.00 | 59.04  | 15.22 | 43.82 | 101.49 | -42.45 | 266  | 2      | Peak      | Vertical |
| 9 | 5927.00 | 58.21  | 14.36 | 43.85 | 68.20  | -9.99  | 266  | 2      | Peak      | Vertical |


**802.11ax HE20\_OFDMA**

**CH 149 (Horizontal) Peak**

**CH 149 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|---|---------|--------|-------|--------|--------|--------|------|------|--------|------------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |            |      |
| 1 | 5520.50 | 57.49  | 14.22 | 43.27  | 68.20  | -10.71 | 290  | 356  | Peak   | Horizontal |      |
| 2 | 5654.00 | 57.85  | 13.96 | 43.89  | 71.17  | -14.12 | 290  | 356  | Peak   | Horizontal |      |
| 3 | 5717.00 | 58.55  | 15.29 | 43.26  | 109.96 | -51.41 | 290  | 356  | Peak   | Horizontal |      |
| 4 | 5724.00 | 63.68  | 20.39 | 43.29  | 119.92 | -56.24 | 290  | 356  | Peak   | Horizontal |      |
| 5 | 5745.00 | 116.00 | 72.66 | 43.34  | 122.20 | -6.20  | 290  | 356  | Peak   | Horizontal |      |
| 6 | 5855.00 | 57.23  | 13.67 | 43.56  | 110.00 | -53.57 | 290  | 356  | Peak   | Horizontal |      |
| 7 | 5873.00 | 57.39  | 13.74 | 43.65  | 105.76 | -48.37 | 290  | 356  | Peak   | Horizontal |      |
| 8 | 5906.50 | 58.42  | 14.63 | 43.79  | 81.85  | -23.43 | 290  | 356  | Peak   | Horizontal |      |
| 9 | 5928.50 | 57.98  | 14.12 | 43.86  | 68.20  | -10.22 | 290  | 356  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|---|---------|--------|-------|--------|--------|--------|------|------|--------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |           |      |
| 1 | 5649.50 | 57.86  | 14.68 | 43.18  | 68.20  | -10.34 | 100  | 359  | Peak   | Vertical  |      |
| 2 | 5680.00 | 56.67  | 13.47 | 43.20  | 90.44  | -33.77 | 100  | 359  | Peak   | Vertical  |      |
| 3 | 5717.50 | 58.89  | 15.59 | 43.30  | 110.10 | -51.21 | 100  | 359  | Peak   | Vertical  |      |
| 4 | 5725.00 | 64.18  | 20.84 | 43.34  | 122.20 | -50.02 | 100  | 359  | Peak   | Vertical  |      |
| 5 | 5745.00 | 115.38 | 71.95 | 43.43  | 122.20 | -6.82  | 100  | 359  | Peak   | Vertical  |      |
| 6 | 5850.50 | 57.15  | 13.41 | 43.74  | 121.06 | -63.91 | 100  | 359  | Peak   | Vertical  |      |
| 7 | 5865.50 | 56.82  | 13.04 | 43.78  | 107.86 | -51.04 | 100  | 359  | Peak   | Vertical  |      |
| 8 | 5911.50 | 57.33  | 13.46 | 43.87  | 78.16  | -20.83 | 100  | 359  | Peak   | Vertical  |      |
| 9 | 5930.00 | 58.08  | 14.25 | 43.83  | 68.20  | -10.12 | 100  | 359  | Peak   | Vertical  |      |


**802.11ax HE20\_OFDMA**

**CH 157 (Horizontal) Peak**

**CH 157 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|---|---------|--------|-------|--------|--------|--------|------|------|--------|------------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |            |      |
| 1 | 5689.00 | 56.97  | 13.68 | 43.29  | 68.20  | -11.23 | 318  | 16   | Peak   | Horizontal |      |
| 2 | 5679.00 | 55.98  | 12.82 | 43.16  | 89.70  | -33.72 | 318  | 16   | Peak   | Horizontal |      |
| 3 | 5712.50 | 55.80  | 12.55 | 43.25  | 108.70 | -52.90 | 318  | 16   | Peak   | Horizontal |      |
| 4 | 5723.50 | 56.33  | 13.04 | 43.29  | 118.78 | -62.45 | 318  | 16   | Peak   | Horizontal |      |
| 5 | 5785.00 | 114.90 | 71.44 | 43.46  | 122.20 | -7.30  | 318  | 16   | Peak   | Horizontal |      |
| 6 | 5850.50 | 55.38  | 11.84 | 43.54  | 121.06 | -65.68 | 318  | 16   | Peak   | Horizontal |      |
| 7 | 5867.50 | 57.25  | 13.63 | 43.62  | 107.30 | -50.05 | 318  | 16   | Peak   | Horizontal |      |
| 8 | 5878.50 | 58.49  | 14.82 | 43.67  | 102.60 | -44.11 | 318  | 16   | Peak   | Horizontal |      |
| 9 | 5975.50 | 57.65  | 13.71 | 43.94  | 68.20  | -10.55 | 318  | 16   | Peak   | Horizontal |      |




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|---|---------|--------|-------|--------|--------|--------|------|------|--------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |           |      |
| 1 | 5490.50 | 57.73  | 14.68 | 43.05  | 68.20  | -10.47 | 262  | 326  | Peak   | Vertical  |      |
| 2 | 5660.00 | 56.81  | 13.63 | 43.18  | 75.63  | -18.82 | 262  | 326  | Peak   | Vertical  |      |
| 3 | 5712.00 | 56.43  | 13.15 | 43.28  | 108.56 | -52.13 | 262  | 326  | Peak   | Vertical  |      |
| 4 | 5722.00 | 56.43  | 13.11 | 43.32  | 115.36 | -58.93 | 262  | 326  | Peak   | Vertical  |      |
| 5 | 5785.00 | 119.61 | 76.05 | 43.56  | 122.20 | -2.59  | 262  | 326  | Peak   | Vertical  |      |
| 6 | 5853.00 | 56.77  | 13.82 | 43.75  | 115.36 | -58.59 | 262  | 326  | Peak   | Vertical  |      |
| 7 | 5860.00 | 57.60  | 13.83 | 43.77  | 109.40 | -51.80 | 262  | 326  | Peak   | Vertical  |      |
| 8 | 5884.00 | 58.23  | 14.39 | 43.84  | 98.52  | -40.29 | 262  | 326  | Peak   | Vertical  |      |
| 9 | 5936.50 | 57.06  | 13.22 | 43.84  | 68.20  | -11.14 | 262  | 326  | Peak   | Vertical  |      |

**802.11ax HE20\_OFDMA**
**CH 165 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase  | Note |
|---|---------|--------|-------|-------|--------|--------|------|----------|------------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |            |      |
| 1 | 5555.50 | 57.30  | 14.00 | 43.30 | 68.20  | -10.00 | 260  | 160 Peak | Horizontal |      |
| 2 | 5664.00 | 55.98  | 12.86 | 43.12 | 78.59  | -22.61 | 260  | 160 Peak | Horizontal |      |
| 3 | 5719.00 | 55.55  | 12.28 | 43.27 | 110.52 | -54.97 | 260  | 160 Peak | Horizontal |      |
| 4 | 5723.50 | 56.83  | 13.54 | 43.29 | 118.78 | -61.95 | 260  | 160 Peak | Horizontal |      |
| 5 | 5825.00 | 116.03 | 72.51 | 43.52 | 122.20 | -6.17  | 260  | 160 Peak | Horizontal |      |
| 6 | 5850.00 | 58.94  | 15.40 | 43.54 | 122.20 | -63.26 | 260  | 160 Peak | Horizontal |      |
| 7 | 5856.00 | 60.44  | 16.88 | 43.56 | 119.52 | -50.08 | 260  | 160 Peak | Horizontal |      |
| 8 | 5923.00 | 62.24  | 18.39 | 43.85 | 69.67  | -7.43  | 260  | 160 Peak | Horizontal |      |
| 9 | 5925.50 | 58.57  | 14.72 | 43.85 | 68.20  | -9.63  | 260  | 160 Peak | Horizontal |      |

**CH 165 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1 | 5603.00 | 57.48  | 14.26 | 43.14 | 68.20  | -10.00 | 264  | 359 Peak | Vertical  |      |
| 2 | 5672.50 | 56.24  | 13.85 | 43.19 | 64.89  | -20.65 | 264  | 359 Peak | Vertical  |      |
| 3 | 5704.50 | 57.17  | 13.93 | 43.24 | 106.46 | -49.29 | 264  | 359 Peak | Vertical  |      |
| 4 | 5725.00 | 57.19  | 13.85 | 43.34 | 122.20 | -65.01 | 264  | 359 Peak | Vertical  |      |
| 5 | 5825.00 | 116.65 | 74.98 | 43.67 | 122.20 | -3.55  | 264  | 359 Peak | Vertical  |      |
| 6 | 5850.50 | 65.59  | 21.85 | 43.74 | 121.06 | -55.47 | 264  | 359 Peak | Vertical  |      |
| 7 | 5855.50 | 61.63  | 17.88 | 43.75 | 119.66 | -49.03 | 264  | 359 Peak | Vertical  |      |
| 8 | 5922.00 | 59.97  | 16.11 | 43.86 | 70.41  | -10.44 | 264  | 359 Peak | Vertical  |      |
| 9 | 5925.00 | 58.60  | 14.75 | 43.85 | 68.20  | -9.60  | 264  | 359 Peak | Vertical  |      |

**802.11ax HE40\_OFDMA**
**CH 151 (Horizontal) Peak**
**CH 151 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note       |
|---|---------|--------|-------|-------|--------|--------|------|--------|-----------|------------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |            |
| 1 | 5480.00 | 57.81  | 14.65 | 43.16 | 68.20  | -10.39 | 267  | 355    | Peak      | Horizontal |
| 2 | 5700.00 | 59.70  | 16.48 | 43.22 | 105.20 | -45.50 | 267  | 355    | Peak      | Horizontal |
| 3 | 5718.50 | 67.76  | 24.49 | 43.27 | 110.38 | -42.62 | 267  | 355    | Peak      | Horizontal |
| 4 | 5724.00 | 67.81  | 24.52 | 43.29 | 119.92 | -52.11 | 267  | 355    | Peak      | Horizontal |
| 5 | 5755.00 | 111.27 | 67.90 | 43.37 | 122.20 | -10.93 | 267  | 355    | Peak      | Horizontal |
| 6 | 5853.00 | 57.35  | 13.00 | 43.55 | 115.36 | -58.01 | 267  | 355    | Peak      | Horizontal |
| 7 | 5859.50 | 58.10  | 14.51 | 43.59 | 109.54 | -51.44 | 267  | 355    | Peak      | Horizontal |
| 8 | 5889.00 | 58.32  | 14.59 | 43.73 | 94.81  | -36.49 | 267  | 355    | Peak      | Horizontal |
| 9 | 5985.00 | 57.73  | 13.78 | 43.95 | 68.20  | -10.47 | 267  | 355    | Peak      | Horizontal |




TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note     |
|---|---------|--------|-------|-------|--------|--------|------|--------|-----------|----------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |          |
| 1 | 5520.00 | 58.99  | 15.92 | 43.07 | 68.20  | -9.21  | 274  | 344    | Peak      | Vertical |
| 2 | 5698.00 | 60.98  | 17.76 | 43.22 | 103.73 | -42.75 | 274  | 344    | Peak      | Vertical |
| 3 | 5717.50 | 68.28  | 24.98 | 43.30 | 110.10 | -41.82 | 274  | 344    | Peak      | Vertical |
| 4 | 5721.50 | 70.07  | 26.75 | 43.32 | 114.22 | -44.15 | 274  | 344    | Peak      | Vertical |
| 5 | 5755.00 | 117.21 | 73.74 | 43.47 | 122.20 | -4.99  | 274  | 344    | Peak      | Vertical |
| 6 | 5853.00 | 59.09  | 15.34 | 43.75 | 114.22 | -55.13 | 274  | 344    | Peak      | Vertical |
| 7 | 5857.00 | 59.00  | 15.25 | 43.75 | 110.24 | -51.24 | 274  | 344    | Peak      | Vertical |
| 8 | 5904.00 | 58.52  | 14.65 | 43.87 | 83.70  | -25.18 | 274  | 344    | Peak      | Vertical |
| 9 | 5937.00 | 58.32  | 14.48 | 43.84 | 68.20  | -9.88  | 274  | 344    | Peak      | Vertical |

**802.11ax HE40\_OFDMA**
**CH 159 (Horizontal) Peak**
**CH 159 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note       |
|---|---------|--------|-------|-------|--------|--------|------|--------|-----------|------------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |            |
| 1 | 5520.00 | 57.63  | 14.36 | 43.27 | 68.20  | -10.57 | 362  | 12     | Peak      | Horizontal |
| 2 | 5673.00 | 57.40  | 14.25 | 43.15 | 85.26  | -27.86 | 362  | 12     | Peak      | Horizontal |
| 3 | 5713.50 | 56.97  | 13.71 | 43.26 | 108.98 | -52.01 | 362  | 12     | Peak      | Horizontal |
| 4 | 5723.00 | 56.35  | 13.06 | 43.29 | 117.64 | -61.29 | 362  | 12     | Peak      | Horizontal |
| 5 | 5795.00 | 112.09 | 68.61 | 43.48 | 122.20 | -10.11 | 362  | 12     | Peak      | Horizontal |
| 6 | 5851.00 | 57.26  | 13.72 | 43.54 | 119.92 | -62.66 | 362  | 12     | Peak      | Horizontal |
| 7 | 5869.50 | 58.10  | 14.47 | 43.63 | 106.74 | -48.64 | 362  | 12     | Peak      | Horizontal |
| 8 | 5903.00 | 58.04  | 14.25 | 43.79 | 84.44  | -26.40 | 362  | 12     | Peak      | Horizontal |
| 9 | 5994.00 | 59.06  | 15.10 | 43.96 | 68.20  | -9.14  | 362  | 12     | Peak      | Horizontal |



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note     |
|---|---------|--------|-------|-------|--------|--------|------|--------|-----------|----------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |          |
| 1 | 5498.00 | 56.78  | 13.73 | 43.05 | 68.20  | -11.42 | 284  | 347    | Peak      | Vertical |
| 2 | 5687.50 | 57.15  | 13.94 | 43.21 | 95.98  | -38.83 | 284  | 347    | Peak      | Vertical |
| 3 | 5718.50 | 58.40  | 15.10 | 43.30 | 110.38 | -51.98 | 284  | 347    | Peak      | Vertical |
| 4 | 5721.00 | 57.07  | 13.76 | 43.31 | 113.08 | -56.01 | 284  | 347    | Peak      | Vertical |
| 5 | 5795.00 | 115.83 | 72.25 | 43.58 | 122.20 | -6.37  | 284  | 347    | Peak      | Vertical |
| 6 | 5851.50 | 58.47  | 14.73 | 43.74 | 118.78 | -60.31 | 284  | 347    | Peak      | Vertical |
| 7 | 5862.50 | 57.97  | 14.20 | 43.77 | 108.70 | -50.73 | 284  | 347    | Peak      | Vertical |
| 8 | 5877.50 | 58.28  | 14.47 | 43.81 | 103.34 | -45.06 | 284  | 347    | Peak      | Vertical |
| 9 | 5948.50 | 57.99  | 14.17 | 43.82 | 68.20  | -10.21 | 284  | 347    | Peak      | Vertical |


**802.11ax HE80\_OFDMA**

**CH 155 (Horizontal) Peak**

**CH 155 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|---|---------|--------|-------|--------|--------|--------|------|------|--------|------------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |            |      |
| 1 | 5568.00 | 57.84  | 13.73 | 43.31  | 68.20  | -11.16 | 334  | 18   | Peak   | Horizontal |      |
| 2 | 5690.50 | 58.40  | 15.21 | 43.19  | 98.20  | -39.80 | 334  | 18   | Peak   | Horizontal |      |
| 3 | 5720.00 | 64.94  | 21.67 | 43.27  | 110.80 | -45.86 | 334  | 18   | Peak   | Horizontal |      |
| 4 | 5720.50 | 64.94  | 21.67 | 43.27  | 111.94 | -47.00 | 334  | 18   | Peak   | Horizontal |      |
| 5 | 5775.00 | 107.96 | 64.53 | 43.43  | 122.20 | -14.24 | 334  | 18   | Peak   | Horizontal |      |
| 6 | 5855.00 | 57.78  | 14.22 | 43.56  | 110.80 | -53.02 | 334  | 18   | Peak   | Horizontal |      |
| 7 | 5872.50 | 57.95  | 14.30 | 43.65  | 105.90 | -47.95 | 334  | 18   | Peak   | Horizontal |      |
| 8 | 5918.50 | 57.29  | 13.46 | 43.83  | 72.99  | -15.70 | 334  | 18   | Peak   | Horizontal |      |
| 9 | 5933.50 | 58.14  | 14.26 | 43.88  | 68.20  | -10.06 | 334  | 18   | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|---|---------|--------|-------|--------|--------|--------|------|------|--------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |           |      |
| 1 | 5568.00 | 57.79  | 14.68 | 43.11  | 68.20  | -10.41 | 282  | 355  | Peak   | Vertical  |      |
| 2 | 5699.50 | 63.47  | 20.25 | 43.22  | 104.83 | -41.36 | 282  | 355  | Peak   | Vertical  |      |
| 3 | 5720.00 | 69.06  | 25.75 | 43.31  | 110.80 | -41.74 | 282  | 355  | Peak   | Vertical  |      |
| 4 | 5720.50 | 69.21  | 25.90 | 43.31  | 111.94 | -42.73 | 282  | 355  | Peak   | Vertical  |      |
| 5 | 5775.00 | 113.47 | 69.94 | 43.53  | 122.20 | -8.73  | 282  | 355  | Peak   | Vertical  |      |
| 6 | 5855.00 | 60.63  | 16.88 | 43.75  | 110.80 | -50.17 | 282  | 355  | Peak   | Vertical  |      |
| 7 | 5855.00 | 60.63  | 16.88 | 43.75  | 110.80 | -50.17 | 282  | 355  | Peak   | Vertical  |      |
| 8 | 5910.00 | 59.11  | 15.24 | 43.87  | 79.27  | -20.16 | 282  | 355  | Peak   | Vertical  |      |
| 9 | 5989.00 | 57.63  | 13.70 | 43.93  | 68.20  | -10.57 | 282  | 355  | Peak   | Vertical  |      |

## Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

### U-NII-1


#### 802.11a

##### CH 36 (Horizontal)

##### CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 18360.00 | 45.98  | 48.55 | -2.57 | 68.20  | -22.22 | 300  | 334 Peak    | Horizontal |      |
| 2 | 15540.00 | 48.62  | 43.36 | 5.26  | 74.00  | -25.38 | 200  | 124 Peak    | Horizontal |      |
| 3 | 20720.00 | 51.12  | 49.50 | 1.62  | 54.00  | -2.88  | 100  | 119 Average | Horizontal |      |
| 4 | 20720.00 | 61.60  | 59.98 | 1.62  | 74.00  | -12.40 | 100  | 119 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 18360.00 | 48.87  | 51.50 | -2.63 | 68.20  | -19.33 | 200  | 222 Peak    | Vertical  |      |
| 2 | 15540.00 | 42.46  | 37.18 | 5.28  | 54.00  | -11.54 | 100  | 161 Average | Vertical  |      |
| 3 | 15540.00 | 54.64  | 49.36 | 5.28  | 74.00  | -19.36 | 100  | 161 Peak    | Vertical  |      |
| 4 | 20720.00 | 48.38  | 46.68 | 1.62  | 54.00  | -5.70  | 100  | 116 Average | Vertical  |      |
| 5 | 20720.00 | 58.84  | 57.22 | 1.62  | 74.00  | -15.16 | 100  | 116 Peak    | Vertical  |      |


**802.11a**

**CH 40 (Horizontal)**

**CH 40 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 10436.00 | 48.58  | 51.00 | -2.42 | 68.20  | -10.62 | 100  | 204 Peak    | Horizontal |      |
| 2 | 15660.00 | 47.96  | 42.45 | 5.51  | 54.00  | -6.04  | 100  | 104 Average | Horizontal |      |
| 3 | 15660.00 | 54.71  | 49.20 | 5.51  | 74.00  | -19.29 | 100  | 104 Peak    | Horizontal |      |
| 4 | 20880.00 | 53.27  | 51.29 | 1.98  | 54.00  | -0.73  | 233  | 127 Average | Horizontal |      |
| 5 | 20880.00 | 59.73  | 57.75 | 1.98  | 74.00  | -14.27 | 233  | 127 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark    | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg       |           |      |
| 1 | 10440.00 | 45.82  | 48.29 | -2.47 | 68.20  | -22.38 | 300  | 330 Peak  | Vertical  |      |
| 2 | 15660.00 | 52.39  | 46.80 | 5.59  | 74.00  | -21.61 | 400  | 339 Peak  | Vertical  |      |
| 3 | 20880.00 | 48.15  | 46.17 | 1.98  | 54.00  | -5.85  | 102  | 3 Average | Vertical  |      |
| 4 | 20880.00 | 55.56  | 53.58 | 1.98  | 74.00  | -10.44 | 102  | 3 Peak    | Vertical  |      |


**802.11a**

**CH 48 (Horizontal)**

**CH 48 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark     | Pol/Phase  | Note |
|---|----------|--------|--------------|-------|-------|--------|------|------------|------------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |            |            |      |
| 1 | 10480.00 | 46.22  | 48.60        | -2.38 | 68.20 | -21.98 | 300  | 326 Peak   | Horizontal |      |
| 2 | 15720.00 | 50.90  | 45.20        | 5.70  | 74.00 | -23.10 | 300  | 208 Peak   | Horizontal |      |
| 3 | 20960.00 | 49.75  | 47.58        | 2.17  | 54.00 | -4.25  | 100  | 60 Average | Horizontal |      |
| 4 | 20960.00 | 56.63  | 54.46        | 2.17  | 74.00 | -17.37 | 100  | 60 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------------|-------|-------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |             |           |      |
| 1 | 10480.00 | 49.87  | 52.27        | -2.40 | 68.20 | -18.33 | 100  | 52 Peak     | Vertical  |      |
| 2 | 15720.00 | 45.16  | 39.46        | 5.70  | 54.00 | -8.84  | 200  | 157 Average | Vertical  |      |
| 3 | 15720.00 | 56.01  | 50.31        | 5.70  | 74.00 | -17.99 | 200  | 157 Peak    | Vertical  |      |
| 4 | 20960.00 | 46.61  | 44.44        | 2.17  | 54.00 | -7.39  | 100  | 181 Average | Vertical  |      |
| 5 | 20960.00 | 55.82  | 53.65        | 2.17  | 74.00 | -18.18 | 100  | 181 Peak    | Vertical  |      |


**802.11ax HE20\_OFDM**

**CH 36 (Horizontal)**

**CH 36 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read   | Level | Limit  | Over  | APos   | TPos | Remark      | Pol/Phase  | Note |
|------|----------|--------|-------|--------|-------|--------|------|-------------|------------|------|
| MHz  | dBuV/m   | Factor | dB/m  | dBuV/m | Limit | cm     | deg  |             |            |      |
| 1    | 18360.00 | 48.42  | 50.99 | -2.57  | 68.20 | -19.78 | 200  | 45 Peak     | Horizontal |      |
| 2    | 15540.00 | 52.19  | 46.93 | 5.26   | 74.00 | -21.81 | 100  | 66 Peak     | Horizontal |      |
| 3    | 20720.00 | 52.34  | 50.72 | 1.62   | 54.00 | -1.66  | 100  | 127 Average | Horizontal |      |
| 4    | 20720.00 | 57.96  | 50.34 | 1.62   | 74.00 | -16.04 | 100  | 127 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read   | Level | Limit  | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|------|----------|--------|-------|--------|-------|--------|------|-------------|-----------|------|
| MHz  | dBuV/m   | Factor | dB/m  | dBuV/m | Limit | cm     | deg  |             |           |      |
| 1    | 18360.00 | 48.34  | 50.97 | -2.63  | 68.20 | -19.86 | 100  | 360 Peak    | Vertical  |      |
| 2    | 15540.00 | 45.36  | 48.06 | 2.70   | 54.00 | -8.64  | 400  | 350 Average | Vertical  |      |
| 3    | 15540.00 | 60.15  | 54.87 | 5.28   | 74.00 | -13.85 | 400  | 350 Peak    | Vertical  |      |
| 4    | 20720.00 | 46.52  | 44.90 | 1.62   | 54.00 | -7.48  | 100  | 241 Average | Vertical  |      |
| 5    | 20720.00 | 55.24  | 53.62 | 1.62   | 74.00 | -18.76 | 100  | 241 Peak    | Vertical  |      |


**802.11ax HE20\_OFDM**

**CH 40 (Horizontal)**

**CH 40 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 10440.00 | 47.51  | 49.92 | -2.41 | 68.20  | -20.69 | 200  | 44 Peak     | Horizontal |      |
| 2 | 15660.00 | 47.37  | 41.86 | 5.51  | 54.00  | -6.63  | 100  | 108 Average | Horizontal |      |
| 3 | 15660.00 | 54.03  | 48.52 | 5.51  | 74.00  | -19.97 | 100  | 108 Peak    | Horizontal |      |
| 4 | 20880.00 | 52.55  | 50.57 | 1.98  | 54.00  | -1.45  | 233  | 127 Average | Horizontal |      |
| 5 | 20880.00 | 59.13  | 57.15 | 1.98  | 74.00  | -14.87 | 233  | 127 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 10440.00 | 47.51  | 49.98 | -2.47 | 68.20  | -20.69 | 300  | 219 Peak    | Vertical  |      |
| 2 | 15660.00 | 53.17  | 47.58 | 5.59  | 74.00  | -20.83 | 100  | 219 Peak    | Vertical  |      |
| 3 | 20880.00 | 44.66  | 42.68 | 1.98  | 54.00  | -9.34  | 200  | 350 Average | Vertical  |      |
| 4 | 20880.00 | 55.94  | 53.96 | 1.98  | 74.00  | -10.06 | 200  | 350 Peak    | Vertical  |      |


**802.11ax HE20\_OFDM**

**CH 48 (Horizontal)**

**CH 48 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|--------------|-------|-------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |             |            |      |
| 1 | 10480.00 | 51.26  | 53.64        | -2.38 | 68.20 | -16.94 | 100  | 59 Peak     | Horizontal |      |
| 2 | 15720.00 | 45.94  | 48.24        | 5.70  | 54.00 | -8.06  | 100  | 109 Average | Horizontal |      |
| 3 | 15720.00 | 60.10  | 54.40        | 5.70  | 74.00 | -13.90 | 100  | 109 Peak    | Horizontal |      |
| 4 | 20960.00 | 52.35  | 50.18        | 2.17  | 54.00 | -1.65  | 220  | 136 Average | Horizontal |      |
| 5 | 20960.00 | 60.11  | 57.94        | 2.17  | 74.00 | -13.89 | 220  | 136 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------------|-------|-------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |             |           |      |
| 1 | 10480.00 | 48.72  | 51.12        | -2.40 | 68.20 | -19.48 | 236  | 31 Peak     | Vertical  |      |
| 2 | 15720.00 | 45.97  | 48.27        | 5.70  | 54.00 | -8.03  | 374  | 338 Average | Vertical  |      |
| 3 | 15720.00 | 60.52  | 54.82        | 5.70  | 74.00 | -13.48 | 374  | 338 Peak    | Vertical  |      |
| 4 | 20960.00 | 48.17  | 46.00        | 2.17  | 54.00 | -5.83  | 212  | 128 Average | Vertical  |      |
| 5 | 20960.00 | 55.50  | 53.33        | 2.17  | 74.00 | -18.50 | 212  | 128 Peak    | Vertical  |      |


**802.11ax HE40\_OFDM**

**CH 38 (Horizontal)**

**CH 38 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|--------------|-------|-------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |             |            |      |
| 1 | 10380.00 | 48.18  | 50.68        | -2.50 | 68.20 | -20.02 | 300  | 97 Peak     | Horizontal |      |
| 2 | 15570.00 | 51.91  | 46.63        | 5.28  | 74.00 | -22.09 | 100  | 106 Peak    | Horizontal |      |
| 3 | 20760.00 | 49.37  | 47.66        | 1.71  | 54.00 | -4.63  | 100  | 127 Average | Horizontal |      |
| 4 | 20760.00 | 56.98  | 55.27        | 1.71  | 74.00 | -17.02 | 100  | 127 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------------|-------|-------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |             |           |      |
| 1 | 10380.00 | 48.68  | 51.18        | -2.50 | 68.20 | -19.60 | 251  | 58 Peak     | Vertical  |      |
| 2 | 15570.00 | 50.77  | 45.38        | 5.39  | 74.00 | -23.23 | 400  | 350 Peak    | Vertical  |      |
| 3 | 20760.00 | 47.10  | 45.39        | 1.71  | 54.00 | -6.90  | 100  | 351 Average | Vertical  |      |
| 4 | 20760.00 | 55.20  | 53.49        | 1.71  | 74.00 | -18.80 | 100  | 351 Peak    | Vertical  |      |


**802.11ax HE40\_OFDM**

**CH 46 (Horizontal)**

**CH 46 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark     | Pol/Phase  | Note |
|---|----------|--------|--------------|-------|-------|--------|------|------------|------------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |            |            |      |
| 1 | 10460.00 | 48.04  | 50.44        | -2.40 | 68.20 | -20.16 | 100  | 59 Peak    | Horizontal |      |
| 2 | 15690.00 | 52.44  | 46.82        | 5.62  | 74.00 | -21.56 | 100  | 118 Peak   | Horizontal |      |
| 3 | 20920.00 | 51.82  | 49.74        | 2.08  | 54.00 | -2.18  | 210  | 66 Average | Horizontal |      |
| 4 | 20920.00 | 56.13  | 54.05        | 2.08  | 74.00 | -17.07 | 210  | 66 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------------|-------|-------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |             |           |      |
| 1 | 10460.00 | 46.39  | 48.83        | -2.44 | 68.20 | -21.81 | 200  | 220 Peak    | Vertical  |      |
| 2 | 15690.00 | 51.41  | 45.77        | 5.64  | 74.00 | -22.59 | 100  | 95 Peak     | Vertical  |      |
| 3 | 20920.00 | 46.40  | 44.32        | 2.08  | 54.00 | -7.60  | 200  | 345 Average | Vertical  |      |
| 4 | 20920.00 | 54.19  | 52.11        | 2.08  | 74.00 | -19.81 | 200  | 345 Peak    | Vertical  |      |


**802.11ax HE80\_OFDM**

**CH 42 (Horizontal)**

**CH 42 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 10420.00 | 46.23  | 48.67 | -2.44 | 68.20  | -21.97 | 400  | 101 Peak    | Horizontal |      |
| 2 | 15630.00 | 49.75  | 44.35 | 5.40  | 74.00  | -24.25 | 100  | 59 Peak     | Horizontal |      |
| 3 | 20840.00 | 49.50  | 47.61 | 1.89  | 54.00  | -4.50  | 228  | 126 Average | Horizontal |      |
| 4 | 20840.00 | 54.20  | 52.31 | 1.89  | 74.00  | -19.00 | 228  | 126 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1 | 10420.00 | 45.35  | 47.87 | -2.52 | 68.20  | -22.85 | 400  | 158 Peak | Vertical  |      |
| 2 | 15630.00 | 50.82  | 45.28 | 5.54  | 74.00  | -23.18 | 100  | 213 Peak | Vertical  |      |
| 3 | 20840.00 | 52.36  | 50.47 | 1.89  | 74.00  | -21.64 | 200  | 126 Peak | Vertical  |      |


**802.11ax HE20\_OFDMA**

**CH 36 (Horizontal)**

**CH 36 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 10360.00 | 48.65  | 51.22 | -2.57 | 68.20  | -19.55 | 280  | 138 Peak    | Horizontal |      |
| 2 | 15540.00 | 43.17  | 37.91 | 5.26  | 54.00  | -10.83 | 100  | 108 Average | Horizontal |      |
| 3 | 15540.00 | 60.10  | 54.84 | 5.26  | 74.00  | -13.90 | 100  | 108 Peak    | Horizontal |      |
| 4 | 20720.00 | 52.08  | 50.46 | 1.62  | 54.00  | -1.92  | 100  | 125 Average | Horizontal |      |
| 5 | 20720.00 | 59.14  | 57.52 | 1.62  | 74.00  | -14.86 | 100  | 125 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 10360.00 | 48.49  | 51.12 | -2.63 | 68.20  | -19.71 | 287  | 33 Peak     | Vertical  |      |
| 2 | 15540.00 | 44.95  | 39.67 | 5.28  | 54.00  | -9.05  | 400  | 348 Average | Vertical  |      |
| 3 | 15540.00 | 59.66  | 54.38 | 5.28  | 74.00  | -14.34 | 400  | 348 Peak    | Vertical  |      |
| 4 | 20720.00 | 47.49  | 45.87 | 1.62  | 54.00  | -6.51  | 100  | 115 Average | Vertical  |      |
| 5 | 20720.00 | 56.50  | 54.88 | 1.62  | 74.00  | -17.50 | 100  | 115 Peak    | Vertical  |      |


**802.11ax HE20\_OFDMA**

**CH 40 (Horizontal)**

**CH 40 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 10440.00 | 47.62  | 50.03 | -2.41 | 68.20  | -20.58 | 200  | 38 Peak     | Horizontal |      |
| 2 | 15660.00 | 47.52  | 42.01 | 5.51  | 54.00  | -6.48  | 100  | 117 Average | Horizontal |      |
| 3 | 15660.00 | 54.42  | 48.91 | 5.51  | 74.00  | -19.58 | 100  | 117 Peak    | Horizontal |      |
| 4 | 20880.00 | 52.42  | 50.44 | 1.98  | 54.00  | -1.58  | 232  | 126 Average | Horizontal |      |
| 5 | 20880.00 | 57.19  | 55.21 | 1.98  | 74.00  | -16.81 | 232  | 126 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 10440.00 | 45.54  | 48.01 | -2.47 | 68.20  | -22.66 | 400  | 16 Peak     | Vertical  |      |
| 2 | 15660.00 | 51.34  | 45.75 | 5.59  | 74.00  | -22.66 | 400  | 188 Peak    | Vertical  |      |
| 3 | 20880.00 | 46.89  | 44.91 | 1.98  | 54.00  | -7.11  | 100  | 214 Average | Vertical  |      |
| 4 | 20880.00 | 54.45  | 52.47 | 1.98  | 74.00  | -19.55 | 100  | 214 Peak    | Vertical  |      |


**802.11ax HE20\_OFDMA**

**CH 48 (Horizontal)**

**CH 48 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 10480.00 | 52.63  | 55.01 | -2.38  | 68.20  | -15.57 | 480  | 270  | Peak    | Horizontal |      |
| 2 15720.00 | 45.81  | 48.11 | 5.70   | 54.00  | -8.19  | 100  | 109  | Average | Horizontal |      |
| 3 15720.00 | 60.72  | 55.02 | 5.70   | 74.00  | -13.28 | 100  | 109  | Peak    | Horizontal |      |
| 4 20960.00 | 52.93  | 50.76 | 2.17   | 54.00  | -1.07  | 200  | 62   | Average | Horizontal |      |
| 5 20960.00 | 58.41  | 56.24 | 2.17   | 74.00  | -15.59 | 200  | 62   | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 10480.00 | 48.43  | 50.83 | -2.40  | 68.20  | -19.77 | 200  | 150  | Peak    | Vertical  |      |
| 2 15720.00 | 44.86  | 39.16 | 5.70   | 54.00  | -9.14  | 388  | 352  | Average | Vertical  |      |
| 3 15720.00 | 61.27  | 55.57 | 5.70   | 74.00  | -12.73 | 388  | 352  | Peak    | Vertical  |      |
| 4 20960.00 | 49.24  | 47.07 | 2.17   | 54.00  | -4.76  | 100  | 2    | Average | Vertical  |      |
| 5 20960.00 | 54.90  | 52.73 | 2.17   | 74.00  | -19.10 | 100  | 2    | Peak    | Vertical  |      |


**802.11ax HE40\_OFDMA**

**CH 38 (Horizontal)**

**CH 38 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 10380.00 | 49.87  | 52.37 | -2.50  | 68.20  | -18.33 | 480  | 269  | Peak    | Horizontal |      |
| 2 | 15570.00 | 50.43  | 45.15 | 5.28   | 74.00  | -23.57 | 110  | 109  | Peak    | Horizontal |      |
| 3 | 20760.00 | 48.81  | 47.10 | 1.71   | 54.00  | -5.19  | 100  | 127  | Average | Horizontal |      |
| 4 | 20760.00 | 56.29  | 54.58 | 1.71   | 74.00  | -17.71 | 100  | 127  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|--------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |           |      |
| 1 | 10380.00 | 46.57  | 49.15 | -2.58  | 68.20  | -21.63 | 200  | 59   | Peak   | Vertical  |      |
| 2 | 15570.00 | 51.51  | 46.12 | 5.39   | 74.00  | -22.49 | 400  | 358  | Peak   | Vertical  |      |
| 3 | 20760.00 | 53.44  | 51.73 | 1.71   | 74.00  | -20.56 | 100  | 108  | Peak   | Vertical  |      |


# 802.11ax HE40\_OFDMA

## CH 46 (Horizontal)

## CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 10460.00 | 48.05  | 50.45 | -2.40  | 68.20  | -20.15 | 480  | 270  | Peak    | Horizontal |      |
| 2 | 15690.00 | 52.19  | 46.57 | 5.62   | 74.00  | -21.81 | 190  | 102  | Peak    | Horizontal |      |
| 3 | 20920.00 | 51.24  | 49.16 | 2.08   | 54.00  | -2.76  | 228  | 128  | Average | Horizontal |      |
| 4 | 20920.00 | 55.59  | 53.51 | 2.08   | 74.00  | -18.41 | 228  | 128  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 10460.00 | 47.05  | 49.49 | -2.44  | 68.20  | -21.15 | 380  | 341  | Peak    | Vertical  |      |
| 2 | 15690.00 | 52.32  | 46.68 | 5.64   | 74.00  | -21.68 | 400  | 360  | Peak    | Vertical  |      |
| 3 | 20920.00 | 47.07  | 44.99 | 2.08   | 54.00  | -6.93  | 180  | 350  | Average | Vertical  |      |
| 4 | 20920.00 | 54.15  | 52.07 | 2.08   | 74.00  | -19.85 | 180  | 350  | Peak    | Vertical  |      |


**802.11ax HE80\_OFDMA**

**CH 42 (Horizontal)**

**CH 42 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|--------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |            |      |
| 1 | 10420.00 | 46.42  | 48.86 | -2.44  | 68.20  | -21.78 | 480  | 102  | Peak   | Horizontal |      |
| 2 | 15630.00 | 51.37  | 45.97 | 5.40   | 74.00  | -22.63 | 100  | 109  | Peak   | Horizontal |      |
| 3 | 20840.00 | 53.15  | 51.26 | 1.89   | 74.00  | -20.85 | 100  | 128  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|--------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |           |      |
| 1 | 10420.00 | 45.55  | 48.07 | -2.52  | 68.20  | -22.65 | 300  | 342  | Peak   | Vertical  |      |
| 2 | 15630.00 | 51.58  | 46.04 | 5.54   | 74.00  | -22.42 | 300  | 339  | Peak   | Vertical  |      |
| 3 | 20840.00 | 51.67  | 49.78 | 1.89   | 74.00  | -22.33 | 100  | 360  | Peak   | Vertical  |      |

**U-NII-2A**


**802.11a**

**CH 52 (Horizontal)**

**CH 52 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 10520.00 | 47.34  | 49.64 | -2.30 | 68.20  | -20.86 | 100  | 11 Peak     | Horizontal |      |
| 2 | 15780.00 | 51.60  | 45.74 | 5.86  | 74.00  | -22.40 | 200  | 124 Peak    | Horizontal |      |
| 3 | 21040.00 | 53.63  | 51.34 | 2.29  | 54.00  | -0.37  | 228  | 126 Average | Horizontal |      |
| 4 | 21040.00 | 61.06  | 58.77 | 2.29  | 74.00  | -12.94 | 228  | 126 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 10520.00 | 49.32  | 51.64 | -2.32 | 68.20  | -18.88 | 100  | 10 Peak     | Vertical  |      |
| 2 | 15780.00 | 44.41  | 38.55 | 5.86  | 54.00  | -9.59  | 200  | 163 Average | Vertical  |      |
| 3 | 15780.00 | 58.20  | 52.34 | 5.86  | 74.00  | -15.80 | 200  | 163 Peak    | Vertical  |      |
| 4 | 21040.00 | 49.64  | 47.35 | 2.29  | 54.00  | -4.36  | 100  | 351 Average | Vertical  |      |
| 5 | 21040.00 | 57.73  | 55.44 | 2.29  | 74.00  | -16.27 | 100  | 351 Peak    | Vertical  |      |


**802.11a**

**CH 60 (Horizontal)**

**CH 60 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 18600.00 | 44.68  | 46.66 | -2.06 | 68.20  | -23.00 | 100  | 68 Peak     | Horizontal |      |
| 2 | 15900.00 | 53.35  | 47.35 | 5.97  | 74.00  | -20.65 | 100  | 333 Peak    | Horizontal |      |
| 3 | 21200.00 | 52.59  | 50.19 | 2.40  | 54.00  | -1.41  | 200  | 123 Average | Horizontal |      |
| 4 | 21200.00 | 57.88  | 55.48 | 2.40  | 74.00  | -16.12 | 200  | 123 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 18600.00 | 53.49  | 55.65 | -2.16 | 68.20  | -14.71 | 100  | 320 Peak    | Vertical  |      |
| 2 | 15900.00 | 46.52  | 48.15 | 6.37  | 54.00  | -7.48  | 200  | 36 Average  | Vertical  |      |
| 3 | 15900.00 | 58.72  | 52.35 | 6.37  | 74.00  | -15.28 | 200  | 36 Peak     | Vertical  |      |
| 4 | 21200.00 | 49.53  | 47.13 | 2.40  | 54.00  | -4.47  | 100  | 208 Average | Vertical  |      |
| 5 | 21200.00 | 55.70  | 53.30 | 2.40  | 74.00  | -18.30 | 100  | 208 Peak    | Vertical  |      |


**802.11a**

**CH 64 (Horizontal)**

**CH 64 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 18640.00 | 46.05  | 48.06 | -2.01 | 74.00  | -27.95 | 300  | 108 Peak    | Horizontal |      |
| 2 | 15960.00 | 53.54  | 47.41 | 6.13  | 74.00  | -20.46 | 200  | 24 Peak     | Horizontal |      |
| 3 | 21280.00 | 51.66  | 49.19 | 2.47  | 54.00  | -2.34  | 200  | 135 Average | Horizontal |      |
| 4 | 21280.00 | 58.13  | 55.66 | 2.47  | 74.00  | -15.87 | 200  | 135 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 18640.00 | 52.01  | 54.04 | -2.03 | 74.00  | -21.99 | 100  | 124 Peak    | Vertical  |      |
| 2 | 15960.00 | 47.92  | 41.39 | 6.53  | 54.00  | -6.08  | 200  | 42 Average  | Vertical  |      |
| 3 | 15960.00 | 58.33  | 51.80 | 6.53  | 74.00  | -15.67 | 200  | 42 Peak     | Vertical  |      |
| 4 | 21280.00 | 47.66  | 45.19 | 2.47  | 54.00  | -6.34  | 100  | 124 Average | Vertical  |      |
| 5 | 21280.00 | 54.72  | 52.25 | 2.47  | 74.00  | -19.28 | 100  | 124 Peak    | Vertical  |      |


**802.11ax HE20\_OFDM**

**CH 52 (Horizontal)**

**CH 52 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|--------------|-------|-------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |             |            |      |
| 1 | 10520.00 | 51.71  | 54.01        | -2.30 | 68.20 | -16.49 | 480  | 281 Peak    | Horizontal |      |
| 2 | 15780.00 | 46.71  | 48.85        | 5.86  | 54.00 | -7.29  | 245  | 129 Average | Horizontal |      |
| 3 | 15780.00 | 54.35  | 48.49        | 5.86  | 74.00 | -19.65 | 200  | 128 Peak    | Horizontal |      |
| 4 | 21040.00 | 52.08  | 49.79        | 2.29  | 54.00 | -1.92  | 200  | 57 Average  | Horizontal |      |
| 5 | 21040.00 | 60.43  | 58.14        | 2.29  | 74.00 | -13.57 | 200  | 57 Peak     | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------------|-------|-------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |             |           |      |
| 1 | 10520.00 | 47.58  | 49.98        | -2.32 | 68.20 | -20.62 | 480  | 334 Peak    | Vertical  |      |
| 2 | 15780.00 | 40.38  | 43.52        | 5.86  | 54.00 | -4.62  | 200  | 326 Average | Vertical  |      |
| 3 | 15780.00 | 57.52  | 51.66        | 5.86  | 74.00 | -16.48 | 200  | 325 Peak    | Vertical  |      |
| 4 | 21040.00 | 48.12  | 45.83        | 2.29  | 54.00 | -5.88  | 100  | 210 Average | Vertical  |      |
| 5 | 21040.00 | 56.86  | 54.57        | 2.29  | 74.00 | -17.14 | 100  | 210 Peak    | Vertical  |      |


**802.11ax HE20\_OFDM**

**CH 60 (Horizontal)**

**CH 60 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 18600.00 | 50.11  | 52.17 | -2.06 | 68.20  | -18.09 | 400  | 275 Peak    | Horizontal |      |
| 2 | 15900.00 | 45.95  | 39.98 | 5.97  | 54.00  | -8.05  | 100  | 360 Average | Horizontal |      |
| 3 | 15900.00 | 56.59  | 50.62 | 5.97  | 74.00  | -17.41 | 100  | 360 Peak    | Horizontal |      |
| 4 | 21200.00 | 45.64  | 43.24 | 2.40  | 54.00  | -8.36  | 200  | 124 Average | Horizontal |      |
| 5 | 21200.00 | 57.24  | 54.84 | 2.40  | 74.00  | -16.76 | 200  | 124 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 18600.00 | 47.93  | 50.09 | -2.16 | 68.20  | -20.27 | 300  | 141 Peak    | Vertical  |      |
| 2 | 15900.00 | 50.88  | 44.43 | 6.37  | 54.00  | -3.20  | 300  | 343 Average | Vertical  |      |
| 3 | 15900.00 | 59.21  | 52.84 | 6.37  | 74.00  | -14.79 | 300  | 344 Peak    | Vertical  |      |
| 4 | 21200.00 | 52.57  | 50.17 | 2.40  | 74.00  | -21.43 | 168  | 360 Peak    | Vertical  |      |


**802.11ax HE20\_OFDM**

**CH 64 (Horizontal)**

**CH 64 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 18640.00 | 49.36  | 51.37 | -2.01 | 74.00  | -24.64 | 100  | 123 Peak    | Horizontal |      |
| 2 | 15960.00 | 43.24  | 37.11 | 6.13  | 54.00  | -10.76 | 400  | 297 Average | Horizontal |      |
| 3 | 15960.00 | 57.14  | 51.61 | 6.13  | 74.00  | -16.86 | 400  | 297 Peak    | Horizontal |      |
| 4 | 21280.00 | 51.60  | 49.13 | 2.47  | 54.00  | -2.40  | 257  | 61 Average  | Horizontal |      |
| 5 | 21280.00 | 58.14  | 55.67 | 2.47  | 74.00  | -15.86 | 257  | 61 Peak     | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 18640.00 | 47.62  | 49.65 | -2.03 | 74.00  | -26.38 | 300  | 333 Peak    | Vertical  |      |
| 2 | 15960.00 | 51.29  | 44.76 | 6.53  | 54.00  | -2.71  | 200  | 322 Average | Vertical  |      |
| 3 | 15960.00 | 58.21  | 51.68 | 6.53  | 74.00  | -15.79 | 200  | 322 Peak    | Vertical  |      |
| 4 | 21280.00 | 47.71  | 45.24 | 2.47  | 54.00  | -6.29  | 100  | 211 Average | Vertical  |      |
| 5 | 21280.00 | 56.87  | 54.40 | 2.47  | 74.00  | -17.13 | 100  | 211 Peak    | Vertical  |      |


**802.11ax HE40\_OFDM**

**CH 54 (Horizontal)**

**CH 54 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 10540.00 | 48.47  | 50.71 | -2.24 | 68.20  | -10.73 | 400  | 264 Peak    | Horizontal |      |
| 2 | 15810.00 | 44.75  | 38.83 | 5.92  | 54.00  | -9.25  | 400  | 294 Average | Horizontal |      |
| 3 | 15810.00 | 58.04  | 52.12 | 5.92  | 74.00  | -15.96 | 400  | 294 Peak    | Horizontal |      |
| 4 | 21080.00 | 51.15  | 48.83 | 2.32  | 54.00  | -2.85  | 214  | 57 Average  | Horizontal |      |
| 5 | 21080.00 | 55.57  | 53.25 | 2.32  | 74.00  | -18.43 | 214  | 57 Peak     | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 10540.00 | 47.91  | 50.19 | -2.28 | 68.20  | -20.29 | 100  | 119 Peak    | Vertical  |      |
| 2 | 15810.00 | 40.25  | 40.29 | 5.96  | 54.00  | -7.75  | 200  | 341 Average | Vertical  |      |
| 3 | 15810.00 | 59.79  | 53.83 | 5.96  | 74.00  | -14.21 | 200  | 341 Peak    | Vertical  |      |
| 4 | 21080.00 | 53.37  | 51.05 | 2.32  | 74.00  | -20.63 | 100  | 85 Peak     | Vertical  |      |


**802.11ax HE40\_OFDM**

**CH 62 (Horizontal)**

**CH 62 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|--------------|-------|-------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |             |            |      |
| 1 | 18620.00 | 48.98  | 58.94        | -2.04 | 74.00 | -25.10 | 400  | 268 Peak    | Horizontal |      |
| 2 | 15930.00 | 45.72  | 39.67        | 6.05  | 54.00 | -8.28  | 400  | 294 Average | Horizontal |      |
| 3 | 15930.00 | 59.50  | 53.45        | 6.05  | 74.00 | -14.50 | 400  | 294 Peak    | Horizontal |      |
| 4 | 21240.00 | 48.55  | 46.12        | 2.43  | 54.00 | -5.45  | 100  | 62 Average  | Horizontal |      |
| 5 | 21240.00 | 54.76  | 52.33        | 2.43  | 74.00 | -19.24 | 100  | 62 Peak     | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------------|-------|-------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |             |           |      |
| 1 | 18620.00 | 47.14  | 49.24        | -2.10 | 74.00 | -26.86 | 210  | 3 Peak      | Vertical  |      |
| 2 | 15930.00 | 40.81  | 40.36        | 6.45  | 54.00 | -7.19  | 196  | 340 Average | Vertical  |      |
| 3 | 15930.00 | 60.39  | 53.94        | 6.45  | 74.00 | -13.61 | 196  | 340 Peak    | Vertical  |      |
| 4 | 21240.00 | 51.61  | 49.18        | 2.43  | 74.00 | -22.39 | 100  | 179 Peak    | Vertical  |      |


**802.11ax HE80\_OFDM**

**CH 58 (Horizontal)**

**CH 58 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read  | Limit | Over   | APos  | TPos   | Remark | Pol/Phase  | Note       |
|------|----------|-------|-------|--------|-------|--------|--------|------------|------------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg    |            |            |
| 1    | 10580.00 | 47.35 | 49.47 | -2.12  | 68.20 | -20.85 | 300    | 137 Peak   | Horizontal |
| 2    | 15870.00 | 51.32 | 45.37 | 5.95   | 74.00 | -22.68 | 300    | 245 Peak   | Horizontal |
| 3    | 21160.00 | 48.33 | 45.96 | 2.37   | 54.00 | -5.67  | 200    | 58 Average | Horizontal |
| 4    | 21160.00 | 54.02 | 51.65 | 2.37   | 74.00 | -19.98 | 200    | 58 Peak    | Horizontal |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read  | Limit | Over   | APos  | TPos   | Remark | Pol/Phase   | Note     |
|------|----------|-------|-------|--------|-------|--------|--------|-------------|----------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg    |             |          |
| 1    | 10580.00 | 45.48 | 47.68 | -2.20  | 68.20 | -22.72 | 324    | 369 Peak    | Vertical |
| 2    | 15870.00 | 43.34 | 37.11 | 6.23   | 54.00 | -10.66 | 300    | 338 Average | Vertical |
| 3    | 15870.00 | 55.94 | 49.71 | 6.23   | 74.00 | -18.06 | 300    | 338 Peak    | Vertical |
| 4    | 21160.00 | 51.88 | 49.51 | 2.37   | 74.00 | -22.12 | 100    | 361 Peak    | Vertical |


**802.11ax HE160\_OFDM**

**CH 50 (Horizontal)**

**CH 50 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark   | Pol/Phase  | Note |
|---|----------|--------|--------------|-------|-------|--------|------|----------|------------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |          |            |      |
| 1 | 10500.00 | 45.79  | 48.16        | -2.37 | 68.20 | -22.41 | 280  | 48 Peak  | Horizontal |      |
| 2 | 15750.00 | 51.21  | 45.43        | 5.78  | 74.00 | -22.79 | 100  | 107 Peak | Horizontal |      |
| 3 | 21000.00 | 53.67  | 51.41        | 2.26  | 74.00 | -20.33 | 234  | 126 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over  | APos   | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|--------------|-------|-------|--------|------|----------|-----------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit | cm     | deg  |          |           |      |
| 1 | 10500.00 | 45.91  | 48.28        | -2.37 | 68.20 | -22.29 | 300  | 334 Peak | Vertical  |      |
| 2 | 15750.00 | 51.53  | 45.75        | 5.78  | 74.00 | -22.47 | 200  | 329 Peak | Vertical  |      |
| 3 | 21000.00 | 52.07  | 49.81        | 2.26  | 74.00 | -21.93 | 180  | 79 Peak  | Vertical  |      |


**802.11ax HE20\_OFDMA**

**CH 52 (Horizontal)**

**CH 52 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 10520.00 | 50.55  | 52.85 | -2.30  | 68.20  | -17.65 | 200  | 55   | Peak    | Horizontal |      |
| 2 | 15780.00 | 46.58  | 48.72 | 5.86   | 54.00  | -7.42  | 400  | 124  | Average | Horizontal |      |
| 3 | 15780.00 | 54.41  | 48.55 | 5.86   | 74.00  | -19.59 | 400  | 124  | Peak    | Horizontal |      |
| 4 | 21040.00 | 49.61  | 47.32 | 2.29   | 54.00  | -4.39  | 100  | 65   | Average | Horizontal |      |
| 5 | 21040.00 | 60.64  | 58.35 | 2.29   | 74.00  | -13.36 | 100  | 65   | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 10520.00 | 48.34  | 50.66 | -2.32  | 68.20  | -19.86 | 200  | 38   | Peak    | Vertical  |      |
| 2 | 15780.00 | 49.63  | 43.77 | 5.86   | 54.00  | -4.37  | 300  | 342  | Average | Vertical  |      |
| 3 | 15780.00 | 59.10  | 53.24 | 5.86   | 74.00  | -14.90 | 300  | 342  | Peak    | Vertical  |      |
| 4 | 21040.00 | 48.78  | 46.49 | 2.29   | 54.00  | -5.22  | 103  | 360  | Average | Vertical  |      |
| 5 | 21040.00 | 56.28  | 53.99 | 2.29   | 74.00  | -17.72 | 103  | 360  | Peak    | Vertical  |      |


**802.11ax HE20\_OFDMA**

**CH 60 (Horizontal)**

**CH 60 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 10600.00 | 50.37  | 52.43 | -2.06  | 68.20  | -17.83 | 400  | 200  | Peak    | Horizontal |      |
| 2 | 15900.00 | 49.86  | 43.89 | 5.97   | 54.00  | -4.14  | 400  | 292  | Average | Horizontal |      |
| 3 | 15900.00 | 58.98  | 53.01 | 5.97   | 74.00  | -15.02 | 400  | 292  | Peak    | Horizontal |      |
| 4 | 21200.00 | 53.56  | 51.16 | 2.40   | 74.00  | -20.44 | 100  | 133  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 10600.00 | 49.56  | 51.72 | -2.16  | 68.20  | -18.64 | 200  | 360  | Peak    | Vertical  |      |
| 2 | 15900.00 | 51.97  | 45.60 | 6.37   | 54.00  | -2.03  | 200  | 324  | Average | Vertical  |      |
| 3 | 15900.00 | 58.49  | 52.12 | 6.37   | 74.00  | -15.51 | 200  | 324  | Peak    | Vertical  |      |
| 4 | 21200.00 | 50.84  | 48.44 | 2.40   | 74.00  | -23.16 | 101  | 360  | Peak    | Vertical  |      |


**802.11ax HE20\_OFDMA**

**CH 64 (Horizontal)**

**CH 64 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 10648.00 | 49.37  | 51.38 | -2.01 | 74.00  | -24.63 | 480  | 270 Peak    | Horizontal |      |
| 2 | 15968.00 | 46.51  | 48.38 | 6.13  | 54.00  | -7.49  | 180  | 63 Average  | Horizontal |      |
| 3 | 15968.00 | 56.49  | 58.36 | 6.13  | 74.00  | -17.51 | 100  | 63 Peak     | Horizontal |      |
| 4 | 21288.00 | 50.46  | 47.99 | 2.47  | 54.00  | -3.54  | 200  | 133 Average | Horizontal |      |
| 5 | 21288.00 | 58.40  | 55.93 | 2.47  | 74.00  | -15.60 | 200  | 133 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 10648.00 | 48.45  | 50.48 | -2.03 | 74.00  | -25.55 | 300  | 144 Peak    | Vertical  |      |
| 2 | 15968.00 | 41.67  | 35.14 | 6.53  | 54.00  | -12.33 | 300  | 218 Average | Vertical  |      |
| 3 | 15968.00 | 56.90  | 50.37 | 6.53  | 74.00  | -17.10 | 300  | 218 Peak    | Vertical  |      |
| 4 | 21288.00 | 47.12  | 44.65 | 2.47  | 54.00  | -6.88  | 100  | 207 Average | Vertical  |      |
| 5 | 21288.00 | 57.17  | 54.70 | 2.47  | 74.00  | -16.83 | 100  | 207 Peak    | Vertical  |      |


**802.11ax HE40\_OFDMA**

**CH 54 (Horizontal)**

**CH 54 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 10540.00 | 50.40  | 53.64 | -2.24  | 68.20  | -17.80 | 400  | 268  | Peak    | Horizontal |      |
| 2 | 15810.00 | 46.63  | 40.71 | 5.92   | 54.00  | -7.37  | 100  | 102  | Average | Horizontal |      |
| 3 | 15810.00 | 56.75  | 50.83 | 5.92   | 74.00  | -17.25 | 100  | 102  | Peak    | Horizontal |      |
| 4 | 21080.00 | 50.70  | 48.38 | 2.32   | 54.00  | -3.30  | 212  | 57   | Average | Horizontal |      |
| 5 | 21080.00 | 55.33  | 53.01 | 2.32   | 74.00  | -18.67 | 212  | 57   | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 10540.00 | 49.30  | 51.66 | -2.28  | 68.20  | -18.82 | 264  | 360  | Peak    | Vertical  |      |
| 2 | 15810.00 | 40.99  | 43.03 | 5.96   | 54.00  | -5.01  | 161  | 319  | Average | Vertical  |      |
| 3 | 15810.00 | 58.42  | 52.46 | 5.96   | 74.00  | -15.58 | 161  | 319  | Peak    | Vertical  |      |
| 4 | 21080.00 | 53.32  | 51.00 | 2.32   | 74.00  | -20.68 | 102  | 360  | Peak    | Vertical  |      |


**802.11ax HE40\_OFDMA**

**CH 62 (Horizontal)**

**CH 62 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 10620.00 | 46.77  | 48.81 | -2.04  | 74.00  | -27.23 | 300  | 94   | Peak    | Horizontal |      |
| 2 | 15930.00 | 52.92  | 46.87 | 6.05   | 74.00  | -21.08 | 400  | 72   | Peak    | Horizontal |      |
| 3 | 21240.00 | 49.39  | 46.96 | 2.43   | 54.00  | -4.61  | 100  | 60   | Average | Horizontal |      |
| 4 | 21240.00 | 54.49  | 52.06 | 2.43   | 74.00  | -19.51 | 100  | 60   | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 10620.00 | 46.25  | 48.35 | -2.10  | 74.00  | -27.75 | 300  | 148  | Peak    | Vertical  |      |
| 2 | 15930.00 | 49.32  | 42.87 | 6.45   | 54.00  | -4.68  | 200  | 322  | Average | Vertical  |      |
| 3 | 15930.00 | 55.20  | 48.75 | 6.45   | 74.00  | -18.80 | 200  | 322  | Peak    | Vertical  |      |
| 4 | 21240.00 | 48.70  | 46.27 | 2.43   | 74.00  | -25.30 | 100  | 360  | Peak    | Vertical  |      |


**802.11ax HE80\_OFDMA**

**CH 58 (Horizontal)**

**CH 58 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|--------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |            |      |
| 1 | 10580.00 | 46.65  | 48.77 | -2.12  | 68.20  | -21.55 | 480  | 274  | Peak   | Horizontal |      |
| 2 | 15870.00 | 52.83  | 46.08 | 5.95   | 74.00  | -21.97 | 480  | 296  | Peak   | Horizontal |      |
| 3 | 21160.00 | 51.36  | 48.99 | 2.37   | 74.00  | -22.64 | 200  | 119  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|--------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |           |      |
| 1 | 10580.00 | 43.74  | 45.94 | -2.20  | 68.20  | -24.46 | 180  | 298  | Peak   | Vertical  |      |
| 2 | 15870.00 | 53.04  | 46.81 | 6.23   | 74.00  | -20.96 | 180  | 316  | Peak   | Vertical  |      |
| 3 | 21160.00 | 50.69  | 48.32 | 2.37   | 74.00  | -23.31 | 180  | 207  | Peak   | Vertical  |      |


**802.11ax HE160\_OFDMA**

**CH 50 (Horizontal)**

**CH 50 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 10500.00 | 44.41  | 46.78 | -2.37  | 68.20  | -23.79 | 352  | 161  | Peak    | Horizontal |      |
| 2 | 15750.00 | 50.05  | 44.27 | 5.78   | 74.00  | -23.95 | 180  | 212  | Peak    | Horizontal |      |
| 3 | 21000.00 | 46.00  | 43.74 | 2.26   | 54.00  | -8.00  | 205  | 59   | Average | Horizontal |      |
| 4 | 21000.00 | 56.95  | 54.69 | 2.26   | 74.00  | -17.05 | 205  | 59   | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|--------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |           |      |
| 1 | 10500.00 | 43.35  | 45.72 | -2.37  | 68.20  | -24.85 | 180  | 347  | Peak   | Vertical  |      |
| 2 | 15750.00 | 52.18  | 46.40 | 5.78   | 74.00  | -21.82 | 180  | 224  | Peak   | Vertical  |      |
| 3 | 21000.00 | 51.09  | 48.83 | 2.26   | 74.00  | -22.91 | 180  | 360  | Peak   | Vertical  |      |

**U-NII-2C**


**802.11a**

**CH 100 (Horizontal)**

**CH 100 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Level | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|--------|-------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | Factor | dB/m  | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11000.00 | 47.63  | 49.17  | -1.54 | 74.00  | -26.37 | 400  | 316  | Peak    | Horizontal |      |
| 2 | 16500.00 | 53.85  | 46.06  | 7.77  | 54.00  | -0.15  | 300  | 115  | Average | Horizontal |      |
| 3 | 16500.00 | 54.54  | 46.77  | 7.77  | 68.20  | -13.66 | 300  | 115  | Peak    | Horizontal |      |
| 4 | 22000.00 | 52.44  | 49.66  | 2.78  | 68.20  | -15.76 | 100  | 65   | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Level | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|--------|-------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | Factor | dB/m  | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11000.00 | 47.66  | 49.20  | -1.54 | 74.00  | -26.34 | 400  | 16   | Peak    | Vertical  |      |
| 2 | 16500.00 | 46.56  | 39.09  | 7.47  | 54.00  | -7.44  | 200  | 360  | Average | Vertical  |      |
| 3 | 16500.00 | 54.42  | 46.95  | 7.47  | 68.20  | -13.78 | 200  | 360  | Peak    | Vertical  |      |
| 4 | 22000.00 | 49.99  | 47.21  | 2.78  | 68.20  | -18.21 | 100  | 80   | Peak    | Vertical  |      |