


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dB/m	dBuV/m	dB	cm	deg			
1	11160.00	49.16	50.34	-1.18	74.00	-24.84	100	113 Peak	Horizontal	
2	16740.00	51.57	43.40	8.17	54.00	-2.43	400	305 Average	Horizontal	
3	16740.00	58.60	50.43	8.17	68.20	-9.60	400	305 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dB/m	dBuV/m	dB	cm	deg			
1	11160.00	49.01	50.29	-1.28	74.00	-24.99	200	107 Peak	Vertical	
2	16740.00	51.09	42.95	8.14	54.00	-2.91	400	147 Average	Vertical	
3	16740.00	61.46	53.32	8.14	68.20	-6.74	400	147 Peak	Vertical	

802.11a

CH 140 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	53.00	53.76	-0.76	74.00	-21.00	100	165 Peak	Horizontal	
2	17100.00	50.15	42.03	8.12	54.00	-3.85	100	175 Average	Horizontal	
3	17100.00	62.38	54.26	8.12	68.20	-5.82	100	175 Peak	Horizontal	

CH 140 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	50.56	51.42	-0.86	74.00	-23.44	200	32 Peak	Vertical	
2	17100.00	52.21	43.99	8.22	54.00	-1.79	198	360 Average	Vertical	
3	17100.00	59.90	51.68	8.22	68.20	-8.30	198	360 Peak	Vertical	


802.11ax HE20_OFDM

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	48.28	49.82	-1.54	74.00	-25.72	480	90 Peak	Horizontal	
2	16500.00	39.49	31.72	7.77	54.00	-14.51	221	140 Average	Horizontal	
3	16500.00	58.13	50.36	7.77	68.20	-10.07	221	140 Peak	Horizontal	
4	22000.00	53.88	51.10	2.78	68.20	-14.32	200	99 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	49.94	51.48	-1.54	74.00	-24.06	200	287 Peak	Vertical	
2	16500.00	47.45	39.99	7.47	54.00	-6.54	200	324 Average	Vertical	
3	16500.00	58.12	50.65	7.47	68.20	-10.08	200	324 Peak	Vertical	
4	22000.00	49.40	46.62	2.78	68.20	-10.80	100	78 Peak	Vertical	


802.11ax HE20_OFDM

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11160.00	46.87	48.85	-1.38	74.00	-27.13	200	136 Peak	Horizontal	
2	16740.00	53.51	45.34	8.17	54.00	-0.49	344	305 Average	Horizontal	
3	16740.00	60.25	52.68	8.17	68.20	-7.95	344	305 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11160.00	48.06	49.34	-1.28	74.00	-25.94	200	44 Peak	Vertical	
2	16740.00	51.32	43.17	8.15	54.00	-2.68	300	308 Average	Vertical	
3	16740.00	60.14	51.99	8.15	68.20	-8.06	300	308 Peak	Vertical	


802.11ax HE20_OFDM

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	51.89	52.65	-0.76	74.00	-22.11	100	139 Peak	Horizontal	
2	17100.00	53.33	45.21	8.12	54.00	-0.67	100	68 Average	Horizontal	
3	17100.00	62.12	54.00	8.12	68.20	-6.08	100	68 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	51.31	52.17	-0.86	74.00	-22.69	374	55 Peak	Vertical	
2	17100.00	50.35	42.13	8.22	54.00	-3.65	100	310 Average	Vertical	
3	17100.00	62.13	53.91	8.22	68.20	-6.07	100	310 Peak	Vertical	


802.11ax HE40_OFDM

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	11920.00	47.07	48.57	-1.50	74.00	-26.93	100	360 Peak	Horizontal	
2	16530.00	51.57	534.99	-483.42	68.20	-16.63	200	39 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	11920.00	46.82	48.34	-1.52	74.00	-27.18	400	324 Peak	Vertical	
2	16530.00	54.00	46.46	7.52	68.20	-14.20	193	360 Peak	Vertical	


802.11ax HE40_OFDM

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11100.00	45.76	47.08	-1.32	74.00	-28.24	300	284 Peak	Horizontal	
2	16650.00	46.76	38.91	7.85	54.00	-7.24	400	309 Average	Horizontal	
3	16650.00	54.40	46.55	7.85	68.20	-13.80	400	309 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11100.00	47.96	49.38	-1.42	74.00	-26.04	300	141 Peak	Vertical	
2	16650.00	40.09	41.19	7.90	54.00	-4.91	200	232 Average	Vertical	
3	16650.00	55.05	47.15	7.90	68.20	-13.15	200	232 Peak	Vertical	


802.11ax HE40_OFDM

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	48.75	49.65	-0.89	74.00	-25.24	100	142 Peak	Horizontal	
2	17010.00	50.61	42.56	8.03	54.00	-3.39	100	61 Average	Horizontal	
3	17010.00	58.30	50.27	8.03	68.20	-9.90	100	61 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	48.95	49.88	-0.93	74.00	-25.05	400	360 Peak	Vertical	
2	17010.00	50.79	42.46	8.31	54.00	-3.21	395	342 Average	Vertical	
3	17010.00	57.04	48.73	8.31	68.20	-11.16	395	342 Peak	Vertical	


802.11ax HE80_OFDM

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11860.00	46.74	48.14	-1.40	74.00	-27.26	300	263 Peak	Horizontal	
2	16590.00	53.36	45.69	7.67	68.20	-14.84	400	311 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11860.00	45.17	46.63	-1.46	74.00	-28.83	400	59 Peak	Vertical	
2	16590.00	52.88	45.24	7.64	68.20	-15.32	300	322 Peak	Vertical	


802.11ax HE80_OFDM

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	47.15	48.23	-1.08	74.00	-26.85	100	194 Peak	Horizontal	
2	16830.00	46.23	37.93	8.30	54.00	-7.77	400	307 Average	Horizontal	
3	16830.00	53.70	45.40	8.30	68.20	-14.50	400	307 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	47.61	48.77	-1.16	74.00	-26.39	349	360 Peak	Vertical	
2	16830.00	38.17	29.95	8.22	54.00	-15.83	300	345 Average	Vertical	
3	16830.00	52.95	44.73	8.22	68.20	-15.25	300	345 Peak	Vertical	


802.11ax HE160_OFDM

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11140.00	46.79	48.02	-1.23	74.00	-27.21	100		57	Peak	Horizontal	
2	16710.00	52.74	44.67	8.07	68.20	-15.46	400		307	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11140.00	46.68	48.01	-1.33	74.00	-27.32	342		360	Peak	Vertical	
2	16710.00	44.65	36.51	8.14	64.00	-9.35	100		360	Average	Vertical	
3	16710.00	55.14	47.00	8.14	68.20	-13.06	100		360	Peak	Vertical	


802.11ax HE20_OFDMA

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	49.38	50.84	-1.54	74.00	-24.70	400	273	Peak	Horizontal	
2	16500.00	47.44	39.67	7.77	54.00	-6.56	100	155	Average	Horizontal	
3	16500.00	55.96	48.19	7.77	68.20	-12.24	100	155	Peak	Horizontal	
4	22000.00	52.41	49.63	2.78	68.20	-15.79	200	100	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	46.99	48.53	-1.54	74.00	-27.01	400	9	Peak	Vertical	
2	16500.00	47.78	40.31	7.47	54.00	-6.22	100	154	Average	Vertical	
3	16500.00	57.35	49.88	7.47	68.20	-10.85	100	154	Peak	Vertical	
4	22000.00	51.09	48.31	2.78	68.20	-17.11	100	72	Peak	Vertical	


802.11ax HE20_OFDMA

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11168.00	47.98	49.88	-1.18	74.00	-26.18	180	142	Peak	Horizontal	
2	16740.00	50.83	41.66	8.17	54.00	-3.97	300	308	Average	Horizontal	
3	16740.00	56.26	48.09	8.17	68.20	-11.94	300	308	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11168.00	49.74	51.02	-1.28	74.00	-24.26	347	368	Peak	Vertical	
2	16740.00	51.30	43.15	8.15	54.00	-2.70	280	243	Average	Vertical	
3	16740.00	56.14	47.99	8.15	68.20	-12.06	280	243	Peak	Vertical	


802.11ax HE20_OFDMA

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	52.41	53.17	-0.76	74.00	-21.59	180	158	Peak	Horizontal	
2	17100.00	53.53	45.41	8.12	54.00	-0.47	225	60	Average	Horizontal	
3	17100.00	60.72	52.60	8.12	68.20	-7.48	225	60	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	50.20	51.06	-0.86	74.00	-23.80	200	156	Peak	Vertical	
2	17100.00	52.33	44.11	8.22	54.00	-1.67	395	339	Average	Vertical	
3	17100.00	58.52	50.30	8.22	68.20	-9.68	395	339	Peak	Vertical	


802.11ax HE40_OFDMA

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11820.00	45.73	47.23	-1.50	74.00	-28.27	480	267	Peak	Horizontal	
2	16530.00	53.27	536.69	-483.42	68.20	-14.93	390	121	Peak	Horizontal	
3	22840.00	50.44	47.60	2.84	74.00	-23.56	190	54	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11820.00	44.72	46.24	-1.52	74.00	-29.28	331	55	Peak	Vertical	
2	16530.00	53.93	537.35	-483.42	68.20	-14.27	280	360	Peak	Vertical	
3	22840.00	45.79	42.95	2.84	74.00	-28.21	198	360	Peak	Vertical	


802.11ax HE40_OFDMA

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	46.15	47.47	-1.32	74.00	-27.85	480	97	Peak	Horizontal	
2	16650.00	48.76	46.91	7.85	54.00	-5.24	300	102	Average	Horizontal	
3	16650.00	55.39	47.54	7.85	68.20	-12.81	300	102	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	42.61	44.83	-1.42	74.00	-31.39	268	368	Peak	Vertical	
2	16650.00	49.79	41.89	7.90	54.00	-4.21	300	323	Average	Vertical	
3	16650.00	55.85	47.95	7.90	68.20	-12.35	300	323	Peak	Vertical	


802.11ax HE40_OFDMA

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	47.28	48.17	-0.89	74.00	-26.72	480	267	Peak	Horizontal	
2	17010.00	51.40	43.37	8.03	54.00	-2.60	100	64	Average	Horizontal	
3	17010.00	56.10	48.07	8.03	68.20	-12.10	100	64	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	48.58	49.51	-0.93	74.00	-25.42	359	81	Peak	Vertical	
2	17010.00	51.33	43.02	8.31	54.00	-2.67	400	340	Average	Vertical	
3	17010.00	58.25	49.94	8.31	68.20	-9.95	400	340	Peak	Vertical	


802.11ax HE80_OFDMA

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11868.00	46.00	47.40	-1.40	74.00	-28.00	300	268	Peak	Horizontal	
2	16590.00	50.96	43.29	7.67	68.20	-17.24	200	241	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11868.00	44.02	45.48	-1.46	74.00	-29.98	300	214	Peak	Vertical	
2	16590.00	51.69	44.05	7.64	68.20	-16.51	200	360	Peak	Vertical	


802.11ax HE80_OFDMA

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11220.00	45.65	46.73	-1.08	74.00	-28.35	100	109	Peak	Horizontal	
2	16830.00	53.35	45.05	8.30	68.20	-14.85	200	132	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11220.00	47.59	48.75	-1.16	74.00	-26.41	320	210	Peak	Vertical	
2	16830.00	53.08	44.86	8.22	68.20	-15.12	200	228	Peak	Vertical	

802.11ax HE160_OFDMA

CH 114 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11140.00	44.46	45.69	-1.23	74.00	-29.54	400	317 Peak	Horizontal	
2	16710.00	51.70	43.63	8.07	68.20	-16.50	400	310 Peak	Horizontal	

CH 114 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11140.00	44.56	45.89	-1.33	74.00	-29.44	349	51 Peak	Vertical	
2	16710.00	50.96	42.82	8.14	68.20	-17.24	300	151 Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	52.21	52.68	-0.47	74.00	-21.79	100	46 Peak	Horizontal	
2	17235.00	48.67	48.06	8.01	54.00	-5.13	172	72 Average	Horizontal	
3	17235.00	57.03	49.02	8.01	68.20	-11.17	172	72 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	52.43	53.09	-0.66	74.00	-21.57	300	74 Peak	Vertical	
2	17235.00	50.36	42.33	8.03	54.00	-3.64	300	324 Average	Vertical	
3	17235.00	57.08	49.05	8.03	68.20	-11.12	300	324 Peak	Vertical	

802.11a

CH 157 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	51.29	51.68	-0.31	74.00	-22.71	180	169 Peak	Horizontal	
2	17355.00	46.65	38.45	8.20	54.00	-7.35	260	76 Average	Horizontal	
3	17355.00	55.35	47.15	8.20	68.20	-12.85	260	76 Peak	Horizontal	

CH 157 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	52.62	53.06	-0.44	74.00	-21.38	280	336 Peak	Vertical	
2	17355.00	52.77	44.78	8.07	68.20	-15.43	300	335 Peak	Vertical	

802.11a

CH 165 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	53.71	53.67	-0.16	74.00	-20.29	100	55 Peak	Horizontal	
2	17475.00	48.89	48.49	0.40	54.00	-5.11	400	69 Average	Horizontal	
3	17475.00	60.77	52.37	8.40	68.20	-7.43	400	69 Peak	Horizontal	

CH 165 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	50.99	51.20	-0.21	74.00	-23.01	200	211 Peak	Vertical	
2	17475.00	46.67	38.41	8.26	54.00	-7.33	300	228 Average	Vertical	
3	17475.00	58.10	49.84	8.26	68.20	-10.10	300	228 Peak	Vertical	


802.11ax HE20_OFDM

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
				dB/m	dBuV/m	dB	cm	deg		
1	11490.00	52.21	52.68	-0.47	74.00	-21.79	180	46 Peak	Horizontal	
2	17235.00	48.87	48.86	8.01	54.00	-5.13	172	72 Average	Horizontal	
3	17235.00	57.03	49.62	8.01	68.20	-11.17	172	72 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
				dB/m	dBuV/m	dB	cm	deg		
1	11490.00	52.43	53.09	-0.66	74.00	-21.57	300	74 Peak	Vertical	
2	17235.00	50.36	42.33	8.03	54.00	-3.64	300	324 Average	Vertical	
3	17235.00	57.08	49.05	8.03	68.20	-11.12	300	324 Peak	Vertical	


802.11ax HE20_OFDM

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	51.29	51.60	-0.31	74.00	-22.71	180	169 Peak	Horizontal	
2	17355.00	46.65	38.45	8.20	54.00	-7.35	260	76 Average	Horizontal	
3	17355.00	55.35	47.15	8.20	68.20	-12.85	260	76 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	52.62	53.06	-0.44	74.00	-21.38	200	336 Peak	Vertical	
2	17355.00	52.77	44.78	8.07	68.20	-15.43	300	335 Peak	Vertical	


802.11ax HE20_OFDM

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	53.71	53.67	-0.16	74.00	-20.29	100	55 Peak	Horizontal	
2	17475.00	48.89	48.49	8.40	54.00	-5.11	400	69 Average	Horizontal	
3	17475.00	60.77	52.37	8.40	68.20	-7.43	400	69 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	50.99	51.20	-0.21	74.00	-23.01	200	211 Peak	Vertical	
2	17475.00	46.67	38.41	8.26	54.00	-7.33	300	228 Average	Vertical	
3	17475.00	58.10	49.84	8.26	68.20	-10.10	300	228 Peak	Vertical	


802.11ax HE20_OFDM

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11490.00	42.42	42.89	-0.47	74.00	-31.58	297	138 Peak	Horizontal	
2	17235.00	46.15	38.14	8.01	68.20	-22.05	100	203 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11490.00	42.08	42.74	-0.66	74.00	-31.92	235	138 Peak	Vertical	
2	17235.00	47.06	39.03	8.03	68.20	-21.14	188	360 Peak	Vertical	


802.11ax HE20_OFDM

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11570.00	50.05	50.36	-0.31	74.00	-23.95	100	138 Peak	Horizontal	
2	17355.00	46.41	38.21	8.20	54.00	-7.59	200	163 Average	Horizontal	
3	17355.00	54.91	46.71	8.20	68.20	-13.29	200	163 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11570.00	51.93	52.37	-0.44	74.00	-22.07	104	360 Peak	Vertical	
2	17355.00	46.46	38.39	8.07	54.00	-7.54	300	334 Average	Vertical	
3	17355.00	54.32	46.25	8.07	68.20	-13.88	300	334 Peak	Vertical	


802.11ax HE20_OFDM

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11650.00	51.58	51.74	-0.16	74.00	-22.42	100	130 Peak	Horizontal	
2	17475.00	49.83	41.43	8.40	54.00	-4.17	200	60 Average	Horizontal	
3	17475.00	61.02	52.62	8.40	68.20	-7.18	200	60 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11650.00	47.99	48.20	-0.21	74.00	-26.01	200	360 Peak	Vertical	
2	17475.00	47.32	39.06	8.26	54.00	-6.68	200	205 Average	Vertical	
3	17475.00	57.81	49.55	8.26	68.20	-10.39	200	205 Peak	Vertical	


802.11ax HE40_OFDM

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11510.00	49.00	49.42	-0.42	74.00	-25.00	100	142 Peak	Horizontal	
2	17265.00	51.14	49.06	8.08	68.20	-17.06	200	154 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11510.00	48.63	49.24	-0.61	74.00	-25.37	200	13 Peak	Vertical	
2	17265.00	47.68	39.73	7.95	68.20	-20.52	200	18 Peak	Vertical	


802.11ax HE40_OFDM

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	49.45	49.72	-0.27	74.00	-24.55	400	128 Peak	Horizontal	
2	17385.00	53.88	45.64	8.24	68.20	-14.32	200	63 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	48.01	48.39	-0.38	74.00	-25.99	100	134 Peak	Vertical	
2	17385.00	52.88	44.68	8.20	68.20	-15.32	100	221 Peak	Vertical	


802.11ax HE80_OFDM

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	11550.00	47.72	48.06	-0.34	74.00	-26.28	400	133 Peak	Horizontal	
2	17325.00	52.62	44.45	8.17	68.20	-15.58	200	152 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	11550.00	47.93	48.42	-0.49	74.00	-26.07	100	160 Peak	Vertical	
2	17325.00	51.25	43.30	7.95	68.20	-16.95	400	337 Peak	Vertical	


802.11ax HE20_OFDMA

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	50.91	51.38	-0.47	74.00	-23.09	180	156	Peak	Horizontal	
2	17235.00	51.88	49.87	8.01	54.00	-2.12	200	132	Average	Horizontal	
3	17235.00	56.44	48.43	8.01	68.20	-11.76	200	73	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	50.13	50.79	-0.66	74.00	-23.87	194	368	Peak	Vertical	
2	17235.00	49.35	41.32	8.03	54.00	-4.65	180	193	Average	Vertical	
3	17235.00	56.48	48.45	8.03	68.20	-11.72	200	2	Peak	Vertical	


802.11ax HE20_OFDMA

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	51.06	51.37	-0.31	74.00	-22.94	180	138	Peak	Horizontal	
2	17355.00	48.00	39.88	8.20	54.00	-5.92	200	60	Average	Horizontal	
3	17355.00	55.90	47.70	8.20	68.20	-12.30	200	60	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	49.79	50.23	-0.44	74.00	-24.21	200	162	Peak	Vertical	
2	17355.00	45.82	37.75	8.07	54.00	-8.18	200	323	Average	Vertical	
3	17355.00	55.20	47.13	8.07	68.20	-13.00	201	360	Peak	Vertical	


802.11ax HE20_OFDMA

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11642.00	53.28	53.46	-0.18	74.00	-20.72	100	122	Peak	Horizontal	
2	17475.00	48.78	48.38	0.40	54.00	-5.22	100	69	Average	Horizontal	
3	17475.00	57.68	49.28	8.40	68.20	-10.52	100	69	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	48.39	48.60	-0.21	74.00	-25.61	300	12	Peak	Vertical	
2	17475.00	47.83	39.57	8.26	54.00	-6.17	300	162	Average	Vertical	
3	17475.00	56.74	48.48	8.26	68.20	-11.46	300	162	Peak	Vertical	


802.11ax HE40_OFDMA

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	49.15	49.57	-0.42	74.00	-24.85	100	165	Peak	Horizontal	
2	17265.00	53.04	44.96	8.08	68.20	-15.16	200	142	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	47.91	48.52	-0.61	74.00	-26.09	200	360	Peak	Vertical	
2	17265.00	49.06	41.11	7.95	68.20	-19.14	200	167	Peak	Vertical	


802.11ax HE40_OFDMA

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	51.50	51.77	-0.27	74.00	-22.50	100	217	Peak	Horizontal	
2	17385.00	51.92	43.68	8.24	68.20	-16.28	200	59	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	48.86	49.24	-0.38	74.00	-25.14	200	138	Peak	Vertical	
2	17385.00	48.94	40.74	8.20	68.20	-19.26	205	360	Peak	Vertical	


802.11ax HE80_OFDMA

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	46.67	47.01	-0.34	74.00	-27.33	200	52	Peak	Horizontal	
2	17325.00	46.44	38.27	8.17	68.20	-21.76	200	37	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	48.54	49.03	-0.49	74.00	-25.46	190	360	Peak	Vertical	
2	17325.00	46.18	38.23	7.95	68.20	-22.02	100	66	Peak	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-3


802.11ax HE20_OFDM

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	94.02	30.34	42.64	-12.30	43.50	-13.16	200	93 QP	Horizontal	
2	151.25	31.26	37.17	-5.91	43.50	-12.24	200	105 QP	Horizontal	
3	167.74	30.69	36.58	-5.89	43.50	-12.81	200	138 QP	Horizontal	
4	219.15	30.18	38.13	-7.95	46.00	-15.82	200	257 QP	Horizontal	
5	272.50	37.25	42.86	-5.61	46.00	-8.75	100	171 QP	Horizontal	
6	300.63	35.88	40.49	-4.61	46.00	-10.12	100	348 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	37.76	38.81	45.26	-6.45	46.00	-1.19	100	128 QP	Vertical	
2	60.07	32.26	39.35	-7.09	46.00	-7.74	100	257 QP	Vertical	
3	211.39	29.02	37.03	-8.01	43.50	-14.48	100	194 QP	Vertical	
4	270.56	34.12	39.06	-5.74	46.00	-11.88	200	246 QP	Vertical	
5	299.66	36.51	41.14	-4.63	46.00	-9.49	200	262 QP	Vertical	
6	394.72	33.47	36.41	-2.94	46.00	-12.53	120	360 QP	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-3


802.11ax HE20_OFDM

CH 157 (9kHz ~ 150kHz)

CH 157 (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.01	56.98	39.27	17.71	127.60	-70.62	100	52	QP	Open		
2	0.03	63.41	44.22	19.19	119.13	-55.72	100	136	QP	Open		
3	0.04	49.85	30.46	19.39	115.07	-65.22	100	360	QP	Open		
4	0.05	43.06	23.82	19.24	113.11	-70.05	100	131	QP	Open		
5	0.06	40.86	21.82	19.04	111.72	-70.86	100	140	QP	Open		
6	0.09	32.84	14.47	18.37	108.25	-75.41	100	269	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322






	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5.67	33.83	13.43	19.60	69.50	-36.47	100	345	QP	Open		
2	11.37	34.31	12.82	21.49	69.50	-35.19	100	156	QP	Open		
3	15.55	35.18	13.42	21.76	69.50	-34.32	100	84	QP	Open		
4	20.36	34.74	12.67	22.07	69.50	-34.76	100	168	QP	Open		
5	24.99	35.79	13.54	22.25	69.50	-33.71	100	11	QP	Open		
6	28.36	36.44	14.06	22.38	69.50	-33.06	100	255	QP	Open		

Mains Conducted Emission, 150kHz ~ 30MHz

WLAN 2.4GHz + WLAN 5 GHz

(Line)

(Neutral)



Trace: 1

	Freq	Level	Read	Factor	Limit	Over			
	MHz	dBuV	dBuV	dB	dBuV	dB	Remark	Pol/Phase	Note
1	0.16	35.46	25.85	9.61	55.50	-20.04	Average	line1	
2	0.16	48.21	38.60	9.61	65.50	-17.29	QP	line1	
3	0.45	39.90	30.28	9.62	46.93	-7.03	Average	line1	
4	0.45	45.39	35.77	9.62	56.93	-11.54	QP	line1	
5	2.47	23.47	13.82	9.65	46.00	-22.53	Average	line1	
6	2.47	37.81	28.16	9.65	56.00	-18.19	QP	line1	
7	7.36	22.17	12.46	9.71	50.00	-27.83	Average	line1	
8	7.36	26.76	17.05	9.71	60.00	-33.24	QP	line1	
9	14.86	27.11	17.38	9.73	50.00	-22.89	Average	line1	
10	14.86	32.14	22.41	9.73	60.00	-27.86	QP	line1	
11	20.44	28.25	18.54	9.71	50.00	-21.75	Average	line1	
12	20.44	33.98	24.27	9.71	60.00	-26.02	QP	line1	

Trace: 1

	Freq	Level	Read	Factor	Limit	Over			
	MHz	dBuV	dBuV	dB	dBuV	dB	Remark	Pol/Phase	Note
1	0.16	38.80	29.21	9.59	55.46	-16.66	Average	neutral	
2	0.16	50.47	40.88	9.59	65.46	-14.99	QP	neutral	
3	0.44	42.93	33.33	9.60	46.98	-4.05	Average	neutral	
4	0.44	49.10	39.50	9.60	56.98	-7.88	QP	neutral	
5	2.02	24.25	14.62	9.63	46.00	-21.75	Average	neutral	
6	2.02	34.50	24.87	9.63	56.00	-21.50	QP	neutral	
7	2.35	28.31	18.68	9.63	46.00	-17.69	Average	neutral	
8	2.35	39.42	29.79	9.63	56.00	-16.58	QP	neutral	
9	12.54	24.87	15.10	9.77	50.00	-25.13	Average	neutral	
10	12.54	29.82	20.05	9.77	60.00	-30.18	QP	neutral	
11	20.03	29.11	19.31	9.80	50.00	-20.89	Average	neutral	
12	20.03	34.57	24.77	9.80	60.00	-25.43	QP	neutral	