

System User Manual

2026-01-23

Version Change Logs

Version	Change Date	Brief Description	Remarks
V1.0	2026-01-23	Initial Release	

Conventional functions


Description of Remote Control Functions

Product:Handset

Remote Control Model: HJSR65B

Remote Control Printing:

Function	Image 1	Functional Verification Points	Image 2	Functional Verification Points	Image 3	Functional Verification Points
Motor Control		On the main page, select "Position Adjust" to enter the motor control interface.		Enter the motor control interface, operate the button options for different parts, use the up and down buttons to control the motor extension and retraction. While the motor is in motion, animations will be displayed for the corresponding bed sections below. The parts in sequence are: Head Lumbar Foot Head Tilt Foot Tilt		

				Bed Height Flat		
		Enter the position control interface, select the fixed position option, tap the position icon to execute the fixed position operation.		Click the SAVE button below, and in the pop-up prompt box, you can choose whether to save the current position.		After selecting the Memory option, enter the custom memory settings, tap any memory position to execute the action. Click the save button on the right, and in the pop-up prompt box, you can choose whether to save the current position.

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.

—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

—Consult the dealer or an experienced radio/TV technician for help.

Note: The Grantee is not responsible for any changes or modifications not expressly approved by the party responsible for compliance. such modifications could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement. The SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. Device types remote control with HJSR65B (FCC ID: 2AJJGESP32S3) has also been tested(SAR test distance:0mm) against this SAR limit. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.