

System User Manual

2025-11-05

Version Change Logs

Version	Change Date	Brief Description	Remarks
V1.0	2025-11-05	Initial Release	

Conventional functions

Remote Control Model: HJSR39 Ble

Remote Control Printing:



Key	Function	Definition
1	Back Lift	The back motor extends. Release to stop.
3	Back Lowering	The back motor retracts. Release to stop.
2	Leg Lift	The leg motor extends. Release to stop
4	Leg Lowering	The leg motor retracts. Release to stop.
5	FLAT	One-Click Reset: All motors operate to the horizontal position with a single press.
6	ZG	ZG Position: Press the button once, and all motors operate to the ZG position with a single command.
		Memory Function: First press FLAT, then press ZG mode. The backlight will flash and the buzzer will sound, recording the current motor

		position to the ZG mode.
--	--	--------------------------

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1)

This device may not cause

harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC

Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This

equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions,

may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular

installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning

the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following

measures:

—Reorient or relocate the receiving antenna.

—Increase the separation between the equipment and receiver.

—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

—Consult the dealer or an experienced radio/TV technician for help.

Note: The Grantee is not responsible for any changes or modifications not expressly approved by the party responsible for

compliance. such modifications could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement. The device can be

used in portable exposure condition without restriction.