


■ Kumohec Interactive Flip Book




■ Interactive Flip Book Implementation Concept

- Each page of the Flip Book has an NFC tag built-in
- When switching the page, detect the location of the current page by detecting the tag via the left/right antenna on the NFC reader
- Send current page location information via the blue tooth module to the app on the paired terminal
- Receive the page information is related to the relevant content.


■ Kumohec Interactive Flip Book

■ APP


Installation 1




1. APP Installation




2. Setting




3. Unknown App " Click "



4. Approved




5. Installation



6. Completion

■ Kumohec Interactive Flip Book

■ Power connection



- *. Interactive Flip Book Module Power Input (DC12V)
- *. Easy to join with the DC plug-in.
- *. Kumoh Electronic support the product pack installed.
-> SIS/SES Single, Double Flip book POSM

■ Installation Method

- Input Power : 12V/1.5A (Power supply cable to Kumoh Electronic POSM, SIS/SES Single & Double)
- On the back of POSM, BT Switch " On "



Complete interactive flip book connection



BT Power "On"

(Left : LED On/Off Brightness control switch


Right : Interactive Module Power On/Off Switch

■ Kumohec Interactive Flip Book

■ Bluetooth pairing



Do the Tagging after the all pages leaf to the left side and place to the left side of device in binding clip



After the NFC tagging & approve the certification number and BT pairing




Screen saver mode activate (Retail mode)

■ How to Installation

- BT mode is "ON" of device..
- NFC modes of device is standard
- Apply the power of Interactive Flipbook module, and do the pairing by tagging with Antenna part of device.
- The pairing final approval done by authentication number input.

■ Kumohech Interactive Flip Book

■ Kumoh action flow




■ Kumohec Interactive Flip Book


■ Kumoh Scenario 1



Screen Saver



Page Turning



Play Content

Play Complete




Screen saver mode activate
(Retail mode)

■ Check!!

- Switch to a screen saver if no input is present for **30 seconds with no input** from the content replay

■ Kumohec Interactive Flip Book

■ Kumoh Scenario 2



■ Check!!

- Play instant content content that corresponds to the final page information when new page information refreshes during playback
- Switch to a screen saver if no input is present for **30 seconds with no input** from the content replay

■ Kumohec Interactive Flip Book

■ Package name : KG-FLIP_BT01(Tentative name)

(kr.co.kumoh.app.flipbook)

■ Intent : 1 ~ 7 page information

1. Intervention parameter for broadcast receiver
action :
"kr.co.kumoh.app.flipbook.action.target_app_status"
2. Intervention parameter turn to intent
3. 1) "TARGET_APP_NAME"
App name is applied to related intent filter
2) "TARGET_APP_PACKAGE"
App package name is applied to related intent filter
3) "TARGET_APP_LIFE"
START, END, and STOP correspondent to life cycle of
APP> are included in related intent filter.
- 4) "TARGET_APP_PAGE"
Deloverly the Index as int format 1-7. 7
- 5) "TARGET_APP_SCREEN"
Screen saver activation /deactivation
Delver to int format(1.0)

FCC Warning Statement

FCC Part 15.19

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Part 15.21

Any changes or modifications (including the antennas) to this device that are not expressly approved by the manufacturer may void the user's authority to operate the equipment.

FCC Radiation Exposure Statement

This equipment complies with FCC Radiation exposure limits set forth for an uncontrolled environment. This device and its antenna must not be co-located or operating in conjunction with any other antenna or transmitter.

This equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.

IC Warning Statement

This device complies with Industry Canada licence-exempt RSS standard(s).

Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) L'appareil ne doit pas produire de brouillage, et (2) L'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

IC Radiation Exposure Statement

This equipment complies with IC RF Radiation exposure limits set forth for an uncontrolled environment. This device and its antenna must not be co-located or operating in conjunction with any other antenna or transmitter.

This equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.

Cet équipement est conforme aux limites établies par Industrie Canada en matière d'exposition aux radiofréquences dans un environnement non contrôlé. Cet appareil et son antenne ne doivent pas être colocalisés ou fonctionner en conjonction avec tout autre antenne ou émetteur.

Cet équipement doit être installé et utilisé avec une distance minimale de 20cm entre le radiateur et votre corps.