




FCC Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1) This device may not cause harmful interference.
- 2) This device must accept any interference received, including interference that may cause undesired operation.

NOTE: The grantee is not responsible for any changes or modifications not expressly approved by the party responsible for compliance. Such modifications could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user

is encouraged to try to correct the interference by one or more of the following measures:

- 1) Reorient or relocate the receiving antenna.
- 2) Increase the separation between the equipment and receiver.
- 3) Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- 4) Consult the dealer or an experienced radio/TV technician for help.

RF EXPOSURE STATEMENT

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body.

DECLARATION OF CONFORMITY

Hereby, LifeSmart declares that the radio equipment type Cololight is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: www.ilifesmart.com





Notice: This device may be used in each member state in EU

Copyright©2018 HANGZHOU LIFESMART TECHNOLOGY CO.,LTD. P/N: 88004450 A0

Note: statement is made as two pieces of card and all are attached with package when this product on market

△													
MARK	QTY	ECO NO.		DESCRIPTION	ZONE	EDITED	DATE	APPD	DATE	REV			
APPROVALS	BY	DATE			PROJ:								
DRAWN													
DESIGNED					DESCRIPTION:								
EDITED													
MFG					UTS P/N:				REV.	SIZE			
CHECKED					REFERENCE DRAWING NO.				REV.	SCALE			
APPROVED					MATERIAL:				WEIGHT	SHEET			
										1 OF 1			





LifeSmart
Cololight

85001110 A0


Cololight (Model L)

Size: 86*74.5*30.5mm
Material: ABS(PC+ABS)
Operating temperature: -5~45°C
Color: Ivory
Operating humidity: 5~90%
Operating voltage: DC 5V

All technical information shall be subject to its real performance,
LifeSmart reserves the right of final interpretation.



ASSEMBLE SKETCH
This product must be employed with control unit



- 801c
- 803c
- 806c
- 802c