


Spurious Emission at Antenna Terminals


5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.28	-13	64.28	Pass	401
0.15	30	0.01	RMS	0.18	-78.58	-13	65.58	Pass	2986
30	689	0.1	RMS	688.3	-70.63	-13	57.63	Pass	6591
689	726	0.1	RMS	705.373	15.46	60	44.54	Pass	401
726	1000	0.1	RMS	939.5	-69.57	-13	56.57	Pass	2741
1000	3000	1	RMS	1410	-52.59	-13	39.59	Pass	2001
3000	10000	1	RMS	9699	-45.48	-13	32.48	Pass	7001




5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.59	-13	64.59	Pass	401
0.15	30	0.01	RMS	0.24	-78.32	-13	65.32	Pass	2986
30	689	0.1	RMS	687.2	-70.76	-13	57.76	Pass	6591
689	726	0.1	RMS	705.373	14.06	60	45.94	Pass	401
726	1000	0.1	RMS	920.1	-69.56	-13	56.56	Pass	2741
1000	3000	1	RMS	1410	-54.03	-13	41.03	Pass	2001
3000	10000	1	RMS	9700	-45.38	-13	32.38	Pass	7001




5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.52	-13	65.52	Pass	401
0.15	30	0.01	RMS	0.16	-77.76	-13	64.76	Pass	2986
30	689	0.1	RMS	688.8	-70.88	-13	57.88	Pass	6591
689	726	0.1	RMS	711.293	15.06	60	44.94	Pass	401
726	1000	0.1	RMS	875.6	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1422	-50.84	-13	37.84	Pass	2001
3000	10000	1	RMS	9700	-45.48	-13	32.48	Pass	7001




5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.29	-13	65.29	Pass	401
0.15	30	0.01	RMS	0.16	-77.76	-13	64.76	Pass	2986
30	689	0.1	RMS	637	-70.8	-13	57.8	Pass	6591
689	726	0.1	RMS	711.385	14.01	60	45.99	Pass	401
726	1000	0.1	RMS	932.7	-69.69	-13	56.69	Pass	2741
1000	3000	1	RMS	1422	-52.07	-13	39.07	Pass	2001
3000	10000	1	RMS	9704	-45.43	-13	32.43	Pass	7001




5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.87	-13	65.87	Pass	401
0.15	30	0.01	RMS	0.2	-77.74	-13	64.74	Pass	2986
30	689	0.1	RMS	688.9	-69.31	-13	56.31	Pass	6591
689	726	0.1	RMS	699.545	15.26	60	44.74	Pass	401
726	1000	0.1	RMS	857.6	-69.59	-13	56.59	Pass	2741
1000	3000	1	RMS	1399	-51.24	-13	38.24	Pass	2001
3000	10000	1	RMS	9703	-45.46	-13	32.46	Pass	7001




5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.11	-13	65.11	Pass	401
0.15	30	0.01	RMS	0.15	-77.01	-13	64.01	Pass	2986
30	689	0.1	RMS	688.9	-70.06	-13	57.06	Pass	6591
689	726	0.1	RMS	699.545	13.78	60	46.22	Pass	401
726	1000	0.1	RMS	938.7	-69.38	-13	56.38	Pass	2741
1000	3000	1	RMS	1399	-52.94	-13	39.94	Pass	2001
3000	10000	1	RMS	9699	-45.47	-13	32.47	Pass	7001




5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.27	-13	64.27	Pass	401
0.15	30	0.01	RMS	0.15	-77.65	-13	64.65	Pass	2986
30	689	0.1	RMS	688.7	-70.85	-13	57.85	Pass	6591
689	726	0.1	RMS	703.06	15.46	60	44.54	Pass	401
726	1000	0.1	RMS	862	-69.62	-13	56.62	Pass	2741
1000	3000	1	RMS	1406	-51.59	-13	38.59	Pass	2001
3000	10000	1	RMS	9710	-45.48	-13	32.48	Pass	7001




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.45	-13	65.45	Pass	401
0.15	30	0.01	RMS	0.15	-77.83	-13	64.83	Pass	2986
30	689	0.1	RMS	609.7	-70.84	-13	57.84	Pass	6591
689	726	0.1	RMS	703.06	15.08	60	44.92	Pass	401
726	1000	0.1	RMS	998.2	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1406	-52.06	-13	39.06	Pass	2001
3000	10000	1	RMS	9701	-45.48	-13	32.48	Pass	7001




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.75	-13	65.75	Pass	401
0.15	30	0.01	RMS	0.21	-78.07	-13	65.07	Pass	2986
30	689	0.1	RMS	689	-52.31	-13	39.31	Pass	6591
689	726	0.1	RMS	706.575	15.62	60	44.38	Pass	401
726	1000	0.1	RMS	972.4	-69.55	-13	56.55	Pass	2741
1000	3000	1	RMS	1413	-53.75	-13	40.75	Pass	2001
3000	10000	1	RMS	9700	-45.34	-13	32.34	Pass	7001



5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.26	-13	65.26	Pass	401
0.15	30	0.01	RMS	0.17	-78.05	-13	65.05	Pass	2986
30	689	0.1	RMS	689	-53.98	-13	40.98	Pass	6591
689	726	0.1	RMS	706.575	14.38	60	45.62	Pass	401
726	1000	0.1	RMS	900.8	-69.55	-13	56.55	Pass	2741
1000	3000	1	RMS	2988	-54.29	-13	41.29	Pass	2001
3000	10000	1	RMS	9698	-45.34	-13	32.34	Pass	7001



6. LTE_Band17


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.3	-13	65.3	Pass	401
0.15	30	0.01	RMS	0.19	-77.04	-13	64.04	Pass	2986
30	694	0.1	RMS	693.6	-69.11	-13	56.11	Pass	6641
694	726	0.1	RMS	704.32	15.55	60	44.45	Pass	401
726	1000	0.1	RMS	880.5	-69.53	-13	56.53	Pass	2741
1000	3000	1	RMS	1408	-51.84	-13	38.84	Pass	2001
3000	10000	1	RMS	9696	-45.45	-13	32.45	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.85	-13	65.85	Pass	401
0.15	30	0.01	RMS	0.16	-77.94	-13	64.94	Pass	2986
30	694	0.1	RMS	693.7	-69.52	-13	56.52	Pass	6641
694	726	0.1	RMS	704.32	13.82	60	46.18	Pass	401
726	1000	0.1	RMS	947.4	-69.33	-13	56.33	Pass	2741
1000	3000	1	RMS	1408	-54.02	-13	41.02	Pass	2001
3000	10000	1	RMS	9704	-45.42	-13	32.42	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.84	-13	64.84	Pass	401
0.15	30	0.01	RMS	0.18	-78.26	-13	65.26	Pass	2986
30	694	0.1	RMS	693.8	-69.84	-13	56.84	Pass	6641
694	726	0.1	RMS	707.84	15.83	60	44.17	Pass	401
726	1000	0.1	RMS	999.3	-69.59	-13	56.59	Pass	2741
1000	3000	1	RMS	1415	-53.25	-13	40.25	Pass	2001
3000	10000	1	RMS	9702	-45.35	-13	32.35	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.58	-13	64.58	Pass	401
0.15	30	0.01	RMS	0.15	-78.19	-13	65.19	Pass	2986
30	694	0.1	RMS	693.8	-70.22	-13	57.22	Pass	6641
694	726	0.1	RMS	707.84	14.47	60	45.53	Pass	401
726	1000	0.1	RMS	988.3	-69.62	-13	56.62	Pass	2741
1000	3000	1	RMS	2993	-54.24	-13	41.24	Pass	2001
3000	10000	1	RMS	9701	-45.45	-13	32.45	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.96	-13	64.96	Pass	401
0.15	30	0.01	RMS	0.15	-78.17	-13	65.17	Pass	2986
30	694	0.1	RMS	693.8	-70.02	-13	57.02	Pass	6641
694	726	0.1	RMS	711.36	15.48	60	44.52	Pass	401
726	1000	0.1	RMS	980.4	-69.53	-13	56.53	Pass	2741
1000	3000	1	RMS	1422	-50.71	-13	37.71	Pass	2001
3000	10000	1	RMS	9694	-45.45	-13	32.45	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.92	-13	65.92	Pass	401
0.15	30	0.01	RMS	0.15	-77.84	-13	64.84	Pass	2986
30	694	0.1	RMS	692.2	-70.14	-13	57.14	Pass	6641
694	726	0.1	RMS	711.36	14.56	60	45.44	Pass	401
726	1000	0.1	RMS	995.2	-69.66	-13	56.66	Pass	2741
1000	3000	1	RMS	1422	-52.2	-13	39.2	Pass	2001
3000	10000	1	RMS	9701	-45.49	-13	32.49	Pass	7001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.71	-13	64.71	Pass	401
0.15	30	0.01	RMS	0.18	-78.3	-13	65.3	Pass	2986
30	694	0.1	RMS	687	-64.13	-13	51.13	Pass	6641
694	726	0.1	RMS	704.56	15.56	60	44.44	Pass	401
726	1000	0.1	RMS	944.1	-69.58	-13	56.58	Pass	2741
1000	3000	1	RMS	1409	-52.26	-13	39.26	Pass	2001
3000	10000	1	RMS	9699	-45.46	-13	32.46	Pass	7001




6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.72	-13	64.72	Pass	401
0.15	30	0.01	RMS	0.15	-77.62	-13	64.62	Pass	2986
30	694	0.1	RMS	687	-66.33	-13	53.33	Pass	6641
694	726	0.1	RMS	704.56	14.26	60	45.74	Pass	401
726	1000	0.1	RMS	940.4	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1409	-53.73	-13	40.73	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001




6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.52	-13	65.52	Pass	401
0.15	30	0.01	RMS	0.16	-77.95	-13	64.95	Pass	2986
30	694	0.1	RMS	688	-55.25	-13	42.25	Pass	6641
694	726	0.1	RMS	705.6	15.87	60	44.13	Pass	401
726	1000	0.1	RMS	988.7	-69.31	-13	56.31	Pass	2741
1000	3000	1	RMS	1411	-53.02	-13	40.02	Pass	2001
3000	10000	1	RMS	9700	-45.42	-13	32.42	Pass	7001




6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.61	-13	64.61	Pass	401
0.15	30	0.01	RMS	0.17	-78	-13	65	Pass	2986
30	694	0.1	RMS	688	-56.15	-13	43.15	Pass	6641
694	726	0.1	RMS	705.6	15.32	60	44.68	Pass	401
726	1000	0.1	RMS	936.4	-69.63	-13	56.63	Pass	2741
1000	3000	1	RMS	1411	-53.33	-13	40.33	Pass	2001
3000	10000	1	RMS	9703	-45.47	-13	32.47	Pass	7001




6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.68	-13	64.68	Pass	401
0.15	30	0.01	RMS	0.15	-77.64	-13	64.64	Pass	2986
30	694	0.1	RMS	689	-51.9	-13	38.9	Pass	6641
694	726	0.1	RMS	706.56	15.55	60	44.45	Pass	401
726	1000	0.1	RMS	973.5	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1413	-53.72	-13	40.72	Pass	2001
3000	10000	1	RMS	9700	-45.4	-13	32.4	Pass	7001



6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.75	-13	65.75	Pass	401
0.15	30	0.01	RMS	0.15	-78.61	-13	65.61	Pass	2986
30	694	0.1	RMS	689	-54.54	-13	41.54	Pass	6641
694	726	0.1	RMS	706.56	14.02	60	45.98	Pass	401
726	1000	0.1	RMS	963.2	-69.62	-13	56.62	Pass	2741
1000	3000	1	RMS	2995	-54.24	-13	41.24	Pass	2001
3000	10000	1	RMS	9705	-45.45	-13	32.45	Pass	7001



7. LTE_Band26(part22)


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.42	-13	64.42	Pass	401
0.15	30	0.01	RMS	0.16	-78.35	-13	65.35	Pass	2986
30	814	0.1	RMS	813.6	-69.02	-13	56.02	Pass	7841
814	860	0.1	RMS	824.3	15.2	60	44.8	Pass	461
860	1000	0.1	RMS	956.2	-69.84	-13	56.84	Pass	1401
1000	3000	1	RMS	1648	-49.66	-13	36.66	Pass	2001
3000	10000	1	RMS	9696	-45.41	-13	32.41	Pass	7001




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.85	-13	64.85	Pass	401
0.15	30	0.01	RMS	0.15	-75.82	-13	62.82	Pass	2986
30	814	0.1	RMS	813.5	-68.79	-13	55.79	Pass	7841
814	860	0.1	RMS	824.3	14.89	60	45.11	Pass	461
860	1000	0.1	RMS	939	-69.83	-13	56.83	Pass	1401
1000	3000	1	RMS	1648	-49.74	-13	36.74	Pass	2001
3000	10000	1	RMS	9702	-45.44	-13	32.44	Pass	7001




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.34	-13	65.34	Pass	401
0.15	30	0.01	RMS	0.15	-78.58	-13	65.58	Pass	2986
30	814	0.1	RMS	810.1	-69.34	-13	56.34	Pass	7841
814	860	0.1	RMS	836.1	15.37	60	44.63	Pass	461
860	1000	0.1	RMS	933	-69.81	-13	56.81	Pass	1401
1000	3000	1	RMS	1672	-52.1	-13	39.1	Pass	2001
3000	10000	1	RMS	9699	-45.47	-13	32.47	Pass	7001




7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.52	-13	64.52	Pass	401
0.15	30	0.01	RMS	0.21	-78.22	-13	65.22	Pass	2986
30	814	0.1	RMS	810.1	-69.6	-13	56.6	Pass	7841
814	860	0.1	RMS	836.1	15.34	60	44.66	Pass	461
860	1000	0.1	RMS	967.5	-69.68	-13	56.68	Pass	1401
1000	3000	1	RMS	1672	-51.49	-13	38.49	Pass	2001
3000	10000	1	RMS	9696	-45.4	-13	32.4	Pass	7001




7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.54	-13	65.54	Pass	401
0.15	30	0.01	RMS	0.15	-77.3	-13	64.3	Pass	2986
30	814	0.1	RMS	424	-69.74	-13	56.74	Pass	7841
814	860	0.1	RMS	847.8	15.23	60	44.77	Pass	461
860	1000	0.1	RMS	976.3	-69.79	-13	56.79	Pass	1401
1000	3000	1	RMS	1695	-51.98	-13	38.98	Pass	2001
3000	10000	1	RMS	9701	-45.41	-13	32.41	Pass	7001




7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.92	-13	64.92	Pass	401
0.15	30	0.01	RMS	0.15	-78.24	-13	65.24	Pass	2986
30	814	0.1	RMS	423.9	-42.37	-13	29.37	Pass	7841
814	860	0.1	RMS	847.9	14.27	60	45.73	Pass	461
860	1000	0.1	RMS	977.8	-69.82	-13	56.82	Pass	1401
1000	3000	1	RMS	1695	-52.87	-13	39.87	Pass	2001
3000	10000	1	RMS	9699	-45.42	-13	32.42	Pass	7001




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.73	-13	65.73	Pass	401
0.15	30	0.01	RMS	0.15	-77.11	-13	64.11	Pass	2986
30	814	0.1	RMS	813.8	-67.56	-13	54.56	Pass	7841
814	860	0.1	RMS	824.2	15.42	60	44.58	Pass	461
860	1000	0.1	RMS	962.3	-69.79	-13	56.79	Pass	1401
1000	3000	1	RMS	1648	-49.7	-13	36.7	Pass	2001
3000	10000	1	RMS	9703	-45.36	-13	32.36	Pass	7001




7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.18	-13	65.18	Pass	401
0.15	30	0.01	RMS	0.18	-78.36	-13	65.36	Pass	2986
30	814	0.1	RMS	813.5	-67.61	-13	54.61	Pass	7841
814	860	0.1	RMS	824.2	14.52	60	45.48	Pass	461
860	1000	0.1	RMS	997.4	-69.74	-13	56.74	Pass	1401
1000	3000	1	RMS	1648	-50.37	-13	37.37	Pass	2001
3000	10000	1	RMS	9699	-45.37	-13	32.37	Pass	7001




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.2	-13	64.2	Pass	401
0.15	30	0.01	RMS	0.15	-78.04	-13	65.04	Pass	2986
30	814	0.1	RMS	812.5	-69.29	-13	56.29	Pass	7841
814	860	0.1	RMS	835.2	15.54	60	44.46	Pass	461
860	1000	0.1	RMS	993.2	-69.78	-13	56.78	Pass	1401
1000	3000	1	RMS	1670	-51.46	-13	38.46	Pass	2001
3000	10000	1	RMS	9703	-45.41	-13	32.41	Pass	7001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.73	-13	64.73	Pass	401
0.15	30	0.01	RMS	0.16	-77.73	-13	64.73	Pass	2986
30	814	0.1	RMS	813.4	-69.33	-13	56.33	Pass	7841
814	860	0.1	RMS	835.2	14.94	60	45.06	Pass	461
860	1000	0.1	RMS	941.5	-69.84	-13	56.84	Pass	1401
1000	3000	1	RMS	1670	-52.01	-13	39.01	Pass	2001
3000	10000	1	RMS	9702	-45.34	-13	32.34	Pass	7001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.31	-13	65.31	Pass	401
0.15	30	0.01	RMS	0.15	-76.67	-13	63.67	Pass	2986
30	814	0.1	RMS	813.7	-69.81	-13	56.81	Pass	7841
814	860	0.1	RMS	846.2	15.43	60	44.57	Pass	461
860	1000	0.1	RMS	976.4	-69.89	-13	56.89	Pass	1401
1000	3000	1	RMS	1692	-52.68	-13	39.68	Pass	2001
3000	10000	1	RMS	9700	-45.42	-13	32.42	Pass	7001




7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.55	-13	65.55	Pass	401
0.15	30	0.01	RMS	0.16	-77.83	-13	64.83	Pass	2986
30	814	0.1	RMS	423.2	-68.78	-13	55.78	Pass	7841
814	860	0.1	RMS	846.2	14.57	60	45.43	Pass	461
860	1000	0.1	RMS	952.9	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1692	-53.48	-13	40.48	Pass	2001
3000	10000	1	RMS	9700	-45.46	-13	32.46	Pass	7001




7.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.94	-13	64.94	Pass	401
0.15	30	0.01	RMS	0.15	-78.25	-13	65.25	Pass	2986
30	814	0.1	RMS	813.6	-67.56	-13	54.56	Pass	7841
814	860	0.1	RMS	824.3	15.49	60	44.51	Pass	461
860	1000	0.1	RMS	929.4	-69.81	-13	56.81	Pass	1401
1000	3000	1	RMS	1648	-49.79	-13	36.79	Pass	2001
3000	10000	1	RMS	9701	-45.4	-13	32.4	Pass	7001




7.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.05	-13	65.05	Pass	401
0.15	30	0.01	RMS	0.16	-78.12	-13	65.12	Pass	2986
30	814	0.1	RMS	811.4	-67.48	-13	54.48	Pass	7841
814	860	0.1	RMS	824.3	14.23	60	45.77	Pass	461
860	1000	0.1	RMS	998.8	-69.84	-13	56.84	Pass	1401
1000	3000	1	RMS	1648	-51.19	-13	38.19	Pass	2001
3000	10000	1	RMS	9710	-45.44	-13	32.44	Pass	7001




7.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.28	-13	65.28	Pass	401
0.15	30	0.01	RMS	0.15	-77.79	-13	64.79	Pass	2986
30	814	0.1	RMS	813.4	-69.16	-13	56.16	Pass	7841
814	860	0.1	RMS	834.3	15.4	60	44.6	Pass	461
860	1000	0.1	RMS	938.8	-69.8	-13	56.8	Pass	1401
1000	3000	1	RMS	1668	-52.06	-13	39.06	Pass	2001
3000	10000	1	RMS	9702	-45.4	-13	32.4	Pass	7001




7.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.81	-13	64.81	Pass	401
0.15	30	0.01	RMS	0.15	-77.41	-13	64.41	Pass	2986
30	814	0.1	RMS	812.2	-69.24	-13	56.24	Pass	7841
814	860	0.1	RMS	834.3	15.14	60	44.86	Pass	461
860	1000	0.1	RMS	911.8	-69.73	-13	56.73	Pass	1401
1000	3000	1	RMS	1668	-52.25	-13	39.25	Pass	2001
3000	10000	1	RMS	9715	-45.53	-13	32.53	Pass	7001




7.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.95	-13	65.95	Pass	401
0.15	30	0.01	RMS	0.15	-77.36	-13	64.36	Pass	2986
30	814	0.1	RMS	813.7	-69.68	-13	56.68	Pass	7841
814	860	0.1	RMS	844.3	15.48	60	44.52	Pass	461
860	1000	0.1	RMS	971	-69.82	-13	56.82	Pass	1401
1000	3000	1	RMS	1688	-51.49	-13	38.49	Pass	2001
3000	10000	1	RMS	9702	-45.41	-13	32.41	Pass	7001




7.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.97	-13	64.97	Pass	401
0.15	30	0.01	RMS	0.16	-77.89	-13	64.89	Pass	2986
30	814	0.1	RMS	813.7	-69.73	-13	56.73	Pass	7841
814	860	0.1	RMS	844.3	14.93	60	45.07	Pass	461
860	1000	0.1	RMS	956.3	-69.68	-13	56.68	Pass	1401
1000	3000	1	RMS	1688	-51.85	-13	38.85	Pass	2001
3000	10000	1	RMS	9700	-45.44	-13	32.44	Pass	7001




7.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.27	-13	64.27	Pass	401
0.15	30	0.01	RMS	0.15	-77.56	-13	64.56	Pass	2986
30	814	0.1	RMS	807	-64.84	-13	51.84	Pass	7841
814	860	0.1	RMS	824.6	15.79	60	44.21	Pass	461
860	1000	0.1	RMS	951.6	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1649	-50.49	-13	37.49	Pass	2001
3000	10000	1	RMS	9700	-45.42	-13	32.42	Pass	7001




7.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.59	-13	64.59	Pass	401
0.15	30	0.01	RMS	0.16	-77.35	-13	64.35	Pass	2986
30	814	0.1	RMS	807	-66.03	-13	53.03	Pass	7841
814	860	0.1	RMS	824.6	15.22	60	44.78	Pass	461
860	1000	0.1	RMS	867.3	-69.79	-13	56.79	Pass	1401
1000	3000	1	RMS	1649	-51.08	-13	38.08	Pass	2001
3000	10000	1	RMS	9701	-45.44	-13	32.44	Pass	7001




7.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.47	-13	65.47	Pass	401
0.15	30	0.01	RMS	0.15	-77.94	-13	64.94	Pass	2986
30	814	0.1	RMS	814	-66.92	-13	53.92	Pass	7841
814	860	0.1	RMS	832.1	16.09	60	43.91	Pass	461
860	1000	0.1	RMS	985.7	-69.89	-13	56.89	Pass	1401
1000	3000	1	RMS	1664	-52.73	-13	39.73	Pass	2001
3000	10000	1	RMS	9700	-45.44	-13	32.44	Pass	7001




7.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.89	-13	64.89	Pass	401
0.15	30	0.01	RMS	0.15	-78.25	-13	65.25	Pass	2986
30	814	0.1	RMS	814	-67.07	-13	54.07	Pass	7841
814	860	0.1	RMS	832.1	15.42	60	44.58	Pass	461
860	1000	0.1	RMS	992.3	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1664	-53.33	-13	40.33	Pass	2001
3000	10000	1	RMS	9702	-45.44	-13	32.44	Pass	7001




7.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.65	-13	65.65	Pass	401
0.15	30	0.01	RMS	0.16	-77.64	-13	64.64	Pass	2986
30	814	0.1	RMS	813.6	-69.6	-13	56.6	Pass	7841
814	860	0.1	RMS	839.6	15.95	60	44.05	Pass	461
860	1000	0.1	RMS	879	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1679	-50.75	-13	37.75	Pass	2001
3000	10000	1	RMS	9708	-45.44	-13	32.44	Pass	7001




7.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.1	-13	65.1	Pass	401
0.15	30	0.01	RMS	0.18	-77.79	-13	64.79	Pass	2986
30	814	0.1	RMS	813.7	-69.46	-13	56.46	Pass	7841
814	860	0.1	RMS	839.6	14.91	60	45.09	Pass	461
860	1000	0.1	RMS	990.5	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1679	-51.87	-13	38.87	Pass	2001
3000	10000	1	RMS	9700	-45.4	-13	32.4	Pass	7001




7.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.39	-13	65.39	Pass	401
0.15	30	0.01	RMS	0.15	-77.83	-13	64.83	Pass	2986
30	814	0.1	RMS	811.4	-59.98	-13	46.98	Pass	7841
814	860	0.1	RMS	824.8	15.41	60	44.59	Pass	461
860	1000	0.1	RMS	947.7	-69.74	-13	56.74	Pass	1401
1000	3000	1	RMS	1649	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	9702	-45.36	-13	32.36	Pass	7001




7.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.89	-13	64.89	Pass	401
0.15	30	0.01	RMS	0.16	-77.7	-13	64.7	Pass	2986
30	814	0.1	RMS	811.5	-57.76	-13	44.76	Pass	7841
814	860	0.1	RMS	824.8	14.83	60	45.17	Pass	461
860	1000	0.1	RMS	940.7	-69.69	-13	56.69	Pass	1401
1000	3000	1	RMS	1649	-50.57	-13	37.57	Pass	2001
3000	10000	1	RMS	9701	-45.43	-13	32.43	Pass	7001




7.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.72	-13	64.72	Pass	401
0.15	30	0.01	RMS	0.15	-77.49	-13	64.49	Pass	2986
30	814	0.1	RMS	813.9	-68.54	-13	55.54	Pass	7841
814	860	0.1	RMS	829.8	15.65	60	44.35	Pass	461
860	1000	0.1	RMS	952.7	-69.25	-13	56.25	Pass	1401
1000	3000	1	RMS	1659	-51.97	-13	38.97	Pass	2001
3000	10000	1	RMS	9709	-45.43	-13	32.43	Pass	7001




7.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.66	-13	65.66	Pass	401
0.15	30	0.01	RMS	0.16	-77.57	-13	64.57	Pass	2986
30	814	0.1	RMS	813.9	-68.46	-13	55.46	Pass	7841
814	860	0.1	RMS	829.8	14.9	60	45.1	Pass	461
860	1000	0.1	RMS	961.1	-69.78	-13	56.78	Pass	1401
1000	3000	1	RMS	1659	-52.59	-13	39.59	Pass	2001
3000	10000	1	RMS	9700	-45.43	-13	32.43	Pass	7001




7.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.52	-13	65.52	Pass	401
0.15	30	0.01	RMS	0.15	-77.95	-13	64.95	Pass	2986
30	814	0.1	RMS	808.2	-57.52	-13	44.52	Pass	7841
814	860	0.1	RMS	834.8	15.35	60	44.65	Pass	461
860	1000	0.1	RMS	957.7	-68.63	-13	55.63	Pass	1401
1000	3000	1	RMS	1669	-52.14	-13	39.14	Pass	2001
3000	10000	1	RMS	9706	-45.43	-13	32.43	Pass	7001



7.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.4	-13	64.4	Pass	401
0.15	30	0.01	RMS	0.15	-77.47	-13	64.47	Pass	2986
30	814	0.1	RMS	808.2	-58.15	-13	45.15	Pass	7841
814	860	0.1	RMS	834.8	14.84	60	45.16	Pass	461
860	1000	0.1	RMS	957.7	-69.17	-13	56.17	Pass	1401
1000	3000	1	RMS	1669	-52.42	-13	39.42	Pass	2001
3000	10000	1	RMS	9707	-45.46	-13	32.46	Pass	7001



8. LTE_Band66


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.35	-13	65.35	Pass	401
0.15	30	0.01	RMS	0.15	-76.98	-13	63.98	Pass	2986
30	1000	0.1	RMS	982.789	-69.86	-13	56.86	Pass	9701
1000	1700	1	RMS	1700	-56.4	-13	43.4	Pass	701
1700	1790	1	RMS	1710.125	19.46	60	40.54	Pass	401
1790	3000	1	RMS	2995	-54.23	-13	41.23	Pass	1211
3000	12000	1	RMS	11998	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19364	-34.88	-13	21.88	Pass	8001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.37	-13	65.37	Pass	401
0.15	30	0.01	RMS	0.24	-77.88	-13	64.88	Pass	2986
30	1000	0.1	RMS	936.258	-69.81	-13	56.81	Pass	9701
1000	1700	1	RMS	1700	-56.62	-13	43.62	Pass	701
1700	1790	1	RMS	1710.125	18.44	60	41.56	Pass	401
1790	3000	1	RMS	2983	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	11893	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19311	-34.87	-13	21.87	Pass	8001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.15	-13	65.15	Pass	401
0.15	30	0.01	RMS	0.15	-77.74	-13	64.74	Pass	2986
30	1000	0.1	RMS	975.784	-69.8	-13	56.8	Pass	9701
1000	1700	1	RMS	1698	-57.87	-13	44.87	Pass	701
1700	1790	1	RMS	1744.55	19.26	60	40.74	Pass	401
1790	3000	1	RMS	2988	-54.15	-13	41.15	Pass	1211
3000	12000	1	RMS	11993	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19320	-34.88	-13	21.88	Pass	8001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.95	-13	64.95	Pass	401
0.15	30	0.01	RMS	0.15	-78.3	-13	65.3	Pass	2986
30	1000	0.1	RMS	934.657	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1699	-57.9	-13	44.9	Pass	701
1700	1790	1	RMS	1744.55	18.35	60	41.65	Pass	401
1790	3000	1	RMS	2999	-54.22	-13	41.22	Pass	1211
3000	12000	1	RMS	11995	-42.95	-13	29.95	Pass	9002
12000	20000	1	RMS	19401	-34.85	-13	21.85	Pass	8001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.85	-13	64.85	Pass	401
0.15	30	0.01	RMS	0.15	-77.07	-13	64.07	Pass	2986
30	1000	0.1	RMS	983.589	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1681	-57.91	-13	44.91	Pass	701
1700	1790	1	RMS	1778.75	19.53	60	40.47	Pass	401
1790	3000	1	RMS	3000	-54.23	-13	41.23	Pass	1211
3000	12000	1	RMS	11995	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19308	-34.79	-13	21.79	Pass	8001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.12	-13	65.12	Pass	401
0.15	30	0.01	RMS	0.15	-77.09	-13	64.09	Pass	2986
30	1000	0.1	RMS	998.799	-69.61	-13	56.61	Pass	9701
1000	1700	1	RMS	1682	-57.94	-13	44.94	Pass	701
1700	1790	1	RMS	1778.75	18.08	60	41.92	Pass	401
1790	3000	1	RMS	2993	-54.23	-13	41.23	Pass	1211
3000	12000	1	RMS	11995	-42.96	-13	29.96	Pass	9002
12000	20000	1	RMS	19324	-34.89	-13	21.89	Pass	8001




8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.97	-13	64.97	Pass	401
0.15	30	0.01	RMS	0.16	-77.97	-13	64.97	Pass	2986
30	1000	0.1	RMS	930.354	-69.71	-13	56.71	Pass	9701
1000	1700	1	RMS	1700	-55.33	-13	42.33	Pass	701
1700	1790	1	RMS	1710.125	19.35	60	40.65	Pass	401
1790	3000	1	RMS	2994	-54.22	-13	41.22	Pass	1211
3000	12000	1	RMS	11990	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19372	-34.84	-13	21.84	Pass	8001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.79	-13	64.79	Pass	401
0.15	30	0.01	RMS	0.15	-78.28	-13	65.28	Pass	2986
30	1000	0.1	RMS	996.598	-69.85	-13	56.85	Pass	9701
1000	1700	1	RMS	1700	-55.49	-13	42.49	Pass	701
1700	1790	1	RMS	1710.125	18.21	60	41.79	Pass	401
1790	3000	1	RMS	2973	-54.26	-13	41.26	Pass	1211
3000	12000	1	RMS	12000	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	19343	-34.92	-13	21.92	Pass	8001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.55	-13	65.55	Pass	401
0.15	30	0.01	RMS	0.15	-76.78	-13	63.78	Pass	2986
30	1000	0.1	RMS	861.608	-69.81	-13	56.81	Pass	9701
1000	1700	1	RMS	1697	-57.81	-13	44.81	Pass	701
1700	1790	1	RMS	1743.65	19.25	60	40.75	Pass	401
1790	3000	1	RMS	2991	-54.26	-13	41.26	Pass	1211
3000	12000	1	RMS	12000	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19370	-34.86	-13	21.86	Pass	8001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.95	-13	64.95	Pass	401
0.15	30	0.01	RMS	0.15	-76.31	-13	63.31	Pass	2986
30	1000	0.1	RMS	912.542	-69.87	-13	56.87	Pass	9701
1000	1700	1	RMS	1698	-57.83	-13	44.83	Pass	701
1700	1790	1	RMS	1743.65	18.55	60	41.45	Pass	401
1790	3000	1	RMS	2994	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	11991	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19332	-34.9	-13	21.9	Pass	8001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.15	-13	65.15	Pass	401
0.15	30	0.01	RMS	0.17	-77.85	-13	64.85	Pass	2986
30	1000	0.1	RMS	959.073	-69.8	-13	56.8	Pass	9701
1000	1700	1	RMS	1685	-57.91	-13	44.91	Pass	701
1700	1790	1	RMS	1777.175	19.46	60	40.54	Pass	401
1790	3000	1	RMS	3000	-54.19	-13	41.19	Pass	1211
3000	12000	1	RMS	11998	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19346	-34.91	-13	21.91	Pass	8001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.6	-13	64.6	Pass	401
0.15	30	0.01	RMS	0.15	-77.51	-13	64.51	Pass	2986
30	1000	0.1	RMS	988.192	-69.86	-13	56.86	Pass	9701
1000	1700	1	RMS	1689	-57.96	-13	44.96	Pass	701
1700	1790	1	RMS	1777.175	18.03	60	41.97	Pass	401
1790	3000	1	RMS	2997	-54.23	-13	41.23	Pass	1211
3000	12000	1	RMS	11898	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	17847	-34.95	-13	21.95	Pass	8001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.92	-13	64.92	Pass	401
0.15	30	0.01	RMS	0.17	-77.59	-13	64.59	Pass	2986
30	1000	0.1	RMS	847.6	-69.82	-13	56.82	Pass	9701
1000	1700	1	RMS	1700	-55.4	-13	42.4	Pass	701
1700	1790	1	RMS	1710.125	19.12	60	40.88	Pass	401
1790	3000	1	RMS	2995	-54.21	-13	41.21	Pass	1211
3000	12000	1	RMS	11998	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19322	-34.87	-13	21.87	Pass	8001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.99	-13	64.99	Pass	401
0.15	30	0.01	RMS	0.15	-77.5	-13	64.5	Pass	2986
30	1000	0.1	RMS	989.793	-69.83	-13	56.83	Pass	9701
1000	1700	1	RMS	1700	-55.7	-13	42.7	Pass	701
1700	1790	1	RMS	1710.125	17.74	60	42.26	Pass	401
1790	3000	1	RMS	2972	-54.23	-13	41.23	Pass	1211
3000	12000	1	RMS	12000	-42.97	-13	29.97	Pass	9002
12000	20000	1	RMS	19312	-34.84	-13	21.84	Pass	8001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.91	-13	64.91	Pass	401
0.15	30	0.01	RMS	0.15	-77.32	-13	64.32	Pass	2986
30	1000	0.1	RMS	986.891	-69.67	-13	56.67	Pass	9701
1000	1700	1	RMS	1681	-57.86	-13	44.86	Pass	701
1700	1790	1	RMS	1742.75	19.48	60	40.52	Pass	401
1790	3000	1	RMS	2969	-54.22	-13	41.22	Pass	1211
3000	12000	1	RMS	11891	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19311	-34.85	-13	21.85	Pass	8001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.47	-13	65.47	Pass	401
0.15	30	0.01	RMS	0.17	-78.08	-13	65.08	Pass	2986
30	1000	0.1	RMS	997.298	-69.81	-13	56.81	Pass	9701
1000	1700	1	RMS	1681	-57.86	-13	44.86	Pass	701
1700	1790	1	RMS	1742.75	18.24	60	41.76	Pass	401
1790	3000	1	RMS	2997	-54.24	-13	41.24	Pass	1211
3000	12000	1	RMS	12000	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19334	-34.89	-13	21.89	Pass	8001




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.22	-13	65.22	Pass	401
0.15	30	0.01	RMS	0.15	-77.53	-13	64.53	Pass	2986
30	1000	0.1	RMS	978.286	-69.76	-13	56.76	Pass	9701
1000	1700	1	RMS	1679	-57.94	-13	44.94	Pass	701
1700	1790	1	RMS	1775.15	19.25	60	40.75	Pass	401
1790	3000	1	RMS	2989	-54.27	-13	41.27	Pass	1211
3000	12000	1	RMS	11899	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19368	-34.87	-13	21.87	Pass	8001




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.01	-13	65.01	Pass	401
0.15	30	0.01	RMS	0.15	-77.39	-13	64.39	Pass	2986
30	1000	0.1	RMS	945.064	-69.83	-13	56.83	Pass	9701
1000	1700	1	RMS	1688	-57.96	-13	44.96	Pass	701
1700	1790	1	RMS	1775.15	18.57	60	41.43	Pass	401
1790	3000	1	RMS	2989	-54.23	-13	41.23	Pass	1211
3000	12000	1	RMS	12000	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19370	-34.87	-13	21.87	Pass	8001




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.86	-13	63.86	Pass	401
0.15	30	0.01	RMS	0.17	-77.36	-13	64.36	Pass	2986
30	1000	0.1	RMS	971.681	-69.74	-13	56.74	Pass	9701
1000	1700	1	RMS	1693	-51.34	-13	38.34	Pass	701
1700	1790	1	RMS	1710.575	19.31	60	40.69	Pass	401
1790	3000	1	RMS	3000	-54.24	-13	41.24	Pass	1211
3000	12000	1	RMS	11998	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19373	-34.91	-13	21.91	Pass	8001




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.6	-13	64.6	Pass	401
0.15	30	0.01	RMS	0.16	-77.33	-13	64.33	Pass	2986
30	1000	0.1	RMS	976.284	-69.82	-13	56.82	Pass	9701
1000	1700	1	RMS	1693	-52.21	-13	39.21	Pass	701
1700	1790	1	RMS	1710.575	18.34	60	41.66	Pass	401
1790	3000	1	RMS	3000	-54.23	-13	41.23	Pass	1211
3000	12000	1	RMS	12000	-42.95	-13	29.95	Pass	9002
12000	20000	1	RMS	17853	-34.87	-13	21.87	Pass	8001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.13	-13	65.13	Pass	401
0.15	30	0.01	RMS	0.15	-77.38	-13	64.38	Pass	2986
30	1000	0.1	RMS	993.496	-69.77	-13	56.77	Pass	9701
1000	1700	1	RMS	1671	-57.64	-13	44.64	Pass	701
1700	1790	1	RMS	1740.5	19.5	60	40.5	Pass	401
1790	3000	1	RMS	2991	-54.23	-13	41.23	Pass	1211
3000	12000	1	RMS	11998	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	19416	-34.91	-13	21.91	Pass	8001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.38	-13	64.38	Pass	401
0.15	30	0.01	RMS	0.15	-76.96	-13	63.96	Pass	2986
30	1000	0.1	RMS	960.074	-69.8	-13	56.8	Pass	9701
1000	1700	1	RMS	1671	-57.68	-13	44.68	Pass	701
1700	1790	1	RMS	1740.5	19.09	60	40.91	Pass	401
1790	3000	1	RMS	2973	-54.27	-13	41.27	Pass	1211
3000	12000	1	RMS	11998	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	19375	-34.87	-13	21.87	Pass	8001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.17	-13	65.17	Pass	401
0.15	30	0.01	RMS	0.15	-77.07	-13	64.07	Pass	2986
30	1000	0.1	RMS	955.07	-69.76	-13	56.76	Pass	9701
1000	1700	1	RMS	1688	-57.94	-13	44.94	Pass	701
1700	1790	1	RMS	1770.425	19.46	60	40.54	Pass	401
1790	3000	1	RMS	2995	-54.25	-13	41.25	Pass	1211
3000	12000	1	RMS	11997	-43.01	-13	30.01	Pass	9002
12000	20000	1	RMS	19326	-34.92	-13	21.92	Pass	8001




8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.63	-13	64.63	Pass	401
0.15	30	0.01	RMS	0.15	-77.47	-13	64.47	Pass	2986
30	1000	0.1	RMS	939.66	-69.8	-13	56.8	Pass	9701
1000	1700	1	RMS	1680	-57.99	-13	44.99	Pass	701
1700	1790	1	RMS	1770.425	18.36	60	41.64	Pass	401
1790	3000	1	RMS	2969	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	11895	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19379	-34.9	-13	21.9	Pass	8001




8.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.71	-13	64.71	Pass	401
0.15	30	0.01	RMS	0.15	-77.08	-13	64.08	Pass	2986
30	1000	0.1	RMS	998.499	-69.75	-13	56.75	Pass	9701
1000	1700	1	RMS	1697	-44.85	-13	31.85	Pass	701
1700	1790	1	RMS	1710.8	19.35	60	40.65	Pass	401
1790	3000	1	RMS	2998	-54.25	-13	41.25	Pass	1211
3000	12000	1	RMS	11993	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19372	-34.92	-13	21.92	Pass	8001




8.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.92	-13	64.92	Pass	401
0.15	30	0.01	RMS	0.16	-77.43	-13	64.43	Pass	2986
30	1000	0.1	RMS	851.902	-69.82	-13	56.82	Pass	9701
1000	1700	1	RMS	1698	-46.73	-13	33.73	Pass	701
1700	1790	1	RMS	1710.8	18.35	60	41.65	Pass	401
1790	3000	1	RMS	2975	-54.27	-13	41.27	Pass	1211
3000	12000	1	RMS	11896	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19441	-34.89	-13	21.89	Pass	8001




8.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.85	-13	64.85	Pass	401
0.15	30	0.01	RMS	0.15	-76.65	-13	63.65	Pass	2986
30	1000	0.1	RMS	998.699	-69.7	-13	56.7	Pass	9701
1000	1700	1	RMS	1669	-57.63	-13	44.63	Pass	701
1700	1790	1	RMS	1738.25	19.4	60	40.6	Pass	401
1790	3000	1	RMS	2999	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	11905	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19345	-34.85	-13	21.85	Pass	8001



8.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.16	-13	64.16	Pass	401
0.15	30	0.01	RMS	0.15	-77.23	-13	64.23	Pass	2986
30	1000	0.1	RMS	922.549	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1669	-57.66	-13	44.66	Pass	701
1700	1790	1	RMS	1738.25	18.63	60	41.37	Pass	401
1790	3000	1	RMS	2999	-54.2	-13	41.2	Pass	1211
3000	12000	1	RMS	11993	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19385	-34.9	-13	21.9	Pass	8001



8.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.95	-13	64.95	Pass	401
0.15	30	0.01	RMS	0.15	-77.36	-13	64.36	Pass	2986
30	1000	0.1	RMS	985.991	-69.76	-13	56.76	Pass	9701
1000	1700	1	RMS	1675	-57.94	-13	44.94	Pass	701
1700	1790	1	RMS	1765.7	19.24	60	40.76	Pass	401
1790	3000	1	RMS	1792	-44.22	-13	31.22	Pass	1211
3000	12000	1	RMS	11993	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19298	-34.91	-13	21.91	Pass	8001

