

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	23.08	23.08	33.01	PASS
Band2	TestMode	9262	23.14	23.14	33.01	PASS
Band2	TestMode	9400	23.29	23.29	33.01	PASS
Band2	Voice	9400	23.10	23.1	33.01	PASS
Band2	Voice	9538	23.49	23.49	33.01	PASS
Band2	TestMode	9538	23.58	23.58	33.01	PASS
Band4	TestMode	1312	22.36	21.36	30.00	PASS
Band4	Voice	1312	22.38	21.38	30.00	PASS
Band4	TestMode	1413	22.46	21.46	30.00	PASS
Band4	Voice	1413	22.41	21.41	30.00	PASS
Band4	TestMode	1513	21.97	20.97	30.00	PASS
Band4	Voice	1513	21.93	20.93	30.00	PASS
Band5	TestMode	4132	23.63	16.48	38.45	PASS
Band5	Voice	4132	23.62	16.47	38.45	PASS
Band5	Voice	4183	23.72	16.57	38.45	PASS
Band5	TestMode	4183	23.72	16.57	38.45	PASS
Band5	Voice	4233	23.56	16.41	38.45	PASS
Band5	TestMode	4233	23.58	16.43	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	22.14	22.14	33.01	PASS
Band2	9262	2	21.63	21.63	33.01	PASS
Band2	9262	3	21.66	21.66	33.01	PASS
Band2	9262	4	21.61	21.61	33.01	PASS
Band2	9400	1	22.28	22.28	33.01	PASS
Band2	9400	2	21.75	21.75	33.01	PASS
Band2	9400	3	21.80	21.8	33.01	PASS
Band2	9400	4	21.73	21.73	33.01	PASS
Band2	9538	1	22.54	22.54	33.01	PASS
Band2	9538	2	21.99	21.99	33.01	PASS
Band2	9538	3	22.02	22.02	33.01	PASS
Band2	9538	4	22.03	22.03	33.01	PASS

Band4	1312	1	21.36	20.36	30.00	PASS
Band4	1312	2	20.83	19.83	30.00	PASS
Band4	1312	3	20.91	19.91	30.00	PASS
Band4	1312	4	20.85	19.85	30.00	PASS
Band4	1413	1	21.43	20.43	30.00	PASS
Band4	1413	2	20.95	19.95	30.00	PASS
Band4	1413	3	20.99	19.99	30.00	PASS
Band4	1413	4	20.92	19.92	30.00	PASS
Band4	1513	1	20.93	19.93	30.00	PASS
Band4	1513	2	20.46	19.46	30.00	PASS
Band4	1513	3	20.49	19.49	30.00	PASS
Band4	1513	4	20.44	19.44	30.00	PASS
Band5	4132	1	22.87	15.72	38.5	PASS
Band5	4132	2	22.66	15.51	38.5	PASS
Band5	4132	3	22.17	15.02	38.5	PASS
Band5	4132	4	22.31	15.16	38.5	PASS
Band5	4183	1	22.83	15.68	38.5	PASS
Band5	4183	2	22.67	15.52	38.5	PASS
Band5	4183	3	22.13	14.98	38.5	PASS
Band5	4183	4	22.28	15.13	38.5	PASS
Band5	4233	1	22.78	15.63	38.5	PASS
Band5	4233	2	22.49	15.34	38.5	PASS
Band5	4233	3	22.01	14.86	38.5	PASS
Band5	4233	4	22.10	14.95	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	20.08	20.08	33.01	PASS
Band2	9262	2	20.58	20.58	33.01	PASS
Band2	9262	3	21.10	21.1	33.01	PASS
Band2	9262	4	20.10	20.1	33.01	PASS
Band2	9262	5	22.08	22.08	33.01	PASS
Band2	9400	1	20.16	20.16	33.01	PASS
Band2	9400	2	20.68	20.68	33.01	PASS
Band2	9400	3	21.21	21.21	33.01	PASS
Band2	9400	4	20.21	20.21	33.01	PASS
Band2	9400	5	22.22	22.22	33.01	PASS
Band2	9538	1	20.43	20.43	33.01	PASS
Band2	9538	2	20.95	20.95	33.01	PASS
Band2	9538	3	21.46	21.46	33.01	PASS

Band2	9538	4	20.47	20.47	33.01	PASS
Band2	9538	5	22.45	22.45	33.01	PASS
Band4	1312	1	19.32	18.32	30.00	PASS
Band4	1312	2	19.85	18.85	30.00	PASS
Band4	1312	3	20.36	19.36	30.00	PASS
Band4	1312	4	19.36	18.36	30.00	PASS
Band4	1312	5	21.38	20.38	30.00	PASS
Band4	1413	1	19.42	18.42	30.00	PASS
Band4	1413	2	19.95	18.95	30.00	PASS
Band4	1413	3	20.44	19.44	30.00	PASS
Band4	1413	4	19.44	18.44	30.00	PASS
Band4	1413	5	21.45	20.45	30.00	PASS
Band4	1513	1	18.90	17.9	30.00	PASS
Band4	1513	2	19.43	18.43	30.00	PASS
Band4	1513	3	19.92	18.92	30.00	PASS
Band4	1513	4	18.97	17.97	30.00	PASS
Band4	1513	5	20.97	19.97	30.00	PASS
Band5	4132	1	21.62	14.47	38.5	PASS
Band5	4132	2	21.65	14.5	38.5	PASS
Band5	4132	3	21.39	14.24	38.5	PASS
Band5	4132	4	21.21	14.06	38.5	PASS
Band5	4132	5	22.73	15.58	38.5	PASS
Band5	4183	1	21.68	14.53	38.5	PASS
Band5	4183	2	21.67	14.52	38.5	PASS
Band5	4183	3	21.51	14.36	38.5	PASS
Band5	4183	4	21.24	14.09	38.5	PASS
Band5	4183	5	22.69	15.54	38.5	PASS
Band5	4233	1	21.54	14.39	38.5	PASS
Band5	4233	2	21.56	14.41	38.5	PASS
Band5	4233	3	21.36	14.21	38.5	PASS
Band5	4233	4	21.20	14.05	38.5	PASS
Band5	4233	5	22.60	15.45	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band2 & 4)
ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band5)


AppendixB:Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	2.85	13	PASS
Band4	1413	3.08	13	PASS
Band5	4183	2.82	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)




AppendixC:26dB Bandwidth and Occupied Bandwidth

Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1476	4.701	---	PASS
Band2	9400	4.1485	4.697	---	PASS
Band2	9538	4.1569	4.719	---	PASS
Band4	1312	4.1385	4.696	---	PASS
Band4	1413	4.1375	4.689	---	PASS
Band4	1513	4.1416	4.688	---	PASS
Band5	4132	4.1589	4.675	---	PASS
Band5	4183	4.1560	4.674	---	PASS
Band5	4233	4.1526	4.677	---	PASS

Test Graphs(WCDMA)






AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-18.58	-13	PASS
Band2	9538	1910.00	-17.05	-13	PASS
Band4	1312	1710.00	-22.80	-13	PASS
Band4	1513	1755.00	-23.62	-13	PASS
Band5	4132	824.00	-20.90	-13	PASS
Band5	4233	849.00	-22.22	-13	PASS

Test Graphs(WCDMA)




AppendixE:Conducted SpuriousEmission

Test Result(WCDMA)

Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-57.85	-43	PASS
Band2	9262	0.15~30MHz	0.16	-48.84	-23	PASS
Band2	9262	30~1000MHz	848.03	-46.05	-13	PASS
Band2	9262	1000~20000MHz	19905.63	-30.39	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-56.51	-43	PASS
Band2	9400	0.15~30MHz	0.15	-48.05	-23	PASS
Band2	9400	30~1000MHz	869.66	-46.17	-13	PASS
Band2	9400	1000~20000MHz	19986.07	-30.81	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-57.1	-43	PASS
Band2	9538	0.15~30MHz	0.15	-50.08	-23	PASS
Band2	9538	30~1000MHz	821.65	-46.09	-13	PASS
Band2	9538	1000~20000MHz	19947.43	-30.44	-13	PASS
Band4	1312	0.009~0.15MHz	0.01	-59.81	-43	PASS
Band4	1312	0.15~30MHz	0.17	-50.59	-23	PASS
Band4	1312	30~1000MHz	825.53	-46.23	-13	PASS
Band4	1312	1000~20000MHz	19997.47	-30.56	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-59.5	-43	PASS
Band4	1413	0.15~30MHz	0.15	-49.48	-23	PASS
Band4	1413	30~1000MHz	754.75	-46.85	-13	PASS
Band4	1413	1000~20000MHz	19901.2	-30.73	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-57.48	-43	PASS
Band4	1513	0.15~30MHz	0.15	-50.95	-23	PASS
Band4	1513	30~1000MHz	876.33	-47.06	-13	PASS
Band4	1513	1000~20000MHz	19906.9	-30.48	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-52.63	-33	PASS
Band5	4132	0.15~30MHz	0.15	-45.57	-13	PASS
Band5	4132	30~1000MHz	314.21	-50.29	-13	PASS
Band5	4132	1000~10000MHz	5914	-31.31	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-53.34	-33	PASS
Band5	4183	0.15~30MHz	0.15	-44.51	-13	PASS
Band5	4183	30~1000MHz	515.26	-49.77	-13	PASS
Band5	4183	1000~10000MHz	6001	-31.43	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-52.12	-33	PASS
Band5	4233	0.15~30MHz	0.15	-45.08	-13	PASS
Band5	4233	30~1000MHz	416.93	-49.62	-13	PASS
Band5	4233	1000~10000MHz	5895.1	-31.16	-13	PASS

Test Graphs(WCDMA)





JianYan Testing Group Shenzhen Co., Ltd.


No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.


Tel: +86-755-23118282, Fax: +86-755-23116366


Project No.: JYTSZR2303050











Appendix F:Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	0.97	0.001159	±2.5	Pass
	-20	-1.47	-0.001757		
	-10	0.78	0.000932		
	0	-0.68	-0.000813		
	10	-0.45	-0.000538		
	20	0.48	0.000574		
	30	-0.61	-0.000729		
	40	0.26	0.000311		
	50	0.47	0.000562		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	1.45	0.001733	±2.5	Pass
	3.87	0.14	0.000167		
	4.45	0.62	0.000741		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	4.43	0.002557	Within authorized band for BAND IV	Pass
	-20	-1.15	-0.000664		
	-10	4.23	0.002441		
	0	-1.51	-0.000872		
	10	0.47	0.000271		
	20	0.97	0.000560		
	30	-1.98	-0.001143		
	40	-7.59	-0.004381		
	50	-2.30	-0.001327		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	5.73	0.003307	Within authorized band for BAND IV	Pass
	3.87	-1.37	-0.000791		
	4.45	9.05	0.005223		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	1.60	0.000851	Within authorized band for BAND II	Pass
	-20	-7.40	-0.003936		
	-10	5.15	0.002739		
	0	-5.21	-0.002771		
	10	7.90	0.004202		
	20	-1.21	-0.000644		
	30	0.34	0.000181		
	40	-1.15	-0.000612		
	50	0.54	0.000287		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	5.11	0.002718	Within authorized band for BAND II	Pass
	3.87	3.86	0.002053		
	4.45	-0.03	-0.000016		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

