

Spurious Emission at Antenna Terminals

1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1,
Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-65.78	-13	52.78	Pass	401
0.15	30	0.01	Peak	0.99	-63.73	-13	50.73	Pass	2986
30	809	0.1	Peak	779.2	-54.63	-13	41.63	Pass	7791
809	829	0.1	Peak	814.25	24.86	60	35.14	Pass	401
829	1000	0.1	Peak	851.6	-54.31	-13	41.31	Pass	1711
1000	3000	1	Peak	1628	-38.04	-13	25.04	Pass	2001
3000	10000	1	Peak	9860	-33.61	-13	20.61	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.79	-13	53.79	Pass	401
0.15	30	0.01	Peak	0.18	-64.32	-13	51.32	Pass	2986
30	809	0.1	Peak	745.4	-54.22	-13	41.22	Pass	7791
809	829	0.1	Peak	814.2	26	60	34	Pass	401
829	1000	0.1	Peak	910	-54.2	-13	41.2	Pass	1711
1000	3000	1	Peak	1628	-38.15	-13	25.15	Pass	2001
3000	10000	1	Peak	7484	-33.57	-13	20.57	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.97	-13	52.97	Pass	401
0.15	30	0.01	Peak	0.17	-63.61	-13	50.61	Pass	2986
30	809	0.1	Peak	732.4	-54.47	-13	41.47	Pass	7791
809	829	0.1	Peak	818.55	25.08	60	34.92	Pass	401
829	1000	0.1	Peak	834.3	-54.84	-13	41.84	Pass	1711
1000	3000	1	Peak	1637	-38.68	-13	25.68	Pass	2001
3000	10000	1	Peak	9174	-33.66	-13	20.66	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.05	-13	52.05	Pass	401
0.15	30	0.01	Peak	0.16	-64.85	-13	51.85	Pass	2986
30	809	0.1	Peak	750.9	-54.93	-13	41.93	Pass	7791
809	829	0.1	Peak	818.6	25.17	60	34.83	Pass	401
829	1000	0.1	Peak	870.2	-54.26	-13	41.26	Pass	1711
1000	3000	1	Peak	1637	-37.7	-13	24.7	Pass	2001
3000	10000	1	Peak	9252	-33.5	-13	20.5	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.43	-13	52.43	Pass	401
0.15	30	0.01	Peak	0.24	-63.66	-13	50.66	Pass	2986
30	809	0.1	Peak	508.9	-54.7	-13	41.7	Pass	7791
809	829	0.1	Peak	822.9	24.75	60	35.25	Pass	401
829	1000	0.1	Peak	938.3	-53.74	-13	40.74	Pass	1711
1000	3000	1	Peak	1646	-38.72	-13	25.72	Pass	2001
3000	10000	1	Peak	6862	-33.75	-13	20.75	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.16	-13	51.16	Pass	401
0.15	30	0.01	Peak	0.36	-64.38	-13	51.38	Pass	2986
30	809	0.1	Peak	499.5	-54.73	-13	41.73	Pass	7791
809	829	0.1	Peak	822.85	24.98	60	35.02	Pass	401
829	1000	0.1	Peak	831.3	-54.27	-13	41.27	Pass	1711
1000	3000	1	Peak	1646	-39.19	-13	26.19	Pass	2001
3000	10000	1	Peak	6807	-33.81	-13	20.81	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.76	-13	52.76	Pass	401
0.15	30	0.01	Peak	0.17	-64.66	-13	51.66	Pass	2986
30	809	0.1	Peak	808.9	-44.07	-13	31.07	Pass	7791
809	829	0.1	Peak	814.2	24.77	60	35.23	Pass	401
829	1000	0.1	Peak	831	-52.94	-13	39.94	Pass	1711
1000	3000	1	Peak	1628	-39.14	-13	26.14	Pass	2001
3000	10000	1	Peak	6814	-33.71	-13	20.71	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.06	-13	52.06	Pass	401
0.15	30	0.01	Peak	0.18	-64.24	-13	51.24	Pass	2986
30	809	0.1	Peak	809	-37	-13	24	Pass	7791
809	829	0.1	Peak	814.2	25.47	60	34.53	Pass	401
829	1000	0.1	Peak	837.5	-54.32	-13	41.32	Pass	1711
1000	3000	1	Peak	1629	-38.01	-13	25.01	Pass	2001
3000	10000	1	Peak	6954	-33.45	-13	20.45	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.99	-13	51.99	Pass	401
0.15	30	0.01	Peak	0.15	-64.11	-13	51.11	Pass	2986
30	809	0.1	Peak	808	-40.8	-13	27.8	Pass	7791
809	829	0.1	Peak	817.7	25.08	60	34.92	Pass	401
829	1000	0.1	Peak	844.2	-40.03	-13	27.03	Pass	1711
1000	3000	1	Peak	1636	-38.66	-13	25.66	Pass	2001
3000	10000	1	Peak	7054	-33.56	-13	20.56	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-63.67	-13	50.67	Pass	401
0.15	30	0.01	Peak	0.16	-64.13	-13	51.13	Pass	2986
30	809	0.1	Peak	753.8	-55.09	-13	42.09	Pass	7791
809	829	0.1	Peak	817.75	25.26	60	34.74	Pass	401
829	1000	0.1	Peak	839.8	-52.79	-13	39.79	Pass	1711
1000	3000	1	Peak	1635	-38.69	-13	25.69	Pass	2001
3000	10000	1	Peak	7224	-33.53	-13	20.53	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.49	-13	52.49	Pass	401
0.15	30	0.01	Peak	0.58	-65	-13	52	Pass	2986
30	809	0.1	Peak	717.6	-54.72	-13	41.72	Pass	7791
809	829	0.1	Peak	821.25	24.66	60	35.34	Pass	401
829	1000	0.1	Peak	829	-48.44	-13	35.44	Pass	1711
1000	3000	1	Peak	1643	-38.86	-13	25.86	Pass	2001
3000	10000	1	Peak	9043	-33.75	-13	20.75	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.67	-13	51.67	Pass	401
0.15	30	0.01	Peak	0.22	-64.23	-13	51.23	Pass	2986
30	809	0.1	Peak	630.4	-54.7	-13	41.7	Pass	7791
809	829	0.1	Peak	821.25	24.96	60	35.04	Pass	401
829	1000	0.1	Peak	829.1	-49.49	-13	36.49	Pass	1711
1000	3000	1	Peak	1643	-39.31	-13	26.31	Pass	2001
3000	10000	1	Peak	9256	-33.5	-13	20.5	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.48	-13	50.48	Pass	401
0.15	30	0.01	Peak	0.3	-64.3	-13	51.3	Pass	2986
30	809	0.1	Peak	808.9	-43.62	-13	30.62	Pass	7791
809	829	0.1	Peak	814.35	25.06	60	34.94	Pass	401
829	1000	0.1	Peak	833	-54	-13	41	Pass	1711
1000	3000	1	Peak	1629	-38.16	-13	25.16	Pass	2001
3000	10000	1	Peak	6693	-33.53	-13	20.53	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.64	-13	52.64	Pass	401
0.15	30	0.01	Peak	0.18	-63.65	-13	50.65	Pass	2986
30	809	0.1	Peak	809	-47.4	-13	34.4	Pass	7791
809	829	0.1	Peak	814.3	25.51	60	34.49	Pass	401
829	1000	0.1	Peak	829.6	-53.56	-13	40.56	Pass	1711
1000	3000	1	Peak	1629	-38.91	-13	25.91	Pass	2001
3000	10000	1	Peak	7060	-33.18	-13	20.18	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-63.89	-13	50.89	Pass	401
0.15	30	0.01	Peak	0.18	-64.63	-13	51.63	Pass	2986
30	809	0.1	Peak	808.2	-44.24	-13	31.24	Pass	7791
809	829	0.1	Peak	816.85	24.98	60	35.02	Pass	401
829	1000	0.1	Peak	830	-53.1	-13	40.1	Pass	1711
1000	3000	1	Peak	1634	-39.15	-13	26.15	Pass	2001
3000	10000	1	Peak	6869	-34.04	-13	21.04	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.11	-13	52.11	Pass	401
0.15	30	0.01	Peak	0.15	-62.96	-13	49.96	Pass	2986
30	809	0.1	Peak	808.2	-41.58	-13	28.58	Pass	7791
809	829	0.1	Peak	816.8	25.25	60	34.75	Pass	401
829	1000	0.1	Peak	833.8	-53.68	-13	40.68	Pass	1711
1000	3000	1	Peak	1634	-39.03	-13	26.03	Pass	2001
3000	10000	1	Peak	7644	-33.44	-13	20.44	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.25	-13	54.25	Pass	401
0.15	30	0.01	Peak	0.16	-64.68	-13	51.68	Pass	2986
30	809	0.1	Peak	802.5	-54.75	-13	41.75	Pass	7791
809	829	0.1	Peak	819.35	24.55	60	35.45	Pass	401
829	1000	0.1	Peak	829.9	-50.99	-13	37.99	Pass	1711
1000	3000	1	Peak	1638	-39.32	-13	26.32	Pass	2001
3000	10000	1	Peak	9411	-33.89	-13	20.89	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.6	-13	52.6	Pass	401
0.15	30	0.01	Peak	0.19	-65.31	-13	52.31	Pass	2986
30	809	0.1	Peak	788	-54.38	-13	41.38	Pass	7791
809	829	0.1	Peak	819.3	25.28	60	34.72	Pass	401
829	1000	0.1	Peak	834.7	-37.68	-13	24.68	Pass	1711
1000	3000	1	Peak	2897	-38.59	-13	25.59	Pass	2001
3000	10000	1	Peak	6912	-33.58	-13	20.58	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.24	-13	53.24	Pass	401
0.15	30	0.01	Peak	0.19	-64.25	-13	51.25	Pass	2986
30	809	0.1	Peak	808.9	-39.84	-13	26.84	Pass	7791
809	829	0.1	Peak	814.6	24.99	60	35.01	Pass	401
829	1000	0.1	Peak	832.2	-27.51	-13	14.51	Pass	1711
1000	3000	1	Peak	1629	-38.3	-13	25.3	Pass	2001
3000	10000	1	Peak	6835	-33.33	-13	20.33	Pass	7001




1.20. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.37	-13	52.37	Pass	401
0.15	30	0.01	Peak	0.97	-64.37	-13	51.37	Pass	2986
30	809	0.1	Peak	809	-35.72	-13	22.72	Pass	7791
809	829	0.1	Peak	814.55	25.55	60	34.45	Pass	401
829	1000	0.1	Peak	832.2	-21.92	-13	8.92	Pass	1711
1000	3000	1	Peak	1629	-38.66	-13	25.66	Pass	2001
3000	10000	1	Peak	7501	-33.47	-13	20.47	Pass	7001




1.21. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:21, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.62	-13	51.62	Pass	401
0.15	30	0.01	Peak	0.16	-64.78	-13	51.78	Pass	2986
30	809	0.1	Peak	809	-39.72	-13	26.72	Pass	7791
809	829	0.1	Peak	814.55	25.08	60	34.92	Pass	401
829	1000	0.1	Peak	832.3	-27.86	-13	14.86	Pass	1711
1000	3000	1	Peak	1629	-38.63	-13	25.63	Pass	2001
3000	10000	1	Peak	3140	-34.1	-13	21.1	Pass	7001




1.22. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:22, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.79	-13	51.79	Pass	401
0.15	30	0.01	Peak	0.2	-63.71	-13	50.71	Pass	2986
30	809	0.1	Peak	808.9	-35.09	-13	22.09	Pass	7791
809	829	0.1	Peak	814.55	25.27	60	34.73	Pass	401
829	1000	0.1	Peak	832.2	-22.76	-13	9.76	Pass	1711
1000	3000	1	Peak	1629	-38.35	-13	25.35	Pass	2001
3000	10000	1	Peak	6718	-33.83	-13	20.83	Pass	7001



1.23. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:23, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.35	-13	53.35	Pass	401
0.15	30	0.01	Peak	0.17	-64.74	-13	51.74	Pass	2986
30	809	0.1	Peak	809	-40.61	-13	27.61	Pass	7791
809	829	0.1	Peak	814.6	25.04	60	34.96	Pass	401
829	1000	0.1	Peak	832.2	-27.56	-13	14.56	Pass	1711
1000	3000	1	Peak	1629	-38.79	-13	25.79	Pass	2001
3000	10000	1	Peak	7322	-33.79	-13	20.79	Pass	7001



1.24. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:24, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.31	-13	53.31	Pass	401
0.15	30	0.01	Peak	0.16	-63.53	-13	50.53	Pass	2986
30	809	0.1	Peak	808.9	-35.74	-13	22.74	Pass	7791
809	829	0.1	Peak	814.55	25.58	60	34.42	Pass	401
829	1000	0.1	Peak	832.2	-21.98	-13	8.98	Pass	1711
1000	3000	1	Peak	1629	-38.33	-13	25.33	Pass	2001
3000	10000	1	Peak	3258	-33.25	-13	20.25	Pass	7001

