

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_20.43.44

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH1 P=17

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.54	-4.87	74.0	23.46	Peak	59.37	150	Vertical	Pass
1**	2390.000	40.61	-4.87	54.0	13.39	AV	59.37	150	Vertical	Pass
2	2369.400	53.01	-4.07	74.0	20.99	Peak	0.00	150	Vertical	Pass
2**	2369.400	40.96	-4.07	54.0	13.04	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_20.41.25

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH1 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.89	-4.87	74.0	23.11	Peak	187.00	150	Horizontal	Pass
1**	2390.000	42.07	-4.87	54.0	11.93	AV	187.00	150	Horizontal	Pass
2	2389.300	53.04	-4.84	74.0	20.96	Peak	210.00	150	Horizontal	Pass
2**	2389.300	42.91	-4.84	54.0	11.09	AV	210.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_20.49.52

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH11 P=17

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.28	-3.78	74.0	22.72	Peak	9.00	150	Vertical	Pass
1**	2483.500	41.14	-3.78	54.0	12.86	AV	9.00	150	Vertical	Pass
2	2486.230	52.86	-3.79	74.0	21.14	Peak	216.00	150	Vertical	Pass
2**	2486.230	40.98	-3.79	54.0	13.02	AV	216.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_20.48.01

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.37	-3.78	74.0	21.63	Peak	55.00	150	Horizontal	Pass
1**	2483.500	42.22	-3.78	54.0	11.78	AV	55.00	150	Horizontal	Pass
2	2484.550	53.10	-3.78	74.0	20.90	Peak	209.00	150	Horizontal	Pass
2**	2484.550	41.58	-3.78	54.0	12.42	AV	209.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_19.36.22

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH1 P=12


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.51	-4.87	74.0	20.49	Peak	152.97	150	Vertical	Pass
1**	2390.000	41.04	-4.87	54.0	12.96	AV	152.97	150	Vertical	Pass
2	2389.100	55.45	-4.82	74.0	18.55	Peak	158.00	150	Vertical	Pass
2**	2389.100	41.02	-4.82	54.0	12.98	AV	158.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_19.34.11

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH1 P=12


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	69.88	-4.87	74.0	4.12	Peak	194.98	150	Horizontal	Pass
1**	2390.000	50.57	-4.87	54.0	3.43	AV	194.98	150	Horizontal	Pass
2	2388.800	69.81	-4.81	74.0	4.19	Peak	194.00	150	Horizontal	Pass
2**	2388.800	48.70	-4.81	54.0	5.30	AV	194.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_21.01.48

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH11 P=12


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.67	-3.78	74.0	22.33	Peak	19.00	150	Vertical	Pass
1**	2483.500	41.65	-3.78	54.0	12.35	AV	19.00	150	Vertical	Pass
2	2484.250	52.96	-3.78	74.0	21.04	Peak	325.00	150	Vertical	Pass
2**	2484.250	41.39	-3.78	54.0	12.61	AV	325.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_20.58.08

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH11 P=12


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.58	-3.78	74.0	8.42	Peak	201.00	150	Horizontal	Pass
1**	2483.500	50.47	-3.78	54.0	3.53	AV	201.00	150	Horizontal	Pass
2	2483.680	65.72	-3.78	74.0	8.28	Peak	168.00	150	Horizontal	Pass
2**	2483.680	50.12	-3.78	54.0	3.88	AV	168.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_19.24.32

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH1 P=11

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.24	-4.87	74.0	17.76	Peak	143.01	150	Vertical	Pass
1**	2390.000	41.91	-4.87	54.0	12.09	AV	143.01	150	Vertical	Pass
2	2389.500	55.75	-4.85	74.0	18.25	Peak	216.00	150	Vertical	Pass
2**	2389.500	41.53	-4.85	54.0	12.47	AV	216.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_19.22.03

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH1 P=11


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	67.19	-4.87	74.0	6.81	Peak	184.02	150	Horizontal	Pass
1**	2390.000	50.16	-4.87	54.0	3.84	AV	184.02	150	Horizontal	Pass
2	2389.200	69.68	-4.83	74.0	4.32	Peak	172.00	150	Horizontal	Pass
2**	2389.200	50.29	-4.83	54.0	3.71	AV	172.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_21.11.14

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH11 P=11


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.51	-3.78	74.0	22.49	Peak	358.00	150	Vertical	Pass
1**	2483.500	41.36	-3.78	54.0	12.64	AV	358.00	150	Vertical	Pass
2	2497.810	53.67	-3.97	74.0	20.33	Peak	0.00	150	Vertical	Pass
2**	2497.810	41.09	-3.97	54.0	12.91	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_21.09.18

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH11 P=11


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.00	-3.78	74.0	11.00	Peak	195.00	150	Horizontal	Pass
1**	2483.500	49.84	-3.78	54.0	4.16	AV	195.00	150	Horizontal	Pass
2	2483.620	66.55	-3.78	74.0	7.45	Peak	218.00	150	Horizontal	Pass
2**	2483.620	49.77	-3.78	54.0	4.23	AV	218.00	150	Horizontal	Pass