

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_23.00.46

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11a CH36 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.73	3.82	74.0	19.27	Peak	20.02	150	Vertical	Pass
1**	5150.000	44.07	3.82	54.0	9.93	AV	20.02	150	Vertical	Pass
2	5148.700	56.84	3.85	74.0	17.16	Peak	48.00	150	Vertical	Pass
2**	5148.700	43.92	3.85	54.0	10.08	AV	48.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_22.59.06

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11a CH36 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.96	3.82	74.0	11.04	Peak	18.00	150	Horizontal	Pass
1**	5150.000	47.87	3.82	54.0	6.13	AV	18.00	150	Horizontal	Pass
2	5149.350	62.02	3.84	74.0	11.98	Peak	20.00	150	Horizontal	Pass
2**	5149.350	46.62	3.84	54.0	7.38	AV	20.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_23.05.03

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11a CH48 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.23	4.04	74.0	19.77	Peak	39.00	150	Vertical	Pass
1**	5350.000	43.68	4.04	54.0	10.32	AV	39.00	150	Vertical	Pass
2	5368.150	55.88	4.02	74.0	18.12	Peak	360.00	150	Vertical	Pass
2**	5368.150	43.72	4.02	54.0	10.28	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_23.03.51

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11a CH48 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.84	4.04	74.0	20.16	Peak	222.00	150	Horizontal	Pass
1**	5350.000	43.78	4.04	54.0	10.22	AV	222.00	150	Horizontal	Pass
2	5388.830	55.45	4.02	74.0	18.55	Peak	0.00	150	Horizontal	Pass
2**	5388.830	43.38	4.02	54.0	10.62	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_22.51.31

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ac20 CH36 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.60	3.82	74.0	19.40	Peak	213.97	150	Vertical	Pass
1**	5150.000	44.57	3.82	54.0	9.43	AV	213.97	150	Vertical	Pass
2	4859.450	55.67	4.07	74.0	18.33	Peak	359.00	150	Vertical	Pass
2**	4859.450	43.64	4.07	54.0	10.36	AV	359.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_22.52.53

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E


Work Mode: 5.2G WIFI 11ac20 C36 P=16

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left
1.2E+2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.15	3.82	74.0	11.85	Peak	38.00	150	Horizontal	Pass
1**	5150.000	48.91	3.82	54.0	5.09	AV	38.00	150	Horizontal	Pass
2	5148.050	62.10	3.87	74.0	11.90	Peak	46.00	150	Horizontal	Pass
2**	5148.050	48.18	3.87	54.0	5.82	AV	46.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_22.49.22

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ac20 CH48 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.86	4.04	74.0	20.14	Peak	12.00	150	Vertical	Pass
1**	5350.000	43.81	4.04	54.0	10.19	AV	12.00	150	Vertical	Pass
2	5381.350	55.71	4.05	74.0	18.29	Peak	81.00	150	Vertical	Pass
2**	5381.350	43.50	4.05	54.0	10.50	AV	81.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_22.48.10

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ac20 CH48 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.86	4.04	74.0	20.14	Peak	52.00	150	Horizontal	Pass
1**	5350.000	43.85	4.04	54.0	10.15	AV	52.00	150	Horizontal	Pass
2	5405.770	56.28	3.90	74.0	17.72	Peak	360.00	150	Horizontal	Pass
2**	5405.770	43.55	3.90	54.0	10.45	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_22.17.42

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ac40 CH38 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.71	3.82	74.0	16.29	Peak	72.03	150	Vertical	Pass
1**	5150.000	44.46	3.82	54.0	9.54	AV	72.03	150	Vertical	Pass
2	5148.700	57.09	3.85	74.0	16.91	Peak	161.00	150	Vertical	Pass
2**	5148.700	44.35	3.85	54.0	9.65	AV	161.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_22.16.02

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ac40 CH38 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.97	3.82	74.0	9.03	Peak	34.03	150	Horizontal	Pass
1**	5150.000	49.89	3.82	54.0	4.11	AV	34.03	150	Horizontal	Pass
2	5144.150	66.23	3.99	74.0	7.77	Peak	38.00	150	Horizontal	Pass
2**	5144.150	48.24	3.99	54.0	5.76	AV	38.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_22.45.13

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ac40 CH46 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.69	4.04	74.0	20.31	Peak	310.00	150	Vertical	Pass
1**	5350.000	43.89	4.04	54.0	10.11	AV	310.00	150	Vertical	Pass
2	5451.750	55.73	3.87	74.0	18.27	Peak	112.00	150	Vertical	Pass
2**	5451.750	43.49	3.87	54.0	10.51	AV	112.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_22.40.02

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ac40 CH46 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.10	4.04	74.0	19.90	Peak	224.00	150	Horizontal	Pass
1**	5350.000	43.80	4.04	54.0	10.20	AV	224.00	150	Horizontal	Pass
2	5367.050	56.20	4.05	74.0	17.80	Peak	24.00	150	Horizontal	Pass
2**	5367.050	43.80	4.05	54.0	10.20	AV	24.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_22.36.41

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ac80 CH42 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.69	3.82	74.0	20.31	Peak	70.04	150	Vertical	Pass
1**	5150.000	44.29	3.82	54.0	9.71	AV	70.04	150	Vertical	Pass
2	5139.600	55.53	4.07	74.0	18.47	Peak	59.00	150	Vertical	Pass
2**	5139.600	44.32	4.07	54.0	9.68	AV	59.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-09_22.34.13

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ac80 CH42 P=14

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.61	3.82	74.0	13.39	Peak	40.00	150	Horizontal	Pass
1**	5150.000	49.50	3.82	54.0	4.50	AV	40.00	150	Horizontal	Pass
2	5149.350	63.10	3.84	74.0	10.90	Peak	43.00	150	Horizontal	Pass
2**	5149.350	49.07	3.84	54.0	4.93	AV	43.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_09.21.18

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11a CH52 P=14

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.71	3.82	74.0	20.29	Peak	158.97	150	Vertical	Pass
1**	5150.000	43.81	3.82	54.0	10.19	AV	158.97	150	Vertical	Pass
2	5051.200	55.49	3.69	74.0	18.51	Peak	239.00	150	Vertical	Pass
2**	5051.200	43.67	3.69	54.0	10.33	AV	239.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339
Test Time: 2026-02-10_09.17.37

EUT Name:	Mobile Phone	Temp.(°C):	23.2
Model Number:	P685L	Humidity (%RH):	52
Sample Number:	CC26010359-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A01+数据线: A12



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.17	3.82	74.0	19.83	Peak	171.99	150	Horizontal	Pass
1**	5150.000	43.73	3.82	54.0	10.27	AV	171.99	150	Horizontal	Pass
2	5021.950	54.96	3.50	74.0	19.04	Peak	359.00	150	Horizontal	Pass
2**	5021.950	43.41	3.50	54.0	10.59	AV	359.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_09.27.01

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11a CH64 P=14

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.35	4.04	74.0	17.65	Peak	45.00	150	Vertical	Pass
1**	5350.000	45.27	4.04	54.0	8.73	AV	45.00	150	Vertical	Pass
2	5350.990	60.94	4.06	74.0	13.06	Peak	31.00	150	Vertical	Pass
2**	5350.990	45.00	4.06	54.0	9.00	AV	31.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_09.33.46

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11a CH64 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.03	4.04	74.0	9.97	Peak	35.00	150	Horizontal	Pass
1**	5350.000	47.12	4.04	54.0	6.88	AV	35.00	150	Horizontal	Pass
2	5350.990	65.55	4.06	74.0	8.45	Peak	23.00	150	Horizontal	Pass
2**	5350.990	47.59	4.06	54.0	6.41	AV	23.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_09.45.41

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac20 CH52 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.94	3.82	74.0	19.06	Peak	297.01	150	Vertical	Pass
1**	5150.000	43.64	3.82	54.0	10.36	AV	297.01	150	Vertical	Pass
2	5072.000	55.60	3.67	74.0	18.40	Peak	237.00	150	Vertical	Pass
2**	5072.000	43.92	3.67	54.0	10.08	AV	237.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_09.40.02

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac20 CH52 P=16

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.54	3.82	74.0	19.46	Peak	43.03	150	Horizontal	Pass
1**	5150.000	43.76	3.82	54.0	10.24	AV	43.03	150	Horizontal	Pass
2	5062.250	56.19	3.72	74.0	17.81	Peak	309.00	150	Horizontal	Pass
2**	5062.250	43.77	3.72	54.0	10.23	AV	309.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_09.52.23

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac20 CH64 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.83	4.04	74.0	16.17	Peak	38.00	150	Vertical	Pass
1**	5350.000	46.17	4.04	54.0	7.83	AV	38.00	150	Vertical	Pass
2	5350.990	60.27	4.06	74.0	13.73	Peak	35.00	150	Vertical	Pass
2**	5350.990	45.75	4.06	54.0	8.25	AV	35.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_09.55.45

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac20 CH64 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.05	4.04	74.0	11.95	Peak	52.00	150	Horizontal	Pass
1**	5350.000	49.64	4.04	54.0	4.36	AV	52.00	150	Horizontal	Pass
2	5351.430	66.14	4.07	74.0	7.86	Peak	23.00	150	Horizontal	Pass
2**	5351.430	48.56	4.07	54.0	5.44	AV	23.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_10.08.42

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac40 CH54 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.68	3.82	74.0	20.32	Peak	239.01	150	Vertical	Pass
1**	5150.000	43.75	3.82	54.0	10.25	AV	239.01	150	Vertical	Pass
2	5112.300	54.95	3.61	74.0	19.05	Peak	69.00	150	Vertical	Pass
2**	5112.300	43.63	3.61	54.0	10.37	AV	69.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_10.05.29

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac40 CH54 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.54	3.82	74.0	19.46	Peak	356.93	150	Horizontal	Pass
1**	5150.000	43.59	3.82	54.0	10.41	AV	356.93	150	Horizontal	Pass
2	5124.000	54.91	3.78	74.0	19.09	Peak	128.00	150	Horizontal	Pass
2**	5124.000	43.46	3.78	54.0	10.54	AV	128.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_10.37.15

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac40 CH62 P=14

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.84	4.04	74.0	13.16	Peak	10.00	150	Vertical	Pass
1**	5350.000	47.46	4.04	54.0	6.54	AV	10.00	150	Vertical	Pass
2	5350.330	62.82	4.05	74.0	11.18	Peak	0.00	150	Vertical	Pass
2**	5350.330	46.67	4.05	54.0	7.33	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_10.35.35

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac40 CH62 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.52	4.04	74.0	9.48	Peak	360.00	150	Horizontal	Pass
1**	5350.000	50.05	4.04	54.0	3.95	AV	360.00	150	Horizontal	Pass
2	5350.770	68.34	4.06	74.0	5.66	Peak	360.00	150	Horizontal	Pass
2**	5350.770	50.04	4.06	54.0	3.96	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_10.43.17

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac80 CH58 P=16

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.87	3.82	74.0	19.13	Peak	46.06	150	Vertical	Pass
1**	5150.000	43.69	3.82	54.0	10.31	AV	46.06	150	Vertical	Pass
2	5064.850	55.38	3.73	74.0	18.62	Peak	355.00	150	Vertical	Pass
2**	5064.850	43.57	3.73	54.0	10.43	AV	355.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_10.44.56

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac80 CH58 P=16

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.60	3.82	74.0	19.40	Peak	0.03	150	Horizontal	Pass
1**	5150.000	45.13	3.82	54.0	8.87	AV	0.03	150	Horizontal	Pass
2	5129.850	55.77	3.83	74.0	18.23	Peak	38.00	150	Horizontal	Pass
2**	5129.850	43.75	3.83	54.0	10.25	AV	38.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-11_22.14.00

EUT Name: Mobile Phone

Temp.(°C): 22.6

Model Number: P685L

Humidity (%RH): 55

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11a CH100 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Siyuan

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band3_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.80	3.78	68.2	14.40	Peak	141.53	150	Vertical	Pass
1**	5460.000	43.37	3.78	54.0	10.63	AV	141.53	150	Vertical	Pass
2	5469.400	57.01	4.08	68.2	11.19	Peak	34.00	150	Vertical	Pass
2**	5469.400	44.06	4.08	--	-44.06	AV	34.00	150	Vertical	N/A

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-11_22.16.02

EUT Name: Mobile Phone

Temp.(°C): 22.6

Model Number: P685L

Humidity (%RH): 55

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11a CH100 P=14

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Siyuan

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band3_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.63	3.78	68.2	12.57	Peak	30.33	150	Horizontal	Pass
1**	5460.000	43.94	3.78	54.0	10.06	AV	30.33	150	Horizontal	Pass
2	5469.040	62.43	4.07	68.2	5.77	Peak	34.00	150	Horizontal	Pass
2**	5469.040	46.25	4.07	--	-46.25	AV	34.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26010339
Test Time: 2026-02-11_22.29.54

EUT Name:	Mobile Phone	Temp.(°C):	22.6
Model Number:	P685L	Humidity (%RH):	55
Sample Number:	CC26010359-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=8
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Siyuan	Remark:	适配器: A01+数据线: A12



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.56	4.31	68.2	12.64	Peak	256.00	150	Vertical	Pass
2	5747.500	57.20	4.18	68.2	11.00	Peak	198.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-11_22.28.23

EUT Name: Mobile Phone

Temp.(°C): 22.6

Model Number: P685L

Humidity (%RH): 55

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11a CH140 P=8


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Siyuan

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band3_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.25	4.31	68.2	4.95	Peak	29.00	150	Horizontal	Pass
2	5725.375	65.20	4.30	68.2	3.00	Peak	52.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-11_22.52.10

EUT Name: Mobile Phone

Temp.(°C): 22.6

Model Number: P685L

Humidity (%RH): 55

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac20 CH100 P=15

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Siyuan

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band3_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.98	3.78	68.2	14.22	Peak	218.49	150	Vertical	Pass
1**	5460.000	43.63	3.78	54.0	10.37	AV	218.49	150	Vertical	Pass
2	5469.880	57.54	4.09	68.2	10.66	Peak	228.00	150	Vertical	Pass
2**	5469.880	45.21	4.09	--	-45.21	AV	228.00	150	Vertical	N/A

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-11_22.50.48

EUT Name: Mobile Phone

Temp.(°C): 22.6

Model Number: P685L

Humidity (%RH): 55

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac20 CH100 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Siyuan

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band3_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.70	3.78	68.2	12.50	Peak	20.01	150	Horizontal	Pass
1**	5460.000	44.61	3.78	54.0	9.39	AV	20.01	150	Horizontal	Pass
2	5469.880	65.02	4.09	68.2	3.18	Peak	30.00	150	Horizontal	Pass
2**	5469.880	48.73	4.09	--	-48.73	AV	30.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26010339
Test Time: 2026-02-11_22.42.26

EUT Name:	Mobile Phone	Temp.(°C):	22.6
Model Number:	P685L	Humidity (%RH):	55
Sample Number:	CC26010359-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH140 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Siyuan	Remark:	适配器: A01+数据线: A12



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.28	4.31	68.2	11.92	Peak	112.00	150	Vertical	Pass
2	5836.875	57.09	5.36	68.2	11.11	Peak	113.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-11_22.41.17

EUT Name: Mobile Phone

Temp.(°C): 22.6

Model Number: P685L

Humidity (%RH): 55

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac20 CH140 P=7


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Siyuan

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band3_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.36	4.31	68.2	5.84	Peak	29.00	150	Horizontal	Pass
2	5726.000	64.14	4.27	68.2	4.06	Peak	38.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-11_23.00.18

EUT Name: Mobile Phone

Temp.(°C): 22.6

Model Number: P685L

Humidity (%RH): 55

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac40 CH102 P=14

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Siyuan

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band3_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.48	3.78	68.2	13.72	Peak	39.34	150	Vertical	Pass
1**	5460.000	43.81	3.78	54.0	10.19	AV	39.34	150	Vertical	Pass
2	5469.400	58.50	4.08	68.2	9.70	Peak	26.00	150	Vertical	Pass
2**	5469.400	44.34	4.08	--	-44.34	AV	26.00	150	Vertical	N/A

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-11_22.59.04

EUT Name: Mobile Phone

Temp.(°C): 22.6

Model Number: P685L

Humidity (%RH): 55

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac40 CH102 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Siyuan

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band3_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.64	3.78	68.2	10.56	Peak	28.66	150	Horizontal	Pass
1**	5460.000	45.09	3.78	54.0	8.91	AV	28.66	150	Horizontal	Pass
2	5468.200	64.20	4.05	68.2	4.00	Peak	20.00	150	Horizontal	Pass
2**	5468.200	47.05	4.05	--	-47.05	AV	20.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26010339
Test Time: 2026-02-11_23.20.16

EUT Name:	Mobile Phone	Temp.(°C):	22.6
Model Number:	P685L	Humidity (%RH):	55
Sample Number:	CC26010359-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH134 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Siyuan	Remark:	适配器: A01+数据线: A12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.72	4.31	68.2	6.48	Peak	36.00	150	Vertical	Pass
2	5725.125	62.20	4.31	68.2	6.00	Peak	31.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339
Test Time: 2026-02-11_23.18.59

EUT Name:	Mobile Phone	Temp.(°C):	22.6
Model Number:	P685L	Humidity (%RH):	55
Sample Number:	CC26010359-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH134 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Siyuan	Remark:	适配器: A01+数据线: A12



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.42	4.31	68.2	5.78	Peak	21.00	150	Horizontal	Pass
2	5727.375	62.67	4.24	68.2	5.53	Peak	28.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-11_23.12.22

EUT Name: Mobile Phone

Temp.(°C): 22.6

Model Number: P685L

Humidity (%RH): 55

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac80 CH106 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Siyuan

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band3_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.60	3.78	68.2	13.60	Peak	29.00	150	Vertical	Pass
1**	5460.000	44.26	3.78	54.0	9.74	AV	29.00	150	Vertical	Pass
2	5467.480	58.72	4.03	68.2	9.48	Peak	34.00	150	Vertical	Pass
2**	5467.480	45.74	4.03	--	-45.74	AV	34.00	150	Vertical	N/A

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-11_23.10.39

EUT Name: Mobile Phone

Temp.(°C): 22.6

Model Number: P685L

Humidity (%RH): 55

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac80 CH106 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Siyuan

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band3_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.42	3.78	68.2	7.78	Peak	26.00	150	Horizontal	Pass
1**	5460.000	47.51	3.78	54.0	6.49	AV	26.00	150	Horizontal	Pass
2	5468.680	64.67	4.06	68.2	3.53	Peak	28.00	150	Horizontal	Pass
2**	5468.680	47.54	4.06	--	-47.54	AV	28.00	150	Horizontal	N/A
3	5442.520	57.99	3.78	74.0	16.01	Peak	31.00	150	Horizontal	Pass
3**	5442.520	49.40	3.78	54.0	4.60	AV	31.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339
Test Time: 2026-02-11_23.25.28

EUT Name:	Mobile Phone	Temp.(°C):	22.6
Model Number:	P685L	Humidity (%RH):	55
Sample Number:	CC26010359-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Siyuan	Remark:	适配器: A01+数据线: A12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.51	4.31	68.2	12.69	Peak	360.00	150	Vertical	Pass
2	5807.750	56.71	4.87	68.2	11.49	Peak	313.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339
Test Time: 2026-02-11_23.24.14

EUT Name:	Mobile Phone	Temp.(°C):	22.6
Model Number:	P685L	Humidity (%RH):	55
Sample Number:	CC26010359-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Siyuan	Remark:	适配器: A01+数据线: A12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.32	4.31	68.2	12.88	Peak	31.00	150	Horizontal	Pass
2	5728.750	58.26	4.20	68.2	9.94	Peak	31.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339
Test Time: 2026-02-10_14.58.34

EUT Name:	Mobile Phone	Temp.(°C):	23.2
Model Number:	P685L	Humidity (%RH):	52
Sample Number:	CC26010359-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A01+数据线: A12



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.32	3.81	68.2	12.88	Peak	352.99	150	Vertical	Pass
2	5644.375	56.96	3.77	68.2	11.24	Peak	297.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_14.56.33

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11a CH149 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.69	3.81	68.2	13.51	Peak	31.29	150	Horizontal	Pass
2	5647.375	55.90	3.79	68.2	12.30	Peak	90.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_15.02.06

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11a CH165 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.84	6.44	68.2	12.36	Peak	58.92	150	Vertical	Pass
2	5930.250	57.08	6.31	68.2	11.12	Peak	138.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_15.04.09

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11a CH165 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.01	6.44	68.2	12.19	Peak	47.27	150	Horizontal	Pass
2	5930.400	56.65	6.30	68.2	11.55	Peak	316.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_15.10.19

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac20 CH149 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.91	3.81	68.2	13.29	Peak	9.12	100	Vertical	Pass
2	5644.500	56.26	3.77	68.2	11.94	Peak	360.00	100	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_15.07.54

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac20 CH149 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.52	3.81	68.2	12.68	Peak	52.24	100	Horizontal	Pass
2	5646.625	55.80	3.78	68.2	12.40	Peak	181.00	100	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_15.14.41

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac20 CH165 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.14	6.44	68.2	13.06	Peak	48.98	150	Vertical	Pass
2	5925.300	57.31	6.44	68.2	10.89	Peak	42.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_15.16.48

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac20 CH165 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.68	6.44	68.2	12.52	Peak	296.70	150	Horizontal	Pass
2	5929.350	56.96	6.33	68.2	11.24	Peak	280.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_15.47.22

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac40 CH151 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.86	3.81	68.2	13.34	Peak	156.85	150	Vertical	Pass
2	5606.125	55.87	3.65	68.2	12.33	Peak	104.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_15.46.00

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac40 CH151 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.87	3.81	68.2	13.33	Peak	0.31	150	Horizontal	Pass
2	5613.250	55.75	3.60	68.2	12.45	Peak	182.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_15.50.04

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac40 CH159 P=16

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.36	6.44	68.2	12.84	Peak	9.19	150	Vertical	Pass
2	5967.450	58.21	6.28	68.2	9.99	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_15.52.50

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac40 CH159 P=16

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.51	6.44	68.2	12.69	Peak	291.90	150	Horizontal	Pass
2	5971.500	57.64	6.29	68.2	10.56	Peak	5.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_16.10.59

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac80 CH155 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.64	3.81	68.2	13.56	Peak	233.76	150	Vertical	Pass
2	5613.500	55.92	3.60	68.2	12.28	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010339

Test Time: 2026-02-10_16.12.31

EUT Name: Mobile Phone

Temp.(°C): 23.2

Model Number: P685L

Humidity (%RH): 52

Sample Number: CC26010359-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac80 CH155 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A01+数据线: A12

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.32	3.81	68.2	11.88	Peak	13.00	150	Horizontal	Pass
2	5643.125	58.51	3.75	68.2	9.69	Peak	16.00	150	Horizontal	Pass