












Mode	28																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.12</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>39.79</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>173</td><td>270</td><td>PEAK</td></tr><tr><td>2</td><td>5462.00</td><td>47.42</td><td>68.20</td><td>-20.78</td><td>39.41</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>173</td><td>270</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	47.80	74.00	-26.20	39.79	34.34	10.97	37.30	0.00	173	270	PEAK	2	5462.00	47.42	68.20	-20.78	39.41	34.34	10.97	37.30	0.00	173	270	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>94.05</td><td>-----</td><td>-----</td><td>85.88</td><td>34.37</td><td>11.07</td><td>37.27</td><td>0.00</td><td>173</td><td>270</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.05	-----	-----	85.88	34.37	11.07	37.27	0.00	173	270
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5459.12	47.80	74.00	-26.20	39.79	34.34	10.97	37.30	0.00	173	270	PEAK																																																																																																								
2	5462.00	47.42	68.20	-20.78	39.41	34.34	10.97	37.30	0.00	173	270	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5530.00	94.05	-----	-----	85.88	34.37	11.07	37.27	0.00	173	270	PEAK																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.84</td><td>39.49</td><td>54.00</td><td>-14.51</td><td>31.50</td><td>34.37</td><td>10.93</td><td>37.31</td><td>0.00</td><td>173</td><td>270</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.84	39.49	54.00	-14.51	31.50	34.37	10.93	37.31	0.00	173	270	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>85.12</td><td>-----</td><td>-----</td><td>76.95</td><td>34.37</td><td>11.07</td><td>37.27</td><td>0.00</td><td>173</td><td>270</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	85.12	-----	-----	76.95	34.37	11.07	37.27	0.00	173	270	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5433.84	39.49	54.00	-14.51	31.50	34.37	10.93	37.31	0.00	173	270	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5530.00	85.12	-----	-----	76.95	34.37	11.07	37.27	0.00	173	270	AVERAGE																																																																																																								




Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.28</td><td>49.24</td><td>68.20</td><td>-18.96</td><td>41.02</td><td>34.46</td><td>11.34</td><td>37.58</td><td>0.00</td><td>173</td><td>270</td><td>PEAK</td></tr></table></div>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.28	49.24	68.20	-18.96	41.02	34.46	11.34	37.58	0.00	173	270	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5732.28	49.24	68.20	-18.96	41.02	34.46	11.34	37.58	0.00	173	270	PEAK																																												





Mode	28																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.60</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>39.75</td><td>34.35</td><td>10.96</td><td>37.30</td><td>0.00</td><td>155</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5465.36</td><td>48.92</td><td>68.20</td><td>-19.28</td><td>40.92</td><td>34.33</td><td>10.97</td><td>37.30</td><td>0.00</td><td>155</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.60	47.76	74.00	-26.24	39.75	34.35	10.96	37.30	0.00	155	360	PEAK	2	5465.36	48.92	68.20	-19.28	40.92	34.33	10.97	37.30	0.00	155	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>95.36</td><td>-----</td><td>-----</td><td>87.19</td><td>34.37</td><td>11.07</td><td>37.27</td><td>0.00</td><td>155</td><td>360</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	95.36	-----	-----	87.19	34.37	11.07	37.27	0.00	155	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5451.60	47.76	74.00	-26.24	39.75	34.35	10.96	37.30	0.00	155	360	PEAK																																																																																																								
2	5465.36	48.92	68.20	-19.28	40.92	34.33	10.97	37.30	0.00	155	360	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5530.00	95.36	-----	-----	87.19	34.37	11.07	37.27	0.00	155	360	PEAK																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5434.00</td><td>40.95</td><td>54.00</td><td>-13.05</td><td>32.96</td><td>34.37</td><td>10.93</td><td>37.31</td><td>0.00</td><td>155</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.00	40.95	54.00	-13.05	32.96	34.37	10.93	37.31	0.00	155	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>86.25</td><td>-----</td><td>-----</td><td>78.00</td><td>34.37</td><td>11.07</td><td>37.27</td><td>0.00</td><td>155</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	86.25	-----	-----	78.00	34.37	11.07	37.27	0.00	155	360	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5434.00	40.95	54.00	-13.05	32.96	34.37	10.93	37.31	0.00	155	360	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5530.00	86.25	-----	-----	78.00	34.37	11.07	37.27	0.00	155	360	AVERAGE																																																																																																								







Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5756.12</td><td>48.62</td><td>68.20</td><td>-19.58</td><td>40.33</td><td>34.58</td><td>11.38</td><td>37.67</td><td>0.00</td><td>155</td><td>360</td><td>PEAK</td></tr></table></div>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5756.12	48.62	68.20	-19.58	40.33	34.58	11.38	37.67	0.00	155	360	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5756.12	48.62	68.20	-19.58	40.33	34.58	11.38	37.67	0.00	155	360	PEAK																																												




Mode	28																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7371.49</td><td>41.67</td><td>74.00</td><td>-32.33</td><td>60.88</td><td>35.53</td><td>12.86</td><td>67.60</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>42.83</td><td>74.00</td><td>-31.17</td><td>55.97</td><td>37.85</td><td>15.80</td><td>66.79</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7371.49	41.67	74.00	-32.33	60.88	35.53	12.86	67.60	0.00	---	PEAK	2	11060.00	42.83	74.00	-31.17	55.97	37.85	15.80	66.79	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7371.49</td><td>42.60</td><td>74.00</td><td>-31.40</td><td>61.81</td><td>35.53</td><td>12.86</td><td>67.60</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>42.87</td><td>74.00</td><td>-31.13</td><td>56.01</td><td>37.85</td><td>15.80</td><td>66.79</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7371.49	42.60	74.00	-31.40	61.81	35.53	12.86	67.60	0.00	---	PEAK	2	11060.00	42.87	74.00	-31.13	56.01	37.85	15.80	66.79	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	7371.49	41.67	74.00	-32.33	60.88	35.53	12.86	67.60	0.00	---	PEAK																																																																																																																		
2	11060.00	42.83	74.00	-31.17	55.97	37.85	15.80	66.79	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	7371.49	42.60	74.00	-31.40	61.81	35.53	12.86	67.60	0.00	---	PEAK																																																																																																																		
2	11060.00	42.87	74.00	-31.13	56.01	37.85	15.80	66.79	0.00	---	PEAK																																																																																																																		







Mode	29																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.40</td><td>48.57</td><td>74.00</td><td>-25.43</td><td>40.57</td><td>34.34</td><td>10.96</td><td>37.30</td><td>0.00</td><td>295 184 PEAK</td></tr><tr><td>2</td><td>5460.24</td><td>46.79</td><td>68.20</td><td>-21.41</td><td>38.78</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>295 184 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	48.57	74.00	-25.43	40.57	34.34	10.96	37.30	0.00	295 184 PEAK	2	5460.24	46.79	68.20	-21.41	38.78	34.34	10.97	37.30	0.00	295 184 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>91.63</td><td>-----</td><td>-----</td><td>83.22</td><td>34.50</td><td>11.15</td><td>37.24</td><td>0.00</td><td>295 184 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	91.63	-----	-----	83.22	34.50	11.15	37.24	0.00	295 184 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5456.40	48.57	74.00	-25.43	40.57	34.34	10.96	37.30	0.00	295 184 PEAK																																																																																																				
2	5460.24	46.79	68.20	-21.41	38.78	34.34	10.97	37.30	0.00	295 184 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	91.63	-----	-----	83.22	34.50	11.15	37.24	0.00	295 184 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.08</td><td>37.31</td><td>54.00</td><td>-16.69</td><td>29.31</td><td>34.35</td><td>10.95</td><td>37.30</td><td>0.00</td><td>295 184 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.08	37.31	54.00	-16.69	29.31	34.35	10.95	37.30	0.00	295 184 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>83.30</td><td>-----</td><td>-----</td><td>74.89</td><td>34.50</td><td>11.15</td><td>37.24</td><td>0.00</td><td>295 184 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	83.30	-----	-----	74.89	34.50	11.15	37.24	0.00	295 184 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5448.08	37.31	54.00	-16.69	29.31	34.35	10.95	37.30	0.00	295 184 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	83.30	-----	-----	74.89	34.50	11.15	37.24	0.00	295 184 AVERAGE																																																																																																				




Mode	29																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<div><table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.64</td><td>48.65</td><td>68.20</td><td>-19.55</td><td>40.42</td><td>34.47</td><td>11.34</td><td>37.58</td><td>0.00</td><td>295 184 PEAK</td></tr></table></div>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.64	48.65	68.20	-19.55	40.42	34.47	11.34	37.58	0.00	295 184 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5733.64	48.65	68.20	-19.55	40.42	34.47	11.34	37.58	0.00	295 184 PEAK																																													






Mode	29																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5420.88</td><td>48.07</td><td>74.00</td><td>-25.93</td><td>40.09</td><td>34.38</td><td>10.92</td><td>37.32</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>5460.24</td><td>47.83</td><td>68.20</td><td>-20.37</td><td>39.82</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5420.88	48.07	74.00	-25.93	40.09	34.38	10.92	37.32	0.00	100	333	PEAK	2	5460.24	47.83	68.20	-20.37	39.82	34.34	10.97	37.30	0.00	100	333	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>94.75</td><td>-----</td><td>-----</td><td>86.34</td><td>34.47</td><td>11.17</td><td>37.23</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.75	-----	-----	86.34	34.47	11.17	37.23	0.00	100	333	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5420.88	48.07	74.00	-25.93	40.09	34.38	10.92	37.32	0.00	100	333	PEAK																																																																																																									
2	5460.24	47.83	68.20	-20.37	39.82	34.34	10.97	37.30	0.00	100	333	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5610.00	94.75	-----	-----	86.34	34.47	11.17	37.23	0.00	100	333	PEAK																																																																																																									
Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.40</td><td>37.50</td><td>54.00</td><td>-16.50</td><td>29.50</td><td>34.34</td><td>10.96</td><td>37.30</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	37.50	54.00	-16.50	29.50	34.34	10.96	37.30	0.00	100	333	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>86.60</td><td>-----</td><td>-----</td><td>78.19</td><td>34.47</td><td>11.17</td><td>37.23</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	86.60	-----	-----	78.19	34.47	11.17	37.23	0.00	100	333	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5456.40	37.50	54.00	-16.50	29.50	34.34	10.96	37.30	0.00	100	333	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5610.00	86.60	-----	-----	78.19	34.47	11.17	37.23	0.00	100	333	AVERAGE																																																																																																									





Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.84</td><td>48.46</td><td>68.20</td><td>-19.74</td><td>40.24</td><td>34.45</td><td>11.34</td><td>37.57</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></table></div>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.84	48.46	68.20	-19.74	40.24	34.45	11.34	37.57	0.00	100	333	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5738.84	48.46	68.20	-19.74	40.24	34.45	11.34	37.57	0.00	100	333	PEAK																																												







Mode	29																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7478.13</td><td>41.98</td><td>74.00</td><td>-32.02</td><td>61.12</td><td>35.58</td><td>12.96</td><td>67.68</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11228.00</td><td>42.64</td><td>74.00</td><td>-31.36</td><td>55.48</td><td>38.00</td><td>15.92</td><td>66.76</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7478.13	41.98	74.00	-32.02	61.12	35.58	12.96	67.68	0.00	---	PEAK	2	11228.00	42.64	74.00	-31.36	55.48	38.00	15.92	66.76	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7478.13</td><td>44.36</td><td>74.00</td><td>-29.64</td><td>63.50</td><td>35.58</td><td>12.96</td><td>67.68</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11228.00</td><td>41.87</td><td>74.00</td><td>-32.13</td><td>54.71</td><td>38.00</td><td>15.92</td><td>66.76</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7478.13	44.36	74.00	-29.64	63.50	35.58	12.96	67.68	0.00	---	PEAK	2	11228.00	41.87	74.00	-32.13	54.71	38.00	15.92	66.76	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	7478.13	41.98	74.00	-32.02	61.12	35.58	12.96	67.68	0.00	---	PEAK																																																																																																																		
2	11228.00	42.64	74.00	-31.36	55.48	38.00	15.92	66.76	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	7478.13	44.36	74.00	-29.64	63.50	35.58	12.96	67.68	0.00	---	PEAK																																																																																																																		
2	11228.00	41.87	74.00	-32.13	54.71	38.00	15.92	66.76	0.00	---	PEAK																																																																																																																		








Mode	1																																																																																																											
	30-1G																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.49</td><td>19.53</td><td>40.00</td><td>-20.47</td><td>26.00</td><td>24.91</td><td>0.83</td><td>32.21</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>132.82</td><td>15.78</td><td>43.50</td><td>-27.72</td><td>28.57</td><td>17.52</td><td>1.75</td><td>32.06</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>259.16</td><td>17.78</td><td>46.00</td><td>-28.22</td><td>27.53</td><td>19.69</td><td>2.47</td><td>31.91</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>639.65</td><td>25.32</td><td>46.00</td><td>-20.68</td><td>27.30</td><td>26.28</td><td>3.87</td><td>32.13</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>855.96</td><td>30.27</td><td>46.00</td><td>-15.73</td><td>27.59</td><td>29.71</td><td>4.44</td><td>31.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>988.36</td><td>31.35</td><td>54.00</td><td>-22.65</td><td>26.21</td><td>30.58</td><td>4.78</td><td>30.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.49	19.53	40.00	-20.47	26.00	24.91	0.83	32.21	---	---	Peak	2	132.82	15.78	43.50	-27.72	28.57	17.52	1.75	32.06	---	---	Peak	3	259.16	17.78	46.00	-28.22	27.53	19.69	2.47	31.91	---	---	Peak	4	639.65	25.32	46.00	-20.68	27.30	26.28	3.87	32.13	---	---	Peak	5	855.96	30.27	46.00	-15.73	27.59	29.71	4.44	31.47	---	---	Peak	6	988.36	31.35	54.00	-22.65	26.21	30.58	4.78	30.22	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	30.49	19.53	40.00	-20.47	26.00	24.91	0.83	32.21	---	---	Peak																																																																																																	
2	132.82	15.78	43.50	-27.72	28.57	17.52	1.75	32.06	---	---	Peak																																																																																																	
3	259.16	17.78	46.00	-28.22	27.53	19.69	2.47	31.91	---	---	Peak																																																																																																	
4	639.65	25.32	46.00	-20.68	27.30	26.28	3.87	32.13	---	---	Peak																																																																																																	
5	855.96	30.27	46.00	-15.73	27.59	29.71	4.44	31.47	---	---	Peak																																																																																																	
6	988.36	31.35	54.00	-22.65	26.21	30.58	4.78	30.22	---	---	Peak																																																																																																	
Peak																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.73</td><td>19.95</td><td>40.00</td><td>-20.05</td><td>26.53</td><td>24.79</td><td>0.84</td><td>32.21</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>96.69</td><td>15.05</td><td>43.50</td><td>-28.45</td><td>30.08</td><td>15.49</td><td>1.51</td><td>32.03</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>255.77</td><td>17.32</td><td>46.00</td><td>-28.68</td><td>27.53</td><td>19.22</td><td>2.45</td><td>31.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>563.26</td><td>24.53</td><td>46.00</td><td>-21.47</td><td>27.29</td><td>25.96</td><td>3.61</td><td>32.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>875.11</td><td>29.46</td><td>46.00</td><td>-16.54</td><td>27.25</td><td>29.17</td><td>4.49</td><td>31.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>979.63</td><td>31.76</td><td>54.00</td><td>-22.24</td><td>26.53</td><td>30.81</td><td>4.76</td><td>30.34</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.73	19.95	40.00	-20.05	26.53	24.79	0.84	32.21	---	---	Peak	2	96.69	15.05	43.50	-28.45	30.08	15.49	1.51	32.03	---	---	Peak	3	255.77	17.32	46.00	-28.68	27.53	19.22	2.45	31.88	---	---	Peak	4	563.26	24.53	46.00	-21.47	27.29	25.96	3.61	32.33	---	---	Peak	5	875.11	29.46	46.00	-16.54	27.25	29.17	4.49	31.45	---	---	Peak	6	979.63	31.76	54.00	-22.24	26.53	30.81	4.76	30.34	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	30.73	19.95	40.00	-20.05	26.53	24.79	0.84	32.21	---	---	Peak																																																																																																	
2	96.69	15.05	43.50	-28.45	30.08	15.49	1.51	32.03	---	---	Peak																																																																																																	
3	255.77	17.32	46.00	-28.68	27.53	19.22	2.45	31.88	---	---	Peak																																																																																																	
4	563.26	24.53	46.00	-21.47	27.29	25.96	3.61	32.33	---	---	Peak																																																																																																	
5	875.11	29.46	46.00	-16.54	27.25	29.17	4.49	31.45	---	---	Peak																																																																																																	
6	979.63	31.76	54.00	-22.24	26.53	30.81	4.76	30.34	---	---	Peak																																																																																																	





Mode	30																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.80</td><td>50.40</td><td>68.20</td><td>-17.80</td><td>42.02</td><td>34.41</td><td>11.22</td><td>37.25</td><td>0.00</td><td>145</td><td>268</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>47.51</td><td>68.80</td><td>-21.29</td><td>39.15</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>145</td><td>268</td><td>PEAK</td></tr><tr><td>3</td><td>5705.60</td><td>52.25</td><td>106.87</td><td>-54.62</td><td>44.09</td><td>34.33</td><td>11.30</td><td>37.47</td><td>0.00</td><td>145</td><td>268</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.10</td><td>110.90</td><td>-58.80</td><td>43.91</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>145</td><td>268</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.80	50.40	68.20	-17.80	42.02	34.41	11.22	37.25	0.00	145	268	PEAK	2	5650.80	47.51	68.80	-21.29	39.15	34.40	11.22	37.26	0.00	145	268	PEAK	3	5705.60	52.25	106.87	-54.62	44.09	34.33	11.30	37.47	0.00	145	268	PEAK	4	5720.00	52.10	110.90	-58.80	43.91	34.40	11.32	37.53	0.00	145	268	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.83</td><td>-----</td><td>-----</td><td>95.59</td><td>34.50</td><td>11.35</td><td>37.61</td><td>0.00</td><td>145</td><td>268</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.83	-----	-----	95.59	34.50	11.35	37.61	0.00	145	268	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5646.80	50.40	68.20	-17.80	42.02	34.41	11.22	37.25	0.00	145	268	PEAK																																																																																																																																			
2	5650.80	47.51	68.80	-21.29	39.15	34.40	11.22	37.26	0.00	145	268	PEAK																																																																																																																																			
3	5705.60	52.25	106.87	-54.62	44.09	34.33	11.30	37.47	0.00	145	268	PEAK																																																																																																																																			
4	5720.00	52.10	110.90	-58.80	43.91	34.40	11.32	37.53	0.00	145	268	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5745.00	103.83	-----	-----	95.59	34.50	11.35	37.61	0.00	145	268	PEAK																																																																																																																																			
Avg																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.52</td><td>-----</td><td>-----</td><td>87.26</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>145</td><td>268</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	95.52	-----	-----	87.26	34.53	11.36	37.63	0.00	145	268	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.52</td><td>-----</td><td>-----</td><td>87.26</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>145</td><td>268</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	95.52	-----	-----	87.26	34.53	11.36	37.63	0.00	145	268	AVERAGE																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5745.00	95.52	-----	-----	87.26	34.53	11.36	37.63	0.00	145	268	AVERAGE																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5745.00	95.52	-----	-----	87.26	34.53	11.36	37.63	0.00	145	268	AVERAGE																																																																																																																																			





Mode	30																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.00</td><td>53.61</td><td>68.20</td><td>-14.59</td><td>45.20</td><td>34.43</td><td>11.20</td><td>37.22</td><td>0.00</td><td>149 350 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>48.35</td><td>69.09</td><td>-20.74</td><td>39.99</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>149 350 PEAK</td></tr><tr><td>3</td><td>5708.00</td><td>54.09</td><td>107.54</td><td>-53.45</td><td>45.93</td><td>34.34</td><td>11.30</td><td>37.48</td><td>0.00</td><td>149 350 PEAK</td></tr><tr><td>4</td><td>5724.40</td><td>68.32</td><td>120.93</td><td>-52.61</td><td>60.12</td><td>34.42</td><td>11.33</td><td>37.55</td><td>0.00</td><td>149 350 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.00	53.61	68.20	-14.59	45.20	34.43	11.20	37.22	0.00	149 350 PEAK	2	5651.20	48.35	69.09	-20.74	39.99	34.40	11.22	37.26	0.00	149 350 PEAK	3	5708.00	54.09	107.54	-53.45	45.93	34.34	11.30	37.48	0.00	149 350 PEAK	4	5724.40	68.32	120.93	-52.61	60.12	34.42	11.33	37.55	0.00	149 350 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.07</td><td>-----</td><td>-----</td><td>98.81</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>149 350 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.07	-----	-----	98.81	34.53	11.36	37.63	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5634.00	53.61	68.20	-14.59	45.20	34.43	11.20	37.22	0.00	149 350 PEAK																																																																																																																									
2	5651.20	48.35	69.09	-20.74	39.99	34.40	11.22	37.26	0.00	149 350 PEAK																																																																																																																									
3	5708.00	54.09	107.54	-53.45	45.93	34.34	11.30	37.48	0.00	149 350 PEAK																																																																																																																									
4	5724.40	68.32	120.93	-52.61	60.12	34.42	11.33	37.55	0.00	149 350 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5745.00	107.07	-----	-----	98.81	34.53	11.36	37.63	0.00	149 350 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.74</td><td>-----</td><td>-----</td><td>89.48</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>149 350 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.74	-----	-----	89.48	34.53	11.36	37.63	0.00	149 350 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5745.00	97.74	-----	-----	89.48	34.53	11.36	37.63	0.00	149 350 AVERAGE																																																																																																																									






Mode	30																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7658.09</td><td>43.15</td><td>74.00</td><td>-30.85</td><td>62.10</td><td>35.70</td><td>13.11</td><td>67.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>42.45</td><td>74.00</td><td>-31.55</td><td>54.79</td><td>38.24</td><td>16.12</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7658.09	43.15	74.00	-30.85	62.10	35.70	13.11	67.76	0.00	---	---	PEAK	2	11490.00	42.45	74.00	-31.55	54.79	38.24	16.12	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7658.09</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>64.61</td><td>35.70</td><td>13.11</td><td>67.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>42.56</td><td>74.00</td><td>-31.44</td><td>54.90</td><td>38.24</td><td>16.12</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7658.09	45.66	74.00	-28.34	64.61	35.70	13.11	67.76	0.00	---	---	PEAK	2	11490.00	42.56	74.00	-31.44	54.90	38.24	16.12	66.70	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7658.09	43.15	74.00	-30.85	62.10	35.70	13.11	67.76	0.00	---	---	PEAK																																																																																																																							
2	11490.00	42.45	74.00	-31.55	54.79	38.24	16.12	66.70	0.00	---	---	PEAK																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7658.09	45.66	74.00	-28.34	64.61	35.70	13.11	67.76	0.00	---	---	PEAK																																																																																																																							
2	11490.00	42.56	74.00	-31.44	54.90	38.24	16.12	66.70	0.00	---	---	PEAK																																																																																																																							






Mode	31																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7711.41</td><td>44.33</td><td>74.00</td><td>-29.67</td><td>63.25</td><td>35.70</td><td>13.16</td><td>67.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>55.85</td><td>38.31</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7711.41	44.33	74.00	-29.67	63.25	35.70	13.16	67.78	0.00	---	---	PEAK	2	11570.00	43.77	74.00	-30.23	55.85	38.31	16.18	66.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7711.41</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>65.63</td><td>35.70</td><td>13.16</td><td>67.78</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7711.41</td><td>41.83</td><td>54.00</td><td>-12.17</td><td>60.75</td><td>35.70</td><td>13.16</td><td>67.78</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>55.48</td><td>38.31</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7711.41	46.71	74.00	-27.29	65.63	35.70	13.16	67.78	0.00	100	360	PEAK	2	7711.41	41.83	54.00	-12.17	60.75	35.70	13.16	67.78	0.00	100	360	AVERAGE	3	11570.00	43.40	74.00	-30.60	55.48	38.31	16.18	66.57	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	7711.41	44.33	74.00	-29.67	63.25	35.70	13.16	67.78	0.00	---	---	PEAK																																																																																																																															
2	11570.00	43.77	74.00	-30.23	55.85	38.31	16.18	66.57	0.00	---	---	PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	7711.41	46.71	74.00	-27.29	65.63	35.70	13.16	67.78	0.00	100	360	PEAK																																																																																																																															
2	7711.41	41.83	54.00	-12.17	60.75	35.70	13.16	67.78	0.00	100	360	AVERAGE																																																																																																																															
3	11570.00	43.40	74.00	-30.60	55.48	38.31	16.18	66.57	0.00	---	---	PEAK																																																																																																																															





Mode	32																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>49.16</td><td>112.27</td><td>-63.11</td><td>40.58</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>146</td><td>268 PEAK</td></tr><tr><td>2 5857.20</td><td>56.20</td><td>110.28</td><td>-54.08</td><td>47.60</td><td>34.86</td><td>11.50</td><td>37.76</td><td>0.00</td><td>146</td><td>268 PEAK</td></tr><tr><td>3 5924.00</td><td>47.54</td><td>68.94</td><td>-21.40</td><td>38.68</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>146</td><td>268 PEAK</td></tr><tr><td>4 5931.20</td><td>49.51</td><td>68.20</td><td>-18.69</td><td>40.62</td><td>34.99</td><td>11.55</td><td>37.65</td><td>0.00</td><td>146</td><td>268 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	49.16	112.27	-63.11	40.58	34.85	11.49	37.76	0.00	146	268 PEAK	2 5857.20	56.20	110.28	-54.08	47.60	34.86	11.50	37.76	0.00	146	268 PEAK	3 5924.00	47.54	68.94	-21.40	38.68	34.97	11.55	37.66	0.00	146	268 PEAK	4 5931.20	49.51	68.20	-18.69	40.62	34.99	11.55	37.65	0.00	146	268 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.11</td><td>-----</td><td>-----</td><td>95.63</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>146</td><td>268 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	104.11	-----	-----	95.63	34.82	11.47	37.81	0.00	146
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5854.40	49.16	112.27	-63.11	40.58	34.85	11.49	37.76	0.00	146	268 PEAK																																																																																																																								
2 5857.20	56.20	110.28	-54.08	47.60	34.86	11.50	37.76	0.00	146	268 PEAK																																																																																																																								
3 5924.00	47.54	68.94	-21.40	38.68	34.97	11.55	37.66	0.00	146	268 PEAK																																																																																																																								
4 5931.20	49.51	68.20	-18.69	40.62	34.99	11.55	37.65	0.00	146	268 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	104.11	-----	-----	95.63	34.82	11.47	37.81	0.00	146	268 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>95.82</td><td>-----</td><td>-----</td><td>87.34</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>146</td><td>268 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	95.82	-----	-----	87.34	34.82	11.47	37.81	0.00	146	268 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	95.82	-----	-----	87.34	34.82	11.47	37.81	0.00	146	268 AVERAGE																																																																																																																								






Mode	32																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>53.13</td><td>112.27</td><td>-59.14</td><td>44.55</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>157 336 PEAK</td></tr><tr><td>2</td><td>5857.20</td><td>60.95</td><td>110.28</td><td>-49.33</td><td>52.35</td><td>34.86</td><td>11.50</td><td>37.76</td><td>0.00</td><td>157 336 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>47.52</td><td>68.35</td><td>-20.83</td><td>38.66</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>157 336 PEAK</td></tr><tr><td>4</td><td>5989.60</td><td>49.50</td><td>68.20</td><td>-18.70</td><td>40.30</td><td>35.17</td><td>11.60</td><td>37.57</td><td>0.00</td><td>157 336 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	53.13	112.27	-59.14	44.55	34.85	11.49	37.76	0.00	157 336 PEAK	2	5857.20	60.95	110.28	-49.33	52.35	34.86	11.50	37.76	0.00	157 336 PEAK	3	5924.80	47.52	68.35	-20.83	38.66	34.97	11.55	37.66	0.00	157 336 PEAK	4	5989.60	49.50	68.20	-18.70	40.30	35.17	11.60	37.57	0.00	157 336 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.70</td><td>-----</td><td>-----</td><td>98.22</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>157 336 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.70	-----	-----	98.22	34.82	11.47	37.81	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5854.40	53.13	112.27	-59.14	44.55	34.85	11.49	37.76	0.00	157 336 PEAK																																																																																																																										
2	5857.20	60.95	110.28	-49.33	52.35	34.86	11.50	37.76	0.00	157 336 PEAK																																																																																																																										
3	5924.80	47.52	68.35	-20.83	38.66	34.97	11.55	37.66	0.00	157 336 PEAK																																																																																																																										
4	5989.60	49.50	68.20	-18.70	40.30	35.17	11.60	37.57	0.00	157 336 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	106.70	-----	-----	98.22	34.82	11.47	37.81	0.00	157 336 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.97</td><td>-----</td><td>-----</td><td>90.49</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>157 336 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.97	-----	-----	90.49	34.82	11.47	37.81	0.00	157 336 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	98.97	-----	-----	90.49	34.82	11.47	37.81	0.00	157 336 AVERAGE																																																																																																																										





Mode	32																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7764.73</td><td>44.38</td><td>68.20</td><td>-23.82</td><td>63.28</td><td>35.70</td><td>13.21</td><td>67.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>55.61</td><td>38.38</td><td>16.23</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7764.73	44.38	68.20	-23.82	63.28	35.70	13.21	67.81	0.00	---	---	PEAK	2	11650.00	43.79	74.00	-30.21	55.61	38.38	16.23	66.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7764.73</td><td>47.87</td><td>68.20</td><td>-20.33</td><td>66.77</td><td>35.70</td><td>13.21</td><td>67.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>55.22</td><td>38.38</td><td>16.23</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7764.73	47.87	68.20	-20.33	66.77	35.70	13.21	67.81	0.00	---	---	PEAK	2	11650.00	43.40	74.00	-30.60	55.22	38.38	16.23	66.43	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7764.73	44.38	68.20	-23.82	63.28	35.70	13.21	67.81	0.00	---	---	PEAK																																																																																																																								
2	11650.00	43.79	74.00	-30.21	55.61	38.38	16.23	66.43	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7764.73	47.87	68.20	-20.33	66.77	35.70	13.21	67.81	0.00	---	---	PEAK																																																																																																																								
2	11650.00	43.40	74.00	-30.60	55.22	38.38	16.23	66.43	0.00	---	---	PEAK																																																																																																																								





Mode	33																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.20</td><td>47.94</td><td>68.20</td><td>-20.26</td><td>39.53</td><td>34.43</td><td>11.20</td><td>37.22</td><td>0.00</td><td>150</td><td>264</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.41</td><td>68.00</td><td>-22.39</td><td>38.05</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>150</td><td>264</td><td>PEAK</td></tr><tr><td>3</td><td>5704.40</td><td>50.92</td><td>106.53</td><td>-55.61</td><td>42.77</td><td>34.32</td><td>11.30</td><td>37.47</td><td>0.00</td><td>150</td><td>264</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>49.98</td><td>110.90</td><td>-60.92</td><td>41.79</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>150</td><td>264</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.20	47.94	68.20	-20.26	39.53	34.43	11.20	37.22	0.00	150	264	PEAK	2	5650.00	46.41	68.00	-22.39	38.05	34.40	11.22	37.26	0.00	150	264	PEAK	3	5704.40	50.92	106.53	-55.61	42.77	34.32	11.30	37.47	0.00	150	264	PEAK	4	5720.00	49.98	110.90	-60.92	41.79	34.40	11.32	37.53	0.00	150	264	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.23</td><td>-----</td><td>-----</td><td>93.99</td><td>34.50</td><td>11.35</td><td>37.61</td><td>0.00</td><td>150</td><td>264</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.23	-----	-----	93.99	34.50	11.35	37.61	0.00	150	264
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5635.20	47.94	68.20	-20.26	39.53	34.43	11.20	37.22	0.00	150	264	PEAK																																																																																																																																			
2	5650.00	46.41	68.00	-22.39	38.05	34.40	11.22	37.26	0.00	150	264	PEAK																																																																																																																																			
3	5704.40	50.92	106.53	-55.61	42.77	34.32	11.30	37.47	0.00	150	264	PEAK																																																																																																																																			
4	5720.00	49.98	110.90	-60.92	41.79	34.40	11.32	37.53	0.00	150	264	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	102.23	-----	-----	93.99	34.50	11.35	37.61	0.00	150	264	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>92.92</td><td>-----</td><td>-----</td><td>84.66</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>150</td><td>264</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	92.92	-----	-----	84.66	34.53	11.36	37.63	0.00	150	264	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	92.92	-----	-----	84.66	34.53	11.36	37.63	0.00	150	264	AVERAGE																																																																																																																																			





Mode	33																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.80</td><td>50.55</td><td>68.20</td><td>-17.65</td><td>42.18</td><td>34.40</td><td>11.22</td><td>37.25</td><td>0.00</td><td>139 329 PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>47.32</td><td>69.99</td><td>-22.67</td><td>38.97</td><td>34.40</td><td>11.22</td><td>37.27</td><td>0.00</td><td>139 329 PEAK</td></tr><tr><td>3</td><td>5705.20</td><td>54.14</td><td>106.76</td><td>-52.62</td><td>45.98</td><td>34.33</td><td>11.30</td><td>37.47</td><td>0.00</td><td>139 329 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>55.58</td><td>113.64</td><td>-58.06</td><td>47.38</td><td>34.41</td><td>11.32</td><td>37.53</td><td>0.00</td><td>139 329 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.80	50.55	68.20	-17.65	42.18	34.40	11.22	37.25	0.00	139 329 PEAK	2	5652.40	47.32	69.99	-22.67	38.97	34.40	11.22	37.27	0.00	139 329 PEAK	3	5705.20	54.14	106.76	-52.62	45.98	34.33	11.30	37.47	0.00	139 329 PEAK	4	5721.20	55.58	113.64	-58.06	47.38	34.41	11.32	37.53	0.00	139 329 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5648.80	50.55	68.20	-17.65	42.18	34.40	11.22	37.25	0.00	139 329 PEAK																																																																														
2	5652.40	47.32	69.99	-22.67	38.97	34.40	11.22	37.27	0.00	139 329 PEAK																																																																														
3	5705.20	54.14	106.76	-52.62	45.98	34.33	11.30	37.47	0.00	139 329 PEAK																																																																														
4	5721.20	55.58	113.64	-58.06	47.38	34.41	11.32	37.53	0.00	139 329 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>96.65</td><td>-----</td><td>-----</td><td>88.39</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>139 329 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.65	-----	-----	88.39	34.53	11.36	37.63	0.00	139 329 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5745.00	96.65	-----	-----	88.39	34.53	11.36	37.63	0.00	139 329 AVERAGE																																																																														






Mode	33																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7658.09</td><td>43.89</td><td>74.00</td><td>-30.11</td><td>62.84</td><td>35.70</td><td>13.11</td><td>67.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>41.84</td><td>74.00</td><td>-32.16</td><td>54.18</td><td>38.24</td><td>16.12</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7658.09	43.89	74.00	-30.11	62.84	35.70	13.11	67.76	0.00	---	---	PEAK	2	11490.00	41.84	74.00	-32.16	54.18	38.24	16.12	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7658.09</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>63.90</td><td>35.70</td><td>13.11</td><td>67.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>42.09</td><td>74.00</td><td>-31.91</td><td>54.43</td><td>38.24</td><td>16.12</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7658.09	44.95	74.00	-29.05	63.90	35.70	13.11	67.76	0.00	---	---	PEAK	2	11490.00	42.09	74.00	-31.91	54.43	38.24	16.12	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7658.09	43.89	74.00	-30.11	62.84	35.70	13.11	67.76	0.00	---	---	PEAK																																																																																																																							
2	11490.00	41.84	74.00	-32.16	54.18	38.24	16.12	66.70	0.00	---	---	PEAK																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																								
1	7658.09	44.95	74.00	-29.05	63.90	35.70	13.11	67.76	0.00	---	---	PEAK																																																																																																																							
2	11490.00	42.09	74.00	-31.91	54.43	38.24	16.12	66.70	0.00	---	---	PEAK																																																																																																																							






Mode	34																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7711.41</td><td>44.25</td><td>74.00</td><td>-29.75</td><td>63.17</td><td>35.70</td><td>13.16</td><td>67.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.35</td><td>74.00</td><td>-30.65</td><td>55.43</td><td>38.31</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7711.41	44.25	74.00	-29.75	63.17	35.70	13.16	67.78	0.00	---	---	PEAK	2	11570.00	43.35	74.00	-30.65	55.43	38.31	16.18	66.57	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7711.41</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>65.97</td><td>35.70</td><td>13.16</td><td>67.78</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7711.41</td><td>41.04</td><td>54.00</td><td>-12.96</td><td>59.96</td><td>35.70</td><td>13.16</td><td>67.78</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>43.63</td><td>74.00</td><td>-30.37</td><td>55.71</td><td>38.31</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7711.41	47.05	74.00	-26.95	65.97	35.70	13.16	67.78	0.00	100	360	PEAK	2	7711.41	41.04	54.00	-12.96	59.96	35.70	13.16	67.78	0.00	100	360	AVERAGE	3	11570.00	43.63	74.00	-30.37	55.71	38.31	16.18	66.57	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	7711.41	44.25	74.00	-29.75	63.17	35.70	13.16	67.78	0.00	---	---	PEAK																																																																																																																															
2	11570.00	43.35	74.00	-30.65	55.43	38.31	16.18	66.57	0.00	---	---	PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	7711.41	47.05	74.00	-26.95	65.97	35.70	13.16	67.78	0.00	100	360	PEAK																																																																																																																															
2	7711.41	41.04	54.00	-12.96	59.96	35.70	13.16	67.78	0.00	100	360	AVERAGE																																																																																																																															
3	11570.00	43.63	74.00	-30.37	55.71	38.31	16.18	66.57	0.00	---	---	PEAK																																																																																																																															





Mode	35																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>49.23</td><td>111.36</td><td>-62.13</td><td>40.65</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>147</td><td>264 PEAK</td></tr><tr><td>2 5873.60</td><td>49.94</td><td>105.69</td><td>-55.75</td><td>41.29</td><td>34.87</td><td>11.51</td><td>37.73</td><td>0.00</td><td>147</td><td>264 PEAK</td></tr><tr><td>3 5923.60</td><td>47.16</td><td>69.23</td><td>-22.07</td><td>38.30</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>147</td><td>264 PEAK</td></tr><tr><td>4 5940.40</td><td>49.19</td><td>68.20</td><td>-19.01</td><td>40.25</td><td>35.02</td><td>11.56</td><td>37.64</td><td>0.00</td><td>147</td><td>264 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	49.23	111.36	-62.13	40.65	34.85	11.49	37.76	0.00	147	264 PEAK	2 5873.60	49.94	105.69	-55.75	41.29	34.87	11.51	37.73	0.00	147	264 PEAK	3 5923.60	47.16	69.23	-22.07	38.30	34.97	11.55	37.66	0.00	147	264 PEAK	4 5940.40	49.19	68.20	-19.01	40.25	35.02	11.56	37.64	0.00	147	264 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>101.40</td><td>-----</td><td>-----</td><td>92.90</td><td>34.83</td><td>11.47</td><td>37.80</td><td>0.00</td><td>147</td><td>264 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	101.40	-----	-----	92.90	34.83	11.47	37.80	0.00	147
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5854.00	49.23	111.36	-62.13	40.65	34.85	11.49	37.76	0.00	147	264 PEAK																																																																																																																								
2 5873.60	49.94	105.69	-55.75	41.29	34.87	11.51	37.73	0.00	147	264 PEAK																																																																																																																								
3 5923.60	47.16	69.23	-22.07	38.30	34.97	11.55	37.66	0.00	147	264 PEAK																																																																																																																								
4 5940.40	49.19	68.20	-19.01	40.25	35.02	11.56	37.64	0.00	147	264 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	101.40	-----	-----	92.90	34.83	11.47	37.80	0.00	147	264 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>93.04</td><td>-----</td><td>-----</td><td>84.56</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>147</td><td>264 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	93.04	-----	-----	84.56	34.82	11.47	37.81	0.00	147	264 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	93.04	-----	-----	84.56	34.82	11.47	37.81	0.00	147	264 AVERAGE																																																																																																																								






Mode	35																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>52.99</td><td>111.36</td><td>-58.37</td><td>44.41</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>128</td><td>330 PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>53.63</td><td>106.36</td><td>-52.73</td><td>44.99</td><td>34.87</td><td>11.51</td><td>37.74</td><td>0.00</td><td>128</td><td>330 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.24</td><td>68.35</td><td>-21.11</td><td>38.38</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>128</td><td>330 PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>49.71</td><td>68.20</td><td>-18.49</td><td>40.84</td><td>34.98</td><td>11.55</td><td>37.66</td><td>0.00</td><td>128</td><td>330 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.00	52.99	111.36	-58.37	44.41	34.85	11.49	37.76	0.00	128	330 PEAK	2	5871.20	53.63	106.36	-52.73	44.99	34.87	11.51	37.74	0.00	128	330 PEAK	3	5924.00	47.24	68.35	-21.11	38.38	34.97	11.55	37.66	0.00	128	330 PEAK	4	5926.40	49.71	68.20	-18.49	40.84	34.98	11.55	37.66	0.00	128	330 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.87</td><td>-----</td><td>-----</td><td>98.39</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>128</td><td>330 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	106.87	-----	-----	98.39	34.82	11.47	37.81	0.00	128
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5854.00	52.99	111.36	-58.37	44.41	34.85	11.49	37.76	0.00	128	330 PEAK																																																																																																												
2	5871.20	53.63	106.36	-52.73	44.99	34.87	11.51	37.74	0.00	128	330 PEAK																																																																																																												
3	5924.00	47.24	68.35	-21.11	38.38	34.97	11.55	37.66	0.00	128	330 PEAK																																																																																																												
4	5926.40	49.71	68.20	-18.49	40.84	34.98	11.55	37.66	0.00	128	330 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	106.87	-----	-----	98.39	34.82	11.47	37.81	0.00	128	330 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.73</td><td>-----</td><td>-----</td><td>89.25</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>128</td><td>330 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	97.73	-----	-----	89.25	34.82	11.47	37.81	0.00	128	330 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	97.73	-----	-----	89.25	34.82	11.47	37.81	0.00	128	330 AVERAGE																																																																																																												




Mode	35																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7764.73</td><td>42.86</td><td>68.20</td><td>-25.34</td><td>61.76</td><td>35.70</td><td>13.21</td><td>67.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>43.44</td><td>74.00</td><td>-30.56</td><td>55.26</td><td>38.38</td><td>16.23</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7764.73	42.86	68.20	-25.34	61.76	35.70	13.21	67.81	0.00	---	---	PEAK	2	11650.00	43.44	74.00	-30.56	55.26	38.38	16.23	66.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7764.73</td><td>46.02</td><td>68.20</td><td>-22.18</td><td>64.92</td><td>35.70</td><td>13.21</td><td>67.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>55.78</td><td>38.38</td><td>16.23</td><td>66.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7764.73	46.02	68.20	-22.18	64.92	35.70	13.21	67.81	0.00	---	---	PEAK	2	11650.00	43.96	74.00	-30.04	55.78	38.38	16.23	66.43	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7764.73	42.86	68.20	-25.34	61.76	35.70	13.21	67.81	0.00	---	---	PEAK																																																																																																																								
2	11650.00	43.44	74.00	-30.56	55.26	38.38	16.23	66.43	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7764.73	46.02	68.20	-22.18	64.92	35.70	13.21	67.81	0.00	---	---	PEAK																																																																																																																								
2	11650.00	43.96	74.00	-30.04	55.78	38.38	16.23	66.43	0.00	---	---	PEAK																																																																																																																								






Mode	36																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.20</td><td>48.15</td><td>68.20</td><td>-20.05</td><td>39.74</td><td>34.43</td><td>11.20</td><td>37.22</td><td>0.00</td><td>143</td><td>263</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>47.46</td><td>68.48</td><td>-21.02</td><td>39.10</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>143</td><td>263</td><td>PEAK</td></tr><tr><td>3</td><td>5704.01</td><td>51.25</td><td>106.42</td><td>-55.17</td><td>43.10</td><td>34.32</td><td>11.30</td><td>37.47</td><td>0.00</td><td>143</td><td>263</td><td>PEAK</td></tr><tr><td>4</td><td>5721.68</td><td>55.01</td><td>114.72</td><td>-59.71</td><td>46.82</td><td>34.41</td><td>11.32</td><td>37.54</td><td>0.00</td><td>143</td><td>263</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.20	48.15	68.20	-20.05	39.74	34.43	11.20	37.22	0.00	143	263	PEAK	2	5650.38	47.46	68.48	-21.02	39.10	34.40	11.22	37.26	0.00	143	263	PEAK	3	5704.01	51.25	106.42	-55.17	43.10	34.32	11.30	37.47	0.00	143	263	PEAK	4	5721.68	55.01	114.72	-59.71	46.82	34.41	11.32	37.54	0.00	143	263	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>96.63</td><td>-----</td><td>88.35</td><td>34.56</td><td>11.37</td><td>37.65</td><td>0.00</td><td>143</td><td>263</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	96.63	-----	88.35	34.56	11.37	37.65	0.00	143	263	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5637.20	48.15	68.20	-20.05	39.74	34.43	11.20	37.22	0.00	143	263	PEAK																																																																																																																																		
2	5650.38	47.46	68.48	-21.02	39.10	34.40	11.22	37.26	0.00	143	263	PEAK																																																																																																																																		
3	5704.01	51.25	106.42	-55.17	43.10	34.32	11.30	37.47	0.00	143	263	PEAK																																																																																																																																		
4	5721.68	55.01	114.72	-59.71	46.82	34.41	11.32	37.54	0.00	143	263	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5755.00	96.63	-----	88.35	34.56	11.37	37.65	0.00	143	263	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																													
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>87.48</td><td>-----</td><td>79.20</td><td>34.56</td><td>11.37</td><td>37.65</td><td>0.00</td><td>143</td><td>263</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	87.48	-----	79.20	34.56	11.37	37.65	0.00	143	263	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5755.00	87.48	-----	79.20	34.56	11.37	37.65	0.00	143	263	AVERAGE																																																																																																																																			




Mode	36																																																																										
	Band Edge - R																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																										
ANT	1																																																																										
Pol.	Horizontal						Fundamental																																																																				
Peak	<div><table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5854.84</td><td>45.75</td><td>111.26</td><td>-65.51</td><td>37.17</td><td>34.85</td><td>11.49</td><td>37.76</td></tr><tr><td>2</td><td>5873.56</td><td>47.40</td><td>105.70</td><td>-58.30</td><td>38.75</td><td>34.87</td><td>11.51</td><td>37.73</td></tr><tr><td>3</td><td>5924.65</td><td>47.27</td><td>68.46</td><td>-21.19</td><td>38.41</td><td>34.97</td><td>11.55</td><td>37.66</td></tr><tr><td>4</td><td>5936.74</td><td>48.70</td><td>68.20</td><td>-19.50</td><td>39.77</td><td>35.01</td><td>11.56</td><td>37.64</td></tr></table></div>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.84	45.75	111.26	-65.51	37.17	34.85	11.49	37.76	2	5873.56	47.40	105.70	-58.30	38.75	34.87	11.51	37.73	3	5924.65	47.27	68.46	-21.19	38.41	34.97	11.55	37.66	4	5936.74	48.70	68.20	-19.50	39.77	35.01	11.56	37.64	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																			
1	5854.84	45.75	111.26	-65.51	37.17	34.85	11.49	37.76																																																																			
2	5873.56	47.40	105.70	-58.30	38.75	34.87	11.51	37.73																																																																			
3	5924.65	47.27	68.46	-21.19	38.41	34.97	11.55	37.66																																																																			
4	5936.74	48.70	68.20	-19.50	39.77	35.01	11.56	37.64																																																																			





Mode	36																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5649.45</td><td>49.12</td><td>68.20</td><td>-19.08</td><td>40.76</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>47.67</td><td>68.94</td><td>-21.27</td><td>39.31</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>3</td><td>5704.01</td><td>53.18</td><td>106.42</td><td>-53.24</td><td>45.03</td><td>34.32</td><td>11.30</td><td>37.47</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>51.87</td><td>111.54</td><td>-59.67</td><td>43.68</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark	1	5649.45	49.12	68.20	-19.08	40.76	34.40	11.22	37.26	0.00	100	327	PEAK	2	5651.00	47.67	68.94	-21.27	39.31	34.40	11.22	37.26	0.00	100	327	PEAK	3	5704.01	53.18	106.42	-53.24	45.03	34.32	11.30	37.47	0.00	100	327	PEAK	4	5720.28	51.87	111.54	-59.67	43.68	34.40	11.32	37.53	0.00	100	327	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.69</td><td>-----</td><td>-----</td><td>91.40</td><td>34.59</td><td>11.38</td><td>37.68</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark	1	5755.00	99.69	-----	-----	91.40	34.59	11.38	37.68	0.00	100	327
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																																																																		
1	5649.45	49.12	68.20	-19.08	40.76	34.40	11.22	37.26	0.00	100	327	PEAK																																																																																																																		
2	5651.00	47.67	68.94	-21.27	39.31	34.40	11.22	37.26	0.00	100	327	PEAK																																																																																																																		
3	5704.01	53.18	106.42	-53.24	45.03	34.32	11.30	37.47	0.00	100	327	PEAK																																																																																																																		
4	5720.28	51.87	111.54	-59.67	43.68	34.40	11.32	37.53	0.00	100	327	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																																																																		
1	5755.00	99.69	-----	-----	91.40	34.59	11.38	37.68	0.00	100	327	PEAK																																																																																																																		
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>90.37</td><td>-----</td><td>-----</td><td>82.09</td><td>34.56</td><td>11.37</td><td>37.65</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark	1	5755.00	90.37	-----	-----	82.09	34.56	11.37	37.65	0.00	100	327	AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																																																																		
1	5755.00	90.37	-----	-----	82.09	34.56	11.37	37.65	0.00	100	327	AVERAGE																																																																																																																		






Mode	36																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																									
ANT	1																																																																									
Pol.	Vertical						Fundamental																																																																			
Peak	<div><table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5854.45</td><td>46.86</td><td>112.15</td><td>-65.29</td><td>38.28</td><td>34.85</td><td>11.49</td><td>37.76</td></tr><tr><td>2</td><td>5871.42</td><td>49.22</td><td>106.30</td><td>-57.08</td><td>40.58</td><td>34.87</td><td>11.51</td><td>37.74</td></tr><tr><td>3</td><td>5924.65</td><td>48.66</td><td>68.46</td><td>-19.80</td><td>39.80</td><td>34.97</td><td>11.55</td><td>37.66</td></tr><tr><td>4</td><td>5943.76</td><td>48.62</td><td>68.20</td><td>-19.58</td><td>39.65</td><td>35.03</td><td>11.57</td><td>37.63</td></tr></table></div>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.45	46.86	112.15	-65.29	38.28	34.85	11.49	37.76	2	5871.42	49.22	106.30	-57.08	40.58	34.87	11.51	37.74	3	5924.65	48.66	68.46	-19.80	39.80	34.97	11.55	37.66	4	5943.76	48.62	68.20	-19.58	39.65	35.03	11.57	37.63	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1	5854.45	46.86	112.15	-65.29	38.28	34.85	11.49	37.76																																																																		
2	5871.42	49.22	106.30	-57.08	40.58	34.87	11.51	37.74																																																																		
3	5924.65	48.66	68.46	-19.80	39.80	34.97	11.55	37.66																																																																		
4	5943.76	48.62	68.20	-19.58	39.65	35.03	11.57	37.63																																																																		




Mode	36																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7671.42</td><td>41.89</td><td>74.00</td><td>-32.11</td><td>60.84</td><td>35.70</td><td>13.12</td><td>67.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>42.18</td><td>74.00</td><td>-31.82</td><td>54.47</td><td>38.26</td><td>16.13</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7671.42	41.89	74.00	-32.11	60.84	35.70	13.12	67.77	0.00	---	---	PEAK	2	11510.00	42.18	74.00	-31.82	54.47	38.26	16.13	66.68	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7671.42</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>63.23</td><td>35.70</td><td>13.12</td><td>67.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>42.40</td><td>74.00</td><td>-31.60</td><td>54.69</td><td>38.26</td><td>16.13</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7671.42	44.28	74.00	-29.72	63.23	35.70	13.12	67.77	0.00	---	---	PEAK	2	11510.00	42.40	74.00	-31.60	54.69	38.26	16.13	66.68	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7671.42	41.89	74.00	-32.11	60.84	35.70	13.12	67.77	0.00	---	---	PEAK																																																																																																																								
2	11510.00	42.18	74.00	-31.82	54.47	38.26	16.13	66.68	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7671.42	44.28	74.00	-29.72	63.23	35.70	13.12	67.77	0.00	---	---	PEAK																																																																																																																								
2	11510.00	42.40	74.00	-31.60	54.69	38.26	16.13	66.68	0.00	---	---	PEAK																																																																																																																								






Mode	37																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5628.40</td><td>47.87</td><td>68.20</td><td>-20.33</td><td>39.47</td><td>34.44</td><td>11.19</td><td>37.23</td><td>0.00</td><td>143 264 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.30</td><td>68.20</td><td>-21.90</td><td>37.94</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>143 264 PEAK</td></tr><tr><td>3</td><td>5706.80</td><td>51.42</td><td>107.21</td><td>-55.79</td><td>43.27</td><td>34.33</td><td>11.30</td><td>37.48</td><td>0.00</td><td>143 264 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>49.44</td><td>111.81</td><td>-62.37</td><td>41.25</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>143 264 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5628.40	47.87	68.20	-20.33	39.47	34.44	11.19	37.23	0.00	143 264 PEAK	2	5650.00	46.30	68.20	-21.90	37.94	34.40	11.22	37.26	0.00	143 264 PEAK	3	5706.80	51.42	107.21	-55.79	43.27	34.33	11.30	37.48	0.00	143 264 PEAK	4	5720.40	49.44	111.81	-62.37	41.25	34.40	11.32	37.53	0.00	143 264 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5628.40	47.87	68.20	-20.33	39.47	34.44	11.19	37.23	0.00	143 264 PEAK																																																																														
2	5650.00	46.30	68.20	-21.90	37.94	34.40	11.22	37.26	0.00	143 264 PEAK																																																																														
3	5706.80	51.42	107.21	-55.79	43.27	34.33	11.30	37.48	0.00	143 264 PEAK																																																																														
4	5720.40	49.44	111.81	-62.37	41.25	34.40	11.32	37.53	0.00	143 264 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>96.34</td><td>-----</td><td>-----</td><td>87.93</td><td>34.80</td><td>11.45</td><td>37.84</td><td>0.00</td><td>143 264 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	96.34	-----	-----	87.93	34.80	11.45	37.84	0.00	143 264 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5795.00	96.34	-----	-----	87.93	34.80	11.45	37.84	0.00	143 264 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>87.48</td><td>-----</td><td>-----</td><td>79.07</td><td>34.80</td><td>11.45</td><td>37.84</td><td>0.00</td><td>143 264 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	87.48	-----	-----	79.07	34.80	11.45	37.84	0.00	143 264 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5795.00	87.48	-----	-----	79.07	34.80	11.45	37.84	0.00	143 264 AVERAGE																																																																														




Mode	37																																																																
	Band Edge - R																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																
ANT	1																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<div><table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5854.00</td><td>49.43</td><td>111.36</td><td>-61.93</td><td>40.85</td><td>34.85</td><td>11.49</td><td>37.76</td></tr><tr><td>2</td><td>5872.00</td><td>50.74</td><td>105.92</td><td>-55.18</td><td>42.09</td><td>34.87</td><td>11.51</td><td>37.73</td></tr><tr><td>3</td><td>5924.40</td><td>46.46</td><td>68.64</td><td>-22.18</td><td>37.60</td><td>34.97</td><td>11.55</td><td>37.66</td></tr><tr><td>4</td><td>5943.60</td><td>48.95</td><td>68.20</td><td>-19.25</td><td>39.99</td><td>35.03</td><td>11.56</td><td>37.63</td></tr></table></div>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.00	49.43	111.36	-61.93	40.85	34.85	11.49	37.76	2	5872.00	50.74	105.92	-55.18	42.09	34.87	11.51	37.73	3	5924.40	46.46	68.64	-22.18	37.60	34.97	11.55	37.66	4	5943.60	48.95	68.20	-19.25	39.99	35.03	11.56	37.63	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																									
1	5854.00	49.43	111.36	-61.93	40.85	34.85	11.49	37.76																																																									
2	5872.00	50.74	105.92	-55.18	42.09	34.87	11.51	37.73																																																									
3	5924.40	46.46	68.64	-22.18	37.60	34.97	11.55	37.66																																																									
4	5943.60	48.95	68.20	-19.25	39.99	35.03	11.56	37.63																																																									





Mode	37																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.40</td><td>48.03</td><td>68.20</td><td>-20.17</td><td>39.62</td><td>34.42</td><td>11.21</td><td>37.22</td><td>0.00</td><td>110</td><td>330 PEAK</td></tr><tr><td>2 5650.40</td><td>46.75</td><td>68.50</td><td>-21.75</td><td>38.39</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>110</td><td>330 PEAK</td></tr><tr><td>3 5702.80</td><td>50.43</td><td>106.09</td><td>-55.66</td><td>42.29</td><td>34.31</td><td>11.29</td><td>37.46</td><td>0.00</td><td>110</td><td>330 PEAK</td></tr><tr><td>4 5720.40</td><td>49.72</td><td>111.81</td><td>-62.09</td><td>41.53</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>110</td><td>330 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5640.40	48.03	68.20	-20.17	39.62	34.42	11.21	37.22	0.00	110	330 PEAK	2 5650.40	46.75	68.50	-21.75	38.39	34.40	11.22	37.26	0.00	110	330 PEAK	3 5702.80	50.43	106.09	-55.66	42.29	34.31	11.29	37.46	0.00	110	330 PEAK	4 5720.40	49.72	111.81	-62.09	41.53	34.40	11.32	37.53	0.00	110	330 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>100.25</td><td>-----</td><td>-----</td><td>91.84</td><td>34.80</td><td>11.45</td><td>37.84</td><td>0.00</td><td>110</td><td>330 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	100.25	-----	-----	91.84	34.80	11.45	37.84	0.00	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5640.40	48.03	68.20	-20.17	39.62	34.42	11.21	37.22	0.00	110	330 PEAK																																																																																																																								
2 5650.40	46.75	68.50	-21.75	38.39	34.40	11.22	37.26	0.00	110	330 PEAK																																																																																																																								
3 5702.80	50.43	106.09	-55.66	42.29	34.31	11.29	37.46	0.00	110	330 PEAK																																																																																																																								
4 5720.40	49.72	111.81	-62.09	41.53	34.40	11.32	37.53	0.00	110	330 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5795.00	100.25	-----	-----	91.84	34.80	11.45	37.84	0.00	110	330 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>91.82</td><td>-----</td><td>-----</td><td>83.43</td><td>34.77</td><td>11.44</td><td>37.82</td><td>0.00</td><td>110</td><td>330 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	91.82	-----	-----	83.43	34.77	11.44	37.82	0.00	110	330 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5795.00	91.82	-----	-----	83.43	34.77	11.44	37.82	0.00	110	330 AVERAGE																																																																																																																								






Mode	37																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<div><table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>49.91</td><td>111.36</td><td>-61.45</td><td>41.33</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>110</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>51.74</td><td>106.25</td><td>-54.51</td><td>43.10</td><td>34.87</td><td>11.51</td><td>37.74</td><td>0.00</td><td>110</td><td>330</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>48.03</td><td>68.64</td><td>-20.61</td><td>39.17</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>110</td><td>330</td><td>PEAK</td></tr><tr><td>4</td><td>5948.80</td><td>50.88</td><td>68.20</td><td>-17.32</td><td>41.88</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>110</td><td>330</td><td>PEAK</td></tr></table></div>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	49.91	111.36	-61.45	41.33	34.85	11.49	37.76	0.00	110	330	PEAK	2	5871.60	51.74	106.25	-54.51	43.10	34.87	11.51	37.74	0.00	110	330	PEAK	3	5924.40	48.03	68.64	-20.61	39.17	34.97	11.55	37.66	0.00	110	330	PEAK	4	5948.80	50.88	68.20	-17.32	41.88	35.05	11.57	37.62	0.00	110	330	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5854.80	49.91	111.36	-61.45	41.33	34.85	11.49	37.76	0.00	110	330	PEAK																																																																											
2	5871.60	51.74	106.25	-54.51	43.10	34.87	11.51	37.74	0.00	110	330	PEAK																																																																											
3	5924.40	48.03	68.64	-20.61	39.17	34.97	11.55	37.66	0.00	110	330	PEAK																																																																											
4	5948.80	50.88	68.20	-17.32	41.88	35.05	11.57	37.62	0.00	110	330	PEAK																																																																											




Mode	37																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7724.74</td><td>43.07</td><td>74.00</td><td>-30.93</td><td>61.99</td><td>35.70</td><td>13.17</td><td>67.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>43.50</td><td>74.00</td><td>-30.50</td><td>55.52</td><td>38.33</td><td>16.19</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7724.74	43.07	74.00	-30.93	61.99	35.70	13.17	67.79	0.00	---	---	PEAK	2	11590.00	43.50	74.00	-30.50	55.52	38.33	16.19	66.54	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7724.74</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>64.01</td><td>35.70</td><td>13.17</td><td>67.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>43.34</td><td>74.00</td><td>-30.66</td><td>55.36</td><td>38.33</td><td>16.19</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7724.74	45.09	74.00	-28.91	64.01	35.70	13.17	67.79	0.00	---	---	PEAK	2	11590.00	43.34	74.00	-30.66	55.36	38.33	16.19	66.54	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7724.74	43.07	74.00	-30.93	61.99	35.70	13.17	67.79	0.00	---	---	PEAK																																																																																																																								
2	11590.00	43.50	74.00	-30.50	55.52	38.33	16.19	66.54	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7724.74	45.09	74.00	-28.91	64.01	35.70	13.17	67.79	0.00	---	---	PEAK																																																																																																																								
2	11590.00	43.34	74.00	-30.66	55.36	38.33	16.19	66.54	0.00	---	---	PEAK																																																																																																																								






Mode	38																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5633.60</td><td>48.06</td><td>68.20</td><td>-20.14</td><td>39.65</td><td>34.43</td><td>11.20</td><td>37.22</td><td>0.00</td><td>100</td><td>263 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.17</td><td>68.20</td><td>-22.03</td><td>37.81</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>263 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>47.52</td><td>105.41</td><td>-57.89</td><td>39.38</td><td>34.30</td><td>11.29</td><td>37.45</td><td>0.00</td><td>100</td><td>263 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>46.21</td><td>110.90</td><td>-64.69</td><td>38.02</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>263 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5633.60	48.06	68.20	-20.14	39.65	34.43	11.20	37.22	0.00	100	263 PEAK	2	5650.00	46.17	68.20	-22.03	37.81	34.40	11.22	37.26	0.00	100	263 PEAK	3	5700.40	47.52	105.41	-57.89	39.38	34.30	11.29	37.45	0.00	100	263 PEAK	4	5720.00	46.21	110.90	-64.69	38.02	34.40	11.32	37.53	0.00	100	263 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>92.52</td><td>-----</td><td>-----</td><td>84.16</td><td>34.71</td><td>11.42</td><td>37.77</td><td>0.00</td><td>100</td><td>263 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	92.52	-----	-----	84.16	34.71	11.42	37.77	0.00	100	263 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5633.60	48.06	68.20	-20.14	39.65	34.43	11.20	37.22	0.00	100	263 PEAK																																																																																																																														
2	5650.00	46.17	68.20	-22.03	37.81	34.40	11.22	37.26	0.00	100	263 PEAK																																																																																																																														
3	5700.40	47.52	105.41	-57.89	39.38	34.30	11.29	37.45	0.00	100	263 PEAK																																																																																																																														
4	5720.00	46.21	110.90	-64.69	38.02	34.40	11.32	37.53	0.00	100	263 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	92.52	-----	-----	84.16	34.71	11.42	37.77	0.00	100	263 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>83.17</td><td>122.30</td><td>-39.13</td><td>74.81</td><td>34.71</td><td>11.42</td><td>37.77</td><td>0.00</td><td>100</td><td>263 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	83.17	122.30	-39.13	74.81	34.71	11.42	37.77	0.00	100	263 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	83.17	122.30	-39.13	74.81	34.71	11.42	37.77	0.00	100	263 AVERAGE																																																																																																																														




Mode	38																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal						Fundamental																																																																			
Peak	<div><table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5854.00</td><td>48.07</td><td>111.36</td><td>-63.29</td><td>39.49</td><td>34.85</td><td>11.49</td><td>37.76</td></tr><tr><td>2</td><td>5874.00</td><td>48.67</td><td>105.36</td><td>-56.69</td><td>40.02</td><td>34.87</td><td>11.51</td><td>37.73</td></tr><tr><td>3</td><td>5923.60</td><td>49.21</td><td>69.23</td><td>-20.02</td><td>40.35</td><td>34.97</td><td>11.55</td><td>37.66</td></tr><tr><td>4</td><td>5941.60</td><td>48.44</td><td>68.20</td><td>-19.76</td><td>39.49</td><td>35.02</td><td>11.56</td><td>37.63</td></tr></table></div>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.00	48.07	111.36	-63.29	39.49	34.85	11.49	37.76	2	5874.00	48.67	105.36	-56.69	40.02	34.87	11.51	37.73	3	5923.60	49.21	69.23	-20.02	40.35	34.97	11.55	37.66	4	5941.60	48.44	68.20	-19.76	39.49	35.02	11.56	37.63	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																		
1	5854.00	48.07	111.36	-63.29	39.49	34.85	11.49	37.76																																																																		
2	5874.00	48.67	105.36	-56.69	40.02	34.87	11.51	37.73																																																																		
3	5923.60	49.21	69.23	-20.02	40.35	34.97	11.55	37.66																																																																		
4	5941.60	48.44	68.20	-19.76	39.49	35.02	11.56	37.63																																																																		





Mode	38																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5626.00</td><td>49.15</td><td>68.20</td><td>-19.05</td><td>40.74</td><td>34.45</td><td>11.19</td><td>37.23</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>45.52</td><td>68.20</td><td>-22.68</td><td>37.16</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr><tr><td>3</td><td>5705.20</td><td>51.41</td><td>106.76</td><td>-55.35</td><td>43.25</td><td>34.33</td><td>11.30</td><td>37.47</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.77</td><td>110.90</td><td>-60.13</td><td>42.58</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5626.00	49.15	68.20	-19.05	40.74	34.45	11.19	37.23	0.00	100	328	PEAK	2	5650.00	45.52	68.20	-22.68	37.16	34.40	11.22	37.26	0.00	100	328	PEAK	3	5705.20	51.41	106.76	-55.35	43.25	34.33	11.30	37.47	0.00	100	328	PEAK	4	5720.00	50.77	110.90	-60.13	42.58	34.40	11.32	37.53	0.00	100	328	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.99</td><td>-----</td><td>-----</td><td>88.63</td><td>34.71</td><td>11.42</td><td>37.77</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	96.99	-----	-----	88.63	34.71	11.42	37.77	0.00	100	328
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
1	5626.00	49.15	68.20	-19.05	40.74	34.45	11.19	37.23	0.00	100	328	PEAK																																																																																																											
2	5650.00	45.52	68.20	-22.68	37.16	34.40	11.22	37.26	0.00	100	328	PEAK																																																																																																											
3	5705.20	51.41	106.76	-55.35	43.25	34.33	11.30	37.47	0.00	100	328	PEAK																																																																																																											
4	5720.00	50.77	110.90	-60.13	42.58	34.40	11.32	37.53	0.00	100	328	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
1	5775.00	96.99	-----	-----	88.63	34.71	11.42	37.77	0.00	100	328	PEAK																																																																																																											
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>87.87</td><td>-----</td><td>-----</td><td>79.54</td><td>34.65</td><td>11.40</td><td>37.72</td><td>0.00</td><td>100</td><td>328</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	87.87	-----	-----	79.54	34.65	11.40	37.72	0.00	100	328	AVERAGE																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
1	5775.00	87.87	-----	-----	79.54	34.65	11.40	37.72	0.00	100	328	AVERAGE																																																																																																											





Mode	38																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																									
ANT	1																																																																									
Pol.	Vertical						Fundamental																																																																			
Peak	<div><table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5854.80</td><td>49.56</td><td>111.36</td><td>-61.80</td><td>40.98</td><td>34.85</td><td>11.49</td><td>37.76</td></tr><tr><td>2</td><td>5872.00</td><td>48.78</td><td>106.14</td><td>-57.36</td><td>40.14</td><td>34.87</td><td>11.51</td><td>37.74</td></tr><tr><td>3</td><td>5924.40</td><td>47.59</td><td>68.64</td><td>-21.05</td><td>38.73</td><td>34.97</td><td>11.55</td><td>37.66</td></tr><tr><td>4</td><td>5943.20</td><td>48.21</td><td>68.20</td><td>-19.99</td><td>39.25</td><td>35.03</td><td>11.56</td><td>37.63</td></tr></table></div>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.80	49.56	111.36	-61.80	40.98	34.85	11.49	37.76	2	5872.00	48.78	106.14	-57.36	40.14	34.87	11.51	37.74	3	5924.40	47.59	68.64	-21.05	38.73	34.97	11.55	37.66	4	5943.20	48.21	68.20	-19.99	39.25	35.03	11.56	37.63	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																		
1	5854.80	49.56	111.36	-61.80	40.98	34.85	11.49	37.76																																																																		
2	5872.00	48.78	106.14	-57.36	40.14	34.87	11.51	37.74																																																																		
3	5924.40	47.59	68.64	-21.05	38.73	34.97	11.55	37.66																																																																		
4	5943.20	48.21	68.20	-19.99	39.25	35.03	11.56	37.63																																																																		





Mode	38																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7698.00</td><td>41.96</td><td>74.00</td><td>-32.04</td><td>60.89</td><td>35.70</td><td>13.15</td><td>67.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>42.04</td><td>74.00</td><td>-31.96</td><td>54.20</td><td>38.29</td><td>16.16</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7698.00	41.96	74.00	-32.04	60.89	35.70	13.15	67.78	0.00	---	---	PEAK	2	11550.00	42.04	74.00	-31.96	54.20	38.29	16.16	66.61	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7698.00</td><td>44.24</td><td>74.00</td><td>-29.76</td><td>63.17</td><td>35.70</td><td>13.15</td><td>67.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>41.65</td><td>74.00</td><td>-32.35</td><td>53.81</td><td>38.29</td><td>16.16</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7698.00	44.24	74.00	-29.76	63.17	35.70	13.15	67.78	0.00	---	---	PEAK	2	11550.00	41.65	74.00	-32.35	53.81	38.29	16.16	66.61	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7698.00	41.96	74.00	-32.04	60.89	35.70	13.15	67.78	0.00	---	---	PEAK																																																																																																																								
2	11550.00	42.04	74.00	-31.96	54.20	38.29	16.16	66.61	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7698.00	44.24	74.00	-29.76	63.17	35.70	13.15	67.78	0.00	---	---	PEAK																																																																																																																								
2	11550.00	41.65	74.00	-32.35	53.81	38.29	16.16	66.61	0.00	---	---	PEAK																																																																																																																								



Mode	31	
	18G-40G	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	31																																																																																																										
	30-1G																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Horizontal																																																																																																										
Peak																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>20.19</td><td>40.00</td><td>-19.81</td><td>26.43</td><td>25.14</td><td>0.83</td><td>32.21</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>138.40</td><td>14.30</td><td>43.50</td><td>-29.20</td><td>27.10</td><td>17.47</td><td>1.79</td><td>32.06</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>286.57</td><td>17.67</td><td>46.00</td><td>-28.33</td><td>28.33</td><td>18.93</td><td>2.59</td><td>32.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>561.00</td><td>24.99</td><td>46.00</td><td>-21.01</td><td>27.74</td><td>25.99</td><td>3.61</td><td>32.35</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>855.96</td><td>29.16</td><td>46.00</td><td>-16.84</td><td>26.48</td><td>29.71</td><td>4.44</td><td>31.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>988.36</td><td>31.06</td><td>54.00</td><td>-22.94</td><td>25.92</td><td>30.58</td><td>4.78</td><td>30.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Apos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		cm	deg	1	30.00	20.19	40.00	-19.81	26.43	25.14	0.83	32.21	---	---	Peak	2	138.40	14.30	43.50	-29.20	27.10	17.47	1.79	32.06	---	---	Peak	3	286.57	17.67	46.00	-28.33	28.33	18.93	2.59	32.18	---	---	Peak	4	561.00	24.99	46.00	-21.01	27.74	25.99	3.61	32.35	---	---	Peak	5	855.96	29.16	46.00	-16.84	26.48	29.71	4.44	31.47	---	---	Peak	6	988.36	31.06	54.00	-22.94	25.92	30.58	4.78	30.22	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		cm	deg																																																																																																
1	30.00	20.19	40.00	-19.81	26.43	25.14	0.83	32.21	---	---	Peak																																																																																																
2	138.40	14.30	43.50	-29.20	27.10	17.47	1.79	32.06	---	---	Peak																																																																																																
3	286.57	17.67	46.00	-28.33	28.33	18.93	2.59	32.18	---	---	Peak																																																																																																
4	561.00	24.99	46.00	-21.01	27.74	25.99	3.61	32.35	---	---	Peak																																																																																																
5	855.96	29.16	46.00	-16.84	26.48	29.71	4.44	31.47	---	---	Peak																																																																																																
6	988.36	31.06	54.00	-22.94	25.92	30.58	4.78	30.22	---	---	Peak																																																																																																
Peak																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.24</td><td>20.01</td><td>40.00</td><td>-19.99</td><td>26.37</td><td>25.02</td><td>0.83</td><td>32.21</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>142.28</td><td>14.76</td><td>43.50</td><td>-28.74</td><td>27.63</td><td>17.37</td><td>1.82</td><td>32.06</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>258.92</td><td>17.71</td><td>46.00</td><td>-28.29</td><td>27.51</td><td>19.65</td><td>2.46</td><td>31.91</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>472.81</td><td>22.86</td><td>46.00</td><td>-23.14</td><td>28.32</td><td>23.43</td><td>3.32</td><td>32.21</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>764.53</td><td>27.81</td><td>46.00</td><td>-18.19</td><td>27.37</td><td>27.97</td><td>4.21</td><td>31.74</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>978.42</td><td>30.28</td><td>54.00</td><td>-23.72</td><td>25.05</td><td>30.82</td><td>4.76</td><td>30.35</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Apos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		cm	deg	1	30.24	20.01	40.00	-19.99	26.37	25.02	0.83	32.21	---	---	Peak	2	142.28	14.76	43.50	-28.74	27.63	17.37	1.82	32.06	---	---	Peak	3	258.92	17.71	46.00	-28.29	27.51	19.65	2.46	31.91	---	---	Peak	4	472.81	22.86	46.00	-23.14	28.32	23.43	3.32	32.21	---	---	Peak	5	764.53	27.81	46.00	-18.19	27.37	27.97	4.21	31.74	---	---	Peak	6	978.42	30.28	54.00	-23.72	25.05	30.82	4.76	30.35	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		cm	deg																																																																																																
1	30.24	20.01	40.00	-19.99	26.37	25.02	0.83	32.21	---	---	Peak																																																																																																
2	142.28	14.76	43.50	-28.74	27.63	17.37	1.82	32.06	---	---	Peak																																																																																																
3	258.92	17.71	46.00	-28.29	27.51	19.65	2.46	31.91	---	---	Peak																																																																																																
4	472.81	22.86	46.00	-23.14	28.32	23.43	3.32	32.21	---	---	Peak																																																																																																
5	764.53	27.81	46.00	-18.19	27.37	27.97	4.21	31.74	---	---	Peak																																																																																																
6	978.42	30.28	54.00	-23.72	25.05	30.82	4.76	30.35	---	---	Peak																																																																																																





		39																																																																							
Mode		Harmonic																																																																							
		U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																							
ANT		1																																																																							
Pol.		Horizontal						Vertical																																																																	
Peak Avg																																																																									
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>43.31</td><td>74.00</td><td>-30.69</td><td>55.74</td><td>38.20</td><td>16.08</td><td>66.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	43.31	74.00	-30.69	55.74	38.20	16.08	66.71	0.00	---	---	PEAK													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	11440.00	43.31	74.00	-30.69	55.74	38.20	16.08	66.71	0.00	---	---	PEAK																																																													
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7624.76</td><td>44.17</td><td>74.00</td><td>-29.83</td><td>63.15</td><td>35.70</td><td>13.07</td><td>67.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>43.61</td><td>74.00</td><td>-30.39</td><td>56.04</td><td>38.20</td><td>16.08</td><td>66.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7624.76	44.17	74.00	-29.83	63.15	35.70	13.07	67.75	0.00	---	---	PEAK	2	11440.00	43.61	74.00	-30.39	56.04	38.20	16.08	66.71	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	7624.76	44.17	74.00	-29.83	63.15	35.70	13.07	67.75	0.00	---	---	PEAK																																																													
2	11440.00	43.61	74.00	-30.39	56.04	38.20	16.08	66.71	0.00	---	---	PEAK																																																													





Mode	40																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7624.76</td><td>43.33</td><td>74.00</td><td>-30.67</td><td>62.31</td><td>35.70</td><td>13.07</td><td>67.75</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>42.61</td><td>74.00</td><td>-31.39</td><td>55.04</td><td>38.20</td><td>16.08</td><td>66.71</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7624.76	43.33	74.00	-30.67	62.31	35.70	13.07	67.75	0.00	---	PEAK	2	11440.00	42.61	74.00	-31.39	55.04	38.20	16.08	66.71	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7624.76</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>63.40</td><td>35.70</td><td>13.07</td><td>67.75</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>42.61</td><td>74.00</td><td>-31.39</td><td>55.04</td><td>38.20</td><td>16.08</td><td>66.71</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7624.76	44.42	74.00	-29.58	63.40	35.70	13.07	67.75	0.00	---	PEAK	2	11440.00	42.61	74.00	-31.39	55.04	38.20	16.08	66.71	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	7624.76	43.33	74.00	-30.67	62.31	35.70	13.07	67.75	0.00	---	PEAK																																																																																																																	
2	11440.00	42.61	74.00	-31.39	55.04	38.20	16.08	66.71	0.00	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	7624.76	44.42	74.00	-29.58	63.40	35.70	13.07	67.75	0.00	---	PEAK																																																																																																																	
2	11440.00	42.61	74.00	-31.39	55.04	38.20	16.08	66.71	0.00	---	PEAK																																																																																																																	



Mode	41																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_5710MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7611.43</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>64.23</td><td>35.70</td><td>13.06</td><td>67.74</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>42.73</td><td>74.00</td><td>-31.27</td><td>55.20</td><td>38.18</td><td>16.07</td><td>66.72</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7611.43	45.25	74.00	-28.75	64.23	35.70	13.06	67.74	0.00	---	PEAK	2	11420.00	42.73	74.00	-31.27	55.20	38.18	16.07	66.72	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7611.43</td><td>48.37</td><td>74.00</td><td>-25.63</td><td>67.35</td><td>35.70</td><td>13.06</td><td>67.74</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2</td><td>7611.43</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>64.42</td><td>35.70</td><td>13.06</td><td>67.74</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr><tr><td>3</td><td>11420.00</td><td>42.54</td><td>74.00</td><td>-31.46</td><td>55.01</td><td>38.18</td><td>16.07</td><td>66.72</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7611.43	48.37	74.00	-25.63	67.35	35.70	13.06	67.74	0.00	100	360 PEAK	2	7611.43	45.44	54.00	-8.56	64.42	35.70	13.06	67.74	0.00	100	360 AVERAGE	3	11420.00	42.54	74.00	-31.46	55.01	38.18	16.07	66.72	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	7611.43	45.25	74.00	-28.75	64.23	35.70	13.06	67.74	0.00	---	PEAK																																																																																																																											
2	11420.00	42.73	74.00	-31.27	55.20	38.18	16.07	66.72	0.00	---	PEAK																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	7611.43	48.37	74.00	-25.63	67.35	35.70	13.06	67.74	0.00	100	360 PEAK																																																																																																																											
2	7611.43	45.44	54.00	-8.56	64.42	35.70	13.06	67.74	0.00	100	360 AVERAGE																																																																																																																											
3	11420.00	42.54	74.00	-31.46	55.01	38.18	16.07	66.72	0.00	---	PEAK																																																																																																																											




		42																																																																																	
Mode		Harmonic																																																																																	
		U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz																																																																																	
ANT		1																																																																																	
Pol.		Horizontal						Vertical																																																																											
Peak Avg																																																																																			
																																																																																			
		<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7584.77</td><td>44.14</td><td>74.00</td><td>-29.86</td><td>63.15</td><td>35.68</td><td>13.04</td><td>67.73</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>42.13</td><td>74.00</td><td>-31.87</td><td>54.67</td><td>38.14</td><td>16.04</td><td>66.72</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7584.77	44.14	74.00	-29.86	63.15	35.68	13.04	67.73	0.00	---	PEAK	2	11380.00	42.13	74.00	-31.87	54.67	38.14	16.04	66.72	0.00	---	PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	7584.77	44.14	74.00	-29.86	63.15	35.68	13.04	67.73	0.00	---	PEAK																																																																								
2	11380.00	42.13	74.00	-31.87	54.67	38.14	16.04	66.72	0.00	---	PEAK																																																																								
		<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7584.77</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>68.43</td><td>35.68</td><td>13.04</td><td>67.73</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2</td><td>7584.77</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>64.34</td><td>35.68</td><td>13.04</td><td>67.73</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr><tr><td>3</td><td>11380.00</td><td>41.58</td><td>74.00</td><td>-32.42</td><td>54.12</td><td>38.14</td><td>16.04</td><td>66.72</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7584.77	49.42	74.00	-24.58	68.43	35.68	13.04	67.73	0.00	100	360 PEAK	2	7584.77	45.33	54.00	-8.67	64.34	35.68	13.04	67.73	0.00	100	360 AVERAGE	3	11380.00	41.58	74.00	-32.42	54.12	38.14	16.04	66.72	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	7584.77	49.42	74.00	-24.58	68.43	35.68	13.04	67.73	0.00	100	360 PEAK																																																																								
2	7584.77	45.33	54.00	-8.67	64.34	35.68	13.04	67.73	0.00	100	360 AVERAGE																																																																								
3	11380.00	41.58	74.00	-32.42	54.12	38.14	16.04	66.72	0.00	---	PEAK																																																																								

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.93	2.058	0.486	1kHz
802.11n HT20	98.16	-	-	10Hz
802.11n HT40	96.32	0.949	1.053	1.1kHz
802.11ac VHT40	96.32	0.949	1.053	1.1kHz
802.11ac VHT80	92.49	0.464	2.156	2.2kHz

802.11a







802.11n HT20



802.11n HT40



802.11ac VHT40



802.11ac VHT80

