LG Innotek
PWMD-H723B
V1.5 170530
IR 170602 X/X

LG Innotek
PWMD-H723B
V1.5 170530
IR 170602 X/X

LG Innotek
PWMD-H723B
V1.5 170530
IR 170602 X/X

LG Innotek
PWMD-H723B
V1.5 170530
IR 170602 X/X

AIN. MAIN WIFI2
06/20 VC SCSH RB

NOKIA
Rechargeable Li-ion Polymer Battery
Max. Voltage 4.4V
Typical Capacity:3260mAh/12.55Wh
Rated Capacity:3180mAh/12.24Wh
Potential for fire or burning.
Do not disassemble,puncture,
crush,heat or burn.
SCUDPUANELECTRONICS CO., LTD.
1ICP5/45/97
IS 16046/IEC 62133
R-XXXXXXXX

NOKIA
Rechargeable Li-ion Polymer Battery
Max. Voltage 4.4V
Nominal Voltage 3.85V
Rated Capacity:3180mAh/12.24Wh
Typical Capacity:3260mAh/12.55Wh
WARNING
Potential for fire or burning
Do not disassemble,puncture,
crush,heat or burn.
SCUDPUANELECTRONICS CO., LTD.
1ICP5/45/97
IS 16046/IEC 62133
R-XXXXXXXX

NOKIA
可充式鋰離子電池組/
可充式锂离子电池组
Rechargeable Li-ion Polymer Battery
型號/型号/Model: HE333

Main

WARNING
2.24Wh
2.55Wh
CO., LTD.

AVAGO
AFEM-9046
KA1711
LB003
401907S6
◊◊1b3

SEC 710
80C1
KLUCG4J1ED
SSFA003A
SB0A1N1B05D

SEC 710
B0C1
KLUCG4J1ED
S5FAD03A
SB0A1N1B05D
2517
11.4

1001
54
55
56
57
58

LH546QH1-EDD1-QG1
Designed: 2017/02/24 REV 0.0
P/N: 6850L-2002A(Bare), 6841L-0705A(Assy)
LG Display Co.,Ltd
HD2 YP 1712-62
TP_1
TP_2
TP_3
TP_4

A1N_Daughter
Flex_B

LG Innotek
PWMD-H723B
V1.5 170530
IR 170602 X/X

KRAND
C171011-021-002-001

NOKIA

NOKIA
可充式鋰離子電池組/
可充式锂离子电池组
Rechargeable Li-ion Polymer Battery
型號/型号/Model:HE333
充電限制電壓/充电限制电压/
Max. Voltage:4.4V
標稱電壓/标称电压/
Nominal Voltage:3.85V
注 意
WARNING
額定電容量/额定电容量/
Rated Capacity:3180mAh/12.24Wh
典型容量/典型容量/
Typical Capacity:3260mAh/12.55Wh
执行标准:GB 31241-2014
為防止起火或爆炸 ，請勿拆解，
穿刺 ，壓碎，加熱或燃燒本電池
为防止起火或爆炸，请勿拆解，
穿刺 ，压碎，加热或燃烧本电池
Potential for fire or burning.
Do not disassemble,puncture,
crush,heat or burn.
飛毛腿(福建)電子有限公司
飞毛腿(福建)电子有限公司
SCUD(FUJIAN)ELECTRONICS CO., LTD.
中國製造/中国制造/Made in China
1ICP5/45/97
IS 16046/IEC 62133
R-XXXXXXXX
廢電池請回收 RXXXXX
ASBPA1N00
001S17601
1S11523