

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E and PART 27 SUBPART B, C & SUBPART L REQUIREMENT CLASS II PC REPORT

OF

Product Name: Smart Phone

Brand Name: Nokia

Model No.: TA-1035

Model Difference: N/A

FCC ID: 2AJOTTA-1035

Report No.: ER/2017/90151

Issue Date: Oct. 13, 2017

FCC Rule Part: 2 , 22H & 24E & 27B, C & L

Prepared for: HMD Global Oy
Karaportti 2, 02610 Espoo, Finland

Prepared by: SGS Taiwan Ltd.
Electronics & Communication Laboratory
No.134, Wu Kung Road, New Taipei Industrial Park,
Wuku District, New Taipei City, Taiwan 24803



Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

VERIFICATION OF COMPLIANCE

Applicant: HMD Global Oy
Karaportti 2, 02610 Espoo, Finland

Product Name: Smart Phone

Brand Name: Nokia

Model No.: TA-1035

Model Difference: N/A

FCC ID: 2AJOTTA-1035

File Number: ER/2017/90151


Date of test: Jul. 03, 2017 ~ Jul. 06, 2017
Aug, 10, 2017 (LTE Band 5)
Oct. 03, 2017 (RSE Spot Check)

Date of EUT Received: Jul. 24, 2017


We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-E-2016 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.


The test results of this report relate only to the tested sample identified in this report.

Test By:**Date:**

Oct. 13, 2017

Louis Chen / Engineer**Prepared By:****Date:**

Oct. 13, 2017

Allen Tsai / Engineer**Approved By:****Date:**

Oct. 13, 2017

Jim Chang / Asst. Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 / 新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Revision History

Report Number	Revision	Description	Issue Date
ER/2017/90151	Rev.00	Initial creation of document	Oct. 13, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Contents

1. GENERAL PRODUCT INFORMATION	5
2. SYSTEM TEST CONFIGURATION	11
3. SUMMARY OF TEST RESULTS	15
4. DESCRIPTION OF TEST MODES	16
5. MEASUREMENT UNCERTAINTY	25
6. RF CONDUCTED OUTPUT POWER MEASUREMENT	26
7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER MEASUREMENT	39
8. OCCUPIED BANDWIDTH MEASUREMENT	79
9. OUT OF BAND EMISSION AT ANTENNA TERMINALS	124
10. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	217
11. FREQUENCY STABILITY MEASUREMENT	293
12. PEAK TO AVERAGE RATIO	301
13. RSE ASSESSMENT FOR C2PC	330

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134, WuKung Road, New Taipei Industrial Park, WuKu District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

Product Name:	Smart Phone	
Brand Name:	Nokia	
Model No.:	TA-1035	
Model difference:	N/A	
Hardware Version:	680	
Software Version:	V0.37C	
USB Cable:	Model No.: CUBB01M-FA010-DH, Supplier: Nokia	
Headset:	Model No.: WH-108, Supplier: Nokia	
Power Supply:	3.85Vdc from Rechargeable Li-polymer Battery or 5 V from AC/DC Adapter	
	Battery:	Model No.: HE338, Supplier: Nokia
	Adapter:	Model No.: FC0102, Supplier: Nokia

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

GSM / WCDMA / LTE:

Cellular Phone Standards Frequency Range and Power	Operating Frequency	
	GSM/GPRS 850	824.2 MHz– 848.8 MHz
	EDGE 850	824.2 MHz– 848.8 MHz
	GSM/GPRS 1900	1850.2MHz – 1909.8MHz
	EDGE 1900	1850.2MHz – 1909.8MHz
	WCDMA / HSPA+ Band II	1852.4MHz – 1907.6MHz
	WCDMA / HSPA+ Band IV	1712.4MHz – 1752.6MHz
	WCDMA / HSPA+ Band V	826.4MHz - 846.6MHz
	LTE-Band 2 (1.4MHz)	1850.7MHz– 1909.3MHz
	LTE-Band 2 (3MHz)	1851.5MHz – 1908.5MHz
	LTE-Band 2 (5MHz)	1852.5MHz – 1907.5MHz
	LTE-Band 2 (10MHz)	1855.0MHz – 1905.0MHz
	LTE-Band 2 (15MHz)	1857.5MHz – 1902.5MHz
	LTE-Band 2 (20MHz)	1860.0MHz – 1900.0MHz
	LTE-Band 4 (1.4MHz)	1710.7MHz– 1754.3MHz
	LTE-Band 4 (3MHz)	1711.5MHz – 1753.5MHz
	LTE-Band 4 (5MHz)	1712.5MHz – 1752.5MHz
	LTE-Band 4 (10MHz)	1715MHz – 1750MHz
	LTE-Band 4 (15MHz)	1717.5MHz – 1747.5MHz
	LTE-Band 4 (20MHz)	1720MHz – 1745MHz
	LTE-Band 5 (1.4MHz)	824.7MHz – 848.3MHz
	LTE-Band 5 (3MHz)	825.5MHz – 847.5MHz
	LTE-Band 5 (5MHz)	826.5MHz – 846.5MHz
	LTE-Band 5 (10MHz)	829.0MHz – 844.0MHz
	LTE-Band 7 (Bandwidth 5MHz)	2502.5MHz – 2567.5MHz
	LTE-Band 7 (Bandwidth 10MHz)	2505.0MHz – 2565.0MHz
	LTE-Band 7 (Bandwidth 15MHz)	2507.5MHz – 2562.5MHz
	LTE-Band 7 (Bandwidth 20MHz)	2510.0MHz – 2560MHz
	LTE-Band 12 (1.4MHz)	699.7MHz– 715.3MHz
	LTE-Band 12 (3MHz)	700.5MHz – 714.5MHz
	LTE-Band 12 (5MHz)	701.5MHz – 713.5MHz
	LTE-Band 12 (10MHz)	704.0MHz – 711.0MHz
	LTE-Band 17 (5MHz)	706.5MHz – 713.5MHz
	LTE-Band 17 (10MHz)	709.0MHz –711.0MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

:

Cellular Phone Standards Frequency Range and Power	Operating Frequency	
	LTE-Band 38 (Bandwidth 5MHz)	2572.5MHz – 2617.5MHz
	LTE-Band 38 (Bandwidth 10MHz)	2575MHz – 2615MHz
	LTE-Band 38 (Bandwidth 15MHz)	2577.5MHz – 2612.5MHz
	LTE-Band 38 (Bandwidth 20MHz)	2580MHz – 2610MHz
IMEI	356041080008117, 356041080008109	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Max ERP/EIRP Power Measurement Result:

	dBm		W	Type of Emission
GSM 850	15.65	ERP	0.037	243KGXW
GPRS 850	19.15	ERP	0.082	245KGXW
EDGE 850	16.95	ERP	0.050	245KG7W
GSM 1900	22.44	EIRP	0.175	246KGXW
GPRS 1900	26.29	EIRP	0.426	240KGXW
EDGE 1900	24.72	EIRP	0.296	249KG7W
WCDMA Band II	21.53	EIRP	0.142	4M16F9W
HSDPA Band II	25.33	EIRP	0.341	4M16F9W
HSUPA Band II	23.08	EIRP	0.203	4M16F9W
WCDMA Band IV	21.52	EIRP	0.142	4M15F9W
HSDPA Band IV	24.31	EIRP	0.270	4M16F9W
HSUPA Band IV	22.83	EIRP	0.192	4M16F9W
WCDMA Band V	10.72	ERP	0.012	4M13F9W
HSDPA Band V	12.44	ERP	0.018	4M15F9W
HSUPA Band V	11.71	ERP	0.015	4M13F9W
LTE-Band 2 (Bandwidth 1.4MHz) QPSK	18.87	EIRP	0.077	1M10G7D
LTE-Band 2 (Bandwidth 1.4MHz) 16QAM	19.06	EIRP	0.081	1M10D7W
LTE-Band 2 (Bandwidth 3MHz) QPSK	19.23	EIRP	0.084	2M70G7D
LTE-Band 2 (Bandwidth 3MHz) 16QAM	19.33	EIRP	0.086	2M71D7W
LTE-Band 2 (Bandwidth 5MHz) QPSK	19.17	EIRP	0.083	4M51G7D
LTE-Band 2 (Bandwidth 5MHz) 16QAM	19.18	EIRP	0.083	4M51D7W
LTE-Band 2 (Bandwidth 10MHz) QPSK	19.63	EIRP	0.092	9M02G7D
LTE-Band 2 (Bandwidth 10MHz) 16QAM	19.01	EIRP	0.080	8M96D7W
LTE-Band 2 (Bandwidth 15MHz) QPSK	19.34	EIRP	0.086	13M5G7D
LTE-Band 2 (Bandwidth 15MHz) 16QAM	19.62	EIRP	0.092	13M5D7W
LTE-Band 2 (Bandwidth 20MHz) QPSK	19.60	EIRP	0.091	18M0G7D
LTE-Band 2 (Bandwidth 20MHz) 16QAM	19.55	EIRP	0.090	18M0D7W
LTE-Band 4 (Bandwidth 1.4MHz) QPSK	18.87	EIRP	0.077	1M10G7D
LTE-Band 4 (Bandwidth 1.4MHz) 16QAM	19.06	EIRP	0.081	1M10D7W
LTE-Band 4 (Bandwidth 3MHz) QPSK	19.23	EIRP	0.084	2M71G7D
LTE-Band 4 (Bandwidth 3MHz) 16QAM	19.33	EIRP	0.086	2M71D7W
LTE-Band 4 (Bandwidth 5MHz) QPSK	19.17	EIRP	0.083	4M51G7D
LTE-Band 4 (Bandwidth 5MHz) 16QAM	19.18	EIRP	0.083	4M51D7W
LTE-Band 4 (Bandwidth 10MHz) QPSK	19.63	EIRP	0.092	9M01G7D
LTE-Band 4 (Bandwidth 10MHz) 16QAM	19.01	EIRP	0.080	8M96D7W
LTE-Band 4 (Bandwidth 15MHz) QPSK	19.34	EIRP	0.086	13M5G7D
LTE-Band 4 (Bandwidth 15MHz) 16QAM	19.62	EIRP	0.092	13M5D7W
LTE-Band 4 (Bandwidth 20MHz) QPSK	19.60	EIRP	0.091	18M0G7D
LTE-Band 4 (Bandwidth 20MHz) 16QAM	19.55	EIRP	0.090	18M0D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

	dBm		W	Type of Emission
LTE-Band 5 (Bandwidth 1.4MHz) QPSK	15.62	ERP	0.036	1M10G7D
LTE-Band 5 (Bandwidth 1.4MHz) 16QAM	15.21	ERP	0.033	1M10D7W
LTE-Band 5 (Bandwidth 3MHz) QPSK	15.42	ERP	0.035	2M70G7D
LTE-Band 5 (Bandwidth 3MHz) 16QAM	15.48	ERP	0.035	2M70D7W
LTE-Band 5 (Bandwidth 5MHz) QPSK	15.21	ERP	0.033	4M51G7D
LTE-Band 5 (Bandwidth 5MHz) 16QAM	16.18	ERP	0.041	4M51D7W
LTE-Band 5 (Bandwidth 10MHz) QPSK	14.94	ERP	0.031	9M01G7D
LTE-Band 5 (Bandwidth 10MHz) 16QAM	15.89	ERP	0.039	8M97D7W
LTE-Band 7 (Bandwidth 5MHz) QPSK	22.11	EIRP	0.163	4M53G7D
LTE-Band 7 (Bandwidth 5MHz) 16QAM	21.98	EIRP	0.158	4M52D7W
LTE-Band 7 (Bandwidth 10MHz) QPSK	22.52	EIRP	0.179	9M01G7D
LTE-Band 7 (Bandwidth 10MHz) 16QAM	22.44	EIRP	0.175	8M96D7W
LTE-Band 7 (Bandwidth 15MHz) QPSK	22.36	EIRP	0.172	13M5G7D
LTE-Band 7 (Bandwidth 15MHz) 16QAM	22.80	EIRP	0.191	13M5D7W
LTE-Band 7 (Bandwidth 20MHz) QPSK	22.60	EIRP	0.182	17M9G7D
LTE-Band 7 (Bandwidth 20MHz) 16QAM	22.11	EIRP	0.163	18M0D7W
LTE-Band 12 (Bandwidth 1.4MHz) QPSK	14.97	ERP	0.031	1M10G7D
LTE-Band 12 (Bandwidth 1.4MHz) 16QAM	14.77	ERP	0.030	1M10D7W
LTE-Band 12 (Bandwidth 3MHz) QPSK	15.12	ERP	0.033	2M70G7D
LTE-Band 12 (Bandwidth 3MHz) 16QAM	14.75	ERP	0.030	2M70D7W
LTE-Band 12 (Bandwidth 5MHz) QPSK	14.70	ERP	0.030	4M52G7D
LTE-Band 12 (Bandwidth 5MHz) 16QAM	14.56	ERP	0.029	4M52D7W
LTE-Band 12 (Bandwidth 10MHz) QPSK	14.88	ERP	0.031	9M03G7D
LTE-Band 12 (Bandwidth 10MHz) 16QAM	14.70	ERP	0.030	8M95D7W
LTE-Band 17 (Bandwidth 5MHz) QPSK	16.44	ERP	0.044	4M52G7D
LTE-Band 17 (Bandwidth 5MHz) 16QAM	16.51	ERP	0.045	4M59D7W
LTE-Band 17 (Bandwidth 10MHz) QPSK	16.00	ERP	0.040	9M10G7D
LTE-Band 17 (Bandwidth 10MHz) 16QAM	15.60	ERP	0.036	9M12D7W
LTE-Band 38 (Bandwidth 5MHz) QPSK	28.36	EIRP	0.685	4M21G7D
LTE-Band 38 (Bandwidth 5MHz) 16QAM	27.89	EIRP	0.615	4M51D7W
LTE-Band 38 (Bandwidth 10MHz) QPSK	28.39	EIRP	0.690	8M99G7D
LTE-Band 38 (Bandwidth 10MHz) 16QAM	27.63	EIRP	0.579	8M98D7W
LTE-Band 38 (Bandwidth 15MHz) QPSK	28.02	EIRP	0.634	13M5G7D
LTE-Band 38 (Bandwidth 15MHz) 16QAM	27.66	EIRP	0.583	13M5D7W
LTE-Band 38 (Bandwidth 20MHz) QPSK	26.58	EIRP	0.455	18M0G7D
LTE-Band 38 (Bandwidth 20MHz) 16QAM	26.35	EIRP	0.432	18M0D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

1.2. Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22, 24, 27

ANSI / TIA / EIA 603-E-2016

KDB971168 D01 Power Meas license Digital System

KDB941225 of the Output power Procedure of (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

1.3. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan. (TAF code 0513)

FCC Registration Numbers are: 509634

1.4. Special Accessories

No special accessories were used during testing.

1.5. Equipment Modifications

There were no modifications incorporated into the EUT.

1.6. Class II Permissive Change

This report includes test data that fully referred from the original authorization

FCC ID: **2AJOTTA-1035**. Grant Date: 08/07/2017 and 09/05/2017.

Exhibition: PCE Test report ER-2017-60078 and ER-2017-60078-01.

RSE spot check data has been included in this report to apply for C2PC as an attestation that the modification does not impact compliance.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured TIA/EIA 603-E-2016, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured TIA/EIA 603-E-2016, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the re-ceiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the rela-tive positions of this hand-held transmitter (EUT) was rotated through three orthog-onal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made “while keeping the antenna in the ‘cone of radiation’ from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response.” is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation example with cable loss 1 dB for low band and 1 for high band with 10 dB attenuator and 3.2 splitter.

Low Band: Offset = RF cable loss (dB) + attenuation factor(dB) =3.8+10=13.8(dB)

High Band: Offset = RF cable loss (dB) + attenuation factor(dB) =4+10=14(dB)

2.5. Final Amplifier Voltage and Current Information:

Test mode	DC voltage (V)	DC current (mA)
GSM 850	3.8	316
GSM 1900	3.8	206
GPRS 850	3.8	325
GPRS 1900	3.8	222
EDGE 850	3.8	337
EDGE 1900	3.8	207
WCDMA B2	3.8	332
WCDMA B4	3.8	206
WCDMA B5	3.8	325
HSUPA B2	3.8	226
HSUPA B4	3.8	343
HSUPA B5	3.8	231
HSDPA B2	3.8	333
HSDPA B4	3.8	239
HSDPA B5	3.8	348

LTE Band 2

Test mode	DC voltage (V)	DC current (mA)
LTE Band 2_1.4M QPSK	3.8	729
LTE Band 2_1.4M 16QAM	3.8	641
LTE Band 2_3M QPSK	3.8	736
LTE Band 2_3M 16QAM	3.8	658
LTE Band 2_5M QPSK	3.8	736
LTE Band 2_5M 16QAM	3.8	664
LTE Band 2_10M QPSK	3.8	720
LTE Band 2_10M 16QAM	3.8	651
LTE Band 2_15M QPSK	3.8	732
LTE Band 2_15M 16QAM	3.8	660
LTE Band 2_20M QPSK	3.8	708
LTE Band 2_20M 16QAM	3.8	640

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE Band 4

Test mode	DC voltage (V)	DC current (mA)
LTE Band 4_1.4M QPSK	3.8	656
LTE Band 4_1.4M 16QAM	3.8	605
LTE Band 4_3M QPSK	3.8	660
LTE Band 4_3M 16QAM	3.8	615
LTE Band 4_5M QPSK	3.8	641
LTE Band 4_5M 16QAM	3.8	588
LTE Band 4_10M QPSK	3.8	639
LTE Band 4_10M 16QAM	3.8	608
LTE Band 4_15M QPSK	3.8	628
LTE Band 4_15M 16QAM	3.8	579
LTE Band 4_20M QPSK	3.8	635
LTE Band 4_20M 16QAM	3.8	594

LTE Band 5

Test mode	DC voltage (V)	DC current (mA)
LTE Band 5_1.4M QPSK	3.85	719
LTE Band 5_1.4M 16QAM	3.85	678
LTE Band 5_3M QPSK	3.85	733
LTE Band 5_3M 16QAM	3.85	654
LTE Band 5_5M QPSK	3.85	759
LTE Band 5_5M 16QAM	3.85	681
LTE Band 5_10M QPSK	3.85	724
LTE Band 5_10M 16QAM	3.85	692

LTE Band 7

Test mode	DC voltage (V)	DC current (mA)
LTE Band 7_5M QPSK	3.8	732
LTE Band 7_5M 16QAM	3.8	655
LTE Band 7_10M QPSK	3.8	741
LTE Band 7_10M 16QAM	3.8	633
LTE Band 7_15M QPSK	3.8	771
LTE Band 7_15M 16QAM	3.8	665
LTE Band 7_20M QPSK	3.8	711
LTE Band 7_20M 16QAM	3.8	671

LTE Band 12

Test mode	DC voltage (V)	DC current (mA)
LTE Band 12_1.4M QPSK	3.8	462
LTE Band 12_1.4M 16QAM	3.8	431
LTE Band 12_3M QPSK	3.8	486
LTE Band 12_3M 16QAM	3.8	448
LTE Band 12_5M QPSK	3.8	474
LTE Band 12_5M 16QAM	3.8	444
LTE Band 12_10M QPSK	3.8	458
LTE Band 12_10M 16QAM	3.8	419

LTE Band 17

Test mode	DC voltage (V)	DC current (mA)
LTE Band 17_5M QPSK	3.8	28
LTE Band 17_5M 16QAM	3.8	402
LTE Band 17_10M QPSK	3.8	449
LTE Band 17_10M 16QAM	3.8	414

LTE Band 38

Test mode	DC voltage (V)	DC current (mA)
LTE Band 38_5M QPSK	3.8	349
LTE Band 38_5M 16QAM	3.8	301
LTE Band 38_10M QPSK	3.8	322
LTE Band 38_10M 16QAM	3.8	289
LTE Band 38_15M QPSK	3.8	311
LTE Band 38_15M 16QAM	3.8	294
LTE Band 38_20M QPSK	3.8	317
LTE Band 38_20M 16QAM	3.8	288

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Table 2-1 Equipment Used in

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Communication Tester	R&S	CMU200	102189	shielded	Un-shielded
2.	Universal Radio Communication Tester	Anritsu	MT8820C	6200307563	shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046	RF Power Output	Compliant
§2.1046(a) §22.913(a)(2) §24.232(c) §27.50(c)(9)(10) §27.50(d)(4) §27.50(h)(2)	ERP/ EIRP measure- ment	Compliant
§2.1049(h)	99% & 26dB Oc- cupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a) §27.53(g) §27.53(h) §27.53(m)(4)(6)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
§2.1053 §22.917(a) §24.238(a) §27.53(g) §27.53(h) §27.53(m)	Field Strength of Spu- rious Radiation	Compliant
§24.232(d) §27.50(b)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54	Frequency Stability	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

1. The EUT has been tested under operating condition.
2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION and Wireless charging Cover
GSM/GPRS/EDGE 850	E2-plan	E2-plan
GSM/GPRS/EDGE 1900	H-plan	H-plan
WCDMA/HSPA Band II	H-plan	H-plan
WCDMA/HSPA Band IV	H-plan	H-plan
WCDMA/HSPA Band V	E2-plan	E2-plan
LTE Band 2	H-plan	H-plan
LTE Band 4	H-plan	H-plan
LTE Band 5	E2-plan	E2-plan
LTE Band 7	H-plan	H-plan
LTE Band 12	E2-plan	E2-plan
LTE Band 17	E2-plan	E2-plan
LTE Band 38	H-plan	H-plan

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

GSM/GPRS/EDGE MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
EIRP	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
FREQUENCY STABILITY	128 to 251 512 to 810	190 661	GPRS 850 GPRS 1900
OCCUPIED BANDWIDTH	128 to 251 512 to 810	190 661	GSM/GPRS/EDGE 850 GSM/GPRS/EDGE 1900
PEAK TO AVERAGE RATIO	128 to 251 512 to 810	128, 190, 251 512, 661, 810	GSM/GPRS/EDGE 850 GSM/GPRS/EDGE 1900
BAND EDGE	128 to 251 512 to 810	128, 251 512, 810	GSM/GPRS/EDGE 850 GSM/GPRS/EDGE 1900
CONDCUDED EMISSION	128 to 251 512 to 810	128, 190, 251 512, 661, 810	GSM/GPRS/EDGE 850 GSM/GPRS/EDGE 1900
RADIATED EMISSION	128 to 251 512 to 810	128, 190, 251 512, 661, 810	GSM 850 GPRS 1900

WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
EIRP	9262 to 9538 1312 to 1513	9262, 9400, 9583 1312, 1413, 1513	WCDMA/HSPA Band II WCDMA/HSPA Band IV
FREQUENCY STABILITY	4132 to 4233 1312 to 1513 9262 to 9538	4183 1413 9400	WCDMA Band II WCDMA Band IV WCDMA Band V
OCCUPIED BANDWIDTH	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA/HSPA Band II WCDMA/HSPA Band IV WCDMA/HSPA Band V
PEAK TO AVERAGE RATIO	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA/HSPA Band II WCDMA/HSPA Band IV WCDMA/HSPA Band V
BAND EDGE	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4233 1312, 1513 9262, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
CONDCUDED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
RADIATED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	HSDPA Band II HSUPA Band IV WCDMA Band V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE Band 2 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
EIRP	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	18650 to 19150	18900	10MHz	QPSK,	Full RB
OCCUPIED BANDWIDTH	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM	Full RB
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	Full RB
	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	Full RB
	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	Full RB
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	Full RB
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	Full RB
PEAK TO AVERAGE RATIO	18607 to 19193	18607, 18900, 19193	1.4MHz	16QAM	Full RB
	18615 to 19185	18615, 18900, 19185	3MHz	16QAM	Full RB
	18625 to 19175	18625, 18900, 19175	5MHz	16QAM	Full RB
	18650 to 19150	18650, 18900, 19150	10MHz	16QAM	Full RB
	18675 to 19125	18675, 18900, 19125	15MHz	16QAM	Full RB
	18700 to 19100	18700, 18900, 19100	20MHz	16QAM	Full RB
BAND EDGE	18607 to 19193	18607, 19193	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
	18615 to 19185	18615, 19185	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
	18625 to 19175	18625, 19175	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	18650 to 19150	18650, 19150	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	18675 to 19125	18675, 19125	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	18700 to 19100	18700, 19100	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
CONDCUDED EMISSION	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK,	1 RB, 0 RB Offest
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK,	1 RB, 0 RB Offest
	18625 to 19175	18625, 18900, 19175	5MHz	QPSK,	1 RB, 0 RB Offest
	18650 to 19150	18650, 18900, 19150	10MHz	QPSK,	1 RB, 0 RB Offest
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK,	1 RB, 0 RB Offest
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	18625 to 19175	18625, 18900, 19175	5MHz	QPSK	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE Band 4 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
EIRP	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20000 to 20350	20175	10MHz	QPSK,	Full RB
OCCUPIED BANDWIDTH	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	Full RB
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM	Full RB
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	Full RB
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	Full RB
PEAK TO AVERAGE RATIO	19957 to 19393	19957, 20175, 19393	1.4MHz	16QAM	Full RB
	19965 to 22385	19965, 20175, 22385	3MHz	16QAM	Full RB
	19975 to 20375	19975, 20175, 20375	5MHz	16QAM	Full RB
	20000 to 20350	20000, 20175, 20350	10MHz	16QAM	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	16QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	16QAM	Full RB
BAND EDGE	19957 to 19393	19957, 19393	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
	19965 to 22385	19965, 22385	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
	19975 to 20375	19975, 20375	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	20000 to 20350	20000, 20350	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	20025 to 20325	20025, 20325	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	20050 to 20300	20050, 20300	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
CONDCUDED EMISSION	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK,	1 RB, 0 RB Offest
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK,	1 RB, 0 RB Offest
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK,	1 RB, 0 RB Offest
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK,	1 RB, 0 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK,	1 RB, 0 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	19965 to 22385	19965, 20175, 22385	3MHz	16QAM,	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE Band 5 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	20407 to 20643	20407, 20525, 20643	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	20450 to 20600	20525	10MHz	QPSK,	Full RB
OCCUPIED BANDWIDTH	20407 to 20643	20407, 20525, 20643	1.4MHz	QPSK, 16QAM	Full RB
	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM	Full RB
	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	Full RB
PEAK TO AVERAGE RATIO	20407 to 20643	20407, 20525, 20643	1.4MHz	16QAM	Full RB
	20415 to 20635	20415, 20525, 20635	3MHz	16QAM	Full RB
	20425 to 20625	20425, 20525, 20625	5MHz	16QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	16QAM	Full RB
BAND EDGE	20407 to 20643	20407, 20643	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
	20415 to 20635	20415, 20635	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
	20425 to 20625	20425, 20625	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	20450 to 20600	20450, 20600	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
CONDCUDED EMISSION	20407 to 20643	20407, 20525, 20643	1.4MHz	QPSK,	1 RB, 0 RB Offest
	20415 to 20635	20415, 20525, 20635	3MHz	QPSK,	1 RB, 0 RB Offest
	20425 to 20625	20425, 20525, 20625	5MHz	QPSK,	1 RB, 0 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	20425 to 20625	20425, 20525, 20625	5MHz	16QAM	1 RB/ 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE Band 7 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
EIRP	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	20850 to 21375	20850, 21100, 21375	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20800 to 21400	21100	10MHz	QPSK,	Full RB
OCCUPIED BANDWIDTH	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	Full RB
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM	Full RB
	20850 to 21375	20850, 21100, 21375	15MHz	QPSK, 16QAM	Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	Full RB
PEAK TO AVERAGE RATIO	20775 to 21425	20775, 21100, 21425	5MHz	16QAM	Full RB
	20800 to 21400	20800, 21100, 21400	10MHz	16QAM	Full RB
	20850 to 21375	20850, 21100, 21375	15MHz	16QAM	Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	16QAM	Full RB
BAND EDGE	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
CONDCUDED EMISSION	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB, 0 RB Offest
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB, 0 RB Offest
	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB, 0 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB, 0 RB Offest
EMISSION MASK	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE Band 12 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23060 to 23130	23095	10MHz	QPSK,	Full RB
OCCUPIED BANDWIDTH	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	Full RB
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	Full RB
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	Full RB
PEAK TO AVERAGE RATIO	23017 to 23173	23017, 23095, 23173	1.4MHz	16QAM	Full RB
	23025 to 23165	23025, 23095, 23165	3MHz	16QAM	Full RB
	23035 to 23155	23035, 23095, 23155	5MHz	16QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	16QAM	Full RB
BAND EDGE	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
CONDCUDED EMISSION	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK,	1 RB, 0 RB Offest
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK,	1 RB, 0 RB Offest
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK,	1 RB, 0 RB Offest
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	23035 to 23155	23035, 23095, 23155	5MHz	16QAM	1 RB, 24 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE Band 17 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23780 to 23800	23790	10MHz	QPSK,	Full RB
OCCUPIED BANDWIDTH	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM	Full RB
	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM	Full RB
PEAK TO AVERAGE RATIO	23755 to 23825	23755, 23790, 23825	5MHz	16QAM	Full RB
	23780 to 23800	23780, 23790, 23800	10MHz	16QAM	Full RB
BAND EDGE	23755 to 23825	23755, 23825	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	23780 to 23800	23780, 23800	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
CONDCUDED EMISSION	23755 to 23825	23755, 23790, 23825	5MHz	QPSK,	1 RB, 0 RB Offest
	23780 to 23800	23780, 23790, 23800	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	23755 to 23825	23755, 23790, 23825	5MHz	16QAM	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE Band 38 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
EIRP	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK,	Full RB
OCCUPIED BANDWIDTH	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM	Full RB
	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK, 16QAM	Full RB
	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK, 16QAM	Full RB
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK, 16QAM	Full RB
PEAK TO AVERAGE RATIO	37775 to 38225	37775, 38000, 38225	5MHz	16QAM	Full RB
	37800 to 38200	37800 , 38000, 38200	10MHz	16QAM	Full RB
	37825 to 38175	37825 , 38000, 38175	15MHz	16QAM	Full RB
	37850 to 38150	37850 , 38000, 38150	20MHz	16QAM	Full RB
BAND EDGE	37775 to 38225	37775, 38000, 38225	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
CONDCUDED EMISSION	37775 to 38225	37775, 38000, 38225	5MHz	QPSK,	1 RB, 0 RB Offest
	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK,	1 RB, 0 RB Offest
	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK,	1 RB, 0 RB Offest
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	37775 to 38225	37775, 38000, 38225	5MHz	QPSK,	1 RB, 0 RB Offest
EMISSION MASK	37775 to 38225	37775, 38000, 38225	5MHz	QPSK,	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK,	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK,	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK,	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.10 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization = +/- 4.62dB
99% Occupied Bandwidth	+/- 5.19 Hz
Out of Band Emissions at Antenna	+/- 0.70 dB
Terminals and Band Edge	
Peak to Average Ratio	+/- 0.70 dB
Frequency Stability vs. Temperature	+/- 5.19 Hz
Frequency Stability vs. Voltage	+/- 5.19 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission:

Measurement uncertainty (Polarization : Vertical)	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 180MHz: +/- 3.37dB
	180MHz -417MHz: +/- 3.19dB
	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

Measurement uncertainty (Polarization : Horizontal)	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 167MHz: +/- 4.22dB
	167MHz -500MHz: +/- 3.44dB
	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com


Member of SGS Group

6. RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCD-MA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

6.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HU-BER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/10/2017	02/09/2018
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

6.5. Measurement Result

RF Conducted Output Power

GSM/GPRS/EDGE (GMSK; 8-PSK) Result:

EUT Mode	Freq. (MHz)	CH	Avg. Power (dBm)
GSM 850	824.2	128	33.54
	836.6	190	33.67
	848.8	251	33.63
GSM 1900	1850.2	512	30.07
	1880.0	661	30.44
	1909.8	810	30.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT Mode	Frequency (MHz)	CH	Average Burst Power (1DN 1UP) Class 8 (dBm)	Average Burst Power (1DN 2UP) Class 10 (dBm)	Average Burst Power (1DN 3UP) Class 12 (dBm)	Average Burst Power (1DN 4UP) Class 12 (dBm)
GPRS 850	824.2	128	33.54	29.18	28.21	26.93
	836.6	190	33.67	29.31	28.33	26.82
	848.8	251	33.63	29.07	28.31	26.92
GPRS 1900	1850.2	512	30.07	27.99	26.87	25.61
	1880.0	661	30.44	28.44	26.75	25.46
	1909.8	810	30.82	28.5	26.88	25.54
EDGE 850	824.2	128	26.98	25.95	24.88	23.46
	836.6	190	26.89	25.91	24.25	23.04
	848.8	251	26.84	25.88	24.25	22.95
EDGE 1900	1850.2	512	25.66	25.14	23.92	22.42
	1880.0	661	26.04	25.34	23.68	22.29
	1909.8	810	26.24	25.47	23.7	22.41

WCDMA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results:

Mode	Avg. Power (dBm) Band II Channel			Avg. Power (dBm) Band IV Channel			Avg. Power (dBm) Band V Channel		
	9262	9400	9538	1312	1413	1513	4132	4183	4233
WCDMA	23.43	23.05	22.91	24.30	24.32	24.24	24.54	24.55	24.63
HSDPA	22.35	22.06	21.87	23.16	23.14	23.31	23.40	23.30	23.45
HSUPA	22.42	21.70	21.26	23.01	23.11	23.14	23.33	23.23	23.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE Result

LTE Band 2 Uplink frequency band : 1850 to 1910 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low)	Channel (Mid)	Channel (High)	Channel (Low)	Channel (Mid)	Channel (High)
			18607	18900	19193	18607	18900	19193
1.4	1	0	23.18	22.89	22.77	21.98	22.37	21.52
	1	5	23.23	23.02	22.64	22.39	21.48	22.04
	3	2	23.34	22.99	22.67	22.42	22.10	22.10
	6	0	22.26	21.92	21.67	21.21	20.69	20.58

LTE Band 2 Uplink frequency band : 1850 to 1910 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low)	Channel (Mid)	Channel (High)	Channel (Low)	Channel (Mid)	Channel (High)
			18615	18900	19185	18615	18900	19185
3	1	0	22.93	22.88	22.64	22.04	22.09	22.14
	1	14	23.18	22.89	22.74	22.17	21.87	21.46
	8	4	22.22	21.89	21.77	21.27	21.02	20.99
	15	0	22.13	21.88	21.65	21.17	20.87	20.84

LTE Band 2 Uplink frequency band : 1850 to 1910 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low)	Channel (Mid)	Channel (High)	Channel (Low)	Channel (Mid)	Channel (High)
			18625	18900	19175	18625	18900	19175
5	1	0	23.19	22.93	22.63	22.29	22.49	21.71
	1	24	23.18	22.89	22.87	22.14	21.83	22.25
	12	6	22.21	21.88	21.65	21.21	20.84	20.61
	25	0	22.18	21.86	21.68	21.16	20.84	20.80

LTE Band 2 Uplink frequency band : 1850 to 1910 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low)	Channel (Mid)	Channel (High)	Channel (Low)	Channel (Mid)	Channel (High)
			18650	18900	19150	18650	18900	19150
10	1	0	23.09	22.91	22.60	22.37	21.70	21.76
	1	49	23.40	22.94	22.85	22.45	22.41	21.99
	25	12	22.20	21.96	21.81	21.30	21.14	20.67
	50	0	22.22	21.95	21.77	21.39	20.96	20.73

LTE Band 2 Uplink frequency band : 1850 to 1910 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low)	Channel (Mid)	Channel (High)	Channel (Low)	Channel (Mid)	Channel (High)
			18675	18900	19125	18675	18900	19125
15	1	0	23.26	22.89	22.77	22.50	21.87	22.12
	1	74	23.09	22.83	22.85	22.47	22.03	21.95
	36	19	22.19	21.86	21.74	21.27	20.84	20.71
	75	0	22.16	21.85	21.78	21.32	20.90	20.73

LTE Band 2 Uplink frequency band : 1850 to 1910 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low)	Channel (Mid)	Channel (High)	Channel (Low)	Channel (Mid)	Channel (High)
			18700	18900	19100	18700	18900	19100
20	1	0	23.41	22.89	22.87	22.48	21.90	22.05
	1	99	22.99	22.84	22.50	21.29	22.06	22.21
	50	25	22.22	21.84	21.71	21.09	20.94	20.61
	100	0	22.05	21.78	21.74	21.17	20.90	20.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 19957	Channel (Mid) 20175	Channel (High) 20393	Channel (Low) 19957	Channel (Mid) 20175	Channel (High) 20393
1.4	1	0	22.96	22.91	22.99	22.07	22.06	22.36
	1	5	22.90	22.81	22.98	22.06	21.67	22.44
	3	2	23.02	23.02	23.04	21.90	21.80	22.12
	6	0	22.06	22.09	22.16	20.85	20.85	20.92

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 19965	Channel (Mid) 20175	Channel (High) 20385	Channel (Low) 19965	Channel (Mid) 20175	Channel (High) 20385
3	1	0	23.28	23.00	23.06	22.50	22.53	22.74
	1	14	23.20	22.88	23.12	22.18	22.01	22.23
	8	4	22.07	22.08	22.14	20.81	20.86	21.28
	15	0	21.98	22.08	22.07	20.99	21.23	21.35

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 19975	Channel (Mid) 20175	Channel (High) 20375	Channel (Low) 19975	Channel (Mid) 20175	Channel (High) 20375
5	1	0	23.13	22.96	22.89	21.98	22.73	22.46
	1	24	23.09	22.91	23.07	22.38	22.31	22.67
	12	6	22.00	21.94	22.15	21.11	20.97	21.10
	25	0	22.08	21.98	22.07	21.32	21.03	21.28

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 20000	Channel (Mid) 20175	Channel (High) 20350	Channel (Low) 20000	Channel (Mid) 20175	Channel (High) 20350
10	1	0	23.09	22.92	23.12	21.81	21.89	22.52
	1	49	23.24	22.72	22.99	22.66	21.83	22.16
	25	12	22.22	22.09	22.14	21.20	21.25	21.08
	50	0	22.07	22.05	22.04	21.17	21.05	21.12

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 20025	Channel (Mid) 20175	Channel (High) 20325	Channel (Low) 20025	Channel (Mid) 20175	Channel (High) 20325
15	1	0	23.11	23.15	23.05	22.49	22.74	22.24
	1	74	23.15	22.81	23.05	22.44	21.92	22.17
	36	19	22.23	21.98	22.12	21.26	21.03	21.16
	75	0	22.31	22.01	22.14	21.17	21.13	21.09

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 20050	Channel (Mid) 20175	Channel (High) 20300	Channel (Low) 20050	Channel (Mid) 20175	Channel (High) 20300
20	1	0	22.93	23.14	23.06	22.56	22.38	22.12
	1	99	22.92	22.83	22.82	22.05	21.58	22.12
	50	25	22.16	22.01	22.18	21.09	20.99	21.07
	100	0	22.08	22.07	22.06	21.10	21.10	21.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE Band 5_Uplink frequency band : 824 to 849 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 20407	Channel (Mid) 20525	Channel (High) 20643	Channel (Low) 20407	Channel (Mid) 20525	Channel (High) 20643
1.4	1	0	23.12	23.03	23.30	22.51	21.89	22.57
	1	5	23.15	23.22	23.19	22.12	22.37	22.77
	3	2	22.81	22.90	22.83	21.82	21.97	21.97
	6	0	22.27	22.17	22.14	20.93	20.86	21.08

LTE Band 5_Uplink frequency band : 824 to 849 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 20415	Channel (Mid) 20525	Channel (High) 20635	Channel (Low) 20415	Channel (Mid) 20525	Channel (High) 20635
3	1	0	23.41	23.18	23.50	22.48	22.55	22.77
	1	14	23.38	23.37	23.50	22.51	22.46	22.45
	8	4	22.27	22.16	22.33	20.95	21.12	21.26
	15	0	22.29	22.13	22.36	21.03	21.18	21.21

LTE Band 5_Uplink frequency band : 824 to 849 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 20425	Channel (Mid) 20525	Channel (High) 20625	Channel (Low) 20425	Channel (Mid) 20525	Channel (High) 20625
5	1	0	23.05	23.18	23.19	22.34	22.39	22.69
	1	24	23.32	23.42	23.45	22.29	22.19	22.59
	12	6	22.28	22.21	22.23	21.28	21.06	21.23
	25	0	22.36	22.24	22.29	21.38	21.25	21.36

LTE Band 5_Uplink frequency band : 824 to 849 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 20450	Channel (Mid) 20525	Channel (High) 20600	Channel (Low) 20450	Channel (Mid) 20525	Channel (High) 20600
10	1	0	23.27	23.33	23.34	22.47	22.81	22.73
	1	49	22.98	23.05	23.17	22.24	22.14	22.33
	25	12	22.39	22.18	22.42	21.33	21.24	21.55
	50	0	22.38	22.17	22.31	21.35	21.08	21.16

LTE Band 7_Uplink frequency band : 2500 to 2570 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 20775	Channel (Mid) 21100	Channel (High) 21425	Channel (Low) 20775	Channel (Mid) 21100	Channel (High) 21425
5	1	0	22.50	22.38	22.59	21.38	21.54	21.92
	1	24	22.44	22.51	22.45	21.73	21.48	21.83
	12	6	21.46	21.27	21.60	20.32	20.33	20.52
	25	0	21.37	21.31	21.53	20.33	20.28	20.46

LTE Band 7_Uplink frequency band : 2500 to 2570 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 20800	Channel (Mid) 21100	Channel (High) 21400	Channel (Low) 20800	Channel (Mid) 21100	Channel (High) 21400
10	1	0	22.52	22.33	22.35	21.71	21.80	21.93
	1	49	22.37	22.50	22.60	21.39	21.60	21.70
	25	12	21.36	21.32	21.62	20.60	20.28	20.50
	50	0	21.44	21.31	21.58	20.30	20.18	20.49

LTE Band 7_Uplink frequency band : 2500 to 2570 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 20825	Channel (Mid) 21100	Channel (High) 21375	Channel (Low) 20825	Channel (Mid) 21100	Channel (High) 21375
15	1	0	22.47	22.44	22.42	21.51	21.64	21.30
	1	74	22.41	22.25	22.45	21.63	20.94	21.38
	36	19	21.26	21.31	21.50	20.32	20.20	20.44
	75	0	21.33	21.28	21.46	20.25	20.26	20.51

LTE Band 7_Uplink frequency band : 2500 to 2570 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 20850	Channel (Mid) 21100	Channel (High) 21350	Channel (Low) 20850	Channel (Mid) 21100	Channel (High) 21350
20	1	0	22.41	22.88	22.90	21.80	21.67	21.52
	1	99	22.38	22.62	22.73	21.82	21.39	21.56
	50	25	21.64	21.62	21.87	20.72	20.78	20.93
	100	0	21.69	21.61	21.98	20.69	20.70	20.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE Band 12_Uplink frequency band : 699 to 716 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 23017	Channel (Mid) 23095	Channel (High) 23173	Channel (Low) 23017	Channel (Mid) 23095	Channel (High) 23173
1.4	1	0	23.50	23.49	23.88	22.08	22.78	22.91
	1	5	23.51	23.36	23.83	22.39	22.84	22.97
	3	2	23.47	23.35	23.87	22.20	22.45	22.98
	6	0	22.43	22.54	22.76	21.07	21.40	21.49

LTE Band 12_Uplink frequency band : 699 to 716 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 23025	Channel (Mid) 23095	Channel (High) 23165	Channel (Low) 23025	Channel (Mid) 23095	Channel (High) 23165
3	1	0	23.44	23.65	23.92	22.40	22.74	22.92
	1	14	23.42	23.47	23.95	22.71	22.60	22.91
	8	4	22.40	22.52	22.85	21.11	21.56	21.67
	15	0	22.30	22.59	22.68	21.60	21.64	21.66

LTE Band 12_Uplink frequency band : 699 to 716 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 23035	Channel (Mid) 23095	Channel (High) 23155	Channel (Low) 23035	Channel (Mid) 23095	Channel (High) 23155
5	1	0	23.15	23.52	23.63	22.61	22.92	22.86
	1	24	23.67	23.66	23.75	22.93	22.71	22.93
	12	6	22.56	22.51	22.69	21.17	21.54	21.92
	25	0	22.52	22.54	22.76	21.40	21.52	21.76

LTE Band 12_Uplink frequency band : 699 to 716 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 23060	Channel (Mid) 23095	Channel (High) 23130	Channel (Low) 23060	Channel (Mid) 23095	Channel (High) 23130
10	1	0	23.37	23.25	23.73	22.08	22.85	22.40
	1	49	23.51	23.36	23.99	22.25	22.57	22.97
	25	12	22.50	22.52	22.77	21.50	21.47	21.98
	50	0	22.53	22.52	22.71	21.50	21.57	21.87

LTE Band 17_Uplink frequency band : 704 to 716 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 23755	Channel (Mid) 23790	Channel (High) 23825	Channel (Low) 23755	Channel (Mid) 23790	Channel (High) 23825
5	1	0	23.67	23.65	23.96	22.41	22.94	22.91
	1	24	23.79	23.81	23.95	22.85	22.92	22.63
	12	6	22.74	22.70	22.91	21.54	21.64	21.85
	25	0	22.81	22.80	22.88	21.65	21.85	21.84

LTE Band 17_Uplink frequency band : 704 to 716 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power(dBm)					
			QPSK			16QAM		
			Channel (Low) 23780	Channel (Mid) 23790	Channel (High) 23800	Channel (Low) 23780	Channel (Mid) 23790	Channel (High) 23800
10	1	0	23.64	23.68	23.75	22.83	22.42	22.94
	1	49	23.98	23.94	23.95	22.92	22.93	22.95
	25	12	22.79	22.70	22.80	21.66	21.93	21.74
	50	0	22.73	22.85	22.86	21.80	21.70	21.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE Band 38 Uplink frequency band : 2570 to 2620 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power (dBm)					
			QPSK			16QAM		
			CH (Low) 37775	CH (Mid) 38000	CH (High) 38225	CH (Low) 37775	CH (Mid) 38000	CH (High) 38225
5	1	0	23.31	23.59	23.39	22.57	22.90	22.85
	1	24	23.40	23.53	23.21	22.68	22.83	22.32
	12	6	22.57	22.66	22.41	21.69	21.82	21.38
	25	0	22.69	22.74	22.51	21.79	21.91	21.45

LTE Band 38 Uplink frequency band : 2570 to 2620 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power (dBm)					
			QPSK			16QAM		
			CH (Low) 37800	CH (Mid) 38000	CH (High) 38200	CH (Low) 37800	CH (Mid) 38000	CH (High) 38200
10	1	0	23.39	23.71	23.45	22.81	22.63	22.60
	1	49	23.43	23.48	23.37	22.45	22.81	22.41
	25	12	22.78	22.81	22.49	21.66	21.86	21.68
	50	0	22.51	22.89	22.46	21.64	21.79	21.68

LTE Band 38 Uplink frequency band : 2570 to 2620 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power (dBm)					
			QPSK			16QAM		
			CH (Low) 37825	CH (Mid) 38000	CH (High) 38175	CH (Low) 37825	CH (Mid) 38000	CH (High) 38175
15	1	0	23.46	23.84	23.71	22.60	22.93	22.94
	1	74	23.65	23.84	23.41	22.82	22.84	22.34
	36	19	22.66	22.86	22.59	21.72	21.81	21.72
	75	0	22.73	22.75	22.67	21.54	21.61	21.53

LTE Band 38 Uplink frequency band : 2570 to 2620 MHz								
BW (MHz)	RB Size	RB Offset	Conducted power (dBm)					
			QPSK			16QAM		
			CH (Low) 37850	CH (Mid) 38000	CH (High) 38150	CH (Low) 37850	CH (Mid) 38000	CH (High) 38150
20	1	0	23.46	23.85	23.70	22.85	22.96	22.92
	1	99	23.47	23.39	23.26	22.70	22.76	22.34
	50	25	22.76	22.90	22.71	21.87	21.83	21.68
	100	0	22.83	22.74	22.66	21.73	21.76	21.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

HSDPA Release 6 MODE:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	β_c	β_d	β_d (SF)	β_c/β_d	β_{HS} (Note 1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

Results:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Mode	Sub test	Avg. Power (dBm) Channel			Power Class 3 Limitation (dBm)	Result
		9262	9400	9538		
HSDPA II	1	22.35	22.06	21.87	20.3 ~ 25.7	Pass
	2	21.83	21.57	21.47	20.3 ~ 25.7	Pass
	3	21.98	21.73	21.44	19.8 ~ 25.7	Pass
	4	21.97	21.71	21.43	19.8 ~ 25.7	Pass

Mode	Sub test	Avg. Power (dBm) Channel			Power Class 3 Limitation (dBm)	Result
		1312	1413	1513		
HSDPA IV	1	23.16	23.14	23.31	20.3 ~ 25.7	Pass
	2	22.73	22.61	22.80	20.3 ~ 25.7	Pass
	3	22.77	22.75	22.83	19.8 ~ 25.7	Pass
	4	22.66	22.75	22.95	19.8 ~ 25.7	Pass

Mode	Sub test	Avg. Power (dBm) Channel			Power Class 3 Limitation (dBm)	Result
		4132	4183	4233		
HSDPA V	1	23.40	23.30	23.45	20.3 ~ 25.7	Pass
	2	23.21	23.12	23.17	20.3 ~ 25.7	Pass
	3	23.14	23.13	23.06	19.8 ~ 25.7	Pass
	4	23.14	23.13	23.06	19.8 ~ 25.7	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

HSPA (HSDPA & HSUPA) Release 6 MODE

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing

HSPA SUB-TEST Setting

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub-test	β_c	β_d	β_d (SF)	β_c/β_d	β_{HS}	β_{ec}	β_{ed}	β_{ed} (SF)	β_{ed} (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps)
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/225	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	$\beta_{ed1}: 47/15$ $\beta_{ed2}: 47/15$	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Results:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Mode	Sub test	Avg. Power (dBm) Channel			Power Class 3 Limitation (dBm)	Result
		9262	9400	9538		
HSUPA II	1	22.42	21.70	21.26	18.8 ~ 25.7	Pass
	2	21.44	21.02	20.85	16.8 ~ 25.7	Pass
	3	21.08	21.05	20.96	17.8 ~ 25.7	Pass
	4	21.56	21.01	20.96	16.8 ~ 25.7	Pass
	5	22.40	21.90	21.70	18.8 ~ 25.7	Pass

Mode	Sub test	Avg. Power (dBm) Channel			Power Class 3 Limitation (dBm)	Result
		1312	1413	1513		
HSDPA IV	1	23.01	23.11	23.14	20.3 ~ 25.7	Pass
	2	22.51	22.54	22.73	20.3 ~ 25.7	Pass
	3	23.14	23.08	23.04	19.8 ~ 25.7	Pass
	4	23.02	23.03	23.18	19.8 ~ 25.7	Pass
	5	23.10	23.12	23.19	19.8 ~ 25.7	Pass

Mode	Sub test	Avg. Power (dBm) Channel			Power Class 3 Limitation (dBm)	Result
		4132	4183	4233		
HSUPA V	1	23.33	23.23	23.28	18.8 ~ 25.7	Pass
	2	23.03	23.01	23.03	16.8 ~ 25.7	Pass
	3	23.25	23.15	23.29	17.8 ~ 25.7	Pass
	4	23.36	23.21	23.33	16.8 ~ 25.7	Pass
	5	23.39	23.27	23.34	16.8 ~ 25.7	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Minimum Communications Power Measurement

PCS 1900 band

PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	30.7	28.7	25.9	23.7	22.4	19.6	17.4	15.6	13.3

PCL	9	10	11	12	13	14	15
Output power (dBm)	10.9	9.4	7.3	4.5	2.7	1.5	-0.1

Note: The EUT output power was controlled by simulator. Set Communication Tester [MT8820C](#) PCL as above, and get the mobile phone output power reading

WCDMA/HSDPA/HSUPA band II, IV, V

The EUT output power was controlled by simulator. Set Communication Tester MT8820C function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 15 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER MEASUREMENT

7.1. Standard Applicable

According to FCC §2.1046

FCC 22.913(a) Mobile station is limited to 7W ERP.

FCC 24.232(c) Mobile and portable stations are limited to 2 W EIRP.


FCC 27.50(c) (10) Portable stations (hand-held devices) is limited to 3 watts ERP.

FCC 27.50(d)(4) Fixed, mobile, and portable (hand-held) stations are limited to 1W EIRP.

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2 W EIRP

7.2. Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

(B) Radiated Power Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

7.3. Measurement Procedure

1. The testing follows the Measurement Procedure of FCC KDB 971168 D01
2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
3. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated
4. The testing follows the Measurement Procedure of FCC KDB 971168 D01
5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power level of S.G.
6. $ERP = S.G. \text{ output (dBm)} + \text{Antenna Gain (dBd)} - \text{Cable Loss (dB)}$
7. $EIRP = S.G. \text{ output (dBm)} + \text{Antenna Gain (dBi)} - \text{Cable Loss (dB)}$
8. Spectrum setting:
 - (1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and $VBW \geq 3 \times RBW$.
 - (2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;
 Set span = 2 X occupied BW;
 Set RBW $\approx$ 1~5% of the span, not to exceed 1 MHz
 Set VBW = 3 x RBW;
 Select average power (RMS) detector
 Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt integration time (ex. Point = 601points, then sweep time = $601 \times 10^{-3} = 6s$).

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level;

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of $10 \times \log(TBW/RBW)$, where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

7.4. Measurement Equipment Used

ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EMI Test Receiver	R&S	ESCI7	100760	05/11/2017	05/10/2018
Spectrum Analyzer	Agilent	E4446A	MY51100003	04/25/2017	04/24/2018
Loop Antenna	ETS-Lindgren	6502	148045	09/20/2016	09/19/2017
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/19/2016	12/18/2017
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/01/2016	07/31/2017
Pre-Amplifier	Agilent	8447D	2944A07676	01/05/2017	01/04/2018
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/05/2017	01/04/2018
Turn Table	HD	DT420	N/A	N.C.R	N.C.R
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R
Low Loss Cable	Huber Suhner	966 RX	9	01/05/2017	01/04/2018
3m Site NSA	SGS	966 chamber	N/A	07/01/2017	06/30/2018
Low Loss Cable	Huber Suhner	966 TX	1	01/05/2017	01/04/2018
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2016	12/11/2017
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/05/2017	01/04/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/10/2017	02/09/2018
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

Note: The measurement was taken place with the long duration of the time, and additional equipment list as shown above indicate those equipment of which has been subject to undertake the calibration in intermediate period of time of the measurement.

ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/04/2017	08/03/2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

7.5. Measurement Result: (Peak) –using option of peak measurement

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
GSM 850	824.2	128	V	7.38	3.31	-2.92	7.76	38.45
			H	14.99	3.31	-2.92	15.37	38.45
	836.6	190	V	7.41	3.29	-2.96	7.74	38.45
			H	14.33	3.29	-2.96	14.65	38.45
	848.8	251	V	1.54	3.27	-3.00	1.80	38.45
			H	15.39	3.27	-3.00	15.65	38.45
GPRS 850	824.2	128	V	9.68	3.31	-2.92	10.06	38.45
			H	18.77	3.31	-2.92	19.15	38.45
	836.6	190	V	10.01	3.29	-2.96	10.34	38.45
			H	17.56	3.29	-2.96	17.88	38.45
	848.8	251	V	9.05	3.27	-3.00	9.32	38.45
			H	17.70	3.27	-3.00	17.96	38.45
EDGE 850	824.2	128	V	8.79	3.31	-2.92	9.18	38.45
			H	16.57	3.31	-2.92	16.95	38.45
	836.6	190	V	8.65	3.29	-2.96	8.97	38.45
			H	15.16	3.29	-2.96	15.48	38.45
	848.8	251	V	6.73	3.27	-3.00	6.99	38.45
			H	15.82	3.27	-3.00	16.08	38.45

Remark: The RBW,VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
GSM 1900	1850.2	512	V	12.97	9.94	-4.46	18.45	33.00
			H	15.92	9.94	-4.46	21.40	33.00
	1880.0	661	V	14.44	10.03	-4.51	19.97	33.00
			H	16.58	10.03	-4.51	22.10	33.00
	1909.8	810	V	14.07	10.13	-4.55	19.65	33.00
			H	16.86	10.13	-4.55	22.44	33.00
GPRS 1900	1850.2	512	V	15.86	9.94	-4.46	21.34	33.00
			H	20.81	9.94	-4.46	26.29	33.00
	1880.0	661	V	17.93	10.03	-4.51	23.45	33.00
			H	20.70	10.03	-4.51	26.22	33.00
	1909.8	810	V	17.75	10.13	-4.55	23.33	33.00
			H	20.20	10.13	-4.55	25.78	33.00
EDGE 1900	1850.2	512	V	14.43	9.94	-4.46	19.91	33.00
			H	19.07	9.94	-4.46	24.55	33.00
	1880.0	661	V	16.28	10.03	-4.51	21.81	33.00
			H	18.94	10.03	-4.51	24.47	33.00
	1909.8	810	V	15.70	10.13	-4.55	21.27	33.00
			H	19.15	10.13	-4.55	24.72	33.00

Remark: The RBW,VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
GSM 1900	1850.2	512	V	12.97	9.94	-4.46	18.45	33.00
			H	15.92	9.94	-4.46	21.40	33.00
	1880.0	661	V	14.44	10.03	-4.51	19.97	33.00
			H	16.58	10.03	-4.51	22.10	33.00
	1909.8	810	V	14.07	10.13	-4.55	19.65	33.00
			H	16.86	10.13	-4.55	22.44	33.00
GPRS 1900	1850.2	512	V	15.86	9.94	-4.46	21.34	33.00
			H	20.81	9.94	-4.46	26.29	33.00
	1880.0	661	V	17.93	10.03	-4.51	23.45	33.00
			H	20.70	10.03	-4.51	26.22	33.00
	1909.8	810	V	17.75	10.13	-4.55	23.33	33.00
			H	20.20	10.13	-4.55	25.78	33.00
EDGE 1900	1850.2	512	V	14.43	9.94	-4.46	19.91	33.00
			H	19.07	9.94	-4.46	24.55	33.00
	1880.0	661	V	16.28	10.03	-4.51	21.81	33.00
			H	18.94	10.03	-4.51	24.47	33.00
	1909.8	810	V	15.70	10.13	-4.55	21.27	33.00
			H	19.15	10.13	-4.55	24.72	33.00

Remark: The RBW,VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
WCDMA Band II	1852.4	9262	V	7.68	9.94	-4.46	13.16	33.00
			H	16.05	9.95	-4.46	21.53	33.00
	1880.0	9400	V	12.17	10.03	-4.51	17.69	33.00
			H	15.92	10.03	-4.51	21.45	33.00
	1907.6	9538	V	7.45	10.12	-4.55	13.02	33.00
			H	14.31	10.12	-4.55	19.88	33.00
HSDPA Band II	1852.4	9262	V	12.81	9.94	-4.46	18.29	33.00
			H	19.84	9.95	-4.46	25.33	33.00
	1880.0	9400	V	13.48	10.04	-4.51	19.01	33.00
			H	18.51	10.04	-4.51	24.04	33.00
	1907.6	9538	V	11.82	10.12	-4.55	17.39	33.00
			H	18.48	10.12	-4.55	24.05	33.00
HSUPA Band II	1852.4	9262	V	9.37	9.95	-4.46	14.85	33.00
			H	17.60	9.94	-4.46	23.08	33.00
	1880.0	9400	V	11.75	10.03	-4.51	17.27	33.00
			H	17.39	10.04	-4.51	22.92	33.00
	1907.6	9538	V	9.01	10.12	-4.55	14.58	33.00
			H	15.17	10.12	-4.55	20.74	33.00

Remark: The RBW,VBW of SPA for frequency RBW=5 MHz, VBW=8 MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
WCDMA Band IV	1712.4	1312	V	10.17	9.48	-4.31	15.35	30.00
			H	15.57	9.48	-4.31	20.74	30.00
	1732.6	1413	V	11.17	9.55	-4.31	16.41	30.00
			H	16.28	9.55	-4.31	21.52	30.00
	1752.6	1513	V	9.06	9.62	-4.34	14.34	30.00
			H	14.57	9.62	-4.34	19.85	30.00
HSDPA Band IV	1712.4	1312	V	12.93	9.48	-4.31	18.11	30.00
			H	19.14	9.48	-4.31	24.31	30.00
	1732.6	1413	V	13.16	9.55	-4.31	18.40	30.00
			H	16.80	9.55	-4.31	22.04	30.00
	1752.6	1513	V	10.48	9.62	-4.34	15.77	30.00
			H	16.20	9.62	-4.34	21.49	30.00
HSUPA Band IV	1712.4	1312	V	11.28	9.48	-4.31	16.45	30.00
			H	17.65	9.48	-4.31	22.83	30.00
	1732.6	1413	V	11.77	9.55	-4.31	17.01	30.00
			H	16.26	9.55	-4.31	21.51	30.00
	1752.6	1513	V	10.10	9.62	-4.34	15.38	30.00
			H	15.15	9.62	-4.34	20.43	30.00

Remark: The RBW,VBW of SPA for frequency RBW=5 MHz, VBW=8 MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
WCDMA Band V	826.4	4132	V	4.02	3.30	-2.93	4.39	38.45
			H	10.35	3.30	-2.93	10.72	38.45
	836.6	4183	V	2.04	3.29	-2.97	2.36	38.45
			H	9.34	3.29	-2.96	9.66	38.45
	846.6	4233	V	0.38	3.27	-3.00	0.66	38.45
			H	9.15	3.27	-3.00	9.43	38.45
HSDPA Band V	826.4	4132	V	5.48	3.30	-2.93	5.85	38.45
			H	12.07	3.30	-2.93	12.44	38.45
	836.6	4183	V	3.31	3.29	-2.96	3.64	38.45
			H	10.44	3.29	-2.96	10.77	38.45
	846.6	4233	V	2.37	3.27	-3.00	2.65	38.45
			H	10.58	3.27	-3.00	10.85	38.45
HSUPA Band V	826.4	4132	V	4.63	3.30	-2.93	5.01	38.45
			H	11.33	3.30	-2.93	11.71	38.45
	836.6	4183	V	2.93	3.29	-2.96	3.26	38.45
			H	9.54	3.29	-2.96	9.87	38.45
	846.6	4233	V	1.49	3.27	-3.00	1.76	38.45
			H	9.88	3.27	-3.00	10.15	38.45

Remark: The RBW,VBW of SPA for frequency RBW=5 MHz, VBW=8 MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 2 BW: 1.4M QPSK RB: 1,0	1850.7	18607	V	11.09	9.94	-4.46	16.57	33.01
			H	11.99	9.95	-4.46	17.47	33.01
	1880.0	18900	V	9.32	10.03	-4.51	14.84	33.01
			H	13.35	10.03	-4.51	18.87	33.01
	1909.3	19193	V	3.51	10.12	-4.55	9.08	33.01
			H	8.66	10.12	-4.55	14.23	33.01
BAND 2 BW: 1.4M QPSK RB: 1,5	1850.7	18607	V	11.09	9.94	-4.46	16.57	33.01
			H	11.98	9.94	-4.46	17.46	33.01
	1880.0	18900	V	9.26	10.03	-4.51	14.78	33.01
			H	13.31	10.03	-4.51	18.84	33.01
	1909.3	19193	V	3.22	10.12	-4.55	8.80	33.01
			H	8.43	10.12	-4.55	14.00	33.01
BAND 2 BW: 1.4M 16QAM RB: 1,0	1850.7	18607	V	11.17	9.94	-4.46	16.65	33.01
			H	12.12	9.94	-4.46	17.61	33.01
	1880.0	18900	V	9.14	10.03	-4.51	14.66	33.01
			H	13.30	10.03	-4.51	18.83	33.01
	1909.3	19193	V	3.48	10.12	-4.55	9.05	33.01
			H	8.61	10.12	-4.55	14.19	33.01
BAND 2 BW: 1.4M 16QAM RB: 1,5	1850.7	18607	V	11.12	9.94	-4.46	16.60	33.01
			H	11.87	9.94	-4.46	17.35	33.01
	1880.0	18900	V	8.93	10.03	-4.51	14.46	33.01
			H	13.54	10.03	-4.51	19.06	33.01
	1909.3	19193	V	3.19	10.12	-4.55	8.77	33.01
			H	8.28	10.12	-4.55	13.85	33.01

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 2 BW: 3M QPSK RB: 1,0	1851.5	18615	V	11.61	9.95	-4.46	17.09	33.01
			H	11.89	9.95	-4.46	17.38	33.01
	1880.0	18900	V	10.49	10.03	-4.50	16.01	33.01
			H	13.71	10.03	-4.50	19.23	33.01
	1908.5	19185	V	5.91	10.11	-4.55	11.48	33.01
			H	9.96	10.11	-4.55	15.53	33.01
BAND 2 BW: 3M QPSK RB: 1,14	1851.5	18615	V	11.28	9.94	-4.46	16.76	33.01
			H	12.02	9.94	-4.46	17.50	33.01
	1880.0	18900	V	10.19	10.03	-4.51	15.72	33.01
			H	13.24	10.03	-4.51	18.77	33.01
	1908.5	19185	V	4.60	10.12	-4.55	10.18	33.01
			H	9.01	10.12	-4.55	14.58	33.01
BAND 2 BW: 3M 16QAM RB: 1,0	1851.5	18615	V	11.47	9.95	-4.46	16.96	33.01
			H	11.82	9.94	-4.46	17.30	33.01
	1880.0	18900	V	10.41	10.02	-4.50	15.93	33.01
			H	13.81	10.02	-4.50	19.33	33.01
	1908.5	19185	V	5.94	10.11	-4.54	11.51	33.01
			H	10.18	10.11	-4.55	15.75	33.01
BAND 2 BW: 3M 16QAM RB: 1,14	1851.5	18615	V	11.28	9.94	-4.46	16.77	33.01
			H	11.75	9.94	-4.46	17.23	33.01
	1880.0	18900	V	10.08	10.03	-4.51	15.60	33.01
			H	13.10	10.03	-4.51	18.62	33.01
	1908.5	19185	V	4.53	10.12	-4.55	10.10	33.01
			H	8.97	10.12	-4.55	14.55	33.01

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 2 BW: 5M QPSK RB: 1,0	1852.5	18625	V	11.49	9.95	-4.46	16.97	33.01
			H	11.81	9.95	-4.46	17.30	33.01
	1880.0	18900	V	10.14	10.02	-4.50	15.66	33.01
			H	13.66	10.02	-4.50	19.17	33.01
	1907.5	19175	V	6.96	10.11	-4.54	12.52	33.01
			H	10.85	10.11	-4.54	16.42	33.01
BAND 2 BW: 5M QPSK RB: 1,24	1852.5	18625	V	10.64	9.95	-4.46	16.13	33.01
			H	11.71	9.95	-4.46	17.19	33.01
	1880.0	18900	V	9.80	10.04	-4.51	15.32	33.01
			H	12.87	10.04	-4.51	18.40	33.01
	1907.5	19175	V	4.30	10.12	-4.55	9.87	33.01
			H	9.00	10.12	-4.55	14.58	33.01
BAND 2 BW: 5M 16QAM RB: 1,0	1852.5	18625	V	11.26	9.95	-4.46	16.74	33.01
			H	11.67	9.94	-4.46	17.15	33.01
	1880.0	18900	V	10.28	10.02	-4.50	15.80	33.01
			H	13.66	10.02	-4.50	19.18	33.01
	1907.5	19175	V	6.65	10.11	-4.54	12.22	33.01
			H	10.62	10.11	-4.54	16.19	33.01
BAND 2 BW: 5M 16QAM RB: 1,24	1852.5	18625	V	10.50	9.95	-4.46	15.98	33.01
			H	11.63	9.95	-4.46	17.11	33.01
	1880.0	18900	V	9.76	10.04	-4.51	15.29	33.01
			H	12.82	10.04	-4.51	18.34	33.01
	1907.5	19175	V	4.30	10.12	-4.55	9.88	33.01
			H	8.87	10.12	-4.55	14.45	33.01

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 2 BW: 10M QPSK RB: 1,0	1855.0	18650	V	11.38	9.95	-4.46	16.86	33.01
			H	11.82	9.95	-4.46	17.31	33.01
	1880.0	18900	V	10.73	10.01	-4.50	16.24	33.01
			H	14.11	10.01	-4.50	19.63	33.01
	1905.0	19150	V	8.16	10.09	-4.54	13.72	33.01
			H	11.66	10.09	-4.54	17.21	33.01
BAND 2 BW: 10M QPSK RB: 1,49	1855.0	18650	V	9.84	9.96	-4.47	15.33	33.01
			H	12.09	9.96	-4.47	17.58	33.01
	1880.0	18900	V	9.20	10.04	-4.51	14.73	33.01
			H	12.07	10.04	-4.51	17.60	33.01
	1905.0	19150	V	4.34	10.12	-4.55	9.92	33.01
			H	8.93	10.12	-4.55	14.50	33.01
BAND 2 BW: 10M 16QAM RB: 1,0	1855.0	18650	V	11.26	9.95	-4.46	16.74	33.01
			H	11.79	9.95	-4.46	17.27	33.01
	1880.0	18900	V	10.00	10.02	-4.50	15.52	33.01
			H	13.49	10.02	-4.50	19.01	33.01
	1905.0	19150	V	8.38	10.09	-4.54	13.93	33.01
			H	11.52	10.09	-4.54	17.08	33.01
BAND 2 BW: 10M 16QAM RB: 1,49	1855.0	18650	V	9.74	9.96	-4.47	15.23	33.01
			H	12.05	9.96	-4.47	17.54	33.01
	1880.0	18900	V	9.28	10.04	-4.51	14.81	33.01
			H	12.35	10.04	-4.51	17.88	33.01
	1905.0	19150	V	4.35	10.12	-4.55	9.93	33.01
			H	9.00	10.12	-4.55	14.57	33.01

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 2 BW: 15M QPSK RB: 1,0	1857.5	18675	V	11.48	9.94	-4.46	16.96	33.01
			H	11.74	9.94	-4.46	17.22	33.01
	1880.0	18900	V	10.33	10.01	-4.50	15.84	33.01
			H	13.83	10.01	-4.50	19.34	33.01
	1902.5	19125	V	7.39	10.08	-4.53	12.94	33.01
			H	11.09	10.08	-4.53	16.64	33.01
BAND 2 BW: 15M QPSK RB: 1,74	1857.5	18675	V	10.02	9.98	-4.48	15.52	33.01
			H	13.14	9.98	-4.48	18.63	33.01
	1880.0	18900	V	8.32	10.05	-4.52	13.85	33.01
			H	11.25	10.05	-4.52	16.79	33.01
	1902.5	19125	V	4.31	10.12	-4.55	9.89	33.01
			H	8.94	10.12	-4.55	14.51	33.01
BAND 2 BW: 15M 16QAM RB: 1,0	1857.5	18675	V	11.03	9.94	-4.46	16.51	33.01
			H	11.71	9.95	-4.46	17.20	33.01
	1880.0	18900	V	10.22	10.01	-4.50	15.73	33.01
			H	14.11	10.01	-4.50	19.62	33.01
	1902.5	19125	V	7.44	10.08	-4.53	12.99	33.01
			H	11.02	10.08	-4.53	16.57	33.01
BAND 2 BW: 15M 16QAM RB: 1,74	1857.5	18675	V	9.94	9.98	-4.48	15.44	33.01
			H	12.94	9.98	-4.48	18.44	33.01
	1880.0	18900	V	8.28	10.05	-4.52	13.82	33.01
			H	11.46	10.05	-4.52	16.99	33.01
	1902.5	19125	V	4.22	10.12	-4.55	9.79	33.01
			H	8.89	10.12	-4.55	14.47	33.01

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 2 BW: 20M QPSK RB: 1,0	1860.0	18700	V	11.34	9.95	-4.46	16.83	33.01
			H	11.66	9.95	-4.46	17.14	33.01
	1880.0	18900	V	10.37	10.00	-4.49	15.88	33.01
			H	14.09	10.00	-4.49	19.60	33.01
	1900.0	19100	V	7.63	10.07	-4.52	13.17	33.01
			H	10.73	10.07	-4.52	16.27	33.01
BAND 2 BW: 20M QPSK RB: 1,99	1860.0	18700	V	10.52	9.99	-4.49	16.02	33.01
			H	13.98	9.99	-4.49	19.49	33.01
	1880.0	18900	V	8.00	10.06	-4.52	13.54	33.01
			H	10.92	10.06	-4.52	16.45	33.01
	1900.0	19100	V	4.48	10.12	-4.55	10.05	33.01
			H	9.05	10.12	-4.55	14.62	33.01
BAND 2 BW: 20M 16QAM RB: 1,0	1860.0	18700	V	11.12	9.95	-4.46	16.61	33.01
			H	12.13	9.94	-4.46	17.61	33.01
	1880.0	18900	V	9.76	10.00	-4.49	15.27	33.01
			H	14.04	10.00	-4.49	19.55	33.01
	1900.0	19100	V	7.61	10.07	-4.52	13.16	33.01
			H	10.67	10.07	-4.52	16.21	33.01
BAND 2 BW: 20M 16QAM RB: 1,99	1860.0	18700	V	10.29	9.99	-4.49	15.80	33.01
			H	13.81	9.99	-4.49	19.32	33.01
	1880.0	18900	V	7.82	10.06	-4.52	13.36	33.01
			H	11.13	10.06	-4.52	16.66	33.01
	1900.0	19100	V	4.39	10.12	-4.55	9.96	33.01
			H	8.95	10.12	-4.55	14.52	33.01

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 4 BW: 1.4M QPSK RB: 1,0	1710.7	19957	V	11.09	9.94	-4.46	16.57	30.00
			H	11.99	9.95	-4.46	17.47	30.00
	1732.5	20175	V	9.32	10.03	-4.51	14.84	30.00
			H	13.35	10.03	-4.51	18.87	30.00
	1754.3	20393	V	3.51	10.12	-4.55	9.08	30.00
			H	8.66	10.12	-4.55	14.23	30.00
BAND 4 BW: 1.4M QPSK RB: 1,5	1710.7	19957	V	11.09	9.94	-4.46	16.57	30.00
			H	11.98	9.94	-4.46	17.46	30.00
	1732.5	20175	V	9.26	10.03	-4.51	14.78	30.00
			H	13.31	10.03	-4.51	18.84	30.00
	1754.3	20393	V	3.22	10.12	-4.55	8.80	30.00
			H	8.43	10.12	-4.55	14.00	30.00
BAND 4 BW: 1.4M 16QAM RB: 1,0	1710.7	19957	V	11.17	9.94	-4.46	16.65	30.00
			H	12.12	9.94	-4.46	17.61	30.00
	1732.5	20175	V	9.14	10.03	-4.51	14.66	30.00
			H	13.30	10.03	-4.51	18.83	30.00
	1754.3	20393	V	3.48	10.12	-4.55	9.05	30.00
			H	8.61	10.12	-4.55	14.19	30.00
BAND 4 BW: 1.4M 16QAM RB: 1,5	1710.7	19957	V	11.12	9.94	-4.46	16.60	30.00
			H	11.87	9.94	-4.46	17.35	30.00
	1732.5	20175	V	8.93	10.03	-4.51	14.46	30.00
			H	13.54	10.03	-4.51	19.06	30.00
	1754.3	20393	V	3.19	10.12	-4.55	8.77	30.00
			H	8.28	10.12	-4.55	13.85	30.00

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 4 BW: 3M QPSK RB: 1,0	1711.5	19965	V	11.61	9.95	-4.46	17.09	30.00
			H	11.89	9.95	-4.46	17.38	30.00
	1732.5	20175	V	10.49	10.03	-4.50	16.01	30.00
			H	13.71	10.03	-4.50	19.23	30.00
	1753.5	20385	V	5.91	10.11	-4.55	11.48	30.00
			H	9.96	10.11	-4.55	15.53	30.00
BAND 4 BW: 3M QPSK RB: 1,14	1711.5	19965	V	11.28	9.94	-4.46	16.76	30.00
			H	12.02	9.94	-4.46	17.50	30.00
	1732.5	20175	V	10.19	10.03	-4.51	15.72	30.00
			H	13.24	10.03	-4.51	18.77	30.00
	1753.5	20385	V	4.60	10.12	-4.55	10.18	30.00
			H	9.01	10.12	-4.55	14.58	30.00
BAND 4 BW: 3M 16QAM RB: 1,0	1711.5	19965	V	11.47	9.95	-4.46	16.96	30.00
			H	11.82	9.94	-4.46	17.30	30.00
	1732.5	20175	V	10.41	10.02	-4.50	15.93	30.00
			H	13.81	10.02	-4.50	19.33	30.00
	1753.5	20385	V	5.94	10.11	-4.54	11.51	30.00
			H	10.18	10.11	-4.55	15.75	30.00
BAND 4 BW: 3M 16QAM RB: 1,14	1711.5	19965	V	11.28	9.94	-4.46	16.77	30.00
			H	11.75	9.94	-4.46	17.23	30.00
	1732.5	20175	V	10.08	10.03	-4.51	15.60	30.00
			H	13.10	10.03	-4.51	18.62	30.00
	1753.5	20385	V	4.53	10.12	-4.55	10.10	30.00
			H	8.97	10.12	-4.55	14.55	30.00

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 4 BW: 5M QPSK RB: 1,0	1712.5	19975	V	11.49	9.95	-4.46	16.97	30.00
			H	11.81	9.95	-4.46	17.30	30.00
	1732.5	20175	V	10.14	10.02	-4.50	15.66	30.00
			H	13.66	10.02	-4.50	19.17	30.00
	1752.5	20375	V	6.96	10.11	-4.54	12.52	30.00
			H	10.85	10.11	-4.54	16.42	30.00
BAND 4 BW: 5M QPSK RB: 1,24	1712.5	19975	V	10.64	9.95	-4.46	16.13	30.00
			H	11.71	9.95	-4.46	17.19	30.00
	1732.5	20175	V	9.80	10.04	-4.51	15.32	30.00
			H	12.87	10.04	-4.51	18.40	30.00
	1752.5	20375	V	4.30	10.12	-4.55	9.87	30.00
			H	9.00	10.12	-4.55	14.58	30.00
BAND 4 BW: 5M 16QAM RB: 1,0	1712.5	19975	V	11.26	9.95	-4.46	16.74	30.00
			H	11.67	9.94	-4.46	17.15	30.00
	1732.5	20175	V	10.28	10.02	-4.50	15.80	30.00
			H	13.66	10.02	-4.50	19.18	30.00
	1752.5	20375	V	6.65	10.11	-4.54	12.22	30.00
			H	10.62	10.11	-4.54	16.19	30.00
BAND 4 BW: 5M 16QAM RB: 1,24	1712.5	19975	V	10.50	9.95	-4.46	15.98	30.00
			H	11.63	9.95	-4.46	17.11	30.00
	1732.5	20175	V	9.76	10.04	-4.51	15.29	30.00
			H	12.82	10.04	-4.51	18.34	30.00
	1752.5	20375	V	4.30	10.12	-4.55	9.88	30.00
			H	8.87	10.12	-4.55	14.45	30.00

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 4 BW: 10M QPSK RB: 1,0	1715.0	20000	V	11.38	9.95	-4.46	16.86	30.00
			H	11.82	9.95	-4.46	17.31	30.00
	1732.5	20175	V	10.73	10.01	-4.50	16.24	30.00
			H	14.11	10.01	-4.50	19.63	30.00
	1750.0	20350	V	8.16	10.09	-4.54	13.72	30.00
			H	11.66	10.09	-4.54	17.21	30.00
BAND 4 BW: 10M QPSK RB: 1,49	1715.0	20000	V	9.84	9.96	-4.47	15.33	30.00
			H	12.09	9.96	-4.47	17.58	30.00
	1732.5	20175	V	9.20	10.04	-4.51	14.73	30.00
			H	12.07	10.04	-4.51	17.60	30.00
	1750.0	20350	V	4.34	10.12	-4.55	9.92	30.00
			H	8.93	10.12	-4.55	14.50	30.00
BAND 4 BW: 10M 16QAM RB: 1,0	1715.0	20000	V	11.26	9.95	-4.46	16.74	30.00
			H	11.79	9.95	-4.46	17.27	30.00
	1732.5	20175	V	10.00	10.02	-4.50	15.52	30.00
			H	13.49	10.02	-4.50	19.01	30.00
	1750.0	20350	V	8.38	10.09	-4.54	13.93	30.00
			H	11.52	10.09	-4.54	17.08	30.00
BAND 4 BW: 10M 16QAM RB: 1,49	1715.0	20000	V	9.74	9.96	-4.47	15.23	30.00
			H	12.05	9.96	-4.47	17.54	30.00
	1732.5	20175	V	9.28	10.04	-4.51	14.81	30.00
			H	12.35	10.04	-4.51	17.88	30.00
	1750.0	20350	V	4.35	10.12	-4.55	9.93	30.00
			H	9.00	10.12	-4.55	14.57	30.00

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 4 BW: 15M QPSK RB: 1,0	1717.5	20025	V	11.48	9.94	-4.46	16.96	30.00
			H	11.74	9.94	-4.46	17.22	30.00
	1732.5	20175	V	10.33	10.01	-4.50	15.84	30.00
			H	13.83	10.01	-4.50	19.34	30.00
	1747.5	20325	V	7.39	10.08	-4.53	12.94	30.00
			H	11.09	10.08	-4.53	16.64	30.00
BAND 4 BW: 15M QPSK RB: 1,74	1717.5	20025	V	10.02	9.98	-4.48	15.52	30.00
			H	13.14	9.98	-4.48	18.63	30.00
	1732.5	20175	V	8.32	10.05	-4.52	13.85	30.00
			H	11.25	10.05	-4.52	16.79	30.00
	1747.5	20325	V	4.31	10.12	-4.55	9.89	30.00
			H	8.94	10.12	-4.55	14.51	30.00
BAND 4 BW: 15M 16QAM RB: 1,0	1717.5	20025	V	11.03	9.94	-4.46	16.51	30.00
			H	11.71	9.95	-4.46	17.20	30.00
	1732.5	20175	V	10.22	10.01	-4.50	15.73	30.00
			H	14.11	10.01	-4.50	19.62	30.00
	1747.5	20325	V	7.44	10.08	-4.53	12.99	30.00
			H	11.02	10.08	-4.53	16.57	30.00
BAND 4 BW: 15M 16QAM RB: 1,74	1717.5	20025	V	9.94	9.98	-4.48	15.44	30.00
			H	12.94	9.98	-4.48	18.44	30.00
	1732.5	20175	V	8.28	10.05	-4.52	13.82	30.00
			H	11.46	10.05	-4.52	16.99	30.00
	1747.5	20325	V	4.22	10.12	-4.55	9.79	30.00
			H	8.89	10.12	-4.55	14.47	30.00

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 4 BW: 20M QPSK RB: 1,0	1720.0	20050	V	11.34	9.95	-4.46	16.83	30.00
			H	11.66	9.95	-4.46	17.14	30.00
	1732.5	20175	V	10.37	10.00	-4.49	15.88	30.00
			H	14.09	10.00	-4.49	19.60	30.00
	1745.0	20300	V	7.63	10.07	-4.52	13.17	30.00
			H	10.73	10.07	-4.52	16.27	30.00
BAND 4 BW: 20M QPSK RB: 1,99	1720.0	20050	V	10.52	9.99	-4.49	16.02	30.00
			H	13.98	9.99	-4.49	19.49	30.00
	1732.5	20175	V	8.00	10.06	-4.52	13.54	30.00
			H	10.92	10.06	-4.52	16.45	30.00
	1745.0	20300	V	4.48	10.12	-4.55	10.05	30.00
			H	9.05	10.12	-4.55	14.62	30.00
BAND 4 BW: 20M 16QAM RB: 1,0	1720.0	20050	V	11.12	9.95	-4.46	16.61	30.00
			H	12.13	9.94	-4.46	17.61	30.00
	1732.5	20175	V	9.76	10.00	-4.49	15.27	30.00
			H	14.04	10.00	-4.49	19.55	30.00
	1745.0	20300	V	7.61	10.07	-4.52	13.16	30.00
			H	10.67	10.07	-4.52	16.21	30.00
BAND 4 BW: 20M 16QAM RB: 1,99	1720.0	20050	V	10.29	9.99	-4.49	15.80	30.00
			H	13.81	9.99	-4.49	19.32	30.00
	1732.5	20175	V	7.82	10.06	-4.52	13.36	30.00
			H	11.13	10.06	-4.52	16.66	30.00
	1745.0	20300	V	4.39	10.12	-4.55	9.96	30.00
			H	8.95	10.12	-4.55	14.52	30.00

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	ERP dBm	Limit dBm
BAND 5 BW: 1.4M QPSK RB: 1,0	824.7	20407	V	10.90	3.30	-2.93	11.27	38.45
			H	14.08	3.30	-2.93	14.45	38.45
	836.5	20525	V	11.73	3.29	-2.96	12.06	38.45
			H	15.29	3.29	-2.96	15.62	38.45
	848.3	20643	V	9.50	3.27	-2.99	9.78	38.45
			H	11.55	3.27	-2.99	11.83	38.45
BAND 5 BW: 1.4M QPSK RB: 1,5	824.7	20407	V	10.97	3.31	-2.92	11.36	38.45
			H	13.90	3.31	-2.92	14.29	38.45
	836.5	20525	V	11.72	3.29	-2.96	12.05	38.45
			H	13.84	3.29	-2.96	14.17	38.45
	848.3	20643	V	8.64	3.27	-3.00	8.91	38.45
			H	11.77	3.27	-3.00	12.04	38.45
BAND 5 BW: 1.4M 16QAM RB: 1,0	824.7	20407	V	11.95	3.30	-2.93	12.32	38.45
			H	14.07	3.30	-2.93	14.44	38.45
	836.5	20525	V	12.13	3.29	-2.96	12.46	38.45
			H	14.88	3.29	-2.96	15.21	38.45
	848.3	20643	V	10.45	3.27	-2.99	10.73	38.45
			H	12.01	3.27	-2.99	12.29	38.45
BAND 5 BW: 1.4M 16QAM RB: 1,5	824.7	20407	V	11.65	3.31	-2.92	12.04	38.45
			H	14.14	3.31	-2.92	14.53	38.45
	836.5	20525	V	11.81	3.29	-2.96	12.14	38.45
			H	14.68	3.29	-2.96	15.01	38.45
	848.3	20643	V	10.11	3.27	-3.00	10.38	38.45
			H	12.23	3.27	-3.00	12.50	38.45

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	ERP dBm	Limit dBm
BAND 5 BW: 3M QPSK RB: 1,0	825.5	20415	V	10.63	3.30	-2.93	11.00	38.45
			H	13.88	3.30	-2.93	14.25	38.45
	836.5	20525	V	11.29	3.29	-2.95	11.63	38.45
			H	15.08	3.29	-2.95	15.42	38.45
	847.5	20635	V	8.42	3.28	-2.99	8.71	38.45
			H	11.56	3.28	-2.99	11.85	38.45
BAND 5 BW: 3M QPSK RB: 1,14	825.5	20415	V	9.98	3.30	-2.93	10.35	38.45
			H	13.62	3.30	-2.93	13.99	38.45
	836.5	20525	V	10.57	3.29	-2.96	10.90	38.45
			H	14.68	3.29	-2.96	15.01	38.45
	847.5	20635	V	8.87	3.27	-3.00	9.14	38.45
			H	11.54	3.27	-3.00	11.81	38.45
BAND 5 BW: 3M 16QAM RB: 1,0	825.5	20415	V	11.26	3.30	-2.93	11.63	38.45
			H	14.67	3.30	-2.93	15.04	38.45
	836.5	20525	V	12.00	3.29	-2.95	12.34	38.45
			H	15.15	3.29	-2.96	15.48	38.45
	847.5	20635	V	9.75	3.28	-2.99	10.04	38.45
			H	12.27	3.28	-2.99	12.56	38.45
BAND 5 BW: 3M 16QAM RB: 1,14	825.5	20415	V	11.56	3.30	-2.93	11.93	38.45
			H	14.15	3.30	-2.93	14.52	38.45
	836.5	20525	V	11.38	3.29	-2.96	11.71	38.45
			H	14.59	3.29	-2.96	14.92	38.45
	847.5	20635	V	9.54	3.27	-3.00	9.81	38.45
			H	11.80	3.27	-3.00	12.07	38.45

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	ERP dBm	Limit dBm
BAND 5 BW: 5M QPSK RB: 1,0	826.5	20425	V	10.10	3.30	-2.93	10.47	38.45
			H	14.84	3.30	-2.93	15.21	38.45
	836.5	20525	V	11.24	3.29	-2.95	11.58	38.45
			H	14.63	3.29	-2.95	14.97	38.45
	846.5	20625	V	9.77	3.28	-2.98	10.07	38.45
			H	12.88	3.28	-2.98	13.18	38.45
BAND 5 BW: 5M QPSK RB: 1,24	826.5	20425	V	11.08	3.30	-2.93	11.45	38.45
			H	14.59	3.30	-2.93	14.96	38.45
	836.5	20525	V	9.78	3.29	-2.97	10.10	38.45
			H	13.18	3.29	-2.96	13.51	38.45
	846.5	20625	V	9.39	3.27	-3.00	9.66	38.45
			H	12.32	3.27	-3.00	12.59	38.45
BAND 5 BW: 5M 16QAM RB: 1,0	826.5	20425	V	11.04	3.30	-2.93	11.41	38.45
			H	14.78	3.30	-2.93	15.15	38.45
	836.5	20525	V	11.88	3.29	-2.95	12.22	38.45
			H	15.84	3.29	-2.95	16.18	38.45
	846.5	20625	V	9.61	3.28	-2.98	9.91	38.45
			H	12.99	3.28	-2.98	13.29	38.45
BAND 5 BW: 5M 16QAM RB: 1,24	826.5	20425	V	10.77	3.30	-2.93	11.14	38.45
			H	14.64	3.30	-2.93	15.01	38.45
	836.5	20525	V	11.39	3.29	-2.96	11.72	38.45
			H	14.59	3.29	-2.96	14.92	38.45
	846.5	20625	V	10.15	3.27	-3.00	10.42	38.45
			H	13.49	3.27	-3.00	13.76	38.45

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	ERP dBm	Limit dBm
BAND 5 BW: 10M QPSK RB: 1,0	829.0	20450	V	10.55	3.30	-2.93	10.92	38.45
			H	14.26	3.30	-2.93	14.63	38.45
	836.5	20525	V	11.36	3.30	-2.94	11.72	38.45
			H	14.58	3.30	-2.94	14.94	38.45
	844.0	20600	V	10.40	3.29	-2.97	10.72	38.45
			H	12.77	3.29	-2.97	13.09	38.45
BAND 5 BW: 10M QPSK RB: 1,49	829.0	20450	V	11.10	3.29	-2.95	11.44	38.45
			H	13.67	3.29	-2.95	14.01	38.45
	836.5	20525	V	9.06	3.28	-2.97	9.37	38.45
			H	12.53	3.28	-2.98	12.83	38.45
	844.0	20600	V	9.33	3.27	-3.00	9.60	38.45
			H	12.14	3.27	-3.00	12.41	38.45
BAND 5 BW: 10M 16QAM RB: 1,0	829.0	20450	V	11.62	3.30	-2.93	12.00	38.45
			H	15.44	3.30	-2.93	15.81	38.45
	836.5	20525	V	12.38	3.30	-2.94	12.73	38.45
			H	15.54	3.30	-2.94	15.89	38.45
	844.0	20600	V	10.88	3.29	-2.97	11.20	38.45
			H	14.18	3.29	-2.97	14.50	38.45
BAND 5 BW: 10M 16QAM RB: 1,49	829.0	20450	V	12.63	3.29	-2.95	12.97	38.45
			H	14.97	3.29	-2.95	15.31	38.45
	836.5	20525	V	9.49	3.28	-2.97	9.80	38.45
			H	12.86	3.28	-2.97	13.17	38.45
	844.0	20600	V	10.56	3.27	-3.00	10.83	38.45
			H	12.92	3.27	-3.00	13.19	38.45

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 7 BW: 5M QPSK RB: 1,0	2502.5	20775	V	7.79	10.90	-5.26	13.44	33.01
			H	15.58	10.90	-5.25	21.22	33.01
	2535.0	21100	V	9.72	10.94	-5.30	15.36	33.01
			H	15.34	10.94	-5.30	20.98	33.01
	2567.5	21425	V	5.73	10.98	-5.34	11.37	33.01
			H	13.83	10.98	-5.34	19.47	33.01
BAND 7 BW: 5M QPSK RB: 1,24	2502.5	20775	V	8.67	10.90	-5.26	14.31	33.01
			H	16.47	10.90	-5.26	22.11	33.01
	2535.0	21100	V	9.64	10.95	-5.31	15.28	33.01
			H	15.67	10.95	-5.31	21.31	33.01
	2567.5	21425	V	4.98	10.99	-5.34	10.63	33.01
			H	13.08	10.99	-5.34	18.73	33.01
BAND 7 BW: 5M 16QAM RB: 1,0	2502.5	20775	V	7.62	10.90	-5.25	13.26	33.01
			H	15.42	10.90	-5.25	21.07	33.01
	2535.0	21100	V	9.80	10.94	-5.30	15.44	33.01
			H	15.26	10.94	-5.30	20.90	33.01
	2567.5	21425	V	5.94	10.98	-5.34	11.58	33.01
			H	14.01	10.98	-5.34	19.66	33.01
BAND 7 BW: 5M 16QAM RB: 1,24	2502.5	20775	V	8.60	10.90	-5.26	14.25	33.01
			H	16.33	10.90	-5.26	21.98	33.01
	2535.0	21100	V	9.55	10.95	-5.31	15.19	33.01
			H	15.49	10.95	-5.31	21.13	33.01
	2567.5	21425	V	5.15	10.99	-5.34	10.80	33.01
			H	13.28	10.99	-5.34	18.93	33.01

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
BAND 7	2505.0	20800	V	7.54	10.90	-5.26	13.19	33.01
			H	15.46	10.90	-5.26	21.11	33.01
BW: 10M QPSK	2535.0	21100	V	9.45	10.94	-5.29	15.10	33.01
			H	15.26	10.94	-5.29	20.91	33.01
RB: 1,0	2565.0	21400	V	7.25	10.98	-5.34	12.89	33.01
			H	15.50	10.98	-5.34	21.13	33.01
BAND 7	2505.0	20800	V	8.30	10.91	-5.26	13.95	33.01
			H	16.87	10.91	-5.26	22.52	33.01
BW: 10M QPSK	2535.0	21100	V	9.43	10.95	-5.31	15.07	33.01
			H	15.86	10.95	-5.31	21.50	33.01
RB: 1,49	2565.0	21400	V	4.81	10.99	-5.34	10.46	33.01
			H	13.05	10.99	-5.34	18.70	33.01
BAND 7	2505.0	20800	V	7.49	10.90	-5.26	13.14	33.01
			H	15.44	10.90	-5.26	21.09	33.01
BW: 10M 16QAM	2535.0	21100	V	9.26	10.94	-5.29	14.91	33.01
			H	15.31	10.94	-5.29	20.96	33.01
RB: 1,0	2565.0	21400	V	7.40	10.98	-5.34	13.04	33.01
			H	15.70	10.98	-5.34	21.34	33.01
BAND 7	2505.0	20800	V	8.36	10.91	-5.26	14.01	33.01
			H	16.79	10.91	-5.26	22.44	33.01
BW: 10M 16QAM	2535.0	21100	V	9.10	10.95	-5.31	14.74	33.01
			H	15.58	10.95	-5.31	21.22	33.01
RB: 1,49	2565.0	21400	V	5.01	10.99	-5.34	10.66	33.01
			H	13.23	10.99	-5.34	18.88	33.01
The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 7 BW: 15M QPSK RB: 1,0	2507.5	20825	V	7.57	10.90	-5.26	13.22	33.01
			H	15.42	10.90	-5.25	21.07	33.01
	2535.0	21100	V	9.17	10.93	-5.29	14.81	33.01
			H	15.43	10.94	-5.29	21.08	33.01
	2562.5	21375	V	8.78	10.97	-5.34	14.41	33.01
			H	16.55	10.97	-5.34	22.18	33.01
BAND 7 BW: 15M QPSK RB: 1,74	2507.5	20825	V	8.11	10.92	-5.27	13.76	33.01
			H	16.71	10.92	-5.27	22.36	33.01
	2535.0	21100	V	9.33	10.95	-5.32	14.97	33.01
			H	16.15	10.95	-5.32	21.79	33.01
	2562.5	21375	V	4.82	10.99	-5.34	10.46	33.01
			H	12.99	10.99	-5.34	18.64	33.01
BAND 7 BW: 15M 16QAM RB: 1,0	2507.5	20825	V	7.50	10.90	-5.25	13.15	33.01
			H	15.53	10.90	-5.25	21.17	33.01
	2535.0	21100	V	9.08	10.93	-5.29	14.73	33.01
			H	15.31	10.93	-5.29	20.96	33.01
	2562.5	21375	V	9.04	10.97	-5.34	14.67	33.01
			H	16.41	10.97	-5.34	22.04	33.01
BAND 7 BW: 15M 16QAM RB: 1,74	2507.5	20825	V	7.91	10.92	-5.27	13.56	33.01
			H	17.15	10.92	-5.27	22.80	33.01
	2535.0	21100	V	9.09	10.95	-5.32	14.73	33.01
			H	16.12	10.95	-5.32	21.76	33.01
	2562.5	21375	V	4.95	10.99	-5.34	10.60	33.01
			H	13.20	10.99	-5.34	18.85	33.01

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 7 BW: 20M QPSK RB: 1,0	2510.0	20850	V	7.56	10.90	-5.25	13.21	33.01
			H	15.40	10.90	-5.26	21.05	33.01
	2535.0	21100	V	8.84	10.93	-5.29	14.49	33.01
			H	15.43	10.93	-5.29	21.08	33.01
	2560.0	21350	V	9.41	10.96	-5.33	15.04	33.01
			H	16.97	10.96	-5.33	22.60	33.01
BAND 7 BW: 20M QPSK RB: 1,99	2510.0	20850	V	8.02	10.92	-5.27	13.67	33.01
			H	16.05	10.92	-5.27	21.70	33.01
	2535.0	21100	V	9.48	10.95	-5.32	15.11	33.01
			H	16.40	10.95	-5.32	22.03	33.01
	2560.0	21350	V	4.65	10.99	-5.34	10.30	33.01
			H	12.98	10.99	-5.34	18.63	33.01
BAND 7 BW: 20M 16QAM RB: 1,0	2510.0	20850	V	7.37	10.90	-5.26	13.01	33.01
			H	15.66	10.90	-5.25	21.31	33.01
	2535.0	21100	V	8.73	10.93	-5.29	14.38	33.01
			H	15.37	10.93	-5.29	21.02	33.01
	2560.0	21350	V	8.88	10.96	-5.33	14.51	33.01
			H	16.48	10.96	-5.33	22.11	33.01
BAND 7 BW: 20M 16QAM RB: 1,99	2510.0	20850	V	7.91	10.92	-5.27	13.56	33.01
			H	15.95	10.92	-5.27	21.60	33.01
	2535.0	21100	V	9.15	10.96	-5.32	14.79	33.01
			H	16.24	10.96	-5.32	21.88	33.01
	2560.0	21350	V	4.88	10.99	-5.34	10.53	33.01
			H	13.19	10.99	-5.34	18.84	33.01

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 12 BW: 1.4M QPSK RB: 1,0	699.7	23017	V	8.60	3.08	-2.96	8.72	24.77
			H	14.51	3.08	-2.96	14.63	24.77
	707.5	23095	V	6.38	3.09	-3.04	6.44	24.77
			H	13.35	3.09	-3.04	13.41	24.77
	715.3	23173	V	5.10	3.11	-3.06	5.15	24.77
			H	13.62	3.11	-3.06	13.67	24.77
BAND 12 BW: 1.4M QPSK RB: 1,5	699.7	23017	V	8.90	3.08	-2.96	9.02	24.77
			H	14.85	3.08	-2.96	14.97	24.77
	707.5	23095	V	6.59	3.09	-3.04	6.64	24.77
			H	13.68	3.09	-3.04	13.74	24.77
	715.3	23173	V	4.96	3.11	-3.06	5.01	24.77
			H	13.69	3.11	-3.06	13.74	24.77
BAND 12 BW: 1.4M 16QAM RB: 1,0	699.7	23017	V	8.10	3.08	-2.96	8.22	24.77
			H	14.13	3.08	-2.96	14.25	24.77
	707.5	23095	V	6.10	3.09	-3.04	6.16	24.77
			H	13.15	3.09	-3.04	13.21	24.77
	715.3	23173	V	5.14	3.11	-3.06	5.18	24.77
			H	13.68	3.11	-3.06	13.73	24.77
BAND 12 BW: 1.4M 16QAM RB: 1,5	699.7	23017	V	8.29	3.08	-2.96	8.41	24.77
			H	14.64	3.08	-2.96	14.77	24.77
	707.5	23095	V	6.32	3.10	-3.04	6.38	24.77
			H	13.26	3.09	-3.04	13.32	24.77
	715.3	23173	V	4.62	3.11	-3.06	4.67	24.77
			H	13.54	3.11	-3.06	13.59	24.77

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 12 BW: 3M QPSK RB: 1,0	700.5	23025	V	8.71	3.08	-2.96	8.84	24.77
			H	14.81	3.08	-2.96	14.93	24.77
	707.5	23095	V	6.08	3.09	-3.03	6.14	24.77
			H	13.22	3.09	-3.03	13.27	24.77
	714.5	23165	V	6.10	3.11	-3.06	6.15	24.77
			H	14.32	3.11	-3.06	14.36	24.77
BAND 12 BW: 3M QPSK RB: 1,14	700.5	23025	V	8.55	3.08	-2.98	8.65	24.77
			H	15.01	3.08	-2.98	15.12	24.77
	707.5	23095	V	6.63	3.10	-3.04	6.69	24.77
			H	14.04	3.10	-3.04	14.09	24.77
	714.5	23165	V	4.92	3.11	-3.06	4.96	24.77
			H	13.68	3.11	-3.06	13.73	24.77
BAND 12 BW: 3M 16QAM RB: 1,0	700.5	23025	V	8.25	3.08	-2.98	8.35	24.77
			H	14.36	3.08	-2.99	14.46	24.77
	707.5	23095	V	5.88	3.09	-3.03	5.93	24.77
			H	12.92	3.09	-3.03	12.97	24.77
	714.5	23165	V	5.78	3.11	-3.06	5.83	24.77
			H	14.47	3.11	-3.06	14.52	24.77
BAND 12 BW: 3M 16QAM RB: 1,14	700.5	23025	V	8.27	3.08	-2.98	8.37	24.77
			H	14.64	3.08	-2.97	14.75	24.77
	707.5	23095	V	6.40	3.10	-3.04	6.45	24.77
			H	13.71	3.10	-3.04	13.76	24.77
	714.5	23165	V	4.67	3.11	-3.06	4.72	24.77
			H	13.59	3.11	-3.06	13.64	24.77

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 12 BW: 5M QPSK RB: 1,0	701.5	23035	V	8.58	3.08	-2.96	8.71	24.77
			H	14.53	3.08	-2.96	14.65	24.77
	707.5	23095	V	6.08	3.09	-3.03	6.13	24.77
			H	13.08	3.09	-3.03	13.14	24.77
	713.5	23155	V	6.82	3.10	-3.05	6.88	24.77
			H	14.64	3.10	-3.05	14.70	24.77
BAND 12 BW: 5M QPSK RB: 1,24	701.5	23035	V	7.02	3.09	-3.01	7.10	24.77
			H	13.64	3.09	-3.01	13.72	24.77
	707.5	23095	V	6.82	3.10	-3.04	6.88	24.77
			H	14.56	3.10	-3.05	14.62	24.77
	713.5	23155	V	4.81	3.11	-3.06	4.85	24.77
			H	13.77	3.11	-3.06	13.81	24.77
BAND 12 BW: 5M 16QAM RB: 1,0	701.5	23035	V	8.44	3.08	-2.96	8.56	24.77
			H	14.23	3.08	-2.97	14.35	24.77
	707.5	23095	V	6.13	3.09	-3.03	6.18	24.77
			H	12.99	3.09	-3.03	13.05	24.77
	713.5	23155	V	6.62	3.10	-3.05	6.67	24.77
			H	14.51	3.10	-3.05	14.56	24.77
BAND 12 BW: 5M 16QAM RB: 1,24	701.5	23035	V	6.91	3.09	-3.01	6.99	24.77
			H	13.54	3.09	-3.01	13.61	24.77
	707.5	23095	V	6.31	3.10	-3.04	6.36	24.77
			H	13.98	3.10	-3.05	14.03	24.77
	713.5	23155	V	4.76	3.11	-3.06	4.81	24.77
			H	13.59	3.11	-3.06	13.64	24.77

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 12 BW: 10M QPSK RB: 1,0	704.0	23060	V	8.54	3.08	-2.96	8.66	24.77
			H	14.76	3.08	-2.96	14.88	24.77
	707.5	23095	V	7.38	3.08	-3.00	7.47	24.77
			H	13.97	3.08	-3.00	14.05	24.77
	711.0	23130	V	6.23	3.09	-3.04	6.28	24.77
			H	13.30	3.09	-3.04	13.35	24.77
BAND 12 BW: 10M QPSK RB: 1,49	704.0	23060	V	6.58	3.10	-3.04	6.63	24.77
			H	13.94	3.10	-3.04	14.00	24.77
	707.5	23095	V	6.59	3.10	-3.05	6.64	24.77
			H	14.71	3.10	-3.05	14.76	24.77
	711.0	23130	V	4.88	3.11	-3.06	4.93	24.77
			H	13.63	3.11	-3.06	13.68	24.77
BAND 12 BW: 10M 16QAM RB: 1,0	704.0	23060	V	8.49	3.08	-2.96	8.61	24.77
			H	14.58	3.08	-2.96	14.70	24.77
	707.5	23095	V	7.06	3.08	-3.00	7.15	24.77
			H	13.80	3.08	-3.00	13.89	24.77
	711.0	23130	V	6.10	3.09	-3.04	6.15	24.77
			H	12.97	3.09	-3.04	13.03	24.77
BAND 12 BW: 10M 16QAM RB: 1,49	704.0	23060	V	6.45	3.10	-3.04	6.50	24.77
			H	13.86	3.10	-3.04	13.91	24.77
	707.5	23095	V	6.23	3.10	-3.05	6.28	24.77
			H	14.32	3.10	-3.05	14.37	24.77
	711.0	23130	V	4.68	3.11	-3.06	4.72	24.77
			H	13.59	3.11	-3.06	13.64	24.77

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 17 BW: 5M QPSK RB: 1,0	706.5	23755	V	9.76	3.09	-3.04	9.82	24.77
			H	14.31	3.09	-3.03	14.37	24.77
	710.0	23790	V	10.64	3.09	-3.04	10.70	24.77
			H	15.38	3.09	-3.04	15.43	24.77
	713.5	23825	V	11.34	3.10	-3.05	11.39	24.77
			H	16.18	3.10	-3.05	16.23	24.77
BAND 17 BW: 5M QPSK RB: 1,24	706.5	23755	V	10.68	3.10	-3.04	10.74	24.77
			H	15.49	3.10	-3.04	15.54	24.77
	710.0	23790	V	11.31	3.10	-3.05	11.36	24.77
			H	16.39	3.10	-3.05	16.44	24.77
	713.5	23825	V	9.67	3.11	-3.06	9.72	24.77
			H	15.34	3.11	-3.06	15.39	24.77
BAND 17 BW: 5M 16QAM RB: 1,0	706.5	23755	V	9.84	3.09	-3.03	9.90	24.77
			H	14.27	3.09	-3.04	14.33	24.77
	710.0	23790	V	10.65	3.09	-3.04	10.70	24.77
			H	15.29	3.09	-3.04	15.34	24.77
	713.5	23825	V	11.58	3.10	-3.05	11.64	24.77
			H	16.30	3.10	-3.05	16.36	24.77
BAND 17 BW: 5M 16QAM RB: 1,24	706.5	23755	V	10.72	3.10	-3.04	10.78	24.77
			H	15.20	3.10	-3.04	15.26	24.77
	710.0	23790	V	11.14	3.10	-3.05	11.19	24.77
			H	16.46	3.10	-3.05	16.51	24.77
	713.5	23825	V	9.49	3.11	-3.06	9.54	24.77
			H	15.11	3.11	-3.06	15.16	24.77

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 17 BW: 10M QPSK RB: 1,0	709.0	23780	V	9.82	3.09	-3.03	9.88	24.77
			H	14.19	3.09	-3.03	14.25	24.77
	710.0	23790	V	10.07	3.09	-3.03	10.12	24.77
			H	14.56	3.09	-3.03	14.62	24.77
	711.0	23800	V	10.14	3.09	-3.04	10.20	24.77
			H	14.79	3.09	-3.04	14.84	24.77
BAND 17 BW: 10M QPSK RB: 1,49	709.0	23780	V	10.62	3.11	-3.06	10.67	24.77
			H	15.95	3.11	-3.06	16.00	24.77
	710.0	23790	V	10.06	3.11	-3.06	10.11	24.77
			H	15.37	3.11	-3.06	15.42	24.77
	711.0	23800	V	9.63	3.11	-3.06	9.68	24.77
			H	15.18	3.11	-3.06	15.23	24.77
BAND 17 BW: 10M 16QAM RB: 1,0	709.0	23780	V	9.65	3.09	-3.03	9.70	24.77
			H	14.16	3.09	-3.03	14.22	24.77
	710.0	23790	V	10.04	3.09	-3.03	10.09	24.77
			H	14.63	3.09	-3.03	14.69	24.77
	711.0	23800	V	10.16	3.09	-3.04	10.22	24.77
			H	14.74	3.09	-3.04	14.79	24.77
BAND 17 BW: 10M 16QAM RB: 1,49	709.0	23780	V	10.62	3.11	-3.06	10.67	24.77
			H	15.55	3.11	-3.06	15.60	24.77
	710.0	23790	V	10.07	3.11	-3.06	10.12	24.77
			H	15.37	3.11	-3.06	15.42	24.77
	711.0	23800	V	9.70	3.11	-3.06	9.75	24.77
			H	15.35	3.11	-3.06	15.40	24.77

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
BAND 38 BW: 5M QPSK RB: 1,0	2572.5	37775	V	11.34	10.99	-5.34	17.00	33.00
			H	20.29	10.99	-5.34	25.94	33.00
	2595.0	38000	V	13.71	11.02	-5.34	19.39	33.00
			H	22.69	11.02	-5.34	28.36	33.00
	2617.5	38225	V	12.10	11.05	-5.37	17.78	33.00
			H	21.56	11.05	-5.37	27.24	33.00
BAND 38 BW: 5M QPSK RB: 1,24	2572.5	37775	V	12.59	10.99	-5.34	18.24	33.00
			H	22.06	11.00	-5.34	27.72	33.00
	2595.0	38000	V	13.32	11.02	-5.35	19.00	33.00
			H	21.96	11.02	-5.35	27.64	33.00
	2617.5	38225	V	12.49	11.05	-5.37	18.18	33.00
			H	21.71	11.05	-5.37	27.39	33.00
BAND 38 BW: 5M 16QAM RB: 1,0	2572.5	37775	V	11.15	10.99	-5.34	16.81	33.00
			H	20.21	10.99	-5.34	25.86	33.00
	2595.0	38000	V	13.28	11.02	-5.34	18.96	33.00
			H	22.21	11.02	-5.34	27.89	33.00
	2617.5	38225	V	12.05	11.05	-5.37	17.73	33.00
			H	20.89	11.05	-5.37	26.57	33.00
BAND 38 BW: 5M 16QAM RB: 1,24	2572.5	37775	V	12.49	10.99	-5.34	18.15	33.00
			H	21.14	10.99	-5.34	26.80	33.00
	2595.0	38000	V	13.35	11.02	-5.35	19.03	33.00
			H	21.32	11.02	-5.35	27.00	33.00
	2617.5	38225	V	12.42	11.05	-5.37	18.10	33.00
			H	20.72	11.05	-5.37	26.40	33.00
The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 38 BW: 10M QPSK RB: 1,0	2575.0	37800	V	12.56	10.99	-5.34	18.21	33.00
			H	20.72	10.99	-5.34	26.37	33.00
	2595.0	38000	V	14.13	11.02	-5.34	19.81	33.00
			H	22.24	11.02	-5.34	27.92	33.00
	2615.0	38200	V	13.04	11.04	-5.36	18.72	33.00
			H	21.15	11.04	-5.36	26.83	33.00
BAND 38 BW: 10M QPSK RB: 1,49	2575.0	37800	V	14.98	11.00	-5.34	20.64	33.00
			H	22.73	11.00	-5.34	28.39	33.00
	2595.0	38000	V	13.64	11.03	-5.35	19.32	33.00
			H	21.21	11.03	-5.35	26.88	33.00
	2615.0	38200	V	13.47	11.05	-5.37	19.15	33.00
			H	21.52	11.05	-5.37	27.20	33.00
BAND 38 BW: 10M 16QAM RB: 1,0	2575.0	37800	V	12.15	10.99	-5.34	17.81	33.00
			H	19.93	10.99	-5.34	25.58	33.00
	2595.0	38000	V	14.34	11.02	-5.34	20.02	33.00
			H	21.82	11.02	-5.34	27.49	33.00
	2615.0	38200	V	12.01	11.04	-5.36	17.70	33.00
			H	20.18	11.04	-5.36	25.86	33.00
BAND 38 BW: 10M 16QAM RB: 1,49	2575.0	37800	V	14.06	11.00	-5.34	19.72	33.00
			H	21.97	11.00	-5.34	27.63	33.00
	2595.0	38000	V	13.15	11.03	-5.35	18.83	33.00
			H	21.03	11.03	-5.35	26.71	33.00
	2615.0	38200	V	12.52	11.05	-5.37	18.20	33.00
			H	20.84	11.05	-5.37	26.53	33.00

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 38 BW: 15M QPSK RB: 1,0	2575.0	37800	V	12.40	10.99	-5.34	18.05	33.00
			H	20.14	10.99	-5.34	25.79	33.00
	2595.0	38000	V	14.47	11.02	-5.34	20.14	33.00
			H	22.10	11.02	-5.34	27.77	33.00
	2615.0	38200	V	12.49	11.04	-5.36	18.17	33.00
			H	20.42	11.04	-5.36	26.10	33.00
BAND 38 BW: 15M QPSK RB: 1,74	2575.0	37800	V	14.51	11.01	-5.34	20.18	33.00
			H	22.35	11.01	-5.34	28.02	33.00
	2595.0	38000	V	13.24	11.03	-5.35	18.92	33.00
			H	20.75	11.03	-5.35	26.43	33.00
	2615.0	38200	V	12.71	11.05	-5.37	18.39	33.00
			H	20.78	11.05	-5.37	26.46	33.00
BAND 38 BW: 15M 16QAM RB: 1,0	2575.0	37800	V	12.33	10.99	-5.34	17.99	33.00
			H	20.10	10.99	-5.34	25.75	33.00
	2595.0	38000	V	14.18	11.02	-5.34	19.86	33.00
			H	21.80	11.02	-5.34	27.48	33.00
	2615.0	38200	V	12.45	11.04	-5.36	18.13	33.00
			H	20.28	11.04	-5.36	25.96	33.00
BAND 38 BW: 15M 16QAM RB: 1,74	2575.0	37800	V	14.19	11.01	-5.34	19.85	33.00
			H	22.00	11.01	-5.34	27.66	33.00
	2595.0	38000	V	13.15	11.03	-5.35	18.82	33.00
			H	20.66	11.03	-5.35	26.34	33.00
	2615.0	38200	V	12.58	11.05	-5.37	18.26	33.00
			H	20.55	11.05	-5.37	26.23	33.00

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EUT			Measurement					
Operation Band	Fundamental Frequency MHz	CH	Antenna Pol. V/H	S.G. Output dBm	Antenna Gain dBi	Cable Loss dB	EIRP dBm	Limit dBm
BAND 38 BW: 20M QPSK RB: 1,0	2580.0	37850	V	12.48	10.99	-5.34	18.13	33.00
			H	18.86	10.99	-5.34	24.51	33.00
	2595.0	38000	V	14.64	11.01	-5.34	20.31	33.00
			H	20.91	11.01	-5.34	26.58	33.00
	2610.0	38150	V	13.26	11.03	-5.35	18.94	33.00
			H	19.19	11.03	-5.35	24.87	33.00
BAND 38 BW: 20M QPSK RB: 1,74	2580.0	37850	V	14.73	11.01	-5.34	20.40	33.00
			H	20.75	11.01	-5.34	26.43	33.00
	2595.0	38000	V	12.83	11.03	-5.35	18.51	33.00
			H	12.70	11.03	-5.35	18.37	33.00
	2610.0	38150	V	19.15	11.03	-5.35	24.83	33.00
			H	19.40	11.05	-5.37	25.08	33.00
BAND 38 BW: 20M 16QAM RB: 1,0	2580.0	37850	V	12.33	10.99	-5.34	17.98	33.00
			H	18.72	10.99	-5.34	24.37	33.00
	2595.0	38000	V	14.44	11.01	-5.34	20.11	33.00
			H	20.68	11.01	-5.34	26.35	33.00
	2610.0	38150	V	13.07	11.03	-5.35	18.74	33.00
			H	19.13	11.03	-5.35	24.80	33.00
BAND 38 BW: 20M 16QAM RB: 1,74	2580.0	37850	V	14.21	11.01	-5.34	19.88	33.00
			H	20.39	11.01	-5.34	26.07	33.00
	2595.0	38000	V	12.55	11.03	-5.35	18.23	33.00
			H	18.95	11.03	-5.35	24.63	33.00
	2610.0	38150	V	12.35	11.05	-5.37	18.03	33.00
			H	19.03	11.05	-5.37	24.71	33.00

The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com


Member of SGS Group

8. OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2. Test Set-up



8.3. Measurement Procedure

99% & 26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% ~ 5% of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= 1% ~ 5%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HU-BER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/10/2017	02/09/2018
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

8.5. Measurement Result

Freq. (MHz)	CH	99% BW (MHz)			26 dB BW (MHz)		
		GSM 850	GPRS 850	EDGE 850	GPRS 850	GPRS 850	EDGE 850
824.2	128	0.24340	0.24477	0.24512	0.31770	0.32020	0.30470
836.6	190	0.24623	0.24835	0.24474	0.32000	0.31620	0.31800
848.8	251	0.24202	0.24835	0.24765	0.31180	0.31650	0.32230

Freq. (MHz)	CH	99% BW (MHz)			26 dB BW (MHz)		
		GSM 1900	GPRS 1900	EDGE 1900	GSM 1900	GPRS 1900	EDGE 1900
1850.2	512	0.24590	0.24045	0.24874	0.31610	0.31390	0.32020
1880.0	661	0.24384	0.24181	0.24071	0.31210	0.31910	0.31490
1909.8	810	0.24845	0.24374	0.24642	3.22100	0.31500	0.31880

Freq. (MHz)	CH	99% BW (MHz)			26 dB BW (MHz)		
		WCDMA II	HSDPA II	HSUPA II	WCDMA II	HSDPA II	HSUPA II
1850.20	9262	4.1554	4.1572	4.1586	4.7230	4.7230	4.7320
1880.00	9400	4.1622	4.1669	4.1561	4.7180	4.7470	4.7190
1909.80	9538	4.1438	4.1493	4.1430	4.7130	4.7170	4.7300

Freq. (MHz)	CH	99% BW (MHz)			26 dB BW (MHz)		
		WCDMA IV	HSDPA IV	HSUPA IV	WCDMA IV	HSDPA IV	HSUPA IV
1712.40	1312	4.1491	4.1638	4.1562	4.6920	4.7080	4.7070
1732.60	1413	4.1412	4.1510	4.1622	4.6950	4.7080	4.7020
1752.60	1513	4.1444	4.1609	4.1648	4.6860	4.7060	4.7140

Freq. (MHz)	CH	99% BW (MHz)			26 dB BW (MHz)		
		WCDMA V	HSDPA V	HSUPA V	WCDMA V	HSDPA V	HSUPA V
826.40	4132	4.1329	4.1502	4.1347	4.7100	4.6870	4.7050
836.60	4183	4.1432	4.1535	4.1430	4.6900	4.7130	4.7000
846.60	4233	4.1450	4.1413	4.1509	4.7070	4.7100	4.6950

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE BAND 2 Channel bandwidth: 1.4MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1850.7	18607	1.0959	1.1016	1.285	1.289
1880.0	18900	1.0996	1.0996	1.305	1.287
1909.3	19193	1.0996	1.0996	1.297	1.298

LTE BAND 2 Channel bandwidth: 3MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1851.5	18615	2.7014	2.7042	2.986	3.003
1880.0	18900	2.7034	2.7058	2.979	3.003
1908.5	19185	2.7028	2.7050	2.982	2.993

LTE BAND 2 Channel bandwidth: 5MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1852.5	18625	4.5123	4.5124	5.059	5.049
1880.0	18900	4.5047	4.5106	5.025	5.015
1907.5	19175	4.5093	4.5091	5.052	5.038

LTE BAND 2 Channel bandwidth: 10MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1855.0	18650	8.9843	8.9586	9.894	9.844
1880.0	18900	9.0240	8.9553	9.928	9.807
1905.0	19150	8.9802	8.9428	9.908	9.762

LTE BAND 2 Channel bandwidth: 15MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1857.5	18675	13.482	13.466	14.80	14.84
1880.0	18900	13.504	13.490	14.73	14.78
1902.5	19125	13.494	13.477	14.73	14.83

LTE BAND 2 Channel bandwidth: 20MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1860.0	18700	17.893	17.941	19.46	19.48
1880.0	18900	17.952	17.993	19.52	19.41
1900.0	19100	17.951	17.993	19.56	19.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE BAND 4 Channel bandwidth: 1.4MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1710.7	19957	1.0978	1.1018	1.289	1.296
1732.5	20175	1.0982	1.1016	1.289	1.287
1754.3	20393	1.0982	1.1011	1.286	1.303

LTE BAND 4 Channel bandwidth: 3MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1711.5	19965	2.6993	2.7065	2.994	3.002
1732.5	20175	2.7050	2.7049	3.003	2.997
1753.5	20385	2.7022	2.7026	2.988	2.999

LTE BAND 4 Channel bandwidth: 5MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1712.5	19957	4.5108	4.5090	5.033	5.007
1732.5	20175	4.5055	4.5071	5.049	5.012
1752.5	20375	4.5104	4.5110	5.046	5.011

LTE BAND 4 Channel bandwidth: 10MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1715.0	20000	9.0084	8.9548	9.928	9.857
1732.5	20175	8.9987	8.9569	9.908	9.858
1750.0	20350	8.9911	8.9534	9.885	9.826

LTE BAND 4 Channel bandwidth: 15MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1717.5	20025	13.502	13.478	14.72	14.79
1732.5	20175	13.498	13.475	14.75	14.86
1747.5	20325	13.504	13.486	14.83	14.89

LTE BAND 4 Channel bandwidth: 20MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1720.0	20050	17.937	17.942	19.57	19.54
1732.5	20175	17.923	17.930	19.50	19.50
1745.0	20300	17.980	17.992	19.58	19.54

LTE BAND 5 Channel bandwidth: 1.4MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
824.7	20407	1.0967	1.0987	1.291	1.288
836.5	20525	1.0956	1.0982	1.290	1.293
848.3	20643	1.0976	1.0986	1.291	1.295

LTE BAND 5 Channel bandwidth: 3MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
825.5	20415	2.6994	2.6978	2.979	2.999
836.5	20525	2.6997	2.6997	2.973	2.992
847.5	20635	2.6893	2.6963	2.923	2.930

LTE BAND 5 Channel bandwidth: 5MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
826.5	20425	4.5035	4.4998	5.037	5.041
836.5	20525	4.5097	4.5059	5.029	5.036
846.5	20625	4.4971	4.5016	4.874	5.032

LTE BAND 5 Channel bandwidth: 10MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
829.0	20450	8.9917	8.9431	9.895	9.842
836.5	20525	9.0069	8.9686	9.938	9.809
844.0	20600	8.9962	8.9643	9.888	9.839

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE BAND 7 Channel bandwidth: 5MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
2502.5	20775	4.5159	4.5150	5.059	5.035
2535.0	21100	4.5156	4.5131	5.059	5.038
2567.5	21425	4.5266	4.5104	5.144	5.034

LTE BAND 7 Channel bandwidth: 10MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
2505.0	20800	9.0022	8.9572	9.945	9.882
2535.0	21100	9.0083	8.9647	9.913	9.856
2565.0	21400	9.0064	8.9544	9.958	9.841

LTE BAND 7 Channel bandwidth: 15MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
2507.5	20825	13.501	13.484	14.84	14.78
2535.0	21100	13.491	13.469	14.84	14.84
2562.5	21375	13.494	13.476	14.82	14.83

LTE BAND 7 Channel bandwidth: 20MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
2510.0	20850	17.936	17.989	19.59	19.59
2535.0	21100	17.947	17.959	19.47	19.50
2560.0	21350	17.900	17.966	19.49	19.53

LTE BAND 12 Channel bandwidth: 1.4MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
699.7	23017	1.1013	1.0998	1.256	1.286
707.5	23095	1.0963	1.1004	1.290	1.291
715.3	23173	1.0972	1.1024	1.294	1.293

LTE BAND 12 Channel bandwidth: 3MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
700.5	23025	2.6987	2.7048	2.987	3.014
707.5	23095	2.6832	2.7000	2.899	2.926
714.5	23165	2.7047	2.6985	2.992	2.919

LTE BAND 12 Channel bandwidth: 5MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
701.5	23035	4.5181	4.5147	5.069	5.051
707.5	23095	4.5012	4.5117	4.915	5.026
713.5	23155	4.5083	4.5165	4.889	5.052

LTE BAND 12 Channel bandwidth: 10MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
704.0	23060	9.0295	8.9495	9.949	9.555
707.5	23095	8.9686	8.9508	9.546	9.817
711.0	23130	9.0014	8.9410	9.887	9.834

LTE BAND 17 Channel bandwidth: 5MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
706.5	23755	4.5180	4.5908	4.958	4.829
710.0	23790	4.5088	4.5129	5.063	5.024
713.5	23825	4.5211	4.5148	5.077	5.025

LTE BAND 17 Channel bandwidth: 10MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
709.0	23780	9.0852	9.1227	9.517	9.655
710.0	23790	9.1035	8.9459	9.527	9.776
711.0	23780	8.9921	8.9518	9.894	9.817

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

LTE BAND 38 Channel bandwidth: 5MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
2572.5	37775	4.5239	4.5141	5.387	5.060
2595.0	38000	4.5214	4.5128	5.368	5.027
2617.5	38225	4.5201	4.5119	5.470	5.042

LTE BAND 38 Channel bandwidth: 10MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
2575.0	37800	8.9725	8.9626	10.069	9.813
2595.0	38000	8.9864	8.9622	10.033	9.939
2615.0	38200	8.9704	8.9821	9.928	10.121

LTE BAND 38 Channel bandwidth: 15MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
2577.5	37825	13.495	13.521	15.41	15.44
2595.0	38000	13.493	13.512	15.61	15.37
2612.5	38175	13.501	13.491	15.67	14.77

LTE BAND 38 Channel bandwidth: 20MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
2580.0	37850	17.959	17.970	21.17	19.48
2595.0	38000	17.952	17.910	20.42	19.48
2610.0	38150	17.931	17.924	19.84	19.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


GSM 850MHz LowCH128-824.2




GPRS 850MHz LowCH128-824.2




GSM 850MHz MidCH190-836.6




GPRS 850MHz MidCH190-836.6



GSM 850MHz HighCH251-848.8



GPRS 850MHz HighCH251-848.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


EDGE 850MHz LowCH128-824.2




GSM 1900MHz LowCH512-1850.2




EDGE 850MHz MidCH190-836.6




GSM 1900MHz MidCH661-1880



EDGE 850MHz HighCH251-848.8



GSM 1900MHz HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


GPRS 1900MHz LowCH512-1850.2




EDGE 1900MHz LowCH512-1850.2




GPRS 1900MHz MidCH661-1880




EDGE 1900MHz MidCH661-1880



GPRS 1900MHz HighCH810-1909.8



EDGE 1900MHz HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


WCDMA B2 LowCH9262-1852.4




HSDPA B2 LowCH9262-1852.4




WCDMA B2 MidCH9400-1880




HSDPA B2 MidCH9400-1880



WCDMA B2 HighCH9538-1907.6



HSDPA B2 HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSUPA B2 LowCH9262-1852.4




WCDMA B4 LowCH1312-1712.4




HSUPA B2 MidCH9400-1880




WCDMA B4 MidCH1413-1732.6



HSUPA B2 HighCH9538-1907.6



WCDMA B4 HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSDPA B4 LowCH1312-1712.4




HSUPA B4 LowCH1312-1712.4




HSDPA B4 MidCH1413-1732.6




HSUPA B4 MidCH1413-1732.6



HSDPA B4 HighCH1513-1752.6



HSUPA B4 HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


WCDMA B5 LowCH4132-826.4




HSDPA B5 LowCH4132-826.4




WCDMA B5 MidCH4183-836.6




HSDPA B5 MidCH4183-836.6



WCDMA B5 HighCH4233-846.6



HSDPA B5 HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSUPA B5 LowCH4132-826.4




Band2 1 4MHz QPSK 6 0 LowCH18607-1850.7




HSUPA B5 MidCH4183-836.6




Band2 1 4MHz QPSK 6 0 MidCH18900-1880



HSUPA B5 HighCH4233-846.6



Band2 1 4MHz QPSK 6 0 HighCH19193-1909.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2 1 4MHz 16QAM 6 0 LowCH18607-1850.7




Band2 3MHz QPSK 15 0 LowCH18615-1851.5




Band2 1 4MHz 16QAM 6 0 MidCH18900-1880




Band2 3MHz QPSK 15 0 MidCH18900-1880



Band2 1 4MHz 16QAM 6 0 HighCH19193-1909.3



Band2 3MHz QPSK 15 0 HighCH19185-1908.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2 3MHz 16QAM 15 0 LowCH18615-1851.5




Band2 5MHz QPSK 25 0 LowCH18625-1852.5




Band2 3MHz 16QAM 15 0 MidCH18900-1880




Band2 5MHz QPSK 25 0 MidCH18900-1880



Band2 3MHz 16QAM 15 0 HighCH19185-1908.5



Band2 5MHz QPSK 25 0 HighCH19175-1907.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2 5MHz 16QAM 25 0 LowCH18625-1852.5




Band2 10MHz QPSK 50 0 LowCH18650-1855




Band2 5MHz 16QAM 25 0 MidCH18900-1880




Band2 10MHz QPSK 50 0 MidCH18900-1880



Band2 5MHz 16QAM 25 0 HighCH19175-1907.5



Band2 10MHz QPSK 50 0 HighCH19150-1905




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2 10MHz 16QAM 50 0 LowCH18650-1855




Band2 15MHz QPSK 75 0 LowCH18675-1857.5




Band2 10MHz 16QAM 50 0 MidCH18900-1880




Band2 15MHz QPSK 75 0 MidCH18900-1880



Band2 10MHz 16QAM 50 0 HighCH19150-1905



Band2 15MHz QPSK 75 0 HighCH19125-1902.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2 15MHz 16QAM 75 0 LowCH18675-1857.5




Band2 20MHz QPSK 100 0 LowCH18700-1860




Band2 15MHz 16QAM 75 0 MidCH18900-1880




Band2 20MHz QPSK 100 0 MidCH18900-1880



Band2 15MHz 16QAM 75 0 HighCH19125-1902.5



Band2 20MHz QPSK 100 0 HighCH19100-1900




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2 20MHz 16QAM 100 0 LowCH18700-1860




Band4 1 4MHz QPSK 6 0 LowCH19957-1710.7




Band2 20MHz 16QAM 100 0 MidCH18900-1880




Band4 1 4MHz QPSK 6 0 MidCH20175-1732.5



Band2 20MHz 16QAM 100 0 HighCH19100-1900



Band4 1 4MHz QPSK 6 0 HighCH20393-1754.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4 1 4MHz 16QAM 6 0 LowCH19957-1710.7




Band4 3MHz QPSK 15 0 LowCH19965-1711.5




Band4 1 4MHz 16QAM 6 0 MidCH20175-1732.5




Band4 3MHz QPSK 15 0 MidCH20175-1732.5



Band4 1 4MHz 16QAM 6 0 HighCH20393-1754.3



Band4 3MHz QPSK 15 0 HighCH20385-1753.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4 3MHz 16QAM 15 0 LowCH19965-1711.5



Band4 5MHz QPSK 25 0 LowCH19975-1712.5




Band4 3MHz 16QAM 15 0 MidCH20175-1732.5




Band4 5MHz QPSK 25 0 MidCH20175-1732.5



Band4 3MHz 16QAM 15 0 HighCH20385-1753.5



Band4 5MHz QPSK 25 0 HighCH20375-1752.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4 5MHz 16QAM 25 0 LowCH19975-1712.5




Band4 10MHz QPSK 50 0 LowCH20000-1715




Band4 5MHz 16QAM 25 0 MidCH20175-1732.5




Band4 10MHz QPSK 50 0 MidCH20175-1732.5



Band4 5MHz 16QAM 25 0 HighCH20375-1752.5



Band4 10MHz QPSK 50 0 HighCH20350-1750




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4 10MHz 16QAM 50 0 LowCH20000-1715




Band4 15MHz QPSK 75 0 LowCH20025-1717.5




Band4 10MHz 16QAM 50 0 MidCH20175-1732.5




Band4 15MHz QPSK 75 0 MidCH20175-1732.5



Band4 10MHz 16QAM 50 0 HighCH20350-1750



Band4 15MHz QPSK 75 0 HighCH20325-1747.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4 15MHz 16QAM 75 0 LowCH20025-1717.5




Band4 20MHz QPSK 100 0 LowCH20050-1720




Band4 15MHz 16QAM 75 0 MidCH20175-1732.5




Band4 20MHz QPSK 100 0 MidCH20175-1732.5



Band4 15MHz 16QAM 75 0 HighCH20325-1747.5



Band4 20MHz QPSK 100 0 HighCH20300-1745




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4 20MHz 16QAM 100 0 LowCH20050-1720




Band5 1 4MHz QPSK 6 0 LowCH20407-824.7




Band4 20MHz 16QAM 100 0 MidCH20175-1732.5




Band5 1 4MHz QPSK 6 0 MidCH20525-836.5



Band4 20MHz 16QAM 100 0 HighCH20300-1745



Band5 1 4MHz QPSK 6 0 HighCH20643-848.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5 1 4MHz 16QAM 6 0 LowCH20407-824.7




Band5 3MHz QPSK 15 0 LowCH20415-825.5




Band5 1 4MHz 16QAM 6 0 MidCH20525-836.5




Band5 3MHz QPSK 15 0 MidCH20525-836.5



Band5 1 4MHz 16QAM 6 0 HighCH20643-848.3



Band5 3MHz QPSK 15 0 HighCH20635-847.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5 3MHz 16QAM 15 0 LowCH20415-825.5




Band5 5MHz QPSK 25 0 LowCH20425-826.5




Band5 3MHz 16QAM 15 0 MidCH20525-836.5




Band5 5MHz QPSK 25 0 MidCH20525-836.5



Band5 3MHz 16QAM 15 0 HighCH20635-847.5



Band5 5MHz QPSK 25 0 HighCH20625-846.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5 5MHz 16QAM 25 0 LowCH20425-826.5




Band5 10MHz QPSK 50 0 LowCH20450-829




Band5 5MHz 16QAM 25 0 MidCH20525-836.5




Band5 10MHz QPSK 50 0 MidCH20525-836.5



Band5 5MHz 16QAM 25 0 HighCH20625-846.5



Band5 10MHz QPSK 50 0 HighCH20600-844




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5 10MHz 16QAM 50 0 LowCH20450-829




Band7 5MHz QPSK 25 0 LowCH20775-2502.5




Band5 10MHz 16QAM 50 0 MidCH20525-836.5




Band7 5MHz QPSK 25 0 MidCH21100-2535



Band5 10MHz 16QAM 50 0 HighCH20600-844



Band7 5MHz QPSK 25 0 HighCH21425-2567.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band7 5MHz 16QAM 25 0 LowCH20775-2502.5




Band7 10MHz QPSK 50 0 LowCH20800-2505




Band7 5MHz 16QAM 25 0 MidCH21100-2535




Band7 10MHz QPSK 50 0 MidCH21100-2535



Band7 5MHz 16QAM 25 0 HighCH21425-2567.5



Band7 10MHz QPSK 50 0 HighCH21400-2565




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band7 10MHz 16QAM 50 0 LowCH20800-2505




Band7 15MHz QPSK 75 0 LowCH20825-2507.5




Band7 10MHz 16QAM 50 0 MidCH21100-2535




Band7 15MHz QPSK 75 0 MidCH21100-2535



Band7 10MHz 16QAM 50 0 HighCH21400-2565



Band7 15MHz QPSK 75 0 HighCH21375-2562.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band7 15MHz 16QAM 75 0 LowCH20825-2507.5




Band7 20MHz QPSK 100 0 LowCH20850-2510




Band7 15MHz 16QAM 75 0 MidCH21100-2535




Band7 20MHz QPSK 100 0 MidCH21100-2535



Band7 15MHz 16QAM 75 0 HighCH21375-2562.5



Band7 20MHz QPSK 100 0 HighCH21350-2560




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band7 20MHz 16QAM 100 0 LowCH20850-2510




Band12 1 4MHz QPSK 6 0 LowCH23017-699.7




Band7 20MHz 16QAM 100 0 MidCH21100-2535




Band12 1 4MHz QPSK 6 0 MidCH23095-707.5



Band7 20MHz 16QAM 100 0 HighCH21350-2560



Band12 1 4MHz QPSK 6 0 HighCH23173-715.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12 1 4MHz 16QAM 6 0 LowCH23017-699.7




Band12 3MHz QPSK 15 0 LowCH23025-700.5




Band12 1 4MHz 16QAM 6 0 MidCH23095-707.5




Band12 3MHz QPSK 15 0 MidCH23095-707.5



Band12 1 4MHz 16QAM 6 0 HighCH23173-715.3



Band12 3MHz QPSK 15 0 HighCH23165-714.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12 3MHz 16QAM 15 0 LowCH23025-700.5




Band12 5MHz QPSK 25 0 LowCH23035-701.5




Band12 3MHz 16QAM 15 0 MidCH23095-707.5




Band12 5MHz QPSK 25 0 MidCH23095-707.5



Band12 3MHz 16QAM 15 0 HighCH23165-714.5



Band12 5MHz QPSK 25 0 HighCH23155-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12 5MHz 16QAM 25 0 LowCH23035-701.5




Band12 10MHz QPSK 50 0 LowCH23060-704




Band12 5MHz 16QAM 25 0 MidCH23095-707.5




Band12 10MHz QPSK 50 0 MidCH23095-707.5



Band12 5MHz 16QAM 25 0 HighCH23155-713.5



Band12 10MHz QPSK 50 0 HighCH23130-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12 10MHz 16QAM 50 0 LowCH23060-704




Band17 5MHz QPSK 25 0 LowCH23755-706.5




Band12 10MHz 16QAM 50 0 MidCH23095-707.5




Band17 5MHz QPSK 25 0 MidCH23790-710



Band12 10MHz 16QAM 50 0 HighCH23130-711



Band17 5MHz QPSK 25 0 HighCH23825-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band17 5MHz 16QAM 25 0 LowCH23755-706.5




Band17 10MHz QPSK 50 0 LowCH23780-709




Band17 5MHz 16QAM 25 0 MidCH23790-710




Band17 10MHz QPSK 50 0 MidCH23790-710



Band17 5MHz 16QAM 25 0 HighCH23825-713.5



Band17 10MHz QPSK 50 0 HighCH23800-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band17 10MHz 16QAM 50 0 LowCH23780-709




Band38 5MHz QPSK 25 0 LowCH37775-2572.5




Band17 10MHz 16QAM 50 0 MidCH23790-710




Band38 5MHz QPSK 25 0 MidCH38000-2595



Band17 10MHz 16QAM 50 0 HighCH23800-711



Band38 5MHz QPSK 25 0 HighCH38225-2617.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band38 5MHz 16QAM 25 0 LowCH37775-2572.5




Band38 10MHz QPSK 50 0 LowCH37800-2575




Band38 5MHz 16QAM 25 0 MidCH38000-2595




Band38 10MHz QPSK 50 0 MidCH38000-2595



Band38 5MHz 16QAM 25 0 HighCH38225-2617.5



Band38 10MHz QPSK 50 0 HighCH38200-2615




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band38 10MHz 16QAM 50 0 LowCH37800-2575




Band38 15MHz QPSK 75 0 LowCH37825-2577.5




Band38 10MHz 16QAM 50 0 MidCH38000-2595




Band38 15MHz QPSK 75 0 MidCH38000-2595



Band38 10MHz 16QAM 50 0 HighCH38200-2615



Band38 15MHz QPSK 75 0 HighCH38175-2612.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band38 15MHz 16QAM 75 0 LowCH37825-2577.5




Band38 20MHz QPSK 100 0 LowCH37850-2580




Band38 15MHz 16QAM 75 0 MidCH38000-2595




Band38 20MHz QPSK 100 0 MidCH38000-2595



Band38 15MHz 16QAM 75 0 HighCH38175-2612.5



Band38 20MHz QPSK 100 0 HighCH38150-2610




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band38 20MHz 16QAM 100 0 LowCH37850-2580



Band38 20MHz 16QAM 100 0 HighCH38150-2610



Band38 20MHz 16QAM 100 0 MidCH38000-2595



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

9. OUT OF BAND EMISSION AT ANTENNA TERMINALS

9.1. Standard Applicable

FCC §22.917(a), §24.238(a), §27.53(g)(h), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than $43 + 10 \log$ (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

§27.53 (m) (4) shall not be less than $55 + 10 \log$ (mean output power in watt) dBc below the mean power output outside a license's frequency block (-25dBm).

FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com


Member of SGS Group

FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in § 27.53(m)(6). In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

9.2. Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.3. Measurement Procedure

Conducted Emission

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

1. To connect Antenna Port of EUT to Spectrum.
2. Set RBW = 1MHz & VBW = 1MHz on Spectrum.
3. Allow trace to fully stabilize
4. Repeat above procedures until all default test channel measured were complete.

Band Edge

1. To connect Antenna Port of EUT to Spectrum.
2. The band edge of low and high channels for the highest RF powers was measured. Setting RBW $\geq$ 1% EBW.
3. Allow trace to fully stabilize
4. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134, WuKung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

9.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HUBER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/10/2017	02/09/2018
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

9.5. Measurement Result:

Refer to next pages.

NOTE: The occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


MASK
Band 7 5M QPSK LOW RB1,0




Band 7 5M QPSK MID RB1,0




Band 7 5M QPSK LOW RB1,24



Band 7 5M QPSK MID RB1,24



Band 7 5M QPSK LOW RB25,0



Band 7 5M QPSK MID RB25,0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.