





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,381.000	49.82	74.00	24.18	11.27	V	359.1	1
3	5,460.000	48.83	74.00	25.17	11.28	V	285.8	2
3	5,579.000	96.56			11.49	V	249	2





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,395.000	34.44	54.00	19.56	11.25	V	102	2
3	5,460.000	34.34	54.00	19.66	11.28	V	109.1	1
3	5,581.000	86.67			11.49	V	257	1



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5580MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
15	5,698.980	103.82			11.79	H	353.1	1
15	5,725.000	54.22	68.20	13.98	11.81	H	359.1	1
15	5,726.925	54.93	68.20	13.27	11.82	H	359.1	1






Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
15	5,700.925	90.96			11.79	H	359	1






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
15	5,701.900	98.92			11.79	V	178.1	1
15	5,725.000	50.11	68.20	18.09	11.81	V	71.5	1
15	5,727.900	51.22	68.20	16.98	11.82	V	215.8	1



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
15	5,693.125	85.35			11.77	V	183.5	1




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5700MHz: Fundamental frequency.
3. #: Out of restricted band.

CHANNEL	TX Channel 144	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,722.000	102.98			11.81	H	52	1
9	5,850.000	47.19	68.20	21.01	12.23	H	84.6	2
9	5,858.400	49.26	68.20	18.94	12.26	H	284	1





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,721.000	91.76			11.81	H	308.2	1






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,718.800	92.70			11.81	V	54	2
9	5,850.000	48.06	68.20	20.14	12.23	V	98	2
9	5,855.600	48.18	68.20	20.02	12.25	V	185	1





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,719.000	86.98			11.81	V	179.6	1



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5720MHz: Fundamental frequency.
3. #: Out of restricted band.

802.11n (40MHz)

CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M
--

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,458.000	59.36	74.00	14.64	11.27	H	283.8	1
6	5,460.000	59.97			11.28	H	283.8	1
6	5,496.000	99.82			11.36	H	283.8	1






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,457.500	38.69	54.00	15.31	11.27	H	1	1
6	5,460.000	40.12			11.28	H	1	1
6	5,519.000	82.56			11.39	H	287.6	1





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,459.500	55.53	74.00	18.47	11.28	V	105.6	1
6	5,460.000	55.58			11.28	V	252.5	2
6	5,521.000	96.52			11.39	V	70.6	1





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,457.000	35.83	54.00	18.17	11.27	V	106.5	1
6	5,460.000	37.01			11.28	V	106.5	1
6	5,519.000	79.78			11.39	V	70.6	1



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5510MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 110	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,440.875	49.10	74.00	24.90	11.26	H	359	1
6	5,460.000	48.29	74.00	25.71	11.28	H	299.8	2
6	5,546.730	100.66			11.41	H	300.1	1






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,548.175	89.05			11.41	H	301.5	1






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,448.125	48.99	74.00	25.01	11.27	V	319.5	2
6	5,460.000	47.87	74.00	26.13	11.28	V	272.5	1
6	5,556.513	95.98			11.43	V	211.7	1





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,547.813	84.11			11.41	V	66.6	1



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5500MHz: Fundamental frequency.
- #: Out of restricted band.



CHANNEL	TX Channel 134	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,656.500	102.80			11.66	H	325.1	1
7	5,725.000	51.24	68.20	16.96	11.81	H	359.1	1
7	5,745.500	54.94	68.20	13.26	11.83	H	253.4	1






Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,667.000	85.16			11.70	H	1	1






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,663.500	97.81			11.68	V	226.6	1
7	5,725.000	48.87	68.20	19.33	11.81	V	359	2
7	5,728.500	50.16	68.20	18.04	11.82	V	1	2



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,667.500	82.22			11.70	V	181.7	1



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5670MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 142	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,711.500	99.75			11.80	H	359.1	1
8	5,850.000	49.09	68.20	19.11	12.23	H	359.1	1
8	5,851.900	49.51	68.20	18.69	12.24	H	33	2






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
24	5,707.700	87.40			11.80	H	316.3	1




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,706.100	95.13			11.80	V	267.5	1
8	5,850.000	48.20	68.20	20.00	12.23	V	148.6	1
8	5,853.250	49.41	68.20	18.79	12.24	V	89.8	1





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
24	5,707.400	81.52			11.80	V	230.1	1



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5710MHz: Fundamental frequency.
3. #: Out of restricted band.




802.11ac (20MHz)

CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
14	5,458.350	51.87	74.00	22.13	11.27	H	324.2	2
14	5,460.000	51.99	68.20	16.21	11.28	H	348.7	1
14	5,466.450	53.92	68.20	14.28	11.28	H	358.6	1
14	5,470.000	52.67	74.00	21.33	11.29	H	358.6	1
14	5,499.300	103.43			11.37	H	280.3	1






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
14	5,456.100	37.34	54.00	16.66	11.27	H	359.1	1
14	5,460.000	37.58	54.00	16.42	11.28	H	359.1	1
14	5,499.300	91.11			11.37	H	1	1






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
14	5,447.550	50.46	74.00	23.54	11.27	V	109.1	2
14	5,460.000	48.68	68.20	19.52	11.28	V	288.4	2
14	5,467.350	49.52	68.20	18.68	11.28	V	107.4	1
14	5,470.000	49.71	74.00	24.29	11.29	V	179	1
14	5,497.500	99.58			11.36	V	70.6	1





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
14	5,456.100	35.29	54.00	18.71	11.27	V	109.1	1
14	5,460.000	35.10	54.00	18.90	11.28	V	109.1	1
14	5,498.850	87.22			11.37	V	71.5	1



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 116	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,447.000	49.66	74.00	24.34	11.27	H	54.1	2
11	5,460.000	48.38	74.00	25.62	11.28	H	319.5	2
11	5,582.150	103.07			11.50	H	332.4	2






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,441.475	35.20	54.00	18.80	11.27	H	16.6	1
11	5,460.000	35.37	54.00	18.63	11.28	H	16.6	1
11	5,579.175	92.33			11.49	H	332.6	2






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,447.000	50.22	74.00	23.78	11.27	V	206	2
11	5,460.000	47.77	74.00	26.23	11.28	V	234.8	1
11	5,582.150	98.71			11.50	V	153.8	2





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,447.000	35.13	54.00	18.87	11.27	V	225.8	1
11	5,460.000	35.11	54.00	18.89	11.28	V	141.6	2
11	5,581.300	86.74			11.50	V	154.1	2




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5580MHz: Fundamental frequency.
3. #: Out of restricted band.


CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
15	5,702.880	103.95			11.79	H	353.5	1
15	5,725.000	54.36	68.20	13.84	11.81	H	359.1	1
15	5,733.425	53.36	68.20	14.84	11.82	H	359.1	1




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
15	5,700.925	91.18			11.79	H	357.6	1






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
15	5,697.350	98.62			11.78	V	179.9	1
15	5,724.980	50.35	68.20	17.85	11.81	V	1	2
15	5,726.600	50.47	68.20	17.73	11.82	V	252.6	2





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
15	5,698.650	86.03			11.79	V	180.9	1



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5700MHz: Fundamental frequency.
3. #: Out of restricted band.




CHANNEL	TX Channel 144	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,721.600	93.23			11.81	H	324	1
9	5,850.000	47.58	68.20	20.62	12.23	H	25	1
9	5,856.000	48.78	68.20	19.42	12.25	H	145	1




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,721.000	92.57			11.81	H	304	1






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,721.200	93.71			11.81	V	52	1
9	5,850.000	47.76	68.20	20.44	12.23	V	354	1
9	5,858.800	48.43	68.20	19.77	12.26	V	252	1





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,719.000	87.28			11.81	V	184.3	1



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5720MHz: Fundamental frequency.
- #: Out of restricted band.

802.11ac (40MHz)

CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M
--

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,458.500	56.05	74.00	17.95	11.27	H	355	1
6	5,460.000	56.24			11.28	H	355	1
6	5,500.500	100.32			11.37	H	292	1






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,457.500	39.44	54.00	14.56	11.27	H	359.1	1
6	5,460.000	40.56			11.28	H	359.1	1
6	5,507.500	86.98			11.38	H	285.7	1






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,439.500	51.16	74.00	22.84	11.26	V	359	2
6	5,460.000	51.13			11.28	V	249	1
6	5,507.000	96.76			11.38	V	70.7	1



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,457.000	36.10	54.00	17.90	11.27	V	356.2	2
6	5,460.000	36.90			11.28	V	106.5	1
6	5,508.000	83.87			11.38	V	70.6	1




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5510MHz: Fundamental frequency.
3. #: Out of restricted band.

CHANNEL	TX Channel 110	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M
--

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,457.913	50.45	74.00	23.55	11.27	H	300.8	1
6	5,460.000	49.25	74.00	24.75	11.28	H	300.8	1
6	5,551.800	101.24			11.41	H	300.8	1






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,547.813	88.34			11.41	H	300.1	1






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,448.125	48.97	74.00	25.03	11.27	V	303	1
6	5,460.000	47.92	74.00	26.08	11.28	V	333.4	1
6	5,552.888	94.29			11.42	V	212.3	1





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,561.225	82.56			11.44	V	210.9	1



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 134	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,667.500	99.79			11.70	H	354.6	1
7	5,725.000	52.78	68.20	15.42	11.81	H	359.1	1
7	5,727.500	53.08	68.20	15.12	11.82	H	1	1





Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,667.500	87.23			11.70	H	354.6	1



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,660.500	95.58			11.68	V	229.2	1
7	5,725.000	50.33	68.20	17.87	11.81	V	229.2	1
7	5,726.000	51.11	68.20	17.09	11.81	V	229.2	1





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,672.000	82.61			11.71	V	273.1	1




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5670MHz: Fundamental frequency.
3. #: Out of restricted band.


CHANNEL	TX Channel 142	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,700.700	99.54			11.79	H	32	1
8	5,850.000	48.12	68.20	20.08	12.23	H	321	2
8	5,853.700	48.91	68.20	19.29	12.25	H	233	1



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,707.900	87.65			11.80	H	355.3	1





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,706.100	90.71			11.80	V	28	1
8	5,850.000	47.67	68.20	20.53	12.23	V	78	1
8	5,853.250	48.23	68.20	19.97	12.24	V	256	2





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,707.450	81.48			11.80	V	221.4	1



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5710MHz: Fundamental frequency.
3. #: Out of restricted band.

802.11ac (80MHz)


CHANNEL	TX Channel 106	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
29	5,456.950	61.63	74.00	12.37	11.27	H	358.6	1
29	5,460.000	59.00			11.28	H	302.2	1
29	5,463.083	61.18			11.28	H	14.7	1
29	5,470.000	59.75			11.29	H	1	1
29	5,537.833	96.50			11.40	H	3.7	1



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
29	5,460.000	45.17	54.00	8.83	11.28	H	14.7	1
29	5,521.733	82.30			11.39	H	307.6	1






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
29	5,443.533	56.93	74.00	17.07	11.27	V	144.9	2
29	5,460.000	54.82			11.28	V	90.6	1
29	5,467.300	56.65			11.28	V	144.9	2
29	5,470.000	55.33			11.29	V	129.6	1
29	5,527.867	90.53			11.39	V	247.5	1





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
29	5,460.000	41.29	54.00	12.71	11.28	V	144.6	2
29	5,522.117	77.67			11.39	V	132.6	1




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5530MHz: Fundamental frequency.
3. #: Out of restricted band.

CHANNEL	TX Channel 122	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,600.850	94.52			11.55	H	1	1
11	5,725.000	48.40	74.00	25.60	11.81	H	355.8	1
11	5,733.375	50.01	68.20	18.19	11.82	H	1	1




Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,603.225	81.98			11.56	H	304.6	1





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,605.600	91.64			11.56	V	72.5	1
11	5,725.000	48.46	74.00	25.54	11.81	V	220.3	1
11	5,728.150	48.98	68.20	19.22	11.82	V	357.4	1



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,602.750	78.19			11.55	V	74.2	1



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5610MHz: Fundamental frequency.
3. #: Out of restricted band.

CHANNEL	TX Channel 138	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,687.667	97.51			11.76	H	299.4	1
5	5,850.000	47.99	68.20	20.21	12.23	H	30.8	2
5	5,854.133	49.56	68.20	18.64	12.25	H	120.3	1






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,681.433	82.50			11.74	H	313.8	1



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,681.800	91.10			11.74	V	220.2	1
5	5,850.000	48.05	68.20	20.15	12.23	V	88.9	2
5	5,852.667	50.61	68.20	17.59	12.24	V	220.2	1



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,682.900	76.59			11.74	V	355	2



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5690MHz: Fundamental frequency.
3. #: Out of restricted band.


Band 4:

802.11a

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
16	5,624.750	48.87	68.20	19.33	11.61	H	359.1	1
16	5,650.000	48.86	68.20	19.34	11.65	H	324.2	2
16	5,700.000	50.41	105.27	54.86	11.79	H	291.1	1
16	5,720.000	55.92	110.89	54.97	11.81	H	291.1	1
16	5,725.000	64.78	122.17	57.39	11.81	H	327	1
16	5,744.380	104.61			11.83	H	255.2	1





Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
16	5,743.963	92.52			11.83	H	256.1	1





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
16	5,629.700	49.40	68.20	18.80	11.63	V	359.1	1
16	5,650.000	48.05	68.20	20.15	11.65	V	359	2
16	5,670.000	49.01	105.07	56.06	11.79	V	0.9	2
16	5,720.000	52.32	110.89	58.57	11.81	V	178.2	2
16	5,725.000	60.44	122.17	61.73	11.81	V	256.1	1
16	5,743.550	99.72			11.83	V	256.1	1

