



Reference No.: PSU-NQN2403180115RF06




APPENDIX F

GSM1900

PEAK-TO-AVERAGE RATIO(CCDF) TEST RESULT

Band	Channel	Result(dB)	Limit(dB)	Verdict
GSM1900	512	3.05	13	PASS
GSM1900	661	3.01	13	PASS
GSM1900	810	3.11	13	PASS
EGPRS1900	512	5.90	13	PASS
EGPRS1900	661	5.76	13	PASS
EGPRS1900	810	5.83	13	PASS


TEST GRAPHS



26DB BANDWIDTH AND OCCUPIED BANDWIDTH TEST RESULT

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
GSM1900	512	0.24522	0.3163	---	PASS
GSM1900	661	0.24578	0.3142	---	PASS
GSM1900	810	0.24390	0.3066	---	PASS
EGPRS1900	512	0.24199	0.3066	---	PASS
EGPRS1900	661	0.24608	0.3163	---	PASS
EGPRS1900	810	0.24518	0.3083	---	PASS

TEST GRAPHS






Reference No.: PSU-NQN2403180115RF06

BAND EDGE TEST RESULT

Band	Channel	Freq (MHz)	Result (dBm)	Limit(dBm)	Verdict
GSM1900	512	1849.98	-31.15	-13	PASS
GSM1900	810	1910.02	-27.01	-13	PASS
EGPRS1900	512	1849.99	-35.29	-13	PASS
EGPRS1900	810	1910.00	-35.69	-13	PASS

TEST GRAPHS



CONDUCTED SPURIOUS EMISSION TEST RESULT

Band	Channel	Frequency Range(MHz)	Max.Freq. (MHz)	Result (dBm)	Limit (dBm)	Verdict
GSM1900	512	30~1000MHz	851.33	-40.62	-13	PASS
GSM1900	512	1000~20000MHz	3814.53	-32.72	-13	PASS
GSM1900	661	30~1000MHz	883.24	-40.6	-13	PASS
GSM1900	661	1000~20000MHz	3827.2	-32.65	-13	PASS
GSM1900	810	30~1000MHz	884.41	-40.61	-13	PASS
GSM1900	810	1000~20000MHz	19329.3	-32.5	-13	PASS
EGPRS1900	512	30~1000MHz	891.81	-40.51	-13	PASS
EGPRS1900	512	1000~20000MHz	19299.53	-32.66	-13	PASS
EGPRS1900	661	30~1000MHz	884.76	-40.57	-13	PASS
EGPRS1900	661	1000~20000MHz	3841.77	-32.65	-13	PASS
EGPRS1900	810	30~1000MHz	885.44	-40.52	-13	PASS
EGPRS1900	810	1000~20000MHz	3852.53	-32.59	-13	PASS



The figure displays 10 screenshots of a Spectrum Analyzer software interface, arranged in a 5x2 grid. Each screenshot shows a frequency spectrum plot with a yellow trace, various control panels on the left and right, and a status bar at the bottom. The plots are labeled with 'Mkr1' and 'Mkr2' values, indicating specific frequency markers. The frequency ranges and power levels vary across the plots, reflecting different test scenarios for GSM and EGPRS signals.

Row 1: GSM1900-512-0-30~1000MHz-PASS

- Left Plot: Mkr1 893.33 MHz, -40.623 dBm. Frequency range 512.000000 MHz to 1000.000000 MHz. Power range -100.000000 dBm to -30.000000 dBm.
- Right Plot: Mkr2 3.8145 GHz, -32.716 dBm. Frequency range 1.000000000 GHz to 10.000000000 GHz. Power range -100.000000 dBm to -30.000000 dBm.

Row 2: GSM1900-512-0-1000~2000MHz-PASS

- Left Plot: Mkr1 893.24 MHz, -40.597 dBm. Frequency range 512.000000 MHz to 1000.000000 MHz. Power range -100.000000 dBm to -30.000000 dBm.
- Right Plot: Mkr2 3.8272 GHz, -32.653 dBm. Frequency range 1.000000000 GHz to 10.000000000 GHz. Power range -100.000000 dBm to -30.000000 dBm.

Row 3: GSM1900-661-0-30~1000MHz-PASS

- Left Plot: Mkr1 884.41 MHz, -40.610 dBm. Frequency range 512.000000 MHz to 1000.000000 MHz. Power range -100.000000 dBm to -30.000000 dBm.
- Right Plot: Mkr2 19.3293 GHz, -32.496 dBm. Frequency range 1.000000000 GHz to 10.000000000 GHz. Power range -100.000000 dBm to -30.000000 dBm.

Row 4: GSM1900-661-0-1000~2000MHz-PASS


- Left Plot: Mkr1 891.82 MHz, -40.508 dBm. Frequency range 512.000000 MHz to 1000.000000 MHz. Power range -100.000000 dBm to -30.000000 dBm.
- Right Plot: Mkr2 19.2995 GHz, -32.568 dBm. Frequency range 1.000000000 GHz to 10.000000000 GHz. Power range -100.000000 dBm to -30.000000 dBm.

Row 5: EGPRS1900-512-2-30~1000MHz-PASS

- Left Plot: Mkr1 891.82 MHz, -40.508 dBm. Frequency range 512.000000 MHz to 1000.000000 MHz. Power range -100.000000 dBm to -30.000000 dBm.
- Right Plot: Mkr2 19.2995 GHz, -32.568 dBm. Frequency range 1.000000000 GHz to 10.000000000 GHz. Power range -100.000000 dBm to -30.000000 dBm.



Reference No.: PSU-NQN2403180115RF06





Reference No.: PSU-NQN2403180115RF06

FREQUENCY STABILITY TEST RESULT

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM1900	512	VN	NT	-5.46	-0.002951	±2.5	PASS
GSM1900	512	VL	NT	-3.23	-0.001746	±2.5	PASS
GSM1900	512	VH	NT	-0.10	-0.000054	±2.5	PASS
GSM1900	661	VN	NT	-0.32	-0.000170	±2.5	PASS
GSM1900	661	VL	NT	-1.19	-0.000633	±2.5	PASS
GSM1900	661	VH	NT	1.39	0.000739	±2.5	PASS
GSM1900	810	VN	NT	-0.13	-0.000068	±2.5	PASS
GSM1900	810	VL	NT	3.68	0.001927	±2.5	PASS
GSM1900	810	VH	NT	-0.23	-0.000120	±2.5	PASS

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM1900	512	NV	-30	2.87	0.001551	±2.5	PASS
GSM1900	512	NV	-20	4.46	0.002411	±2.5	PASS
GSM1900	512	NV	-10	5.23	0.002827	±2.5	PASS
GSM1900	512	NV	0	3.52	0.001902	±2.5	PASS
GSM1900	512	NV	10	1.97	0.001065	±2.5	PASS
GSM1900	512	NV	20	1.94	0.001049	±2.5	PASS
GSM1900	512	NV	30	4.23	0.002286	±2.5	PASS
GSM1900	512	NV	40	7.01	0.003789	±2.5	PASS
GSM1900	512	NV	50	8.10	0.004378	±2.5	PASS
GSM1900	661	NV	-30	0.36	0.000191	±2.5	PASS
GSM1900	661	NV	-20	-0.58	-0.000309	±2.5	PASS
GSM1900	661	NV	-10	2.45	0.001303	±2.5	PASS
GSM1900	661	NV	0	0.00	0.000000	±2.5	PASS
GSM1900	661	NV	10	-0.55	-0.000293	±2.5	PASS
GSM1900	661	NV	20	-0.45	-0.000239	±2.5	PASS
GSM1900	661	NV	30	1.94	0.001032	±2.5	PASS
GSM1900	661	NV	40	-0.45	-0.000239	±2.5	PASS
GSM1900	661	NV	50	1.07	0.000569	±2.5	PASS
GSM1900	810	NV	-30	0.65	0.000340	±2.5	PASS
GSM1900	810	NV	-20	3.33	0.001744	±2.5	PASS
GSM1900	810	NV	-10	2.00	0.001047	±2.5	PASS
GSM1900	810	NV	0	2.16	0.001131	±2.5	PASS
GSM1900	810	NV	10	3.33	0.001744	±2.5	PASS
GSM1900	810	NV	20	1.00	0.000524	±2.5	PASS
GSM1900	810	NV	30	3.65	0.001911	±2.5	PASS
GSM1900	810	NV	40	-1.23	-0.000644	±2.5	PASS
GSM1900	810	NV	50	4.75	0.002487	±2.5	PASS




Reference No.: PSU-NQN2403180115RF06

WCDMA BAND2

PEAK-TO-AVERAGE RATIO TEST RESULT

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dBm)	Verdict
Band2	9262	2.8	13	PASS
Band2	9400	2.86	13	PASS
Band2	9538	2.87	13	PASS

TEST GRAPHS





Reference No.: PSU-NQN2403180115RF06


26DB BANDWIDTH AND OCCUPIED BANDWIDTH TEST RESULT

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1476	4.731	---	PASS
Band2	9400	4.1538	4.710	---	PASS
Band2	9538	4.1457	4.723	---	PASS



Reference No.: PSU-NQN2403180115RF06

TEST GRAPHS





Reference No.: PSU-NQN2403180115RF06

BAND EDGE TEST RESULT

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-26.23	-13	PASS
Band2	9538	1910.00	-26.47	-13	PASS



Reference No.: PSU-NQN2403180115RF06

TEST GRAPHS






Reference No.: PSU-NQN2403180115RF06

CONDUCTED SPURIOUS EMISSION TEST RESULT

Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	30~1000MHz	864.69	-40.92	-13	PASS
Band2	9262	1000~20000MHz	19425.25	-31.38	-13	PASS
Band2	9400	30~1000MHz	870.02	-40.84	-13	PASS
Band2	9400	1000~20000MHz	19136.45	-31.18	-13	PASS
Band2	9538	30~1000MHz	878.27	-40.94	-13	PASS
Band2	9538	1000~20000MHz	19179.2	-31.02	-13	PASS

TEST GRAPHS



FREQUENCY STABILITY TEST RESULT

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	6.00	0.003239	±2.5	PASS
Band2	9262	VL	NT	6.74	0.003639	±2.5	PASS
Band2	9262	VH	NT	6.08	0.003282	±2.5	PASS
Band2	9400	VN	NT	1.93	0.001027	±2.5	PASS
Band2	9400	VL	NT	1.31	0.000697	±2.5	PASS
Band2	9400	VH	NT	2.42	0.001287	±2.5	PASS
Band2	9538	VN	NT	-1.83	-0.000959	±2.5	PASS
Band2	9538	VL	NT	-2.37	-0.001242	±2.5	PASS
Band2	9538	VH	NT	-1.85	-0.000970	±2.5	PASS


Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	6.09	0.003288	±2.5	PASS
Band2	9262	NV	-20	6.92	0.003736	±2.5	PASS
Band2	9262	NV	-10	5.78	0.003120	±2.5	PASS
Band2	9262	NV	0	5.71	0.003082	±2.5	PASS
Band2	9262	NV	10	6.24	0.003369	±2.5	PASS
Band2	9262	NV	20	6.48	0.003498	±2.5	PASS
Band2	9262	NV	30	5.95	0.003212	±2.5	PASS
Band2	9262	NV	40	6.08	0.003282	±2.5	PASS
Band2	9262	NV	50	6.29	0.003396	±2.5	PASS
Band2	9400	NV	-30	0.95	0.000505	±2.5	PASS
Band2	9400	NV	-20	1.86	0.000989	±2.5	PASS
Band2	9400	NV	-10	3.15	0.001676	±2.5	PASS
Band2	9400	NV	0	2.34	0.001245	±2.5	PASS
Band2	9400	NV	10	1.22	0.000649	±2.5	PASS
Band2	9400	NV	20	2.68	0.001426	±2.5	PASS
Band2	9400	NV	30	2.44	0.001298	±2.5	PASS
Band2	9400	NV	40	1.37	0.000729	±2.5	PASS
Band2	9400	NV	50	2.72	0.001447	±2.5	PASS
Band2	9538	NV	-30	-2.04	-0.001069	±2.5	PASS
Band2	9538	NV	-20	-1.74	-0.000912	±2.5	PASS
Band2	9538	NV	-10	-2.19	-0.001148	±2.5	PASS
Band2	9538	NV	0	-2.62	-0.001373	±2.5	PASS
Band2	9538	NV	10	-1.52	-0.000797	±2.5	PASS
Band2	9538	NV	20	-1.43	-0.000750	±2.5	PASS
Band2	9538	NV	30	-2.92	-0.001531	±2.5	PASS
Band2	9538	NV	40	-2.62	-0.001373	±2.5	PASS
Band2	9538	NV	50	-2.05	-0.001075	±2.5	PASS

LTE BAND25(INCLUDING B2)

PEAK-TO-AVERAGE RATIO(CCDF) TEST RESULT

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band25	20MHz	QPSK	26140	1RB#0	3.80	13	PASS
Band25	20MHz	QPSK	26140	100RB#0	5.17	13	PASS
Band25	20MHz	QPSK	26365	1RB#0	4.11	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	5.21	13	PASS
Band25	20MHz	QPSK	26590	1RB#0	4.02	13	PASS
Band25	20MHz	QPSK	26590	100RB#0	5.30	13	PASS
Band25	20MHz	16QAM	26140	1RB#0	4.70	13	PASS
Band25	20MHz	16QAM	26140	100RB#0	5.99	13	PASS
Band25	20MHz	16QAM	26365	1RB#0	4.94	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	6.05	13	PASS
Band25	20MHz	16QAM	26590	1RB#0	4.90	13	PASS
Band25	20MHz	16QAM	26590	100RB#0	6.11	13	PASS


TEST GRAPHS





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF06






Reference No.: PSU-NQN2403180115RF06

26DB BANDWIDTH AND OCCUPIED BANDWIDTH TEST RESULT

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	1.1067	1.341	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.1035	1.336	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.1074	1.393	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1.1018	1.391	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.0962	1.373	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.1048	1.356	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.7021	3.048	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.6989	3.075	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.7012	3.078	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.7031	3.061	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.7051	3.044	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.7108	3.034	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.5287	5.210	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.5348	5.158	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.5251	5.220	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.5345	5.186	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.5212	5.195	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.5275	5.164	PASS
Band25	10MHz	QPSK	26090	50RB#0	9.0230	10.12	PASS
Band25	10MHz	QPSK	26365	50RB#0	9.0155	10.12	PASS
Band25	10MHz	QPSK	26640	50RB#0	8.9849	9.961	PASS
Band25	10MHz	16QAM	26090	50RB#0	9.0172	10.04	PASS
Band25	10MHz	16QAM	26365	50RB#0	9.0313	10.07	PASS
Band25	10MHz	16QAM	26640	50RB#0	8.9857	9.981	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.503	15.02	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.511	15.06	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.451	14.87	PASS
Band25	15MHz	16QAM	26115	75RB#0	13.478	14.90	PASS
Band25	15MHz	16QAM	26365	75RB#0	13.503	15.07	PASS
Band25	15MHz	16QAM	26615	75RB#0	13.482	14.85	PASS
Band25	20MHz	QPSK	26140	100RB#0	18.000	19.84	PASS
Band25	20MHz	QPSK	26365	100RB#0	18.002	19.82	PASS
Band25	20MHz	QPSK	26590	100RB#0	17.964	19.82	PASS
Band25	20MHz	16QAM	26140	100RB#0	18.012	19.81	PASS
Band25	20MHz	16QAM	26365	100RB#0	17.987	19.80	PASS
Band25	20MHz	16QAM	26590	100RB#0	18.009	19.75	PASS


TEST GRAPHS





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF06





BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF06



BAND EDGE TEST RESULT

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	-23.10	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	-28.80	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	-25.78	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	-29.06	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	-26.13	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	-29.87	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	-23.20	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	-29.62	PASS
Band25	3MHz	QPSK	26055	1RB#0	-25.57	PASS
Band25	3MHz	QPSK	26055	15RB#0	-28.38	PASS
Band25	3MHz	QPSK	26675	1RB#14	-24.11	PASS
Band25	3MHz	QPSK	26675	15RB#0	-26.35	PASS
Band25	3MHz	16QAM	26055	1RB#0	-28.07	PASS
Band25	3MHz	16QAM	26055	15RB#0	-29.58	PASS
Band25	3MHz	16QAM	26675	1RB#14	-26.67	PASS
Band25	3MHz	16QAM	26675	15RB#0	-28.09	PASS
Band25	5MHz	QPSK	26065	1RB#0	-27.69	PASS
Band25	5MHz	QPSK	26065	25RB#0	-28.06	PASS
Band25	5MHz	QPSK	26665	1RB#24	-28.59	PASS
Band25	5MHz	QPSK	26665	25RB#0	-28.25	PASS
Band25	5MHz	16QAM	26065	1RB#0	-29.15	PASS
Band25	5MHz	16QAM	26065	25RB#0	-29.08	PASS
Band25	5MHz	16QAM	26665	1RB#24	-29.49	PASS
Band25	5MHz	16QAM	26665	25RB#0	-30.33	PASS
Band25	10MHz	QPSK	26090	1RB#0	-37.15	PASS
Band25	10MHz	QPSK	26090	50RB#0	-29.04	PASS
Band25	10MHz	QPSK	26640	1RB#49	-37.60	PASS
Band25	10MHz	QPSK	26640	50RB#0	-33.48	PASS
Band25	10MHz	16QAM	26090	1RB#0	-37.74	PASS
Band25	10MHz	16QAM	26090	50RB#0	-30.38	PASS
Band25	10MHz	16QAM	26640	1RB#49	-38.84	PASS
Band25	10MHz	16QAM	26640	50RB#0	-34.53	PASS
Band25	15MHz	QPSK	26115	1RB#0	-40.16	PASS
Band25	15MHz	QPSK	26115	75RB#0	-30.48	PASS
Band25	15MHz	QPSK	26615	1RB#74	-38.14	PASS
Band25	15MHz	QPSK	26615	75RB#0	-34.43	PASS
Band25	15MHz	16QAM	26115	1RB#0	-40.67	PASS
Band25	15MHz	16QAM	26115	75RB#0	-33.16	PASS
Band25	15MHz	16QAM	26615	1RB#74	-39.20	PASS
Band25	15MHz	16QAM	26615	75RB#0	-35.90	PASS
Band25	20MHz	QPSK	26140	1RB#0	-40.98	PASS
Band25	20MHz	QPSK	26140	100RB#0	-34.52	PASS
Band25	20MHz	QPSK	26590	1RB#99	-41.24	PASS
Band25	20MHz	QPSK	26590	100RB#0	-37.24	PASS



BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF06

Band25	20MHz	16QAM	26140	1RB#0	-41.56	PASS
Band25	20MHz	16QAM	26140	100RB#0	-35.41	PASS
Band25	20MHz	16QAM	26590	1RB#99	-41.89	PASS
Band25	20MHz	16QAM	26590	100RB#0	-37.61	PASS

TEST GRAPHS

