
Measurement Protocol


Measurement Object	LTE Band 71_20QPSK_100RB_0_AMR NB 4.75kbps_CH133322
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/22 16:29
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	164.5 ms

2024/5/5 21:52 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.49 dB[SPL]	80.35%	22.49 dB[SPL]	Ok

Ok

2024/5/5 21:52 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.83 dB[SPL]	80.20%	16.83 dB[SPL]	Ok

Ok

2024/5/5 21:57 ACQUA 6.0.200

Measurement Protocol


Measurement Object	LTE Band 71_20QPSK_100RB_0_AMR NB 12.2kbps_CH133322
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/22 16:31
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	164.5 ms

2024/5/5 21:53 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.58 dB[SPL]	80.38%	22.58 dB[SPL]	Ok

Ok

2024/5/5 21:53 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.68 dB[SPL]	80.24%	16.68 dB[SPL]	Ok

Ok

2024/5/5 21:57 ACQUA 6.0.200

Measurement Protocol


Measurement Object	LTE Band 71_20QPSK_100RB_0_AMR WB 6.6kbps_CH133322
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/22 16:31
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	138.5 ms

2024/5/5 22:02 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	90.94 dB[SPL]	84.19%	20.94 dB[SPL]	Ok

Ok

2024/5/5 22:05 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	85.22 dB[SPL]	84.26%	15.22 dB[SPL]	Ok

Ok

2024/5/5 22:03 ACQUA 6.0.200

Measurement Protocol


Measurement Object	LTE Band 71_20QPSK_100RB_0_AMR WB 23.85kbps_CH133322
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/22 16:32
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	138.5 ms

2024/5/5 22:01 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	90.92 dB[SPL]	84.13%	20.92 dB[SPL]	Ok

Ok

2024/5/5 22:06 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	85.24 dB[SPL]	84.22%	15.24 dB[SPL]	Ok

Ok

2024/5/5 22:02 ACQUA 6.0.200

Measurement Protocol


Measurement Object	LTE Band 71_20QPSK_100RB_0_EVS NB 5.9kbps_CH133322
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/22 16:32
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	164.5 ms

2024/5/5 21:54 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.58 dB[SPL]	80.37%	22.58 dB[SPL]	Ok

Ok

2024/5/5 21:55 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.72 dB[SPL]	80.29%	16.72 dB[SPL]	Ok

Ok

2024/5/5 21:56 ACQUA 6.0.200

Measurement Protocol


Measurement Object	LTE Band 71_20QPSK_100RB_0_EVS NB 24.4kbps_CH133322
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 15:47
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	110.4 ms

2024/5/5 18:49 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	93.40 dB[SPL]	80.44%	23.40 dB[SPL]	Ok

Ok

2024/5/5 18:56 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.78 dB[SPL]	80.41%	16.78 dB[SPL]	Ok

Ok

2024/5/5 18:49 ACQUA 6.0.200

Measurement Protocol


Measurement Object	LTE Band 71_20QPSK_100RB_0_EVS WB 9.6kbps_CH133322
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/22 16:33
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	158.5 ms

2024/5/5 22:01 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	90.94 dB[SPL]	84.43%	20.94 dB[SPL]	Ok

Ok

2024/5/5 22:06 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	85.26 dB[SPL]	84.32%	15.26 dB[SPL]	Ok

Ok

2024/5/5 22:01 ACQUA 6.0.200

Measurement Protocol


Measurement Object	LTE Band 71_20QPSK_100RB_0_EVS WB 24.4kbps_CH133322
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 15:47
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	152.4 ms

2024/5/5 19:03 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	91.30 dB[SPL]	84.65%	21.30 dB[SPL]	Ok

Ok

2024/5/5 19:03 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	85.25 dB[SPL]	84.56%	15.25 dB[SPL]	Ok

Ok

2024/5/5 19:11 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 2.4G_802.11b 1Mbps_AMR NB 4.75kbps_CH6
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/22 16:36
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	141.5 ms

2024/5/8 13:55 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.55 dB[SPL]	80.27%	22.55 dB[SPL]	Ok

Ok

2024/5/8 13:56 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	87.35 dB[SPL]	80.04%	17.35 dB[SPL]	Ok

Ok

2024/5/8 13:55 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 2.4G_802.11b 1Mbps_AMR NB 12.2kbps_CH6
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/22 16:36
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	181.5 ms

2024/5/8 13:54 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.68 dB[SPL]	80.14%	22.68 dB[SPL]	Ok

Ok

2024/5/8 13:57 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	87.41 dB[SPL]	80.02%	17.41 dB[SPL]	Ok

Ok

2024/5/8 13:54 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 2.4G_802.11b 1Mbps_AMR WB 6.6kbps_CH6
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/22 16:37
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	122.4 ms

2024/5/8 13:48 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	91.94 dB[SPL]	84.59%	21.94 dB[SPL]	Ok

Ok

2024/5/8 13:48 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.01 dB[SPL]	84.63%	16.01 dB[SPL]	Ok

Ok

2024/5/8 13:50 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 2.4G_802.11b 1Mbps_AMR WB 23.85kbps_CH6
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/22 16:37
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	122.3 ms

2024/5/8 13:47 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.11 dB[SPL]	84.52%	22.11 dB[SPL]	Ok

Ok

2024/5/8 13:47 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.11 dB[SPL]	84.52%	16.11 dB[SPL]	Ok

Ok

2024/5/8 13:50 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 2.4G_802.11b 1Mbps_EVS NB 5.9kbps_CH6
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/22 16:37
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	181.4 ms

2024/5/8 13:53 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.91 dB[SPL]	80.37%	22.91 dB[SPL]	Ok

Ok

2024/5/8 13:57 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	87.29 dB[SPL]	80.48%	17.29 dB[SPL]	Ok

Ok

2024/5/8 13:53 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 2.4G_802.11b 1Mbps_EVS NB 24.4kbps_CH6
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 15:49
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	148.0 ms

2024/5/8 13:13 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	94.08 dB[SPL]	80.60%	24.08 dB[SPL]	Ok

Ok

2024/5/8 13:13 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	88.24 dB[SPL]	80.46%	18.24 dB[SPL]	Ok

Ok

2024/5/8 13:20 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 2.4G_802.11b 1Mbps_EVS WB 9.6kbps_CH6
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/22 16:38
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	142.3 ms

2024/5/8 13:46 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.01 dB[SPL]	84.50%	22.01 dB[SPL]	Ok

Ok

2024/5/8 13:46 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.06 dB[SPL]	84.36%	16.06 dB[SPL]	Ok

Ok

2024/5/8 13:51 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 2.4G_802.11b 1Mbps_EVS WB 24.4kbps_CH6
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 15:49
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	180.7 ms

2024/5/8 13:27 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.03 dB[SPL]	84.57%	22.03 dB[SPL]	Ok

Ok

2024/5/8 13:35 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.27 dB[SPL]	84.38%	16.27 dB[SPL]	Ok

Ok

2024/5/8 13:27 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.2G_802.11a 6M_AMR NB 4.75kbps_CH40
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:04
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	104.9 ms

2024/5/8 14:34 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.45 dB[SPL]	80.38%	22.45 dB[SPL]	Ok

Ok

2024/5/8 14:43 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	87.77 dB[SPL]	80.32%	17.77 dB[SPL]	Ok

Ok

2024/5/8 14:35 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.2G_802.11a 6M_AMR NB 12.2kbps_CH40
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:04
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	124.9 ms

2024/5/8 14:34 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.57 dB[SPL]	80.42%	22.57 dB[SPL]	Ok

Ok

2024/5/8 14:43 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	87.93 dB[SPL]	80.35%	17.93 dB[SPL]	Ok

Ok

2024/5/8 14:34 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.2G_802.11a 6M_AMR WB 6.6kbps_CH40
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:05
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	148.2 ms

2024/5/8 14:55 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	90.58 dB[SPL]	83.57%	20.58 dB[SPL]	Ok

Ok

2024/5/8 14:55 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.10 dB[SPL]	84.57%	16.10 dB[SPL]	Ok

Ok

2024/5/8 15:08 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.2G_802.11a 6M_AMR WB 23.85kbps_CH40
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:06
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	128.1 ms

2024/5/8 14:54 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	90.56 dB[SPL]	84.23%	20.56 dB[SPL]	Ok

Ok

2024/5/8 14:54 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.10 dB[SPL]	84.58%	16.10 dB[SPL]	Ok

Ok

2024/5/8 15:08 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.2G_802.11a 6M_EVS NB 5.9kbps_CH40
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:06
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	104.8 ms

2024/5/8 14:33 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.56 dB[SPL]	80.27%	22.56 dB[SPL]	Ok

Ok

2024/5/8 14:42 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	87.67 dB[SPL]	80.31%	17.67 dB[SPL]	Ok

Ok

2024/5/8 14:33 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.2G_802.11a 6M_EVS NB 24.4kbps_CH40
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 15:50
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	182.6 ms

2024/5/8 14:08 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.60 dB[SPL]	80.46%	22.60 dB[SPL]	Ok

Ok

2024/5/8 14:36 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	87.89 dB[SPL]	80.46%	17.89 dB[SPL]	Ok

Ok

2024/5/8 14:08 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.2G_802.11a 6M_EVS WB 9.6kbps_CH40
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:07
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	128.0 ms

2024/5/8 14:53 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	90.56 dB[SPL]	84.33%	20.56 dB[SPL]	Ok

Ok

2024/5/8 14:54 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	85.98 dB[SPL]	84.43%	15.98 dB[SPL]	Ok

Ok

2024/5/8 15:07 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.2G_802.11a 6M_EVS WB 24.4kbps_CH40
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 15:51
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	207.4 ms

2024/5/8 14:45 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	90.41 dB[SPL]	83.44%	20.41 dB[SPL]	Ok

Ok

2024/5/8 14:46 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.05 dB[SPL]	84.29%	16.05 dB[SPL]	Ok

Ok

2024/5/8 14:57 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.3G_802.11a 6M_AMR NB 4.75kbps_CH60
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:08
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	153.4 ms

2024/5/8 16:12 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	93.17 dB[SPL]	80.34%	23.17 dB[SPL]	Ok

Ok

2024/5/8 16:15 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	87.35 dB[SPL]	80.09%	17.35 dB[SPL]	Ok

Ok

2024/5/8 16:12 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.3G_802.11a 6M_AMR NB 12.2kbps_CH60
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:09
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	133.3 ms

2024/5/8 16:11 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	93.19 dB[SPL]	80.27%	23.19 dB[SPL]	Ok

Ok

2024/5/8 16:16 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	87.31 dB[SPL]	80.30%	17.31 dB[SPL]	Ok

Ok

2024/5/8 16:11 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.3G_802.11a 6M_AMR WB 6.6kbps_CH60
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:10
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	200.9 ms

2024/5/8 16:18 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	91.39 dB[SPL]	80.56%	21.39 dB[SPL]	Ok

Ok

2024/5/8 16:19 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	85.40 dB[SPL]	82.66%	15.40 dB[SPL]	Ok

Ok

2024/5/8 16:28 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.3G_802.11a 6M_AMR WB 23.85kbps_CH60
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:10
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	181.0 ms

2024/5/8 16:20 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	91.49 dB[SPL]	80.65%	21.49 dB[SPL]	Ok

Ok

2024/5/8 16:20 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	85.37 dB[SPL]	82.59%	15.37 dB[SPL]	Ok

Ok

2024/5/8 16:27 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.3G_802.11a 6M_EVS NB 5.9kbps_CH60
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:11
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	173.2 ms

2024/5/8 16:10 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	93.48 dB[SPL]	80.27%	23.48 dB[SPL]	Ok

Ok

2024/5/8 16:17 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	87.30 dB[SPL]	80.47%	17.30 dB[SPL]	Ok

Ok

2024/5/8 16:10 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.3G_802.11a 6M_EVS NB 24.4kbps_CH60
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 15:52
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	199.9 ms

2024/5/8 15:32 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	91.74 dB[SPL]	80.61%	21.74 dB[SPL]	Ok

Ok

2024/5/8 15:33 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	87.99 dB[SPL]	80.37%	17.99 dB[SPL]	Ok

Ok

2024/5/8 15:45 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.3G_802.11a 6M_EVS WB 9.6kbps_CH60
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:11
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	181.1 ms

2024/5/8 16:21 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	91.37 dB[SPL]	81.99%	21.37 dB[SPL]	Ok

Ok

2024/5/8 16:22 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	85.37 dB[SPL]	82.40%	15.37 dB[SPL]	Ok

Ok

2024/5/8 16:25 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.3G_802.11a 6M_EVS WB 24.4kbps_CH60
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 15:52
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	209.9 ms

2024/5/8 15:14 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	89.75 dB[SPL]	83.91%	19.75 dB[SPL]	Ok

Ok

2024/5/8 15:24 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.30 dB[SPL]	84.45%	16.30 dB[SPL]	Ok

Ok

2024/5/8 15:15 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.5G_802.11a 6M_AMR NB 4.75kbps_CH132
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:12
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	154.7 ms

2024/5/16 16:26 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.79 dB[SPL]	80.30%	22.79 dB[SPL]	Ok

Ok

2024/5/16 16:26 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.81 dB[SPL]	80.22%	16.81 dB[SPL]	Ok

Ok

Measurement Protocol


Measurement Object	WIFI 5.5G_802.11a 6M_AMR NB 12.2kbps_CH132
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:13
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	154.6 ms

2024/5/16 16:25 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.83 dB[SPL]	80.23%	22.83 dB[SPL]	Ok

Ok

2024/5/16 16:26 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.98 dB[SPL]	80.30%	16.98 dB[SPL]	Ok

Ok

2024/5/16 16:28 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.5G_802.11a 6M_AMR WB 6.6kbps_CH132
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:13
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	145.5 ms

2024/5/16 16:20 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	91.53 dB[SPL]	84.16%	21.53 dB[SPL]	Ok

Ok

2024/5/16 16:21 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.01 dB[SPL]	84.45%	16.01 dB[SPL]	Ok

Ok

Measurement Protocol


Measurement Object	WIFI 5.5G_802.11a 6M_AMR WB 23.85kbps_CH132
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:14
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	125.5 ms

2024/5/16 16:19 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	91.57 dB[SPL]	84.17%	21.57 dB[SPL]	Ok

Ok

2024/5/16 16:22 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	86.02 dB[SPL]	84.49%	16.02 dB[SPL]	Ok

Ok

Measurement Protocol


Measurement Object	WIFI 5.5G_802.11a 6M_EVS NB 5.9kbps_CH132
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:14
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	194.5 ms

2024/5/16 16:24 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	92.74 dB[SPL]	80.34%	22.74 dB[SPL]	Ok

Ok

2024/5/16 16:24 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	87.12 dB[SPL]	80.40%	17.12 dB[SPL]	Ok

Ok

Measurement Protocol


Measurement Object	WIFI 5.5G_802.11a 6M_EVS NB 24.4kbps_CH132
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 15:53
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	190.5 ms

2024/5/16 15:48 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	93.69 dB[SPL]	80.59%	23.69 dB[SPL]	Ok

Ok

2024/5/16 15:55 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	87.78 dB[SPL]	80.39%	17.78 dB[SPL]	Ok

Ok

2024/5/16 15:48 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.5G_802.11a 6M_EVS WB 9.6kbps_CH132
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:15
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	225.4 ms

2024/5/16 16:18 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	91.59 dB[SPL]	84.28%	21.59 dB[SPL]	Ok

Ok

2024/5/16 16:23 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	85.85 dB[SPL]	84.60%	15.85 dB[SPL]	Ok

Ok

2024/5/16 16:19 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.5G_802.11a 6M_EVS WB 24.4kbps_CH132
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 15:53
Responsible Person	audio

Overall Receive Delay WB, Index: 1	3
5.1a Receive Volume Control Performance 8N WB, Index: 1	3
5.1b Receive Volume Control Performance 2N WB, Index: 1	4

Overall Receive Delay WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	183.7 ms

2024/5/16 16:02 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	91.74 dB[SPL]	84.38%	21.74 dB[SPL]	Ok

Ok

2024/5/16 16:03 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N WB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Wideband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	85.90 dB[SPL]	84.32%	15.90 dB[SPL]	Ok

Ok

2024/5/16 16:11 ACQUA 6.0.200

Measurement Protocol


Measurement Object	WIFI 5.8G_802.11a 6M_AMR NB 4.75kbps_CH157
Description	HMD_TA_1600#Tomcat

Project	TIA-5050 (2018-01)
Report Generation Date	2024/5/23 9:15
Responsible Person	audio

Overall Receive Delay NB, Index: 1	3
5.1a Receive Volume Control Performance 8N NB, Index: 1	3
5.1b Receive Volume Control Performance 2N NB, Index: 1	4

Overall Receive Delay NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay
RCV*Source	156.4 ms

2024/5/9 10:24 ACQUA 6.0.200

Unmodified HEAD acoustics Measurement Descriptor

5.1a Receive Volume Control Performance 8N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70


Channel	Speech level	Activity	Corrected speech level	
RCV	93.58 dB[SPL]	80.50%	23.58 dB[SPL]	Ok

Ok

2024/5/9 10:25 ACQUA 6.0.200

5.1b Receive Volume Control Performance 2N NB, Index: 1

TIA-5050 (2018-01) \ Measurements \ Narrowband



Correction

X - 70

Channel	Speech level	Activity	Corrected speech level	
RCV	88.22 dB[SPL]	80.49%	18.22 dB[SPL]	Ok

Ok

2024/5/9 10:26 ACQUA 6.0.200