




|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 376000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,751.000       | -45.43          | -13.00          | 32.43           | 26.66           | V            | 253           | 1.00               |
| 4  | 5,626.500       | -39.13          | -13.00          | 26.13           | 35.45           | V            | 359.1         | 1.00               |





|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 381000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,801.000       | -45.49          | -13.00          | 32.49           | 27.47           | H            | 0.9           | 2.00               |
| 4  | 5,701.500       | -39.94          | -13.00          | 26.94           | 35.70           | H            | 0.9           | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 381000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,801.000       | -46.70          | -13.00          | 33.70           | 27.17           | V            | 92.8          | 2.00               |
| 4  | 5,701.500       | -40.20          | -13.00          | 27.20           | 35.43           | V            | 92.8          | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 15MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 376000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | DC12V         |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,746.500       | -44.83          | -13.00          | 31.83           | 27.08           | H            | 359           | 2.00               |
| 4  | 5,619.750       | -40.16          | -13.00          | 27.16           | 34.89           | H            | 359           | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 376000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,746.500       | -46.35          | -13.00          | 33.35           | 26.79           | V            | 1             | 1.00               |
| 4  | 5,619.750       | -40.04          | -13.00          | 27.04           | 34.63           | V            | 92.8          | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 20MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 376000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,742.000       | -46.32          | -13.00          | 33.32           | 27.41           | H            | 0.9           | 2.00               |
| 4  | 5,613.000       | -39.83          | -13.00          | 26.83           | 34.70           | H            | 101.1         | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 376000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,742.000       | -46.58          | -13.00          | 33.58           | 27.14           | V            | 359.1         | 1.00               |
| 4  | 5,613.000       | -40.12          | -13.00          | 27.12           | 34.44           | V            | 268.4         | 1.00               |





BUREAU  
VERITAS

Test Report No.: PSU-NQN2412090110RF12


N5

CHANNEL BANDWIDTH: 5MHz / QPSK

CH 165300

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 165300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,648.500       | -52.32          | -13.00          | 39.32           | 18.64           | H            | 290           | 2.00               |
| 3  | 2,472.750       | -47.69          | -13.00          | 34.69           | 24.40           | H            | 133.4         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 165300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,648.500       | -52.05          | -13.00          | 39.05           | 18.11           | V            | 288.8         | 2.00               |
| 3  | 2,472.750       | -47.78          | -13.00          | 34.78           | 24.10           | V            | 0.9           | 2.00               |





|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,668.500       | -51.56          | -13.00          | 38.56           | 19.71           | H            | 359           | 2.00               |
| 3  | 2,502.750       | -46.62          | -13.00          | 33.62           | 23.84           | H            | 133.4         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,668.500       | -50.95          | -13.00          | 37.95           | 19.44           | V            | 293.6         | 2.00               |
| 3  | 2,502.750       | -46.28          | -13.00          | 33.28           | 23.48           | V            | 0.9           | 2.00               |





|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 169300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,688.500       | -50.35          | -13.00          | 37.35           | 20.30           | H            | 359           | 2.00               |
| 3  | 2,532.750       | -48.87          | -13.00          | 35.87           | 23.58           | H            | 150.2         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 169300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,688.500       | -50.40          | -13.00          | 37.40           | 20.36           | V            | 291.2         | 2.00               |
| 3  | 2,532.750       | -47.27          | -13.00          | 34.27           | 23.33           | V            | 1             | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 10MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,664.000       | -51.24          | -13.00          | 38.24           | 19.52           | H            | 1             | 1.00               |
| 3  | 2,496.000       | -46.97          | -13.00          | 33.97           | 23.86           | H            | 359           | 2.00               |






BUREAU  
VERITAS

Test Report No.: PSU-NQN2412090110RF12

|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,664.000       | -52.31          | -13.00          | 39.31           | 19.18           | V            | 2             | 2.00               |
| 3  | 2,496.000       | -47.16          | -13.00          | 34.16           | 23.47           | V            | 1             | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12  
**CHANNEL BANDWIDTH: 15MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,659.500       | -51.36          | -13.00          | 38.36           | 19.33           | H            | 135.8         | 1.00               |
| 3  | 2,489.250       | -48.38          | -13.00          | 35.38           | 23.92           | H            | 359.1         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,659.500       | -51.90          | -13.00          | 38.90           | 18.91           | V            | 359           | 2.00               |
| 3  | 2,489.250       | -47.18          | -13.00          | 34.18           | 23.55           | V            | 0.9           | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 20MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,655.000       | -51.99          | -13.00          | 38.99           | 19.02           | H            | 359           | 1.00               |
| 3  | 2,482.500       | -47.68          | -13.00          | 34.68           | 24.23           | H            | 359           | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,655.000       | -52.04          | -13.00          | 39.04           | 18.54           | V            | 289.9         | 2.00               |
| 3  | 2,482.500       | -47.54          | -13.00          | 34.54           | 23.89           | V            | 1             | 1.00               |






N66

CHANNEL BANDWIDTH: 5MHz / QPSK

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,485.500       | -47.51          | -13.00          | 34.51           | 26.29           | H            | 358.1         | 1.00               |
| 4  | 5,228.250       | -40.81          | -13.00          | 27.81           | 33.39           | H            | 1             | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,485.500       | -47.30          | -13.00          | 34.30           | 26.06           | V            | 123.8         | 2.00               |
| 4  | 5,228.250       | -41.02          | -13.00          | 28.02           | 33.37           | V            | 235.1         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 10MHz / QPSK**

**CH 343000**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 343000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,421.000       | -46.58          | -13.00          | 33.58           | 26.90           | H            | 1             | 1.00               |
| 4  | 5,131.500       | -43.98          | -13.00          | 30.98           | 31.02           | H            | 254.2         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 343000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,421.000       | -46.65          | -13.00          | 33.65           | 26.70           | V            | 1             | 1.00               |
| 4  | 5,131.500       | -44.78          | -13.00          | 31.78           | 30.89           | V            | 251.8         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CH349000**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,481.000       | -46.84          | -13.00          | 33.84           | 26.35           | H            | 1             | 1.00               |
| 4  | 5,221.500       | -40.76          | -13.00          | 27.76           | 32.64           | H            | 314           | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,481.000       | -46.88          | -13.00          | 33.88           | 26.10           | V            | 1             | 1.00               |
| 4  | 5,221.500       | -42.54          | -13.00          | 29.54           | 32.62           | V            | 98.8          | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CH355000**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 355000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,541.000       | -45.82          | -13.00          | 32.82           | 26.98           | H            | 1             | 2.00               |
| 4  | 5,311.500       | -42.77          | -13.00          | 29.77           | 32.71           | H            | 359.1         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 355000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,541.000       | -46.01          | -13.00          | 33.01           | 26.87           | V            | 251.8         | 1.00               |
| 4  | 5,311.500       | -42.70          | -13.00          | 29.70           | 32.59           | V            | 359           | 2.00               |






**CHANNEL BANDWIDTH: 15MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,476.500       | -47.04          | -13.00          | 34.04           | 26.32           | H            | 21.4          | 2.00               |
| 4  | 5,214.750       | -42.49          | -13.00          | 29.49           | 32.12           | H            | 237.4         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,476.500       | -46.57          | -13.00          | 33.57           | 26.06           | V            | 120.2         | 2.00               |
| 4  | 5,214.750       | -42.61          | -13.00          | 29.61           | 32.11           | V            | 359           | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 20MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,472.000       | -46.58          | -13.00          | 33.58           | 26.27           | H            | 1             | 1.00               |
| 4  | 5,208.000       | -42.80          | -13.00          | 29.80           | 31.90           | H            | 359           | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,472.000       | -46.02          | -13.00          | 33.02           | 26.00           | V            | 242.3         | 1.00               |
| 4  | 5,208.000       | -41.94          | -13.00          | 28.94           | 31.87           | V            | 1             | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 25MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,467.500       | -45.78          | -13.00          | 32.78           | 26.53           | H            | 359           | 1.00               |
| 4  | 5,201.250       | -42.70          | -13.00          | 29.70           | 32.17           | H            | 359           | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,467.500       | -45.92          | -13.00          | 32.92           | 26.25           | V            | 1             | 1.00               |
| 4  | 5,201.250       | -42.55          | -13.00          | 29.55           | 32.13           | V            | 0.9           | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 30MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,463.000       | -45.59          | -13.00          | 32.59           | 27.02           | H            | 1             | 1.00               |
| 4  | 5,194.500       | -42.14          | -13.00          | 29.14           | 31.80           | H            | 359           | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,463.000       | -44.72          | -13.00          | 31.72           | 26.73           | V            | 359           | 2.00               |
| 4  | 5,194.500       | -43.46          | -13.00          | 30.46           | 31.76           | V            | 0.9           | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12  
**CHANNEL BANDWIDTH: 40MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,454.000       | -46.54          | -13.00          | 33.54           | 27.41           | H            | 359           | 2.00               |
| 4  | 5,181.000       | -42.10          | -13.00          | 29.10           | 31.75           | H            | 117.8         | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 349000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,454.000       | -45.41          | -13.00          | 32.41           | 27.41           | V            | 357.2         | 1.00               |
| 4  | 5,181.000       | -42.86          | -13.00          | 29.86           | 31.75           | V            | 357.2         | 1.00               |





**N77 (Part 27Q)**


**Note:** For frequency above 18GHz, the emission was tested 20db below the limit so the data not recorded in the sheet.

**CHANNEL BANDWIDTH: 10MHz / QPSK**

**CH 630334**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 630334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,901.020       | -41.48          | -13.00          | 28.48           | 32.83           | H            | 1             | 1.00               |
| 6  | 10,352.000      | -41.42          | -13.00          | 28.42           | 17.90           | H            | 224.2         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 630334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,901.020       | -41.20          | -13.00          | 28.20           | 32.78           | V            | 282.2         | 1.00               |
| 6  | 10,351.530      | -53.86          | -13.00          | 40.86           | 17.61           | V            | 69.9          | 2.00               |





|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,991.020       | -41.44          | -13.00          | 28.44           | 32.81           | H            | 268.2         | 1.00               |
| 6  | 10,486.530      | -41.07          | -13.00          | 28.07           | 18.72           | H            | 9.2           | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,991.020       | -39.99          | -13.00          | 26.99           | 32.85           | V            | 1             | 1.00               |
| 6  | 10,486.500      | -31.23          | -13.00          | 18.23           | 18.47           | V            | 237           | 1.00               |





|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 636332 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,080.960       | -41.14          | -13.00          | 28.14           | 32.48           | H            | 227           | 2.00               |
| 6  | 10,621.440      | -52.84          | -13.00          | 39.84           | 18.49           | H            | 132.2         | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 636332 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,080.960       | -41.16          | -13.00          | 28.16           | 32.23           | V            | 359           | 1.00               |
| 6  | 10,621.440      | -52.79          | -13.00          | 39.79           | 18.16           | V            | 359           | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 15MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,986.520       | -41.58          | -13.00          | 28.58           | 32.80           | H            | 319.8         | 1.00               |
| 6  | 10,479.780      | -53.68          | -13.00          | 40.68           | 18.68           | H            | 118.7         | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,986.520       | -40.94          | -13.00          | 27.94           | 32.85           | V            | 1             | 1.00               |
| 6  | 10,479.780      | -54.47          | -13.00          | 41.47           | 18.45           | V            | 152.1         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 20MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,982.020       | -40.50          | -13.00          | 27.50           | 32.80           | H            | 128.6         | 2.00               |
| 6  | 10,473.000      | -38.11          | -13.00          | 25.11           | 18.64           | H            | 275.2         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,982.020       | -40.33          | -13.00          | 27.33           | 32.84           | V            | 329.7         | 1.00               |
| 6  | 10,472.500      | -33.97          | -13.00          | 20.97           | 18.41           | V            | 1             | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 30MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,973.020       | -40.15          | -13.00          | 27.15           | 32.79           | H            | 338.9         | 1.00               |
| 6  | 10,458.500      | -44.17          | -13.00          | 31.17           | 18.56           | H            | 226.4         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,973.020       | -40.24          | -13.00          | 27.24           | 32.84           | V            | 359           | 1.00               |
| 6  | 10,458.000      | -44.52          | -13.00          | 31.52           | 18.35           | V            | 359           | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 40MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,964.020       | -41.47          | -13.00          | 28.47           | 32.78           | H            | 229.1         | 2.00               |
| 6  | 10,446.000      | -36.34          | -13.00          | 23.34           | 18.49           | H            | 1             | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,964.020       | -39.32          | -13.00          | 26.32           | 32.83           | V            | 359           | 1.00               |
| 6  | 10,446.500      | -35.32          | -13.00          | 22.32           | 18.30           | V            | 218.6         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 50MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,955.020       | -41.63          | -13.00          | 28.63           | 32.77           | H            | 133           | 1.00               |
| 6  | 10,432.530      | -56.33          | -13.00          | 43.33           | 18.41           | H            | 0.9           | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,955.020       | -40.23          | -13.00          | 27.23           | 32.82           | V            | 359           | 1.00               |
| 6  | 10,429.000      | -48.04          | -13.00          | 35.04           | 18.23           | V            | 11.8          | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 60MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,946.020       | -41.60          | -13.00          | 28.60           | 32.76           | H            | 0.9           | 2.00               |
| 6  | 10,419.030      | -54.68          | -13.00          | 41.68           | 18.33           | H            | 164.7         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,946.020       | -41.01          | -13.00          | 28.01           | 32.81           | V            | 212.2         | 2.00               |
| 6  | 10,412.500      | -46.35          | -13.00          | 33.35           | 18.12           | V            | 305.5         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 70MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,937.020       | -41.44          | -13.00          | 28.44           | 32.75           | H            | 359           | 1.00               |
| 6  | 10,405.530      | -54.21          | -13.00          | 41.21           | 18.24           | H            | 343.8         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,937.020       | -41.19          | -13.00          | 28.19           | 32.80           | V            | 359           | 2.00               |
| 6  | 10,405.530      | -53.30          | -13.00          | 40.30           | 18.06           | V            | 346           | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH:80MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,928.020       | -41.48          | -13.00          | 28.48           | 32.82           | H            | 141.4         | 2.00               |
| 6  | 10,392.030      | -52.03          | -13.00          | 39.03           | 18.16           | H            | 0.9           | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,928.020       | -41.76          | -13.00          | 28.76           | 32.84           | V            | 274.5         | 1.00               |
| 6  | 10,392.030      | -54.98          | -13.00          | 41.98           | 17.95           | V            | 1             | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 90MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,919.020       | -41.33          | -13.00          | 28.33           | 32.88           | H            | 79.1          | 2.00               |
| 6  | 10,378.530      | -53.91          | -13.00          | 40.91           | 18.07           | H            | 359           | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,919.020       | -41.78          | -13.00          | 28.78           | 32.88           | V            | 359.1         | 1.00               |
| 6  | 10,368.000      | -43.14          | -13.00          | 30.14           | 17.75           | V            | 166.9         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 100MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,910.020       | -38.98          | -13.00          | 25.98           | 32.88           | H            | 78.5          | 2.00               |
| 6  | 10,365.030      | -54.34          | -13.00          | 41.34           | 17.98           | H            | 68.6          | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,910.020       | -40.75          | -13.00          | 27.75           | 32.85           | V            | 287.1         | 1.00               |
| 6  | 10,365.030      | -53.58          | -13.00          | 40.58           | 17.73           | V            | 190.2         | 2.00               |





**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12


**N77(Part 270):**

**CHANNEL BANDWIDTH: 10MHz / QPSK**

**CH 647000**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 647000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,401.000       | -40.39          | -13.00          | 27.39           | 33.06           | H            | 156.2         | 2.00               |
| 6  | 11,101.500      | -51.46          | -13.00          | 38.46           | 19.04           | H            | 25.3          | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 647000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,401.000       | -40.98          | -13.00          | 27.98           | 32.99           | V            | 262.4         | 1.00               |
| 6  | 11,101.500      | -52.48          | -13.00          | 39.48           | 19.23           | V            | 150.6         | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12  
CH 656000

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,671.000       | -38.88          | -13.00          | 25.88           | 32.93           | H            | 319.8         | 1.00               |
| 6  | 11,506.500      | -49.50          | -13.00          | 36.50           | 19.89           | H            | 96.1          | 2.00               |



Huarui 7layers High Technology  
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech  
District, Suzhou City, Anhui Province

Tel: +86 (0557) 368 1008



|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,671.000       | -41.17          | -13.00          | 28.17           | 32.77           | V            | 313.4         | 1.00               |
| 6  | 11,506.500      | -51.73          | -13.00          | 38.73           | 19.99           | V            | 358.7         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12  
CH 665000

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 665000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,941.000       | -40.64          | -13.00          | 27.64           | 33.42           | H            | 32.4          | 2.00               |
| 6  | 11,911.500      | -52.21          | -13.00          | 39.21           | 19.53           | H            | 335.4         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 665000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,941.000       | -40.10          | -13.00          | 27.10           | 33.18           | V            | 359           | 2.00               |
| 6  | 11,911.500      | -51.63          | -13.00          | 38.63           | 19.60           | V            | 268.8         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 15MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,454.000       | -46.54          | -13.00          | 33.54           | 27.41           | H            | 359           | 2.00               |
| 4  | 5,181.000       | -42.10          | -13.00          | 29.10           | 31.75           | H            | 117.8         | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 3,454.000       | -45.41          | -13.00          | 32.41           | 27.41           | V            | 357.2         | 1.00               |
| 4  | 5,181.000       | -42.86          | -13.00          | 29.86           | 31.75           | V            | 357.2         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 20MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,662.000       | -40.99          | -13.00          | 27.99           | 32.91           | H            | 38.7          | 2.00               |
| 6  | 11,493.000      | -50.50          | -13.00          | 37.50           | 19.84           | H            | 273           | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,662.000       | -42.38          | -13.00          | 29.38           | 32.76           | V            | 359.1         | 1.00               |
| 6  | 11,493.000      | -42.84          | -13.00          | 29.84           | 19.94           | V            | 1             | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 30MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,653.000       | -41.15          | -13.00          | 28.15           | 32.86           | H            | 256.8         | 1.00               |
| 6  | 11,479.500      | -52.83          | -13.00          | 39.83           | 19.80           | H            | 359           | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,653.000       | -40.33          | -13.00          | 27.33           | 32.71           | V            | 314.7         | 1.00               |
| 6  | 11,479.500      | -51.65          | -13.00          | 38.65           | 19.90           | V            | 36.6          | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 40MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,644.000       | -40.21          | -13.00          | 27.21           | 32.81           | H            | 1.4           | 2.00               |
| 6  | 11,466.000      | -51.43          | -13.00          | 38.43           | 19.75           | H            | 359.1         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,644.000       | -41.37          | -13.00          | 28.37           | 32.65           | V            | 1             | 1.00               |
| 6  | 11,466.000      | -51.61          | -13.00          | 38.61           | 19.85           | V            | 205.8         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 50MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,635.000       | -41.53          | -13.00          | 28.53           | 32.77           | H            | 96.1          | 2.00               |
| 6  | 11,452.500      | -52.47          | -13.00          | 39.47           | 19.71           | H            | 359.1         | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,635.000       | -42.01          | -13.00          | 29.01           | 32.59           | V            | 40.2          | 2.00               |
| 6  | 11,452.500      | -52.23          | -13.00          | 39.23           | 19.80           | V            | 266.6         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 60MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,626.000       | -42.12          | -13.00          | 29.12           | 32.70           | H            | 359.1         | 1.00               |
| 6  | 11,439.000      | -52.91          | -13.00          | 39.91           | 19.64           | H            | 0.9           | 2.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,626.000       | -41.41          | -13.00          | 28.41           | 32.52           | V            | 100.4         | 2.00               |
| 6  | 11,439.000      | -52.20          | -13.00          | 39.20           | 19.73           | V            | 208.6         | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-NQN2412090110RF12

**CHANNEL BANDWIDTH: 70MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,617.000       | -41.03          | -13.00          | 28.03           | 32.64           | H            | 98.9          | 2.00               |
| 6  | 11,425.500      | -52.63          | -13.00          | 39.63           | 19.56           | H            | 359           | 1.00               |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 656000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,617.000       | -42.29          | -13.00          | 29.29           | 32.44           | V            | 358.9         | 1.00               |
| 6  | 11,425.500      | -52.13          | -13.00          | 39.13           | 19.65           | V            | 207.9         | 1.00               |

