




CHANNEL	TX Channel 116	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,453.500	51.74	74.00	22.26	12.14	H	3.9	2.00
9	5,470.000	50.49	74.00	23.51	12.12	H	41.5	2.00
9	5,579.000	104.35			12.40	H	94.2	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,469.000	37.05	54.00	16.95	12.12	H	95.3	2.00
9	5,470.000	37.01	54.00	16.99	12.12	H	95.3	2.00
9	5,581.000	91.95			12.41	H	95.3	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,449.500	51.58	74.00	22.42	12.14	V	50.6	1.00
9	5,470.000	50.87	74.00	23.13	12.12	V	359	2.00
9	5,582.000	101.16			12.42	V	105.7	1.00



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,463.000	37.04	54.00	16.96	12.13	V	66.7	2.00
9	5,470.000	36.91	54.00	17.09	12.12	V	209.7	1.00
9	5,581.500	87.83			12.41	V	103.3	1.00

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 140	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,702.000	105.96			13.07	H	50.6	1.00
10	5,725.000	64.09	68.20	4.11	13.15	H	91.7	2.00
10	5,725.500	64.27	68.20	3.93	13.15	H	91.7	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,701.000	102.79			13.07	V	50.7	1.00
10	5,725.000	61.78	68.20	6.42	13.15	V	50.7	1.00
10	5,726.500	61.09	68.20	7.11	13.16	V	104.5	1.00




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,718.000	102.26			13.13	V	62.6	1.00
11	5,850.000	50.02	68.20	18.18	13.03	V	355.1	2.00
11	5,882.000	50.87	68.20	17.33	13.17	V	296.8	1.00

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.

**802.11n (40MHz)**

CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,458.000	56.40	74.00	17.60	18.38	H	203.3	1.00
5	5,460.000	55.92	74.00	18.08	18.42	H	305.4	1.00
5	5,499.000	100.35			19.34	H	203.3	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	42.77	54.00	11.23	18.41	H	51.6	1.00
5	5,460.000	42.84	54.00	11.16	18.42	H	51.6	1.00
5	5,494.500	90.50			19.24	H	51.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,458.000	56.40	74.00	17.60	18.38	H	203.3	1.00
5	5,460.000	55.92	74.00	18.08	18.42	H	305.4	1.00
5	5,499.000	100.35			19.34	H	203.3	1.00






ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	42.77	54.00	11.23	18.41	H	51.6	1.00
5	5,460.000	42.84	54.00	11.16	18.42	H	51.6	1.00
5	5,494.500	90.50			19.24	H	51.6	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5510MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,459.363	41.26	54.00	12.74	18.41	H	27.3	1.00
6	5,460.000	41.14	54.00	12.86	18.40	H	27.3	1.00
6	5,547.088	89.66			19.01	H	76.1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,431.450	63.39	74.00	10.61	17.75	V	177	2.00
6	5,460.000	55.70	74.00	18.30	18.42	V	353.6	1.00
6	5,548.180	103.47			18.99	V	330	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,447.400	40.85	54.00	13.15	18.13	V	5.1	1.00
6	5,460.000	40.76	54.00	13.24	18.39	V	49.8	2.00
6	5,547.813	89.71			19.00	V	5.1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,459.363	41.26	54.00	12.74	18.41	H	27.3	1.00
6	5,460.000	41.14	54.00	12.86	18.40	H	27.3	1.00
6	5,547.088	89.66			19.01	H	76.1	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5670MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,711.900	104.58			18.73	V	54.6	1.00
9	5,850.000	55.11	68.20	13.09	18.20	V	64.2	2.00
9	5,864.800	56.01	68.20	12.19	18.27	V	4.4	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5710MHz: Fundamental frequency.
4. #: Out of restricted band.




802.11ac (20MHz)

CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,469.500	57.96	74.00	16.04	12.12	H	87	2.00
8	5,470.000	59.17	74.00	14.83	12.12	H	87	2.00
8	5,502.500	102.47			12.09	H	87	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,469.000	37.89	54.00	16.11	12.12	H	51.9	1.00
8	5,470.000	37.93	54.00	16.07	12.12	H	219.2	1.00
8	5,498.500	87.61			12.09	H	84.6	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,467.000	54.71	74.00	19.29	12.12	V	356.2	2.00
8	5,470.000	54.12	74.00	19.88	12.12	V	5	1.00
8	5,501.000	99.66			12.09	V	88.1	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,467.000	38.17	54.00	15.83	12.12	V	66.2	1.00
8	5,470.000	38.01	54.00	15.99	12.12	V	136.7	1.00
8	5,499.000	88.72			12.09	V	14.8	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,461.500	37.06	54.00	16.94	12.13	H	78.6	2.00
9	5,470.000	36.98	54.00	17.02	12.12	H	1	2.00
9	5,579.000	89.11			12.40	H	4.9	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,454.000	51.86	74.00	22.14	12.13	V	1	2.00
9	5,470.000	50.41	74.00	23.59	12.12	V	279	1.00
9	5,582.000	100.45			12.42	V	109.2	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,449.000	37.04	54.00	16.96	12.14	V	359	1.00
9	5,470.000	37.02	54.00	16.98	12.12	V	359	1.00
9	5,579.000	89.30			12.40	V	116.4	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,705.000	102.58			13.08	V	135.4	1.00
10	5,725.000	57.51	68.20	10.69	13.15	V	135.4	1.00
10	5,725.500	58.59	68.20	9.61	13.15	V	135.4	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,721.500	100.82			13.14	V	130.7	1.00
11	5,850.000	48.60	68.20	19.60	13.03	V	1	1.00
11	5,883.500	50.65	68.20	17.55	13.18	V	18.3	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.

**802.11ac (40MHz)**

CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,458.500	58.72	74.00	15.28	18.39	H	55.8	1.00
5	5,460.000	57.95	74.00	16.05	18.42	H	82.2	1.00
5	5,499.000	103.21			19.34	H	29	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	42.33	54.00	11.67	18.41	H	325.7	1.00
5	5,460.000	42.46	54.00	11.54	18.42	H	325.7	1.00
5	5,507.500	87.56			19.54	H	189.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,457.000	58.01	74.00	15.99	18.35	V	322.2	1.00
5	5,460.000	57.14	74.00	16.86	18.42	V	359.1	1.00
5	5,519.000	103.03			19.48	V	5.1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	43.48	54.00	10.52	18.41	V	122.1	1.00
5	5,460.000	43.63	54.00	10.37	18.42	V	122.1	1.00
5	5,505.500	88.89			19.50	V	150.2	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5510MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,459.363	41.72	54.00	12.28	18.41	H	87.5	2.00
6	5,460.000	41.78	54.00	12.22	18.42	H	87.5	2.00
6	5,553.250	90.72			18.92	H	87.5	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,457.000	58.01	74.00	15.99	18.35	V	322.2	1.00
5	5,460.000	57.14	74.00	16.86	18.42	V	359.1	1.00
5	5,519.000	103.03			19.48	V	5.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	43.48	54.00	10.52	18.41	V	122.1	1.00
5	5,460.000	43.63	54.00	10.37	18.42	V	122.1	1.00
5	5,505.500	88.89			19.50	V	150.2	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 134	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,681.500	101.38			18.49	H	28.4	1.00
8	5,725.000	60.83	68.20	7.37	18.82	H	28.4	1.00
8	5,728.000	63.32	68.20	4.88	18.84	H	28.4	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,671.500	101.85			18.40	V	28.5	1.00
8	5,725.000	60.73	68.20	7.47	18.82	V	219.9	2.00
8	5,727.500	60.80	68.20	7.40	18.83	V	359	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5670MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,707.870	102.88			18.70	V	57	1.00
9	5,850.000	54.11	68.20	14.09	18.20	V	301.9	1.00
9	5,892.300	56.23	68.20	11.97	18.41	V	60	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5710MHz: Fundamental frequency.
4. #: Out of restricted band.




802.11ac (80MHz)

CHANNEL	TX Channel 106	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,459.633	61.19	74.00	12.81	18.42	H	47.4	1.00
2	5,460.000	61.19	74.00	12.81	18.42	H	47.4	1.00
2	5,541.667	99.05			19.10	H	47.4	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,458.483	45.83	54.00	8.17	18.39	H	50.9	1.00
2	5,460.000	45.81	54.00	8.19	18.42	H	50.9	1.00
2	5,532.083	84.56			19.26	H	50.9	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,459.633	58.29	74.00	15.71	18.42	V	359.1	1.00
2	5,460.000	58.29	74.00	15.71	18.42	V	359.1	1.00
2	5,533.617	99.11			19.24	V	350.6	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,459.250	48.28	54.00	5.72	18.41	V	49.8	1.00
2	5,460.000	48.28	54.00	5.72	18.42	V	49.8	1.00
2	5,536.300	87.37			19.19	V	5.8	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5530MHz: Fundamental frequency.
4. #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,604.175	99.00			18.17	V	318.7	1.00
3	5,725.000	56.11	68.20	12.09	18.82	V	5.1	1.00
3	5,729.100	58.38	68.20	9.82	18.84	V	5.1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5610MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,692.867	98.99			18.59	V	354.9	2.00
4	5,850.000	54.55	68.20	13.65	18.20	V	50.9	1.00
4	5,877.900	55.76	68.20	12.44	18.34	V	338.5	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5690MHz: Fundamental frequency.
4. #: Out of restricted band.




BAND 4

802.11a

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK) Average (AV)
FREQUENCY RANGE	1GHz ~ 40GHz		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,643.000	52.43	68.20	15.77	12.76	H	359	1.00
12	5,742.500	102.98			13.15	H	130	2.00
12	5,935.000	53.32	68.20	14.88	13.33	H	359	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,634.000	51.88	68.20	16.32	12.71	V	355.7	2.00
12	5,743.500	101.95			13.15	V	355.7	2.00
12	5,993.500	53.94	68.20	14.26	13.56	V	185.7	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5745MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,613.500	52.04	68.20	16.16	12.60	V	253.8	1.00
12	5,788.000	101.38			13.13	V	0.9	2.00
12	5,999.000	54.04	68.20	14.16	13.59	V	305.7	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5785MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,620.000	51.86	68.20	16.34	12.64	V	263.5	1.00
12	5,824.000	100.78			13.07	V	359	2.00
12	5,939.000	53.30	68.20	14.90	13.34	V	263.5	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5825MHz: Fundamental frequency.




802.11n (20MHz)

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK) Average (AV)
FREQUENCY RANGE	1GHz ~ 40GHz		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,630.000	52.04	68.20	16.16	12.69	H	0.9	2.00
12	5,743.000	103.55			13.15	H	59.1	1.00
12	5,963.000	53.30	68.20	14.90	13.42	H	5	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,619.000	52.38	68.20	15.82	12.63	V	247.9	1.00
12	5,743.500	100.88			13.15	V	355	2.00
12	5,994.000	57.85	68.20	10.35	13.56	V	122.8	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5745MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,610.000	52.43	68.20	15.77	12.58	V	206.1	1.00
12	5,786.500	102.94			13.13	V	136.7	1.00
12	5,959.000	53.63	68.20	14.57	13.41	V	60.6	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5785MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,624.500	52.34	68.20	15.86	12.66	V	359	2.00
12	5,827.000	99.14			13.07	V	359	2.00
12	5,956.000	58.47	68.20	9.73	13.39	V	1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5825MHz: Fundamental frequency.

**802.11n (40MHz)**

CHANNEL	TX Channel 151	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,635.938	55.44	68.20	12.76	18.08	H	92.2	2.00
11	5,752.500	101.69			18.72	H	290.5	1.00
12	6,000.000	56.99	68.20	11.21	19.20	H	118.5	2.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,616.875	56.05	68.20	12.15	17.99	V	5.1	1.00
11	5,743.750	99.64			18.77	V	359	2.00
12	6,000.000	57.52	68.20	10.68	19.20	V	222.5	1.00

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5755MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,632.500	55.08	68.20	13.12	18.05	V	14.6	2.00
11	5,793.130	101.08			18.53	V	140.6	1.00
12	6,000.000	56.87	68.20	11.33	19.20	V	117.9	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5795MHz: Fundamental frequency.

**802.11ac (20MHz)**

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK) Average (AV)
FREQUENCY RANGE	1GHz ~ 40GHz		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,640.500	52.65	68.20	15.55	12.75	V	355	2.00
12	5,743.000	101.04			13.15	V	135.5	1.00
12	5,996.000	53.42	68.20	14.78	13.57	V	359	2.00

