

Antenna report
TEMPLATE_V02

20220902/Zheng Chong

Appendix - Version index

Date	version	Report name	Content description	Remarks
0817	V01	Dashine-1351 High step handle	Antenna test report	
0902	V02	Dashine-1351 High step handle	Antenna test report	

Outline

- **Test environment**
- **Antenna configuration and measurement techniques**
- **Test data**
- **Extended experiment and optimization**
- **Summarize**

Outline

- **Test environment**
- **Antenna configuration and measurement techniques**
- **Test data**
- **Extended experiment and optimization**
- **Summarize**


Measurement Setup

CHAMBER


- GTS-1800 Microwave darkroom

Instrument

- R&S ZNB8 Vector network analyzer



GTS1800



R&S ZNB8 Vector network analyzer


Outline

- Test environment
- **Antenna configuration and measurement techniques**
- Test data
- Extended experiment and optimization
- Summarize

ID/ME/Fix




Antenna Location



Fixture Cable Routing



Cable routing




Feed in point

Outline

- Test environment
- Antenna configuration and measurement techniques
- **Test data**
- Extended experiment and optimization
- Summarize

Matching Circuits




Test Case & DUT Position

- Test conclusion



Return Loss


- Test conclusion



DUT Return loss Data graph

Passive Efficiency

- Test conclusion



DUT passive efficiency Line chart

Freq (MHz)	Efficiency (%)
2400	27.75
2410	29.05
2420	30.16
2430	30.88
2440	30.65
2450	30.12
2460	30.73
2470	30.84
2480	30.47
2490	30.00
2500	29.52


DUT passive efficiency table

2D/3D Gain Pattern


Radiation Pattern @ 2450 MHz (unit: dBi)




2D



XY






YZ



XZ

3D



Outline


- Test environment
- Antenna configuration and measurement techniques
- Test data
- **Extended experiment and optimization**
- Summarize

Experiment(example)

Experiment 2: With Hand



Simulate a grip scenario



Conclusion: The blue line is the original state, and the red line is the hand-held state. Hand-held has no effect on S11

Outline

- Test environment
- Antenna configuration and measurement techniques
- Test data
- Extended experiment and optimization
- **Summarize**

Summary

- **Conclusion:**

ANT			
Frequency (MHz)	2400	2450	2500
Efficiency (%)	27.75	30.12	29.52
Peak gain (dBi)	-0.26	0.68	0.34