



2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference



2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference



3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500





Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.91	3.74	77.81	1.09	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.76	77.66	1.10	---	---
3DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.75	77.87	1.09	---	---

Test Graphs






2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands


Test Result


TestMod e	Antenn a	ChNam e	Freq(MH z)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.52	2.00	1.10	37.78	≤54	PASS
				AV	2389.670	-58.65	2.00	1.10	39.65	≤54	PASS
				AV	2390.000	-59	2.00	1.10	39.30	≤54	PASS
				Peak	2310.000	-51.9	2.00	0.00	45.30	≤74	PASS
				Peak	2378.855	-48.38	2.00	0.00	48.82	≤74	PASS
				Peak	2390.000	-51.11	2.00	0.00	46.09	≤74	PASS
		High	2480	AV	2483.500	-58.5	2.00	1.10	39.80	≤54	PASS
				AV	2483.680	-58.06	2.00	1.10	40.24	≤54	PASS
				AV	2500.000	-58.72	2.00	1.10	39.58	≤54	PASS
				Peak	2483.500	-50.14	2.00	0.00	47.06	≤74	PASS
				Peak	2483.760	-47.89	2.00	0.00	49.31	≤74	PASS
				Peak	2500.000	-49.33	2.00	0.00	47.87	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-60.35	2.00	1.09	37.94	≤54	PASS
				AV	2375.075	-58.56	2.00	1.09	39.73	≤54	PASS
				AV	2390.000	-59.48	2.00	1.09	38.81	≤54	PASS
				Peak	2310.000	-53.08	2.00	0.00	44.12	≤74	PASS
				Peak	2389.775	-47.37	2.00	0.00	49.83	≤74	PASS
				Peak	2390.000	-50.65	2.00	0.00	46.55	≤74	PASS
		High	2480	AV	2483.500	-58.68	2.00	1.10	39.62	≤54	PASS
				AV	2483.840	-58.18	2.00	1.10	40.12	≤54	PASS
				AV	2500.000	-59.15	2.00	1.10	39.15	≤54	PASS
				Peak	2483.500	-48.44	2.00	0.00	48.76	≤74	PASS
				Peak	2486.160	-47.82	2.00	0.00	49.38	≤74	PASS
				Peak	2500.000	-49.63	2.00	0.00	47.57	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-59.91	2.00	1.09	38.38	≤54	PASS
				AV	2388.305	-58.67	2.00	1.09	39.62	≤54	PASS
				AV	2390.000	-59	2.00	1.09	39.29	≤54	PASS
				Peak	2310.000	-52.22	2.00	0.00	44.98	≤74	PASS
				Peak	2358.275	-48.19	2.00	0.00	49.01	≤74	PASS
				Peak	2390.000	-52.1	2.00	0.00	45.10	≤74	PASS
		High	2480	AV	2483.500	-58.68	2.00	1.09	39.61	≤54	PASS
				AV	2486.080	-58.1	2.00	1.09	40.19	≤54	PASS
				AV	2500.000	-59.39	2.00	1.09	38.90	≤54	PASS
				Peak	2483.500	-51.26	2.00	0.00	45.94	≤74	PASS
				Peak	2494.160	-47.91	2.00	0.00	49.29	≤74	PASS
				Peak	2500.000	-52.29	2.00	0.00	44.91	≤74	PASS

Note:


1. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

