


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	-1.26	-0.76	-0.58	-5.25	-2.46	-1.86
MAX. Gain	-0.58dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	15.2mm					
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD					
Address	#333, KEXING RD., XIANGZHOU DISTRICT, ZHUHAI,CHINA					

Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-1.26173	-30.0811	-7.18712
2450	-0.765852	-36.5614	-7.48025
2500	-0.585572	-22.0314	-6.59124

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-5.2536	-22.1424	-12.4284
2450	-2.4664	-24.5847	-10.4704
2500	-1.86121	-29.5224	-9.20433

ANT Test Labs: Attestation of Global Compliance Co., Ltd.