



Transmit at 2452MHz by 802.11n(40MHz) with Ant0+1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.50	39.93	34.82	-5.11	54.00	19.18	AV	Horizo	PASS
2	4909.50	47.74	42.64	-5.10	74.00	31.36	PK	Horizo	PASS
3	7356.00	34.83	38.01	3.18	74.00	35.99	PK	Horizo	PASS
4	7356.00	25.61	28.79	3.18	54.00	25.21	AV	Horizo	PASS
5	9808.00	23.65	30.29	6.64	54.00	23.71	AV	Horizo	PASS
6	9808.00	32.04	38.68	6.64	74.00	35.32	PK	Horizo	PASS

Transmit at 2452MHz by 802.11n(40MHz) with Ant0+1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	40.87	35.76	-5.11	74.00	38.24	PK	Vertic	PASS
2	4904.00	32.35	27.24	-5.11	54.00	26.76	AV	Vertic	PASS
3	7356.00	26.70	29.88	3.18	54.00	24.12	AV	Vertic	PASS
4	7356.00	33.50	36.68	3.18	74.00	37.32	PK	Vertic	PASS
5	9808.00	33.40	40.04	6.64	74.00	33.96	PK	Vertic	PASS
6	9808.00	23.47	30.11	6.64	54.00	23.89	AV	Vertic	PASS

Note:

1. Level=Reading+Factor


2. Margin=Limit-Level

3. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.

4. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.


The worst case of Radiated Emission below 1GHz:

Transmit at 2412MHz by 802.11b with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	46.25	26.20	37.41	11.21	40.00	2.59	PK	Horizo	PASS
2	55.71	28.28	36.71	8.43	40.00	3.29	PK	Horizo	PASS
3	134.76	21.74	35.52	13.78	43.50	7.98	PK	Horizo	PASS
4	176.23	22.65	34.36	11.71	43.50	9.14	PK	Horizo	PASS
5	539.25	18.99	41.64	22.65	46.00	4.36	PK	Horizo	PASS
6	959.99	15.88	42.15	26.27	46.00	3.85	PK	Horizo	PASS

Transmit at 2412MHz by 802.11b with Ant1**Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	46.98	24.97	35.81	10.84	40.00	4.19	PK	Vertic	PASS
2	59.83	29.11	36.89	7.78	40.00	3.11	PK	Vertic	PASS
3	135.97	20.40	34.13	13.73	43.50	9.37	PK	Vertic	PASS
4	211.63	23.26	35.96	12.70	43.50	7.54	PK	Vertic	PASS
5	541.92	15.73	38.46	22.73	46.00	7.54	PK	Vertic	PASS
6	954.41	14.68	40.73	26.05	46.00	5.27	PK	Vertic	PASS

Note:

1. All Readings below 1GHz are PK, PK as an alternative to CISPR quasi-peak measurements or average measurements.
2. Level=Reading+Factor.

_____ The End _____