



Transmit at 5580MHz by 802.11ac(20MHz) with Ant0+1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11165.17	47.26	56.47	9.21	74.00	17.53	PK	Vertic	PASS
2	11165.65	38.38	47.59	9.21	54.00	6.41	AV	Vertic	PASS
3	16737.40	37.06	54.34	17.28	68.30	13.96	PK	Vertic	PASS


Transmit at 5700MHz by 802.11ac(20MHz) with Ant0+1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11399.48	46.52	56.40	9.88	74.00	17.60	PK	Horizo	PASS
2	11401.40	37.45	47.33	9.88	54.00	6.67	AV	Horizo	PASS
3	17097.73	36.69	55.08	18.39	68.30	13.22	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ac(20MHz) with Ant0+1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11401.40	49.82	59.70	9.88	74.00	14.30	PK	Vertic	PASS
2	11403.31	39.95	49.83	9.88	54.00	4.17	AV	Vertic	PASS
3	17101.56	37.00	55.35	18.35	68.30	12.95	PK	Vertic	PASS


Transmit at 5745MHz by 802.11ac(20MHz) with Ant0+1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11491.48	38.94	48.94	10.00	54.00	5.06	AV	Horizo	PASS
2	11492.44	47.97	57.97	10.00	74.00	16.03	PK	Horizo	PASS
3	17235.73	38.60	56.52	17.92	68.30	11.78	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ac(20MHz) with Ant0+1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11488.13	49.80	59.80	10.00	74.00	14.20	PK	Vertic	PASS
2	11490.04	41.82	51.82	10.00	54.00	2.18	AV	Vertic	PASS
3	17236.21	37.60	55.53	17.93	68.30	12.77	PK	Vertic	PASS


Transmit at 5785MHz by 802.11ac(20MHz) with Ant0+1




Data List

NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11565.75	46.66	57.12	10.46	74.00	16.88	PK	Horizo	PASS
2	11566.23	38.36	48.83	10.47	54.00	5.17	AV	Horizo	PASS
3	17358.40	37.13	56.08	18.95	68.30	12.22	PK	Horizo	PASS

Transmit at 5785MHz by 802.11ac(20MHz) with Ant0+1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11573.90	40.83	51.36	10.53	54.00	2.64	AV	Vertic	PASS
2	11573.90	49.04	59.57	10.53	74.00	14.43	PK	Vertic	PASS
3	17353.13	37.03	55.90	18.87	68.30	12.40	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant0+1*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11647.69	37.28	48.00	10.72	54.00	6.00	AV	Horizo	PASS
2	11656.31	46.56	57.27	10.71	74.00	16.73	PK	Horizo	PASS
3	17473.88	35.15	54.46	19.31	68.30	13.84	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant0+1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.08	41.00	51.71	10.71	54.00	2.29	AV	Vertic	PASS
2	11651.04	49.16	59.87	10.71	74.00	14.13	PK	Vertic	PASS
3	17473.88	35.46	54.77	19.31	68.30	13.53	PK	Vertic	PASS


Transmit at 5190MHz by 802.11ac(40MHz) with Ant0+1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10376.46	48.65	55.93	7.28	68.30	12.37	PK	Horizo	PASS
2	15566.79	27.35	43.11	15.76	54.00	10.89	AV	Horizo	PASS
3	15572.06	34.80	50.56	15.76	74.00	23.44	PK	Horizo	PASS


Transmit at 5190MHz by 802.11ac(40MHz) with Ant0+1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10381.25	47.26	54.54	7.28	68.30	13.76	PK	Vertic	PASS
2	15565.35	38.41	54.17	15.76	74.00	19.83	PK	Vertic	PASS
3	15583.08	31.22	46.97	15.75	54.00	7.03	AV	Vertic	PASS

Transmit at 5230MHz by 802.11ac(40MHz) with Ant0+1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.79	49.88	57.53	7.65	68.30	10.77	PK	Horizo	PASS
2	15682.27	32.80	48.61	15.81	74.00	25.39	PK	Horizo	PASS
3	15682.75	25.80	41.61	15.81	54.00	12.39	AV	Horizo	PASS


Transmit at 5230MHz by 802.11ac(40MHz) with Ant0+1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10458.88	49.62	57.26	7.64	68.30	11.04	PK	Vertic	PASS
2	15695.21	36.15	51.98	15.83	74.00	22.02	PK	Vertic	PASS
3	15695.69	27.01	42.84	15.83	54.00	11.16	AV	Vertic	PASS

Transmit at 5270MHz by 802.11ac(40MHz) with Ant0+1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.81	47.44	55.38	7.94	68.30	12.92	PK	Horizo	PASS
2	15802.54	33.93	49.93	16.00	74.00	24.07	PK	Horizo	PASS
3	15803.02	27.08	43.08	16.00	54.00	10.92	AV	Horizo	PASS


Transmit at 5270MHz by 802.11ac(40MHz) with Ant0+1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10538.90	45.84	53.78	7.94	68.30	14.52	PK	Vertic	PASS
2	15806.85	27.67	43.68	16.01	54.00	10.32	AV	Vertic	PASS
3	15817.88	34.94	50.98	16.04	74.00	23.02	PK	Vertic	PASS


Transmit at 5310MHz by 802.11ac(40MHz) with Ant0+1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10618.44	48.76	56.80	8.04	74.00	17.20	PK	Horizo	PASS
2	10621.79	41.78	49.81	8.03	54.00	4.19	AV	Horizo	PASS
3	15927.60	24.74	41.14	16.40	54.00	12.86	AV	Horizo	PASS
4	15930.00	30.80	47.21	16.41	74.00	26.79	PK	Horizo	PASS


Transmit at 5310MHz by 802.11ac(40MHz) with Ant0+1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10616.04	48.00	56.05	8.05	74.00	17.95	PK	Vertic	PASS
2	10618.92	40.17	48.21	8.04	54.00	5.79	AV	Vertic	PASS
3	15923.29	26.95	43.33	16.38	54.00	10.67	AV	Vertic	PASS
4	15928.08	35.15	51.55	16.40	74.00	22.45	PK	Vertic	PASS


Transmit at 5510MHz by 802.11ac(40MHz) with Ant0+1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.94	42.25	51.33	9.08	74.00	22.67	PK	Horizo	PASS
2	11024.77	33.87	42.95	9.08	54.00	11.05	AV	Horizo	PASS
3	16523.69	34.08	51.00	16.92	68.30	17.30	PK	Horizo	PASS


Transmit at 5510MHz by 802.11ac(40MHz) with Ant0+1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11026.69	45.93	55.01	9.08	74.00	18.99	PK	Vertic	PASS
2	11031.96	35.50	44.57	9.07	54.00	9.43	AV	Vertic	PASS
3	16527.52	35.90	52.84	16.94	68.30	15.46	PK	Vertic	PASS


Transmit at 5550MHz by 802.11ac(40MHz) with Ant0+1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11100.00	40.98	49.97	8.99	74.00	24.03	PK	Horizo	PASS
2	11100.00	31.54	40.53	8.99	54.00	13.47	AV	Horizo	PASS
3	16649.71	32.28	49.38	17.10	68.30	18.92	PK	Horizo	PASS


Transmit at 5550MHz by 802.11ac(40MHz) with Ant0+1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11095.21	43.60	52.60	9.00	74.00	21.40	PK	Vertic	PASS
2	11101.44	35.90	44.90	9.00	54.00	9.10	AV	Vertic	PASS
3	16646.35	34.53	51.64	17.11	68.30	16.66	PK	Vertic	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant0+1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	41.44	51.08	9.64	74.00	22.92	PK	Horizo	PASS
2	11347.73	34.10	43.77	9.67	54.00	10.23	AV	Horizo	PASS
3	17008.60	33.36	52.84	19.48	68.30	15.46	PK	Horizo	PASS


Transmit at 5670MHz by 802.11ac(40MHz) with Ant0+1



Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11336.23	42.73	52.35	9.62	74.00	21.65	PK	Vertic	PASS
2	11342.46	34.72	44.38	9.66	54.00	9.62	AV	Vertic	PASS
3	17003.81	33.87	53.40	19.53	68.30	14.90	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant0+1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11516.40	45.31	55.44	10.13	74.00	18.56	PK	Horizo	PASS
2	11516.40	37.05	47.18	10.13	54.00	6.82	AV	Horizo	PASS
3	17258.25	35.15	53.15	18.00	68.30	15.15	PK	Horizo	PASS


Transmit at 5755MHz by 802.11ac(40MHz) with Ant0+1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11509.21	47.23	57.30	10.07	74.00	16.70	PK	Vertic	PASS
2	11509.69	40.04	50.11	10.07	54.00	3.89	AV	Vertic	PASS
3	17259.21	35.11	53.11	18.00	68.30	15.19	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant0+1




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11589.71	44.12	54.75	10.63	74.00	19.25	PK	Horizo	PASS
2	11591.63	37.57	48.21	10.64	54.00	5.79	AV	Horizo	PASS
3	17379.96	34.36	53.60	19.24	68.30	14.70	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant0+1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11581.56	47.36	57.94	10.58	74.00	16.06	PK	Vertic	PASS
2	11591.15	39.58	50.22	10.64	54.00	3.78	AV	Vertic	PASS
3	17391.46	35.39	54.80	19.41	68.30	13.50	PK	Vertic	PASS


Transmit at 5210MHz by 802.11ac(80MHz) with Ant0+1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10431.56	47.87	55.36	7.49	68.30	12.94	PK	Horizo	PASS
2	15630.00	23.10	38.87	15.77	54.00	15.13	AV	Horizo	PASS
3	15630.00	29.42	45.19	15.77	74.00	28.81	PK	Horizo	PASS


Transmit at 5210MHz by 802.11ac(80MHz) with Ant0+1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10436.35	46.61	54.12	7.51	68.30	14.18	PK	Vertic	PASS
2	15619.02	27.89	43.65	15.76	54.00	10.35	AV	Vertic	PASS
3	15630.00	33.76	49.53	15.77	74.00	24.47	PK	Vertic	PASS


Transmit at 5290MHz by 802.11ac(80MHz) with Ant0+1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10601.19	45.79	53.85	8.06	74.00	20.15	PK	Horizo	PASS
2	15870.00	28.25	44.45	16.20	74.00	29.55	PK	Horizo	PASS
3	15870.00	19.94	36.14	16.20	54.00	17.86	AV	Horizo	PASS

Transmit at 5290MHz by 802.11ac(80MHz) with Ant0+1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10599.27	45.25	53.31	8.06	68.30	14.99	PK	Vertic	PASS
2	15870.00	21.71	37.91	16.20	54.00	16.09	AV	Vertic	PASS
3	15870.00	29.30	45.50	16.20	74.00	28.50	PK	Vertic	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant0+1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11079.40	40.06	49.08	9.02	74.00	24.92	PK	Horizo	PASS
2	11079.40	31.99	41.01	9.02	54.00	12.99	AV	Horizo	PASS
3	16590.00	28.74	45.95	17.21	68.30	22.35	PK	Horizo	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant0+1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11078.92	41.74	50.76	9.02	74.00	23.24	PK	Vertic	PASS
2	11079.40	34.03	43.05	9.02	54.00	10.95	AV	Vertic	PASS
3	16594.13	32.17	49.40	17.23	68.30	18.90	PK	Vertic	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant0+1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11238.96	35.39	44.78	9.39	54.00	9.22	AV	Horizo	PASS
2	11247.10	42.40	51.81	9.41	74.00	22.19	PK	Horizo	PASS
3	16820.29	32.75	50.92	18.17	68.30	17.38	PK	Horizo	PASS


Transmit at 5610MHz by 802.11ac(80MHz) with Ant0+1



Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11241.83	36.51	45.91	9.40	54.00	8.09	AV	Vertic	PASS
2	11247.10	45.16	54.57	9.41	74.00	19.43	PK	Vertic	PASS
3	16830.00	31.57	49.89	18.32	68.30	18.41	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant0+1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11564.31	35.28	45.73	10.45	54.00	8.27	AV	Horizo	PASS
2	11577.25	43.59	54.14	10.55	74.00	19.86	PK	Horizo	PASS
3	17364.63	36.71	55.74	19.03	68.30	12.56	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant0+1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11567.67	46.08	56.56	10.48	74.00	17.44	PK	Vertic	PASS
2	11579.65	37.99	48.56	10.57	54.00	5.44	AV	Vertic	PASS
3	17377.08	34.37	53.57	19.20	68.30	14.73	PK	Vertic	PASS


- 1.Level=Reading+Factor .
- 2. Margin=Limit-Level.
- 3. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
- 4. The test frequency range, 18GHz~40GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.

The worst case of Radiated Emission below 1GHz:

Transmit at 5180MHz by 802.11a with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	46.25	26.51	37.72	11.21	40.00	2.28	PK	Horizo	PASS
2	53.28	28.09	36.91	8.82	40.00	3.09	PK	Horizo	PASS
3	172.83	27.07	38.94	11.87	43.50	4.56	PK	Horizo	PASS
4	204.12	27.26	39.36	12.10	43.50	4.14	PK	Horizo	PASS
5	336.52	20.65	37.64	16.99	46.00	8.36	PK	Horizo	PASS
6	724.28	15.63	39.55	23.92	46.00	6.45	PK	Horizo	PASS

Transmit at 5180MHz by 802.11a with Ant1**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	34.37	19.75	37.30	17.55	40.00	2.70	PK	Vertic	PASS
2	47.46	26.93	37.53	10.60	40.00	2.47	PK	Vertic	PASS
3	85.05	25.22	34.88	9.66	40.00	5.12	PK	Vertic	PASS
4	216.00	24.83	37.73	12.90	43.50	5.77	PK	Vertic	PASS
5	476.93	16.90	37.72	20.82	46.00	8.28	PK	Vertic	PASS
6	963.38	14.93	41.25	26.32	54.00	12.75	PK	Vertic	PASS

Note:

1. All Readings below 1GHz are PK, PK as an alternative to CISPR quasi-peak measurements or average measurements.
2. Level=Reading+Factor.

Appendix B: Emission bandwidth and occupied bandwidth

Emission Bandwidth :

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	20.160	5169.960	5190.120	---	---
11A	Ant1	5200	20.360	5189.880	5210.240	---	---
11A	Ant1	5240	20.520	5229.720	5250.240	---	---
11A	Ant1	5260	20.440	5249.920	5270.360	---	---
11A	Ant1	5280	19.960	5270.080	5290.040	---	---
11A	Ant1	5320	20.360	5309.720	5330.080	---	---
11A	Ant1	5500	20.000	5490.000	5510.000	---	---
11A	Ant1	5580	20.400	5569.760	5590.160	---	---
11A	Ant1	5700	20.400	5689.800	5710.200	---	---
11A	Ant1	5745	20.480	5734.720	5755.200	---	---
11A	Ant1	5785	24.400	5772.280	5796.680	---	---
11A	Ant1	5825	20.480	5814.520	5835.000	---	---
11N20SISO	Ant1	5180	20.240	5169.920	5190.160	---	---
11N20SISO	Ant1	5200	20.480	5189.680	5210.160	---	---
11N20SISO	Ant1	5240	20.440	5229.720	5250.160	---	---
11N20SISO	Ant1	5260	20.320	5249.800	5270.120	---	---
11N20SISO	Ant1	5280	20.440	5269.760	5290.200	---	---
11N20SISO	Ant1	5320	20.360	5309.720	5330.080	---	---
11N20SISO	Ant1	5500	20.440	5489.800	5510.240	---	---
11N20SISO	Ant1	5580	20.400	5569.720	5590.120	---	---
11N20SISO	Ant1	5700	20.360	5689.840	5710.200	---	---
11N20SISO	Ant1	5745	20.440	5734.880	5755.320	---	---
11N20SISO	Ant1	5785	20.160	5774.880	5795.040	---	---
11N20SISO	Ant1	5825	20.360	5814.840	5835.200	---	---
11N40SISO	Ant1	5190	40.480	5170.000	5210.480	---	---
11N40SISO	Ant1	5230	40.720	5209.520	5250.240	---	---
11N40SISO	Ant1	5270	40.320	5249.840	5290.160	---	---
11N40SISO	Ant1	5310	41.040	5289.200	5330.240	---	---
11N40SISO	Ant1	5510	40.880	5489.520	5530.400	---	---
11N40SISO	Ant1	5550	41.200	5529.360	5570.560	---	---
11N40SISO	Ant1	5670	40.800	5649.440	5690.240	---	---
11N40SISO	Ant1	5755	40.880	5734.680	5775.560	---	---
11N40SISO	Ant1	5795	40.800	5774.760	5815.560	---	---
11AC20SISO	Ant1	5180	20.360	5169.840	5190.200	---	---
11AC20SISO	Ant1	5200	20.240	5189.880	5210.120	---	---
11AC20SISO	Ant1	5240	20.120	5229.920	5250.040	---	---
11AC20SISO	Ant1	5260	20.440	5249.840	5270.280	---	---
11AC20SISO	Ant1	5280	20.400	5269.760	5290.160	---	---
11AC20SISO	Ant1	5320	20.240	5309.840	5330.080	---	---
11AC20SISO	Ant1	5500	20.240	5489.840	5510.080	---	---
11AC20SISO	Ant1	5580	20.400	5569.800	5590.200	---	---
11AC20SISO	Ant1	5700	20.280	5689.920	5710.200	---	---
11AC20SISO	Ant1	5745	20.320	5734.760	5755.080	---	---
11AC20SISO	Ant1	5785	20.280	5774.880	5795.160	---	---
11AC20SISO	Ant1	5825	20.280	5814.880	5835.160	---	---

11AC40SISO	Ant1	5190	40.160	5170.080	5210.240	---	---
11AC40SISO	Ant1	5230	41.120	5209.520	5250.640	---	---
11AC40SISO	Ant1	5270	40.480	5249.840	5290.320	---	---
11AC40SISO	Ant1	5310	40.800	5289.280	5330.080	---	---
11AC40SISO	Ant1	5510	40.480	5489.840	5530.320	---	---
11AC40SISO	Ant1	5550	40.720	5529.440	5570.160	---	---
11AC40SISO	Ant1	5670	40.800	5649.440	5690.240	---	---
11AC40SISO	Ant1	5755	40.160	5734.920	5775.080	---	---
11AC40SISO	Ant1	5795	40.480	5774.600	5815.080	---	---
11AC80SISO	Ant1	5210	80.960	5169.520	5250.480	---	---
11AC80SISO	Ant1	5290	81.280	5249.520	5330.800	---	---
11AC80SISO	Ant1	5530	81.440	5489.520	5570.960	---	---
11AC80SISO	Ant1	5610	81.600	5569.360	5650.960	---	---
11AC80SISO	Ant1	5775	81.120	5734.520	5815.640	---	---



11A-Ant1-5180



11A-Ant1-5200



11A-Ant1-5240



11A-Ant1-5260



11A-Ant1-5280




11A-Ant1-5320



11A-Ant1-5500



11A-Ant1-5580



11A-Ant1-5700



11A-Ant1-5745



11A-Ant1-5785



11A-Ant1-5825




11N20SiSO-Ant1-5180




11N20SISO-Ant1-5200



11N20SISO-Ant1-5240



11N20SISO-Ant1-5260



11N20SISO-Ant1-5280




11N20SISO-Ant1-5320



11N20SISO-Ant1-5500



11N20SISO-Ant1-5580



11N20SISO-Ant1-5700



11N20SISO-Ant1-5745




11N20SISO-Ant1-5785



11N20SISO-Ant1-5825



11N40SISO-Ant1-5190




11N40SiSO-Ant1-5230




11N40SiSO-Ant1-5270



11N40SISO-Ant1-5310



11N40SISO-Ant1-5510



11N40SISO-Ant1-5550



11N40SISO-Ant1-5670



11N40SISO-Ant1-5755



11N40SISO-Ant1-5795



11AC20SISO-Ant1-5180



11AC20SISO-Ant1-5200