





Mode:802.11ax HE80 Tone:996T Frequency:5290MHz  
Ant:Chain0




Mode:802.11ax HE80 Tone:996T Frequency:5290MHz  
Ant:Chain1

# Dynamic Frequency Selection DESCRIPTION OF Master Device Radar Waveform Calibration Result

<20MHz / 5320 MHz> Radar Type 0

Radar / DFS detection threshold level and the burst of pulses on the Channel frequency



Date: 5.JUL.2023 16:56:55

**<20MHz / 5530 MHz> Radar Type 0**

**Radar / DFS detection threshold level and the burst of pulses on the Channel frequency**

**Spectrum**




Ref Level -30.00 dBm    Offset -30.00 dB    RBW 10 MHz

Att 10 dB    SWT 102 ms    VBW 10 MHz

SGL

1Pk Clrw



CF 5.53 GHz

30001 pts


10.2 ms/

Ready



Date: 6.JUL.2023 12:59:23

## Data Traffic and Noise Floor Plots





### Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period for Client Beacon Test

| Frequency | Test Item                         | Test Result | Limit    | Pass/Fail |
|-----------|-----------------------------------|-------------|----------|-----------|
| 5320MHz   | Channel Move Time                 | < 10s*      | < 10s    | Pass      |
|           | Channel Closing Transmission Time | 201.6ms     | < 260ms  | Pass      |
|           | Non-Occupancy Period              | ≥ 30        | ≥ 30 min | Pass      |
| 5530MHz   | Channel Move Time                 | < 10s*      | < 10s    | Pass      |
|           | Channel Closing Transmission Time | 201.2ms     | < 260ms  | Pass      |
|           | Non-Occupancy Period              | ≥ 30        | ≥ 30 min | Pass      |

Note\*: We notice clearly that “Channel Move Time” is less than 10s from the figure. The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 seconds period. The aggregate duration of control signals will not count quiet periods in between transmissions.

## Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period for Client Beacon Test Plots



### Note:


Dwell (0.4 ms)= Sweep Time (12000 ms) / Sweep Point Bins (30000)

Channel Closing Transmission Time (200 +1.6ms) = 200 + Number of beacon after 200ms(4) X Dwell (0.4

ms) < 260ms


<20MHz / 5530MHz>

### Channel Move Time & Channel Closing Transmission Time



Date: 6 JUL 2023 17:02:23

### Non-Occupancy Period



Date: 6 JUL 2023 19:57:34

#### Note:

Dwell (0.4 ms)= Sweep Time (12000 ms) / Sweep Point Bins (30000)

Channel Closing Transmission Time(200 + 1.2ms) = 200 + Number of beacon after 200ms(3) X Dwell (0.4 ms) < 260ms