




Test Mode: 802.11n HT40



Test Mode: 802.11ac VHT40



Test Mode: 802.11ax HE40




6dB Bandwidth

Offset 15dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	6dB Bandwidth (MHz)		
		5745MHz	5785MHz	5825MHz
802.11a	Chain0	16.50	16.56	16.42
802.11n HT20	Chain0	17.77	17.69	17.69
802.11ac VHT20	Chain0	17.71	17.62	17.77
802.11ax HE20	Chain0	19.02	19.13	18.99


Test Mode	Antenna	6dB Bandwidth (MHz)		
		5755MHz	---	5795MHz
802.11n HT40	Chain0	36.53	---	36.48
802.11ac VHT40	Chain0	36.49	---	36.51
802.11ax HE40	Chain0	38.13	---	37.83

Test Mode: 802.11a




Mode:802.11a Frequency:5745MHz Ant:Chain0

Mode:802.11a Frequency:5785MHz Ant:Chain0




Mode:802.11a Frequency:5825MHz Ant:Chain0

Test Mode: 802.11n HT20




Mode:802.11n HT20 Frequency:5745MHz Ant:Chain0

Mode:802.11n HT20 Frequency:5785MHz Ant:Chain0




Mode:802.11n HT20 Frequency:5825MHz Ant:Chain0

Test Mode: 802.11ac VHT20




Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Frequency:5745MHz Ant:Chain0

Mode:802.11ax HE20 Frequency:5785MHz Ant:Chain0



Mode:802.11ax HE20 Frequency:5825MHz Ant:Chain0


Test Mode: 802.11n HT40




Mode:802.11n HT40 Frequency:5755MHz Ant:Chain0

Mode:802.11n HT40 Frequency:5795MHz Ant:Chain0

Test Mode: 802.11ac VHT40



Test Mode: 802.11ax HE40



Transmitter Power Spectral Density

Offset 15dB = Attenuator + Temporary antenna connector loss + Cable loss


Test Mode	Antenna	Tones	5745MHz		5785MHz		5825MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11a	Chain0	NA	0.00	1.995	0.00	1.465	0.00	-0.788
802.11n HT20	Chain0	NA	0.00	1.611	0.00	1.087	0.00	-0.714
802.11ac VHT20	Chain0	NA	0.00	1.838	0.00	1.251	0.00	-0.166
802.11ax HE20	Chain0	242T	0.00	0.380	0.00	-0.047	0.00	-2.161

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.



Test Mode	Antenna	Tones	5755MHz		---		5795MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11n HT40	Chain0	NA	0.00	-2.198	---	---	0.00	-1.507
802.11ac VHT40	Chain0	NA	0.00	-1.136	---	---	0.00	-1.650
802.11ax HE40	Chain0	484T	0.00	-2.551	---	---	0.00	-3.533

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.

Test Mode: 802.11a




Test Mode: 802.11n HT20




Mode:802.11n HT20 Frequency:5745MHz Ant:Chain0

Mode:802.11n HT20 Frequency:5785MHz Ant:Chain0





Mode:802.11n HT20 Frequency:5825MHz Ant:Chain0

Test Mode: 802.11ac VHT20




Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Tone:242T Frequency:5745MHz
Ant:Chain0

Mode:802.11ax HE20 Tone:242T Frequency:5785MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:242T Frequency:5825MHz
Ant:Chain0

Test Mode: 802.11n HT40




Mode:802.11n HT40 Frequency:5755MHz Ant:Chain0




Mode:802.11n HT40 Frequency:5795MHz Ant:Chain0

Test Mode: 802.11ac VHT40




Mode:802.11ac VHT40 Frequency:5755MHz
Ant:Chain0




Mode:802.11ac VHT40 Frequency:5795MHz
Ant:Chain0

Test Mode: 802.11ax HE40



Mode:802.11ax HE40 Tone:484T Frequency:5755MHz
Ant:Chain0



Mode:802.11ax HE40 Tone:484T Frequency:5795MHz
Ant:Chain0