



Transmit at 5270MHz by 802.11n(40MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10538.90        | 35.63          | 43.57          | 7.94          | 68.30          | 24.73       | PK  | Vertic | PASS    |
| 2         | 15810.00        | 29.41          | 45.43          | 16.02         | 74.00          | 28.57       | PK  | Vertic | PASS    |
| 3         | 15810.00        | 21.11          | 37.13          | 16.02         | 54.00          | 16.87       | AV  | Vertic | PASS    |


Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10620.00        | 30.20          | 38.23          | 8.03          | 74.00          | 35.77       | PK  | Horizo | PASS    |
| 2  | 10620.00        | 22.65          | 30.68          | 8.03          | 54.00          | 23.32       | AV  | Horizo | PASS    |
| 3  | 15930.00        | 28.86          | 45.27          | 16.41         | 74.00          | 28.73       | PK  | Horizo | PASS    |
| 4  | 15930.00        | 20.30          | 36.71          | 16.41         | 54.00          | 17.29       | AV  | Horizo | PASS    |


Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10620.00        | 30.75          | 38.78          | 8.03          | 74.00          | 35.22       | PK  | Vertic | PASS    |
| 2  | 10620.00        | 24.78          | 32.81          | 8.03          | 54.00          | 21.19       | AV  | Vertic | PASS    |
| 3  | 15930.00        | 29.09          | 45.50          | 16.41         | 74.00          | 28.50       | PK  | Vertic | PASS    |
| 4  | 15930.00        | 21.11          | 37.52          | 16.41         | 54.00          | 16.48       | AV  | Vertic | PASS    |


Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11020.00        | 32.04          | 41.12          | 9.08          | 74.00          | 32.88       | PK  | Horizo | PASS    |
| 2  | 11020.00        | 22.66          | 31.74          | 9.08          | 54.00          | 22.26       | AV  | Horizo | PASS    |
| 3  | 16530.00        | 27.84          | 44.80          | 16.96         | 68.30          | 23.50       | PK  | Horizo | PASS    |

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11020.00        | 31.76          | 40.84          | 9.08          | 74.00          | 33.16       | PK  | Vertic | PASS    |
| 2         | 11020.00        | 24.19          | 33.27          | 9.08          | 54.00          | 20.73       | AV  | Vertic | PASS    |
| 3         | 16530.00        | 28.82          | 45.78          | 16.96         | 68.30          | 22.52       | PK  | Vertic | PASS    |


Transmit at 5550MHz by 802.11n(40MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11100.00        | 31.20          | 40.19          | 8.99          | 74.00          | 33.81       | PK  | Horizo | PASS    |
| 2  | 11100.00        | 22.71          | 31.70          | 8.99          | 54.00          | 22.30       | AV  | Horizo | PASS    |
| 3  | 16650.00        | 29.50          | 46.59          | 17.09         | 68.30          | 21.71       | PK  | Horizo | PASS    |

Transmit at 5550MHz by 802.11n(40MHz) with Ant1+2




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11100.00        | 32.02          | 41.01          | 8.99          | 74.00          | 32.99       | PK  | Vertic | PASS    |
| 2  | 11100.00        | 24.16          | 33.15          | 8.99          | 54.00          | 20.85       | AV  | Vertic | PASS    |
| 3  | 16650.00        | 28.01          | 45.10          | 17.09         | 68.30          | 23.20       | PK  | Vertic | PASS    |


**Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2**
**Test Graph**

**Data List**

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11340.00        | 30.40          | 40.04          | 9.64          | 74.00          | 33.96       | PK  | Horizo | PASS    |
| 2  | 11340.00        | 22.10          | 31.74          | 9.64          | 54.00          | 22.26       | AV  | Horizo | PASS    |
| 3  | 17010.00        | 26.80          | 46.26          | 19.46         | 68.30          | 22.04       | PK  | Horizo | PASS    |

**Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2**
**Test Graph**

**Data List**

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11340.00        | 30.82          | 40.46          | 9.64          | 74.00          | 33.54       | PK  | Vertic | PASS    |
| 2  | 11340.00        | 25.99          | 35.63          | 9.64          | 54.00          | 18.37       | AV  | Vertic | PASS    |
| 3  | 17010.00        | 27.23          | 46.69          | 19.46         | 68.30          | 21.61       | PK  | Vertic | PASS    |


Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11510.00        | 31.62          | 41.70          | 10.08         | 74.00          | 32.30       | PK  | Horizo | PASS    |
| 2  | 11510.00        | 23.88          | 33.96          | 10.08         | 54.00          | 20.04       | AV  | Horizo | PASS    |
| 3  | 17265.00        | 28.42          | 46.44          | 18.02         | 68.30          | 21.86       | PK  | Horizo | PASS    |

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11510.00        | 31.96          | 42.04          | 10.08         | 74.00          | 31.96       | PK  | Vertic | PASS    |
| 2         | 11510.00        | 23.95          | 34.03          | 10.08         | 54.00          | 19.97       | AV  | Vertic | PASS    |
| 3         | 17265.00        | 28.46          | 46.48          | 18.02         | 68.30          | 21.82       | PK  | Vertic | PASS    |


Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11590.00        | 32.27          | 42.91          | 10.64         | 74.00          | 31.09       | PK  | Horizo | PASS    |
| 2  | 11590.00        | 23.78          | 34.42          | 10.64         | 54.00          | 19.58       | AV  | Horizo | PASS    |
| 3  | 17385.00        | 28.94          | 48.26          | 19.32         | 68.30          | 20.04       | PK  | Horizo | PASS    |

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11590.00        | 32.74          | 43.38          | 10.64         | 74.00          | 30.62       | PK  | Vertic | PASS    |
| 2         | 11590.00        | 23.77          | 34.41          | 10.64         | 54.00          | 19.59       | AV  | Vertic | PASS    |
| 3         | 17385.00        | 28.92          | 48.24          | 19.32         | 68.30          | 20.06       | PK  | Vertic | PASS    |

Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10360.00        | 30.89          | 38.14          | 7.25          | 68.30          | 30.16       | PK  | Horizo | PASS    |
| 2         | 15540.00        | 21.18          | 36.96          | 15.78         | 54.00          | 17.04       | AV  | Horizo | PASS    |
| 3         | 15540.00        | 29.92          | 45.70          | 15.78         | 74.00          | 28.30       | PK  | Horizo | PASS    |

Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10362.56        | 37.40          | 44.65          | 7.25          | 68.30          | 23.65       | PK  | Vertic | PASS    |
| 2         | 15540.00        | 29.26          | 45.04          | 15.78         | 74.00          | 28.96       | PK  | Vertic | PASS    |
| 3         | 15540.00        | 21.75          | 37.53          | 15.78         | 54.00          | 16.47       | AV  | Vertic | PASS    |

Transmit at 5200MHz by 802.11ac(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10400.00        | 30.00          | 37.31          | 7.31          | 68.30          | 30.99       | PK  | Horizo | PASS    |
| 2         | 15600.00        | 30.74          | 46.48          | 15.74         | 74.00          | 27.52       | PK  | Horizo | PASS    |
| 3         | 15600.00        | 21.39          | 37.13          | 15.74         | 54.00          | 16.87       | AV  | Horizo | PASS    |

Transmit at 5200MHz by 802.11ac(20MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10402.33        | 36.60          | 43.92          | 7.32          | 68.30          | 24.38       | PK  | Vertic | PASS    |
| 2         | 15600.00        | 28.82          | 44.56          | 15.74         | 74.00          | 29.44       | PK  | Vertic | PASS    |
| 3         | 15600.00        | 21.59          | 37.33          | 15.74         | 54.00          | 16.67       | AV  | Vertic | PASS    |


**Transmit at 5240MHz by 802.11ac(20MHz) with Ant1+2**



## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10479.48        | 34.16          | 41.92          | 7.76          | 68.30          | 26.38       | PK  | Horizo | PASS    |
| 2  | 15720.00        | 29.81          | 45.67          | 15.86         | 74.00          | 28.33       | PK  | Horizo | PASS    |
| 3  | 15720.00        | 21.17          | 37.03          | 15.86         | 54.00          | 16.97       | AV  | Horizo | PASS    |


Transmit at 5240MHz by 802.11ac(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10483.79        | 38.93          | 46.71          | 7.78          | 68.30          | 21.59       | PK  | Vertic | PASS    |
| 2  | 15720.00        | 29.10          | 44.96          | 15.86         | 74.00          | 29.04       | PK  | Vertic | PASS    |
| 3  | 15720.00        | 21.12          | 36.98          | 15.86         | 54.00          | 17.02       | AV  | Vertic | PASS    |


**Transmit at 5260MHz by 802.11ac(20MHz) with Ant1+2**



## Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10520.00        | 32.81          | 40.71          | 7.90          | 68.30          | 27.59       | PK  | Horizo | PASS    |
| 2  | 15780.00        | 28.74          | 44.70          | 15.96         | 74.00          | 29.30       | PK  | Horizo | PASS    |
| 3  | 15780.00        | 21.42          | 37.38          | 15.96         | 54.00          | 16.62       | AV  | Horizo | PASS    |

Transmit at 5260MHz by 802.11ac(20MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10523.56        | 38.36          | 46.27          | 7.91          | 68.30          | 22.03       | PK  | Vertic | PASS    |
| 2         | 15780.00        | 29.71          | 45.67          | 15.96         | 74.00          | 28.33       | PK  | Vertic | PASS    |
| 3         | 15780.00        | 21.91          | 37.87          | 15.96         | 54.00          | 16.13       | AV  | Vertic | PASS    |


Transmit at 5280MHz by 802.11ac(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10560.00        | 31.40          | 39.38          | 7.98          | 68.30          | 28.92       | PK  | Horizo | PASS    |
| 2  | 15840.00        | 27.02          | 43.13          | 16.11         | 74.00          | 30.87       | PK  | Horizo | PASS    |
| 3  | 15840.00        | 19.91          | 36.02          | 16.11         | 54.00          | 17.98       | AV  | Horizo | PASS    |


**Transmit at 5280MHz by 802.11ac(20MHz) with Ant1+2**



## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10558.54        | 34.87          | 42.85          | 7.98          | 68.30          | 25.45       | PK  | Vertic | PASS    |
| 2  | 15840.00        | 28.12          | 44.23          | 16.11         | 74.00          | 29.77       | PK  | Vertic | PASS    |
| 3  | 15840.00        | 20.27          | 36.38          | 16.11         | 54.00          | 17.62       | AV  | Vertic | PASS    |


Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10640.00        | 32.37          | 40.38          | 8.01          | 74.00          | 33.62       | PK  | Horizo | PASS    |
| 2  | 10640.00        | 22.72          | 30.73          | 8.01          | 54.00          | 23.27       | AV  | Horizo | PASS    |
| 3  | 15960.00        | 30.08          | 46.62          | 16.54         | 74.00          | 27.38       | PK  | Horizo | PASS    |
| 4  | 15960.00        | 21.84          | 38.38          | 16.54         | 54.00          | 15.62       | AV  | Horizo | PASS    |


**Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2**



## Data List

| NO | Frequenc y [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdi ct |
|----|------------------|----------------|----------------|---------------|----------------|-------------|-----|--------|----------|
| 1  | 10639.52         | 28.83          | 36.84          | 8.01          | 54.00          | 17.16       | AV  | Vertic | PASS     |
| 2  | 10642.88         | 36.46          | 44.47          | 8.01          | 74.00          | 29.53       | PK  | Vertic | PASS     |
| 3  | 15960.00         | 21.76          | 38.30          | 16.54         | 54.00          | 15.70       | AV  | Vertic | PASS     |
| 4  | 15960.00         | 29.56          | 46.10          | 16.54         | 74.00          | 27.90       | PK  | Vertic | PASS     |


Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11000.00        | 31.67          | 40.78          | 9.11          | 74.00          | 33.22       | PK  | Horizo | PASS    |
| 2  | 11000.00        | 22.99          | 32.10          | 9.11          | 54.00          | 21.90       | AV  | Horizo | PASS    |
| 3  | 16500.00        | 28.21          | 45.03          | 16.82         | 68.30          | 23.27       | PK  | Horizo | PASS    |

Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11000.00        | 31.34          | 40.45          | 9.11          | 74.00          | 33.55       | PK  | Vertic | PASS    |
| 2         | 11000.00        | 25.67          | 34.78          | 9.11          | 54.00          | 19.22       | AV  | Vertic | PASS    |
| 3         | 16500.00        | 28.14          | 44.96          | 16.82         | 68.30          | 23.34       | PK  | Vertic | PASS    |

Transmit at 5580MHz by 802.11ac(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11160.00        | 31.30          | 40.49          | 9.19          | 74.00          | 33.51       | PK  | Horizo | PASS    |
| 2         | 11160.00        | 23.28          | 32.47          | 9.19          | 54.00          | 21.53       | AV  | Horizo | PASS    |
| 3         | 16740.00        | 28.78          | 46.08          | 17.30         | 68.30          | 22.22       | PK  | Horizo | PASS    |

Transmit at 5580MHz by 802.11ac(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11160.00        | 33.89          | 43.08          | 9.19          | 74.00          | 30.92       | PK  | Vertic | PASS    |
| 2         | 11160.00        | 25.35          | 34.54          | 9.19          | 54.00          | 19.46       | AV  | Vertic | PASS    |
| 3         | 16740.00        | 28.16          | 45.46          | 17.30         | 68.30          | 22.84       | PK  | Vertic | PASS    |

Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+2




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11400.00        | 22.62          | 32.50          | 9.88          | 54.00          | 21.50       | AV  | Horizo | PASS    |
| 2  | 11400.00        | 32.63          | 42.51          | 9.88          | 74.00          | 31.49       | PK  | Horizo | PASS    |
| 3  | 17100.00        | 30.37          | 48.73          | 18.36         | 68.30          | 19.57       | PK  | Horizo | PASS    |

**Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+2**
**Test Graph**

**Data List**

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11400.00        | 25.65          | 35.53          | 9.88          | 54.00          | 18.47       | AV  | Vertic | PASS    |
| 2  | 11402.35        | 35.10          | 44.98          | 9.88          | 74.00          | 29.02       | PK  | Vertic | PASS    |
| 3  | 17100.00        | 29.84          | 48.20          | 18.36         | 68.30          | 20.10       | PK  | Vertic | PASS    |


Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11490.00        | 32.68          | 42.68          | 10.00         | 74.00          | 31.32       | PK  | Horizo | PASS    |
| 2  | 11490.00        | 23.52          | 33.52          | 10.00         | 54.00          | 20.48       | AV  | Horizo | PASS    |
| 3  | 17235.00        | 28.42          | 46.34          | 17.92         | 68.30          | 21.96       | PK  | Horizo | PASS    |

Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11490.00        | 32.31          | 42.31          | 10.00         | 74.00          | 31.69       | PK  | Vertic | PASS    |
| 2         | 11490.00        | 24.01          | 34.01          | 10.00         | 54.00          | 19.99       | AV  | Vertic | PASS    |
| 3         | 17235.00        | 28.46          | 46.38          | 17.92         | 68.30          | 21.92       | PK  | Vertic | PASS    |


**Transmit at 5785MHz by 802.11ac(20MHz) with Ant1+2**



## Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11570.00        | 31.85          | 42.34          | 10.49         | 74.00          | 31.66       | PK  | Horizo | PASS    |
| 2  | 11570.00        | 22.59          | 33.08          | 10.49         | 54.00          | 20.92       | AV  | Horizo | PASS    |
| 3  | 17355.00        | 27.90          | 46.80          | 18.90         | 68.30          | 21.50       | PK  | Horizo | PASS    |

Transmit at 5785MHz by 802.11ac(20MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11568.15        | 35.57          | 46.05          | 10.48         | 74.00          | 27.95       | PK  | Vertic | PASS    |
| 2         | 11570.00        | 24.69          | 35.18          | 10.49         | 54.00          | 18.82       | AV  | Vertic | PASS    |
| 3         | 17355.00        | 28.23          | 47.13          | 18.90         | 68.30          | 21.17       | PK  | Vertic | PASS    |


Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11650.00        | 23.28          | 33.99          | 10.71         | 54.00          | 20.01       | AV  | Horizo | PASS    |
| 2  | 11650.00        | 32.19          | 42.90          | 10.71         | 74.00          | 31.10       | PK  | Horizo | PASS    |
| 3  | 17475.00        | 28.67          | 47.97          | 19.30         | 68.30          | 20.33       | PK  | Horizo | PASS    |

Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11650.00        | 26.62          | 37.33          | 10.71         | 54.00          | 16.67       | AV  | Vertic | PASS    |
| 2         | 11658.71        | 37.36          | 48.07          | 10.71         | 74.00          | 25.93       | PK  | Vertic | PASS    |
| 3         | 17475.00        | 28.45          | 47.75          | 19.30         | 68.30          | 20.55       | PK  | Vertic | PASS    |

Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10380.00        | 31.33          | 38.60          | 7.27          | 68.30          | 29.70       | PK  | Horizo | PASS    |
| 2         | 15570.00        | 30.78          | 46.54          | 15.76         | 74.00          | 27.46       | PK  | Horizo | PASS    |
| 3         | 15570.00        | 20.80          | 36.56          | 15.76         | 54.00          | 17.44       | AV  | Horizo | PASS    |

Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10387.48        | 36.37          | 43.66          | 7.29          | 68.30          | 24.64       | PK  | Vertic | PASS    |
| 2         | 15570.00        | 30.21          | 45.97          | 15.76         | 74.00          | 28.03       | PK  | Vertic | PASS    |
| 3         | 15570.00        | 21.82          | 37.58          | 15.76         | 54.00          | 16.42       | AV  | Vertic | PASS    |

Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10460.00        | 31.35          | 39.00          | 7.65          | 68.30          | 29.30       | PK  | Horizo | PASS    |
| 2         | 15690.00        | 28.73          | 44.55          | 15.82         | 74.00          | 29.45       | PK  | Horizo | PASS    |
| 3         | 15690.00        | 21.40          | 37.22          | 15.82         | 54.00          | 16.78       | AV  | Horizo | PASS    |

Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10459.35        | 37.61          | 45.25          | 7.64          | 68.30          | 23.05       | PK  | Vertic | PASS    |
| 2         | 15690.00        | 29.33          | 45.15          | 15.82         | 74.00          | 28.85       | PK  | Vertic | PASS    |
| 3         | 15690.00        | 22.60          | 38.42          | 15.82         | 54.00          | 15.58       | AV  | Vertic | PASS    |

Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10540.00        | 30.37          | 38.31          | 7.94          | 68.30          | 29.99       | PK  | Horizo | PASS    |
| 2         | 15810.00        | 28.64          | 44.66          | 16.02         | 74.00          | 29.34       | PK  | Horizo | PASS    |
| 3         | 15810.00        | 20.86          | 36.88          | 16.02         | 54.00          | 17.12       | AV  | Horizo | PASS    |

Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10543.69        | 35.24          | 43.19          | 7.95          | 68.30          | 25.11       | PK  | Vertic | PASS    |
| 2         | 15810.00        | 29.45          | 45.47          | 16.02         | 74.00          | 28.53       | PK  | Vertic | PASS    |
| 3         | 15810.00        | 20.51          | 36.53          | 16.02         | 54.00          | 17.47       | AV  | Vertic | PASS    |


Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10620.00        | 31.48          | 39.51          | 8.03          | 74.00          | 34.49       | PK  | Horizo | PASS    |
| 2  | 10620.00        | 23.39          | 31.42          | 8.03          | 54.00          | 22.58       | AV  | Horizo | PASS    |
| 3  | 15930.00        | 29.46          | 45.87          | 16.41         | 74.00          | 28.13       | PK  | Horizo | PASS    |
| 4  | 15930.00        | 20.77          | 37.18          | 16.41         | 54.00          | 16.82       | AV  | Horizo | PASS    |


Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10620.00        | 25.92          | 33.95          | 8.03          | 54.00          | 20.05       | AV  | Vertic | PASS    |
| 2  | 10623.23        | 34.52          | 42.55          | 8.03          | 74.00          | 31.45       | PK  | Vertic | PASS    |
| 3  | 15930.00        | 28.75          | 45.16          | 16.41         | 74.00          | 28.84       | PK  | Vertic | PASS    |
| 4  | 15930.00        | 20.74          | 37.15          | 16.41         | 54.00          | 16.85       | AV  | Vertic | PASS    |

Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11020.00        | 30.55          | 39.63          | 9.08          | 74.00          | 34.37       | PK  | Horizo | PASS    |
| 2         | 11020.00        | 22.84          | 31.92          | 9.08          | 54.00          | 22.08       | AV  | Horizo | PASS    |
| 3         | 16530.00        | 27.50          | 44.46          | 16.96         | 68.30          | 23.84       | PK  | Horizo | PASS    |

Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11020.00        | 31.75          | 40.83          | 9.08          | 74.00          | 33.17       | PK  | Vertic | PASS    |
| 2         | 11020.00        | 24.63          | 33.71          | 9.08          | 54.00          | 20.29       | AV  | Vertic | PASS    |
| 3         | 16530.00        | 28.55          | 45.51          | 16.96         | 68.30          | 22.79       | PK  | Vertic | PASS    |

Transmit at 5550MHz by 802.11ac(40MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11100.00        | 32.19          | 41.18          | 8.99          | 74.00          | 32.82       | PK  | Horizo | PASS    |
| 2         | 11100.00        | 23.73          | 32.72          | 8.99          | 54.00          | 21.28       | AV  | Horizo | PASS    |
| 3         | 16650.00        | 28.84          | 45.93          | 17.09         | 68.30          | 22.37       | PK  | Horizo | PASS    |


Transmit at 5550MHz by 802.11ac(40MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11100.00        | 32.99          | 41.98          | 8.99          | 74.00          | 32.02       | PK  | Vertic | PASS    |
| 2  | 11100.00        | 24.00          | 32.99          | 8.99          | 54.00          | 21.01       | AV  | Vertic | PASS    |
| 3  | 16650.00        | 29.39          | 46.48          | 17.09         | 68.30          | 21.82       | PK  | Vertic | PASS    |

Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11340.00        | 22.88          | 32.52          | 9.64          | 54.00          | 21.48       | AV  | Horizo | PASS    |
| 2         | 11340.00        | 31.20          | 40.84          | 9.64          | 74.00          | 33.16       | PK  | Horizo | PASS    |
| 3         | 17010.00        | 28.66          | 48.12          | 19.46         | 68.30          | 20.18       | PK  | Horizo | PASS    |

Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11340.00        | 32.06          | 41.70          | 9.64          | 74.00          | 32.30       | PK  | Vertic | PASS    |
| 2         | 11340.00        | 25.43          | 35.07          | 9.64          | 54.00          | 18.93       | AV  | Vertic | PASS    |
| 3         | 17010.00        | 27.60          | 47.06          | 19.46         | 68.30          | 21.24       | PK  | Vertic | PASS    |

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11510.00        | 32.23          | 42.31          | 10.08         | 74.00          | 31.69       | PK  | Horizo | PASS    |
| 2         | 11510.00        | 24.88          | 34.96          | 10.08         | 54.00          | 19.04       | AV  | Horizo | PASS    |
| 3         | 17265.00        | 28.07          | 46.09          | 18.02         | 68.30          | 22.21       | PK  | Horizo | PASS    |


Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11510.00        | 31.78          | 41.86          | 10.08         | 74.00          | 32.14       | PK  | Vertic | PASS    |
| 2  | 11510.00        | 24.53          | 34.61          | 10.08         | 54.00          | 19.39       | AV  | Vertic | PASS    |
| 3  | 17265.00        | 28.27          | 46.29          | 18.02         | 68.30          | 22.01       | PK  | Vertic | PASS    |


Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11590.00        | 23.87          | 34.51          | 10.64         | 54.00          | 19.49       | AV  | Horizo | PASS    |
| 2  | 11590.00        | 31.41          | 42.05          | 10.64         | 74.00          | 31.95       | PK  | Horizo | PASS    |
| 3  | 17385.00        | 29.16          | 48.48          | 19.32         | 68.30          | 19.82       | PK  | Horizo | PASS    |

Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11590.00        | 32.00          | 42.64          | 10.64         | 74.00          | 31.36       | PK  | Vertic | PASS    |
| 2         | 11590.00        | 24.98          | 35.62          | 10.64         | 54.00          | 18.38       | AV  | Vertic | PASS    |
| 3         | 17385.00        | 28.83          | 48.15          | 19.32         | 68.30          | 20.15       | PK  | Vertic | PASS    |

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10420.00        | 30.90          | 38.32          | 7.42          | 68.30          | 29.98       | PK  | Horizo | PASS    |
| 2         | 15630.00        | 29.96          | 45.73          | 15.77         | 74.00          | 28.27       | PK  | Horizo | PASS    |
| 3         | 15630.00        | 22.01          | 37.78          | 15.77         | 54.00          | 16.22       | AV  | Horizo | PASS    |

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10420.00        | 31.32          | 38.74          | 7.42          | 68.30          | 29.56       | PK  | Vertic | PASS    |
| 2         | 15630.00        | 29.41          | 45.18          | 15.77         | 74.00          | 28.82       | PK  | Vertic | PASS    |
| 3         | 15630.00        | 21.17          | 36.94          | 15.77         | 54.00          | 17.06       | AV  | Vertic | PASS    |


Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10580.00        | 31.06          | 39.08          | 8.02          | 68.30          | 29.22       | PK  | Horizo | PASS    |
| 2  | 15870.00        | 28.25          | 44.45          | 16.20         | 74.00          | 29.55       | PK  | Horizo | PASS    |
| 3  | 15870.00        | 20.34          | 36.54          | 16.20         | 54.00          | 17.46       | AV  | Horizo | PASS    |

Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10580.00        | 31.04          | 39.06          | 8.02          | 68.30          | 29.24       | PK  | Vertic | PASS    |
| 2         | 15870.00        | 28.19          | 44.39          | 16.20         | 74.00          | 29.61       | PK  | Vertic | PASS    |
| 3         | 15870.00        | 20.38          | 36.58          | 16.20         | 54.00          | 17.42       | AV  | Vertic | PASS    |

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11060.00        | 31.67          | 40.71          | 9.04          | 74.00          | 33.29       | PK  | Horizo | PASS    |
| 2         | 11060.00        | 24.81          | 33.85          | 9.04          | 54.00          | 20.15       | AV  | Horizo | PASS    |
| 3         | 16590.00        | 28.20          | 45.41          | 17.21         | 68.30          | 22.89       | PK  | Horizo | PASS    |

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11060.00        | 32.26          | 41.30          | 9.04          | 74.00          | 32.70       | PK  | Vertic | PASS    |
| 2         | 11060.00        | 24.09          | 33.13          | 9.04          | 54.00          | 20.87       | AV  | Vertic | PASS    |
| 3         | 16590.00        | 27.87          | 45.08          | 17.21         | 68.30          | 23.22       | PK  | Vertic | PASS    |

Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11220.00        | 32.14          | 41.50          | 9.36          | 74.00          | 32.50       | PK  | Horizo | PASS    |
| 2         | 11220.00        | 24.10          | 33.46          | 9.36          | 54.00          | 20.54       | AV  | Horizo | PASS    |
| 3         | 16830.00        | 28.37          | 46.69          | 18.32         | 68.30          | 21.61       | PK  | Horizo | PASS    |

**Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2**
**Test Graph**

**Data List**


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11220.00        | 31.68          | 41.04          | 9.36          | 74.00          | 32.96       | PK  | Vertic | PASS    |
| 2  | 11220.00        | 24.45          | 33.81          | 9.36          | 54.00          | 20.19       | AV  | Vertic | PASS    |
| 3  | 16830.00        | 28.43          | 46.75          | 18.32         | 68.30          | 21.55       | PK  | Vertic | PASS    |

Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11550.00        | 32.76          | 43.12          | 10.36         | 74.00          | 30.88       | PK  | Horizo | PASS    |
| 2         | 11550.00        | 23.34          | 33.70          | 10.36         | 54.00          | 20.30       | AV  | Horizo | PASS    |
| 3         | 17325.00        | 30.35          | 48.82          | 18.47         | 68.30          | 19.48       | PK  | Horizo | PASS    |

Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11550.00        | 33.66          | 44.02          | 10.36         | 74.00          | 29.98       | PK  | Vertic | PASS    |
| 2         | 11550.00        | 24.04          | 34.40          | 10.36         | 54.00          | 19.60       | AV  | Vertic | PASS    |
| 3         | 17325.00        | 28.60          | 47.07          | 18.47         | 68.30          | 21.23       | PK  | Vertic | PASS    |

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10360.00        | 31.22          | 38.47          | 7.25          | 68.30          | 29.83       | PK  | Horizo | PASS    |
| 2         | 15540.00        | 29.55          | 45.33          | 15.78         | 74.00          | 28.67       | PK  | Horizo | PASS    |
| 3         | 15540.00        | 21.44          | 37.22          | 15.78         | 54.00          | 16.78       | AV  | Horizo | PASS    |

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10357.29        | 36.92          | 44.16          | 7.24          | 68.30          | 24.14       | PK  | Vertic | PASS    |
| 2         | 15540.00        | 29.43          | 45.21          | 15.78         | 74.00          | 28.79       | PK  | Vertic | PASS    |
| 3         | 15540.00        | 23.33          | 39.11          | 15.78         | 54.00          | 14.89       | AV  | Vertic | PASS    |

Transmit at 5200MHz by 802.11ax(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10400.00        | 30.58          | 37.89          | 7.31          | 68.30          | 30.41       | PK  | Horizo | PASS    |
| 2         | 15600.00        | 31.08          | 46.82          | 15.74         | 74.00          | 27.18       | PK  | Horizo | PASS    |
| 3         | 15600.00        | 22.09          | 37.83          | 15.74         | 54.00          | 16.17       | AV  | Horizo | PASS    |

**Transmit at 5200MHz by 802.11ax(20MHz) with Ant1+2**




| Data List |                  |                |                |               |                |             |     |        |         |
|-----------|------------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequenc y [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10402.81         | 36.71          | 44.04          | 7.33          | 68.30          | 24.26       | PK  | Vertic | PASS    |
| 2         | 15600.00         | 29.65          | 45.39          | 15.74         | 74.00          | 28.61       | PK  | Vertic | PASS    |
| 3         | 15600.00         | 21.90          | 37.64          | 15.74         | 54.00          | 16.36       | AV  | Vertic | PASS    |

Transmit at 5240MHz by 802.11ax(20MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10480.00        | 31.71          | 39.47          | 7.76          | 68.30          | 28.83       | PK  | Horizo | PASS    |
| 2         | 15720.00        | 29.70          | 45.56          | 15.86         | 74.00          | 28.44       | PK  | Horizo | PASS    |
| 3         | 15720.00        | 20.95          | 36.81          | 15.86         | 54.00          | 17.19       | AV  | Horizo | PASS    |


Transmit at 5240MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10478.52        | 38.44          | 46.19          | 7.75          | 68.30          | 22.11       | PK  | Vertic | PASS    |
| 2  | 15720.00        | 29.20          | 45.06          | 15.86         | 74.00          | 28.94       | PK  | Vertic | PASS    |
| 3  | 15720.00        | 20.95          | 36.81          | 15.86         | 54.00          | 17.19       | AV  | Vertic | PASS    |


Transmit at 5260MHz by 802.11ax(20MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10520.00        | 32.49          | 40.39          | 7.90          | 68.30          | 27.91       | PK  | Horizo | PASS    |
| 2  | 15780.00        | 29.34          | 45.30          | 15.96         | 74.00          | 28.70       | PK  | Horizo | PASS    |
| 3  | 15780.00        | 20.77          | 36.73          | 15.96         | 54.00          | 17.27       | AV  | Horizo | PASS    |

Transmit at 5260MHz by 802.11ax(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10523.56        | 37.23          | 45.14          | 7.91          | 68.30          | 23.16       | PK  | Vertic | PASS    |
| 2         | 15780.00        | 21.29          | 37.25          | 15.96         | 54.00          | 16.75       | AV  | Vertic | PASS    |
| 3         | 15780.00        | 29.80          | 45.76          | 15.96         | 74.00          | 28.24       | PK  | Vertic | PASS    |

Transmit at 5280MHz by 802.11ax(20MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10560.00        | 30.64          | 38.62          | 7.98          | 68.30          | 29.68       | PK  | Horizo | PASS    |
| 2         | 15840.00        | 29.24          | 45.35          | 16.11         | 74.00          | 28.65       | PK  | Horizo | PASS    |
| 3         | 15840.00        | 20.34          | 36.45          | 16.11         | 54.00          | 17.55       | AV  | Horizo | PASS    |

Transmit at 5280MHz by 802.11ax(20MHz) with Ant1+2




Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10558.54        | 37.94          | 45.92          | 7.98          | 68.30          | 22.38       | PK  | Vertic | PASS    |
| 2  | 15840.00        | 28.99          | 45.10          | 16.11         | 74.00          | 28.90       | PK  | Vertic | PASS    |
| 3  | 15840.00        | 20.32          | 36.43          | 16.11         | 54.00          | 17.57       | AV  | Vertic | PASS    |



Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10640.00        | 30.72          | 38.73          | 8.01          | 74.00          | 35.27       | PK  | Horizo | PASS    |
| 2         | 10640.00        | 23.34          | 31.35          | 8.01          | 54.00          | 22.65       | AV  | Horizo | PASS    |
| 3         | 15960.00        | 29.17          | 45.71          | 16.54         | 74.00          | 28.29       | PK  | Horizo | PASS    |
| 4         | 15960.00        | 20.77          | 37.31          | 16.54         | 54.00          | 16.69       | AV  | Horizo | PASS    |

**Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2**
**Test Graph**

**Data List**


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10633.77        | 37.67          | 45.69          | 8.02          | 74.00          | 28.31       | PK  | Vertic | PASS    |
| 2  | 10640.00        | 27.37          | 35.38          | 8.01          | 54.00          | 18.62       | AV  | Vertic | PASS    |
| 3  | 15960.00        | 29.88          | 46.42          | 16.54         | 74.00          | 27.58       | PK  | Vertic | PASS    |
| 4  | 15960.00        | 20.81          | 37.35          | 16.54         | 54.00          | 16.65       | AV  | Vertic | PASS    |

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11000.00        | 32.02          | 41.13          | 9.11          | 74.00          | 32.87       | PK  | Horizo | PASS    |
| 2         | 11000.00        | 23.16          | 32.27          | 9.11          | 54.00          | 21.73       | AV  | Horizo | PASS    |
| 3         | 16500.00        | 29.25          | 46.07          | 16.82         | 68.30          | 22.23       | PK  | Horizo | PASS    |

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11000.00        | 32.22          | 41.33          | 9.11          | 74.00          | 32.67       | PK  | Vertic | PASS    |
| 2         | 11000.00        | 25.17          | 34.28          | 9.11          | 54.00          | 19.72       | AV  | Vertic | PASS    |
| 3         | 16500.00        | 29.00          | 45.82          | 16.82         | 68.30          | 22.48       | PK  | Vertic | PASS    |

Transmit at 5580MHz by 802.11ax(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11160.00        | 24.10          | 33.29          | 9.19          | 54.00          | 20.71       | AV  | Horizo | PASS    |
| 2         | 11160.00        | 33.08          | 42.27          | 9.19          | 74.00          | 31.73       | PK  | Horizo | PASS    |
| 3         | 16740.00        | 27.74          | 45.04          | 17.30         | 68.30          | 23.26       | PK  | Horizo | PASS    |

Transmit at 5580MHz by 802.11ax(20MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11160.00        | 34.21          | 43.40          | 9.19          | 74.00          | 30.60       | PK  | Vertic | PASS    |
| 2         | 11160.00        | 25.62          | 34.81          | 9.19          | 54.00          | 19.19       | AV  | Vertic | PASS    |
| 3         | 16740.00        | 29.13          | 46.43          | 17.30         | 68.30          | 21.87       | PK  | Vertic | PASS    |

Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11400.00        | 32.46          | 42.34          | 9.88          | 74.00          | 31.66       | PK  | Horizo | PASS    |
| 2  | 11400.00        | 24.40          | 34.28          | 9.88          | 54.00          | 19.72       | AV  | Horizo | PASS    |
| 3  | 17100.00        | 28.62          | 46.98          | 18.36         | 68.30          | 21.32       | PK  | Horizo | PASS    |

## Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2


Test Graph



## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11398.52        | 36.56          | 46.44          | 9.88          | 74.00          | 27.56       | PK  | Vertic | PASS    |
| 2  | 11399.00        | 26.79          | 36.67          | 9.88          | 54.00          | 17.33       | AV  | Vertic | PASS    |
| 3  | 17100.00        | 29.31          | 47.67          | 18.36         | 68.30          | 20.63       | PK  | Vertic | PASS    |


**Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2**



## Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11490.00        | 31.97          | 41.97          | 10.00         | 74.00          | 32.03       | PK  | Horizo | PASS    |
| 2  | 11490.00        | 23.60          | 33.60          | 10.00         | 54.00          | 20.40       | AV  | Horizo | PASS    |
| 3  | 17235.00        | 28.63          | 46.55          | 17.92         | 68.30          | 21.75       | PK  | Horizo | PASS    |

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11490.00        | 31.56          | 41.56          | 10.00         | 74.00          | 32.44       | PK  | Vertic | PASS    |
| 2         | 11493.88        | 26.67          | 36.67          | 10.00         | 54.00          | 17.33       | AV  | Vertic | PASS    |
| 3         | 17235.00        | 29.28          | 47.20          | 17.92         | 68.30          | 21.10       | PK  | Vertic | PASS    |

Transmit at 5785MHz by 802.11ax(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11570.00        | 32.64          | 43.13          | 10.49         | 74.00          | 30.87       | PK  | Horizo | PASS    |
| 2         | 11570.00        | 23.95          | 34.44          | 10.49         | 54.00          | 19.56       | AV  | Horizo | PASS    |
| 3         | 17355.00        | 28.20          | 47.10          | 18.90         | 68.30          | 21.20       | PK  | Horizo | PASS    |

Transmit at 5785MHz by 802.11ax(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11567.67        | 35.74          | 46.22          | 10.48         | 74.00          | 27.78       | PK  | Vertic | PASS    |
| 2         | 11570.00        | 24.52          | 35.01          | 10.49         | 54.00          | 18.99       | AV  | Vertic | PASS    |
| 3         | 17355.00        | 29.82          | 48.72          | 18.90         | 68.30          | 19.58       | PK  | Vertic | PASS    |

Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11650.00        | 25.11          | 35.82          | 10.71         | 54.00          | 18.18       | AV  | Horizo | PASS    |
| 2         | 11653.92        | 35.51          | 46.22          | 10.71         | 74.00          | 27.78       | PK  | Horizo | PASS    |
| 3         | 17475.00        | 29.13          | 48.43          | 19.30         | 68.30          | 19.87       | PK  | Horizo | PASS    |

Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11650.00        | 26.63          | 37.34          | 10.71         | 54.00          | 16.66       | AV  | Vertic | PASS    |
| 2         | 11658.71        | 36.80          | 47.51          | 10.71         | 74.00          | 26.49       | PK  | Vertic | PASS    |
| 3         | 17475.00        | 28.74          | 48.04          | 19.30         | 68.30          | 20.26       | PK  | Vertic | PASS    |


Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10380.00        | 30.25          | 37.52          | 7.27          | 68.30          | 30.78       | PK  | Horizo | PASS    |
| 2  | 15570.00        | 31.75          | 47.51          | 15.76         | 74.00          | 26.49       | PK  | Horizo | PASS    |
| 3  | 15570.00        | 20.95          | 36.71          | 15.76         | 54.00          | 17.29       | AV  | Horizo | PASS    |

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10383.17        | 34.69          | 41.97          | 7.28          | 68.30          | 26.33       | PK  | Vertic | PASS    |
| 2         | 15570.00        | 29.98          | 45.74          | 15.76         | 74.00          | 28.26       | PK  | Vertic | PASS    |
| 3         | 15570.00        | 21.80          | 37.56          | 15.76         | 54.00          | 16.44       | AV  | Vertic | PASS    |

Transmit at 5230MHz by 802.11ax(40MHz) with Ant1+2




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10460.00        | 30.43          | 38.08          | 7.65          | 68.30          | 30.22       | PK  | Horizo | PASS    |
| 2         | 15690.00        | 28.57          | 44.39          | 15.82         | 74.00          | 29.61       | PK  | Horizo | PASS    |
| 3         | 15690.00        | 20.70          | 36.52          | 15.82         | 54.00          | 17.48       | AV  | Horizo | PASS    |

Transmit at 5230MHz by 802.11ax(40MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10453.60        | 36.92          | 44.53          | 7.61          | 68.30          | 23.77       | PK  | Vertic | PASS    |
| 2         | 15690.00        | 29.48          | 45.30          | 15.82         | 74.00          | 28.70       | PK  | Vertic | PASS    |
| 3         | 15690.00        | 20.41          | 36.23          | 15.82         | 54.00          | 17.77       | AV  | Vertic | PASS    |


Transmit at 5270MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10540.00        | 31.47          | 39.41          | 7.94          | 68.30          | 28.89       | PK  | Horizo | PASS    |
| 2  | 15810.00        | 28.94          | 44.96          | 16.02         | 74.00          | 29.04       | PK  | Horizo | PASS    |
| 3  | 15810.00        | 21.27          | 37.29          | 16.02         | 54.00          | 16.71       | AV  | Horizo | PASS    |


Transmit at 5270MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10540.00        | 31.85          | 39.79          | 7.94          | 68.30          | 28.51       | PK  | Vertic | PASS    |
| 2  | 15810.00        | 28.63          | 44.65          | 16.02         | 74.00          | 29.35       | PK  | Vertic | PASS    |
| 3  | 15810.00        | 20.85          | 36.87          | 16.02         | 54.00          | 17.13       | AV  | Vertic | PASS    |


Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10620.00        | 32.96          | 40.99          | 8.03          | 74.00          | 33.01       | PK  | Horizo | PASS    |
| 2  | 10620.00        | 23.23          | 31.26          | 8.03          | 54.00          | 22.74       | AV  | Horizo | PASS    |
| 3  | 15930.00        | 29.36          | 45.77          | 16.41         | 74.00          | 28.23       | PK  | Horizo | PASS    |
| 4  | 15930.00        | 20.90          | 37.31          | 16.41         | 54.00          | 16.69       | AV  | Horizo | PASS    |


Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10620.00        | 30.93          | 38.96          | 8.03          | 74.00          | 35.04       | PK  | Vertic | PASS    |
| 2  | 10620.00        | 24.45          | 32.48          | 8.03          | 54.00          | 21.52       | AV  | Vertic | PASS    |
| 3  | 15930.00        | 30.00          | 46.41          | 16.41         | 74.00          | 27.59       | PK  | Vertic | PASS    |
| 4  | 15930.00        | 20.41          | 36.82          | 16.41         | 54.00          | 17.18       | AV  | Vertic | PASS    |


Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11020.00        | 31.23          | 40.31          | 9.08          | 74.00          | 33.69       | PK  | Horizo | PASS    |
| 2  | 11020.00        | 22.93          | 32.01          | 9.08          | 54.00          | 21.99       | AV  | Horizo | PASS    |
| 3  | 16530.00        | 28.07          | 45.03          | 16.96         | 68.30          | 23.27       | PK  | Horizo | PASS    |

Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11020.00        | 32.48          | 41.56          | 9.08          | 74.00          | 32.44       | PK  | Vertic | PASS    |
| 2         | 11020.00        | 23.85          | 32.93          | 9.08          | 54.00          | 21.07       | AV  | Vertic | PASS    |
| 3         | 16530.00        | 29.13          | 46.09          | 16.96         | 68.30          | 22.21       | PK  | Vertic | PASS    |

Transmit at 5550MHz by 802.11ax(40MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11100.00        | 31.58          | 40.57          | 8.99          | 74.00          | 33.43       | PK  | Horizo | PASS    |
| 2         | 11100.00        | 24.11          | 33.10          | 8.99          | 54.00          | 20.90       | AV  | Horizo | PASS    |
| 3         | 16650.00        | 28.18          | 45.27          | 17.09         | 68.30          | 23.03       | PK  | Horizo | PASS    |