



Conducted Spurious Emission
Test Graphs







DH5-2441-30~1000-PASS




DH5-2441-1000~25000-PASS




DH5-2480-30~1000-PASS




DH5-2480-1000~25000-PASS




2DH5-2402-30~1000-PASS




2DH5-2402-1000~25000-PASS




2DH5-2441-30~1000-PASS




2DH5-2441-1000~25000-PASS




2DH5-2480-30~1000-PASS




2DH5-2480-1000~25000-PASS




3DH5-2402-30~1000-PASS




3DH5-2402-1000~25000-PASS




3DH5-2441-30~1000-PASS



3DH5-2441-1000~25000-PASS



3DH5-2480-30~1000-PASS




3DH5-2480-1000~25000-PASS

Duty Cycle Test Result


TestMode	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	2402	2.87	3.75	76.53	1.16
DH5	2441	2.88	3.75	76.80	1.15
DH5	2480	2.88	3.75	76.80	1.15
2DH5	2402	2.88	3.75	76.80	1.15
2DH5	2441	2.89	3.75	77.07	1.13
2DH5	2480	2.88	3.75	76.80	1.15
3DH5	2402	2.89	3.75	77.07	1.13
3DH5	2441	2.89	3.75	77.07	1.13
3DH5	2480	2.88	3.75	76.80	1.15

Test Graphs







NTNV-DH5-2480




NTNV-2DH5-2402




NTNV-2DH5-2441




NTNV-2DH5-2480



NTNV-3DH5-2402



NTNV-3DH5-2441




NTNV-3DH5-2480

Band edge measurements

Transmit at 2402MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.71	38.43	43.57	5.14	74.00	30.43	PK	Horizo	PASS
	2389.71	-	18.78	-	54.00	35.22	AV	Horizo	PASS
2	2390.00	36.68	41.82	5.14	74.00	32.18	PK	Horizo	PASS
	2390.00	-	17.03	-	54.00	36.97	AV	Horizo	PASS

Transmit at 2402MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2387.24	38.03	43.15	5.12	74.00	30.85	PK	Vertic	PASS
	2387.24	-	18.36	-	54.00	35.64	AV	Vertic	PASS
2	2390.00	36.43	41.57	5.14	74.00	32.43	PK	Vertic	PASS
	2390.00	-	16.78	-	54.00	37.22	AV	Vertic	PASS

Transmit at 2480MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	37.95	43.46	5.51	74.00	30.54	PK	Horizo	PASS
	2483.50	-	18.67	-	54.00	35.33	AV	Horizo	PASS
2	2485.86	38.73	44.26	5.53	74.00	29.74	PK	Horizo	PASS
	2485.86	-	19.47	-	54.00	34.53	AV	Horizo	PASS

Transmit at 2480MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	37.01	42.52	5.51	74.00	31.48	PK	Vertic	PASS
	2483.50	-	17.73	-	54.00	36.27	AV	Vertic	PASS
2	2486.94	40.29	45.82	5.53	74.00	28.18	PK	Vertic	PASS
	2486.94	-	21.03	-	54.00	32.97	AV	Vertic	PASS

Transmit at 2402MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2384.99	38.19	43.29	5.10	74.00	30.71	PK	Horizo	PASS
	2384.99	-	18.50	-	54.00	35.50	AV	Horizo	PASS
2	2390.00	36.93	42.07	5.14	74.00	31.93	PK	Horizo	PASS
	2390.00	-	17.28	-	54.00	36.72	AV	Horizo	PASS

Transmit at 2402MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.61	38.04	43.18	5.14	74.00	30.82	PK	Vertic	PASS
	2389.61	-	18.39	-	54.00	35.61	AV	Vertic	PASS
2	2390.00	36.95	42.09	5.14	74.00	31.91	PK	Vertic	PASS
	2390.00	-	17.30	-	54.00	36.70	AV	Vertic	PASS

Transmit at 2480MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	36.60	42.11	5.51	74.00	31.89	PK	Horizo	PASS
	2483.50	-	17.32	-	54.00	36.68	AV	Horizo	PASS
2	2486.75	38.51	44.04	5.53	74.00	29.96	PK	Horizo	PASS
	2486.75	-	19.25	-	54.00	34.75	AV	Horizo	PASS

Transmit at 2480MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	36.00	41.51	5.51	74.00	32.49	PK	Vertic	PASS
	2483.50	-	16.72	-	54.00	37.28	AV	Vertic	PASS
2	2484.88	38.84	44.37	5.53	74.00	29.63	PK	Vertic	PASS
	2484.88	-	19.58	-	54.00	34.42	AV	Vertic	PASS

Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2388.41	38.60	43.73	5.13	74.00	30.27	PK	Horizo	PASS
	2388.41	-	18.94	-	54.00	35.06	AV	Horizo	PASS
2	2390.00	36.62	41.76	5.14	74.00	32.24	PK	Horizo	PASS
	2390.00	-	16.97	-	54.00	37.03	AV	Horizo	PASS

Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2375.93	38.63	43.67	5.04	74.00	30.33	PK	Vertic	PASS
	2375.93	-	18.88	-	54.00	35.12	AV	Vertic	PASS
2	2390.00	36.69	41.83	5.14	74.00	32.17	PK	Vertic	PASS
	2390.00	-	17.04	-	54.00	36.96	AV	Vertic	PASS

Transmit at 2480MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	35.82	41.33	5.51	74.00	32.67	PK	Horizo	PASS
	2483.50	-	16.54	-	54.00	37.46	AV	Horizo	PASS
2	2486.93	38.57	44.10	5.53	74.00	29.90	PK	Horizo	PASS
	2486.93	-	19.31	-	54.00	34.69	AV	Horizo	PASS

Transmit at 2480MHz by 3DH5

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	36.80	42.31	5.51	74.00	31.69	PK	Vertic	PASS
	2483.50	-	17.52	-	54.00	36.48	AV	Vertic	PASS
2	2486.52	38.79	44.32	5.53	74.00	29.68	PK	Vertic	PASS
	2486.52	-	19.53	-	54.00	34.47	AV	Vertic	PASS

Note: Level = Reading + Factor, Margin = Limit - Level

Emissions in Restricted Bands

Transmit at 2402MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	40.61	35.63	-4.98	74.00	38.37	PK	Horizo	PASS
	4804.00	-	10.84	-	54.00	43.16	AV	Horizo	PASS
2	7206.00	46.91	50.02	3.11	74.00	23.98	PK	Horizo	PASS
	7206.00	-	25.23	-	54.00	28.77	AV	Horizo	PASS
3	9608.00	32.01	38.57	6.56	74.00	35.43	PK	Horizo	PASS
	9608.00	-	13.78	-	54.00	40.22	AV	Horizo	PASS

Transmit at 2402MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	40.01	35.03	-4.98	74.00	38.97	PK	Vertic	PASS
	4804.00	-	10.24	-	54.00	43.76	AV	Vertic	PASS
2	7206.00	44.78	47.89	3.11	74.00	26.11	PK	Vertic	PASS
	7206.00	-	23.10	-	54.00	30.90	AV	Vertic	PASS
3	9608.00	34.20	40.76	6.56	74.00	33.24	PK	Vertic	PASS
	9608.00	-	15.97	-	54.00	38.03	AV	Vertic	PASS

Transmit at 2441MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	46.10	41.01	-5.09	74.00	32.99	PK	Horizo	PASS
	4882.00	-	16.22	-	54.00	37.78	AV	Horizo	PASS
2	7323.00	48.29	51.42	3.13	74.00	22.58	PK	Horizo	PASS
	7323.00	-	26.63	-	54.00	27.37	AV	Horizo	PASS
3	9764.00	32.40	39.39	6.99	74.00	34.61	PK	Horizo	PASS
	9764.00	-	14.60	-	54.00	39.40	AV	Horizo	PASS

Transmit at 2441MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	43.37	38.28	-5.09	74.00	35.72	PK	Vertic	PASS
	4882.00	-	13.49	-	54.00	40.51	AV	Vertic	PASS
2	7323.00	45.09	48.22	3.13	74.00	25.78	PK	Vertic	PASS
	7323.00	-	23.43	-	54.00	30.57	AV	Vertic	PASS
3	9764.00	34.37	41.36	6.99	74.00	32.64	PK	Vertic	PASS
	9764.00	-	16.57	-	54.00	37.43	AV	Vertic	PASS

Transmit at 2480MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	50.49	45.51	-4.98	74.00	28.49	PK	Horizo	PASS
	4960.00	-	20.72	-	54.00	33.28	AV	Horizo	PASS
2	7440.00	46.18	49.63	3.45	74.00	24.37	PK	Horizo	PASS
	7440.00	-	24.84	-	54.00	29.16	AV	Horizo	PASS
3	9920.00	32.70	39.36	6.66	74.00	34.64	PK	Horizo	PASS
	9920.00	-	14.57	-	54.00	39.43	AV	Horizo	PASS

Transmit at 2480MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	45.11	40.13	-4.98	74.00	33.87	PK	Vertic	PASS
	4960.00	-	15.34	-	54.00	38.66	AV	Vertic	PASS
2	7440.00	45.24	48.69	3.45	74.00	25.31	PK	Vertic	PASS
	7440.00	-	23.90	-	54.00	30.10	AV	Vertic	PASS
3	9920.00	36.23	42.89	6.66	74.00	31.11	PK	Vertic	PASS
	9920.00	-	18.10	-	54.00	35.90	AV	Vertic	PASS

Transmit at 2402MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	40.99	36.01	-4.98	74.00	37.99	PK	Horizo	PASS
	4804.00	-	11.22	-	54.00	42.78	AV	Horizo	PASS
2	7206.00	45.13	48.24	3.11	74.00	25.76	PK	Horizo	PASS
	7206.00	-	23.45	-	54.00	30.55	AV	Horizo	PASS
3	9608.00	32.99	39.55	6.56	74.00	34.45	PK	Horizo	PASS
	9608.00	-	14.76	-	54.00	39.24	AV	Horizo	PASS

Transmit at 2402MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	37.12	32.14	-4.98	74.00	41.86	PK	Vertic	PASS
	4804.00	-	7.35	-	54.00	46.65	AV	Vertic	PASS
2	7206.00	41.70	44.81	3.11	74.00	29.19	PK	Vertic	PASS
	7206.00	-	20.02	-	54.00	33.98	AV	Vertic	PASS
3	9608.00	33.14	39.70	6.56	74.00	34.30	PK	Vertic	PASS
	9608.00	-	14.91	-	54.00	39.09	AV	Vertic	PASS

Transmit at 2441MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	41.69	36.60	-5.09	74.00	37.40	PK	Horizo	PASS
	4882.00	-	11.81	-	54.00	42.19	AV	Horizo	PASS
2	7323.00	45.46	48.59	3.13	74.00	25.41	PK	Horizo	PASS
	7323.00	-	23.80	-	54.00	30.20	AV	Horizo	PASS
3	9764.00	33.32	40.31	6.99	74.00	33.69	PK	Horizo	PASS
	9764.00	-	15.52	-	54.00	38.48	AV	Horizo	PASS

Transmit at 2441MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	40.28	35.19	-5.09	74.00	38.81	PK	Vertic	PASS
	4882.00	-	10.40	-	54.00	43.60	AV	Vertic	PASS
2	7323.00	43.11	46.24	3.13	74.00	27.76	PK	Vertic	PASS
	7323.00	-	21.45	-	54.00	32.55	AV	Vertic	PASS
3	9764.00	33.42	40.41	6.99	74.00	33.59	PK	Vertic	PASS
	9764.00	-	15.62	-	54.00	38.38	AV	Vertic	PASS

Transmit at 2480MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	41.86	36.88	-4.98	74.00	37.12	PK	Horizo	PASS
	4960.00	-	12.09	-	54.00	41.91	AV	Horizo	PASS
2	7440.00	45.64	49.09	3.45	74.00	24.91	PK	Horizo	PASS
	7440.00	-	24.30	-	54.00	29.70	AV	Horizo	PASS
3	9920.00	31.92	38.58	6.66	74.00	35.42	PK	Horizo	PASS
	9920.00	-	13.79	-	54.00	40.21	AV	Horizo	PASS

Transmit at 2480MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	43.54	38.56	-4.98	74.00	35.44	PK	Vertic	PASS
	4960.00	-	13.77	-	54.00	40.23	AV	Vertic	PASS
2	7440.00	43.38	46.83	3.45	74.00	27.17	PK	Vertic	PASS
	7440.00	-	22.04	-	54.00	31.96	AV	Vertic	PASS
3	9920.00	35.30	41.96	6.66	74.00	32.04	PK	Vertic	PASS
	9920.00	-	17.17	-	54.00	36.83	AV	Vertic	PASS

Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	42.51	37.53	-4.98	74.00	36.47	PK	Horizo	PASS
	4804.00	-	12.74	-	54.00	41.26	AV	Horizo	PASS
2	7206.00	46.30	49.41	3.11	74.00	24.59	PK	Horizo	PASS
	7206.00	-	24.62	-	54.00	29.38	AV	Horizo	PASS
3	9608.00	32.43	38.99	6.56	74.00	35.01	PK	Horizo	PASS
	9608.00	-	14.20	-	54.00	39.80	AV	Horizo	PASS

Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	38.18	33.20	-4.98	74.00	40.80	PK	Vertic	PASS
	4804.00	-	8.41	-	54.00	45.59	AV	Vertic	PASS
2	7206.00	41.49	44.60	3.11	74.00	29.40	PK	Vertic	PASS
	7206.00	-	19.81	-	54.00	34.19	AV	Vertic	PASS
3	9608.00	32.68	39.24	6.56	74.00	34.76	PK	Vertic	PASS
	9608.00	-	14.45	-	54.00	39.55	AV	Vertic	PASS

Transmit at 2441MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	43.71	38.62	-5.09	74.00	35.38	PK	Horizo	PASS
	4882.00	-	13.83	-	54.00	40.17	AV	Horizo	PASS
2	7323.00	43.05	46.18	3.13	74.00	27.82	PK	Horizo	PASS
	7323.00	-	21.39	-	54.00	32.61	AV	Horizo	PASS
3	9764.00	31.63	38.62	6.99	74.00	35.38	PK	Horizo	PASS
	9764.00	-	13.83	-	54.00	40.17	AV	Horizo	PASS

Transmit at 2441MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	38.86	33.77	-5.09	74.00	40.23	PK	Vertic	PASS
	4882.00	-	8.98	-	54.00	45.02	AV	Vertic	PASS
2	7323.00	44.07	47.20	3.13	74.00	26.80	PK	Vertic	PASS
	7323.00	-	22.41	-	54.00	31.59	AV	Vertic	PASS
3	9764.00	34.35	41.34	6.99	74.00	32.66	PK	Vertic	PASS
	9764.00	-	16.55	-	54.00	37.45	AV	Vertic	PASS

Transmit at 2480MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	44.19	39.21	-4.98	74.00	34.79	PK	Horizo	PASS
	4960.00	-	14.42	-	54.00	39.58	AV	Horizo	PASS
2	7440.00	45.59	49.04	3.45	74.00	24.96	PK	Horizo	PASS
	7440.00	-	24.25	-	54.00	29.75	AV	Horizo	PASS
3	9920.00	31.94	38.60	6.66	74.00	35.40	PK	Horizo	PASS
	9920.00	-	13.81	-	54.00	40.19	AV	Horizo	PASS

Transmit at 2480MHz by 3DH5


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	42.80	37.82	-4.98	74.00	36.18	PK	Vertic	PASS
	4960.00	-	13.03	-	54.00	40.97	AV	Vertic	PASS
2	7440.00	44.51	47.96	3.45	74.00	26.04	PK	Vertic	PASS
	7440.00	-	23.17	-	54.00	30.83	AV	Vertic	PASS
3	9920.00	34.06	40.72	6.66	74.00	33.28	PK	Vertic	PASS
	9920.00	-	15.93	-	54.00	38.07	AV	Vertic	PASS


Note: Level = Reading + Factor, Margin = Limit - Level

Worst mode data below 1G:**Transmit at 2402MHz by DH5****Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	34.85	13.72	31.02	17.30	40.00	8.98	PK	Horizo	PASS
2	84.56	20.81	30.37	9.56	40.00	9.63	PK	Horizo	PASS
3	120.70	27.55	41.62	14.07	43.50	1.88	PK	Horizo	PASS
4	240.01	13.72	28.33	14.61	46.00	17.67	PK	Horizo	PASS
5	539.01	13.20	35.84	22.64	46.00	10.16	PK	Horizo	PASS
6	906.15	13.51	39.17	25.66	46.00	6.83	PK	Horizo	PASS

Transmit at 2402MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	33.15	11.43	29.64	18.21	40.00	10.36	PK	Vertic	PASS
2	84.32	21.76	31.27	9.51	40.00	8.73	PK	Vertic	PASS
3	96.45	29.57	41.42	11.85	43.50	2.08	PK	Vertic	PASS
4	300.39	11.85	28.27	16.42	46.00	17.73	PK	Vertic	PASS
5	627.28	12.89	35.81	22.92	46.00	10.19	PK	Vertic	PASS
6	926.04	14.05	39.78	25.73	46.00	6.22	PK	Vertic	PASS


Note: Level = Reading + Factor, Margin = Limit - Level

Worst mode data at 18~40G:

Transmit at 2402MHz by DH5



Transmit at 2402MHz by DH5



Note 1: Actual test distance is 1 meter; limits have been converted to values at 1meter distance.
Note 2: All data above 18 GHz is noise floor, therefore, no frequencies are marked.
Note 3: The minimum margin for peaks above 18 GHz exceeds 20 dB; thus, no average testing was performed.

_____ The End _____