


Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	48.90	41.97	-6.93	74.00	32.03	PK	Horizo	PASS
	4804.00	-	17.18	-	54.00	36.82	AV	Horizo	PASS
2	7206.00	43.20	41.55	-1.65	74.00	32.45	PK	Horizo	PASS
	7206.00	-	16.76	-	54.00	37.24	AV	Horizo	PASS
3	9608.00	41.30	43.11	1.81	74.00	30.89	PK	Horizo	PASS
	9608.00	-	18.32	-	54.00	35.68	AV	Horizo	PASS

Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4803.53	51.70	44.73	-6.95	74.00	29.27	PK	Vertic	PASS
	4803.53	-	19.94	-	54.00	34.06	AV	Vertic	PASS
2	7206.00	42.80	41.12	-1.65	74.00	32.88	PK	Vertic	PASS
	7206.00	-	16.33	-	54.00	37.67	AV	Vertic	PASS
3	9608.00	42.10	43.92	1.81	74.00	30.08	PK	Vertic	PASS
	9608.00	-	19.13	-	54.00	34.87	AV	Vertic	PASS

Transmit at 2441MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.06	50.70	44.45	-6.27	74.00	29.55	PK	Horizo	PASS
	4882.06	-	19.66	-	54.00	34.34	AV	Horizo	PASS
2	7323.00	44.00	42.94	-1.02	74.00	31.06	PK	Horizo	PASS
	7323.00	-	18.15	-	54.00	35.85	AV	Horizo	PASS
3	9764.00	42.50	44.55	2.01	74.00	29.45	PK	Horizo	PASS
	9764.00	-	19.76	-	54.00	34.24	AV	Horizo	PASS

Transmit at 2441MHz by 3DH5


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.06	55.60	49.37	-6.27	74.00	24.63	PK	Vertic	PASS
	4882.06	-	24.58	-	54.00	29.42	AV	Vertic	PASS
2	7323.00	42.80	41.73	-1.02	74.00	32.27	PK	Vertic	PASS
	7323.00	-	16.94	-	54.00	37.06	AV	Vertic	PASS
3	9764.00	41.30	43.34	2.01	74.00	30.66	PK	Vertic	PASS
	9764.00	-	18.55	-	54.00	35.45	AV	Vertic	PASS

Transmit at 2480MHz by 3DH5




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4959.71	51.90	45.77	-6.16	74.00	28.23	PK	Horizo	PASS
	4959.71	-	20.98	-	54.00	33.02	AV	Horizo	PASS
2	7440.00	45.90	45.20	-0.68	74.00	28.80	PK	Horizo	PASS
	7440.00	-	20.41	-	54.00	33.59	AV	Horizo	PASS
3	9920.00	39.80	42.06	2.29	74.00	31.94	PK	Horizo	PASS
	9920.00	-	17.27	-	54.00	36.73	AV	Horizo	PASS

Transmit at 2480MHz by 3DH5

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4959.26	52.80	46.63	-6.15	74.00	27.37	PK	Vertic	PASS
	4959.26	-	21.84	-	54.00	32.16	AV	Vertic	PASS
2	7440.00	42.70	42.04	-0.68	74.00	31.96	PK	Vertic	PASS
	7440.00	-	17.25	-	54.00	36.75	AV	Vertic	PASS
3	9920.00	41.90	44.21	2.29	74.00	29.79	PK	Vertic	PASS
	9920.00	-	19.42	-	54.00	34.58	AV	Vertic	PASS


Note:

1. Level = Reading + Factor

2. Margin = Limit - Level, AV Level = PK Level + Duty Cycle Factor.

3. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.


4. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.

The worst case of Radiated Emission below 1GHz :**Transmit at 2402MHz by DH5****Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.79	21.6	35.13	13.570	40.00	4.87	PK	Horizo	PASS
2	55.46	21.3	35.03	13.740	40.00	4.97	PK	Horizo	PASS
3	94.51	27.2	36.07	8.860	43.50	7.43	PK	Horizo	PASS
4	128.46	26.2	38.66	12.500	43.50	4.84	PK	Horizo	PASS
5	244.61	28.7	41.02	12.330	46.00	4.98	PK	Horizo	PASS
6	723.31	22.4	45.22	22.810	46.00	0.78	PK	Horizo	PASS

Transmit at 2402MHz by DH5

Test Graph




Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	37.03	23.6	37.17	13.590	40.00	2.83	PK	Vertic	PASS
2	56.19	19.5	33.15	13.690	40.00	6.85	PK	Vertic	PASS
3	94.51	28.4	37.21	8.860	43.50	6.29	PK	Vertic	PASS
4	241.22	29.6	41.81	12.220	46.00	4.19	PK	Vertic	PASS
5	541.19	16.2	35.63	19.440	46.00	10.37	PK	Vertic	PASS
6	873.17	16.9	41.27	24.360	46.00	4.73	PK	Vertic	PASS

Note:

1. All Readings below 1GHz are PK, PK as an alternative to CISPR quasi-peak measurements or average measurements.
2. Level=Reading+Factor.

FPC Antenna:
Transmit at 2402MHz by 3DH5**Test Graph****Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	47.90	40.96	-6.93	74.00	33.04	PK	Horizo	PASS
	4804.00	-	16.17	-	54.00	37.83	AV	Horizo	PASS
2	7206.00	43.60	41.91	-1.65	74.00	32.09	PK	Horizo	PASS
	7206.00	-	17.12	-	54.00	36.88	AV	Horizo	PASS
3	9608.00	42.00	43.83	1.81	74.00	30.17	PK	Horizo	PASS
	9608.00	-	19.04	-	54.00	34.96	AV	Horizo	PASS

Transmit at 2402MHz by 3DH5*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	47.00	40.08	-6.93	74.00	33.92	PK	Vertic	PASS
	4804.00	-	15.29	-	54.00	38.71	AV	Vertic	PASS
2	7206.00	44.70	43.00	-1.65	74.00	31.00	PK	Vertic	PASS
	7206.00	-	18.21	-	54.00	35.79	AV	Vertic	PASS
3	9608.00	42.10	43.95	1.81	74.00	30.05	PK	Vertic	PASS
	9608.00	-	19.16	-	54.00	34.84	AV	Vertic	PASS

Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.31	23.8	37.33	13.540	40.00	2.67	PK	Horizo	PASS
2	54.98	20.2	33.94	13.790	40.00	6.06	PK	Horizo	PASS
3	92.81	29.0	37.68	8.670	43.50	5.82	PK	Horizo	PASS
4	129.43	27.3	39.87	12.580	43.50	3.63	PK	Horizo	PASS
5	244.61	29.4	41.76	12.330	46.00	4.24	PK	Horizo	PASS
6	599.88	15.9	37.10	21.220	46.00	8.90	PK	Horizo	PASS


Transmit at 2402MHz by 3DH5

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	38.49	21.4	35.05	13.700	40.00	4.95	PK	Vertic	PASS
2	92.81	29.1	37.80	8.670	43.50	5.70	PK	Vertic	PASS
3	128.21	29.1	41.58	12.480	43.50	1.92	PK	Vertic	PASS
4	244.37	28.9	41.18	12.320	46.00	4.82	PK	Vertic	PASS
5	478.14	18.7	37.12	18.440	46.00	8.88	PK	Vertic	PASS
6	815.94	17.4	41.08	23.670	46.00	4.92	PK	Vertic	PASS

PIFA Antenna:**Transmit at 2402MHz by 3DH5***Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	45.70	38.81	-6.93	74.00	35.19	PK	Horizo	PASS
	4804.00	-	14.02	-	54.00	39.98	AV	Horizo	PASS
2	7206.00	43.40	41.76	-1.65	74.00	32.24	PK	Horizo	PASS
	7206.00	-	16.97	-	54.00	37.03	AV	Horizo	PASS
3	9608.00	41.50	43.26	1.81	74.00	30.74	PK	Horizo	PASS
	9608.00	-	18.47	-	54.00	35.53	AV	Horizo	PASS


Transmit at 2402MHz by 3DH5

Test Graph




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	47.20	40.26	-6.93	74.00	33.74	PK	Vertic	PASS
	4804.00	-	15.47	-	54.00	38.53	AV	Vertic	PASS
2	7206.00	44.20	42.59	-1.65	74.00	31.41	PK	Vertic	PASS
	7206.00	-	17.80	-	54.00	36.20	AV	Vertic	PASS
3	9608.00	41.50	43.35	1.81	74.00	30.65	PK	Vertic	PASS
	9608.00	-	18.56	-	54.00	35.44	AV	Vertic	PASS

Transmit at 2402MHz by 3DH5**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	37.28	21.5	35.05	13.600	40.00	4.95	PK	Horizo	PASS
2	55.46	19.8	33.58	13.740	40.00	6.42	PK	Horizo	PASS
3	94.26	26.8	35.60	8.840	43.50	7.90	PK	Horizo	PASS
4	128.46	27.3	39.77	12.500	43.50	3.73	PK	Horizo	PASS
5	244.61	28.6	40.93	12.330	46.00	5.07	PK	Horizo	PASS
6	481.05	18.7	37.19	18.490	46.00	8.81	PK	Horizo	PASS

Transmit at 2402MHz by 3DH5**Test Graph****Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	37.03	21.8	35.38	13.590	40.00	4.62	PK	Vertic	PASS
2	55.46	19.5	33.23	13.740	40.00	6.77	PK	Vertic	PASS
3	92.81	27.1	35.76	8.670	43.50	7.74	PK	Vertic	PASS
4	128.46	28.0	40.51	12.500	43.50	2.99	PK	Vertic	PASS
5	244.61	29.1	41.47	12.330	46.00	4.53	PK	Vertic	PASS
6	759.44	18.0	41.27	23.320	46.00	4.73	PK	Vertic	PASS

PCB Antenna:**Transmit at 2402MHz by 3DH5***Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	45.60	38.62	-6.93	74.00	35.38	PK	Horizo	PASS
	4804.00	-	13.83	-	54.00	40.17	AV	Horizo	PASS
2	7206.00	43.40	41.78	-1.65	74.00	32.22	PK	Horizo	PASS
	7206.00	-	16.99	-	54.00	37.01	AV	Horizo	PASS
3	9608.00	42.70	44.48	1.81	74.00	29.52	PK	Horizo	PASS
	9608.00	-	19.69	-	54.00	34.31	AV	Horizo	PASS

Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	45.40	38.49	-6.93	74.00	35.51	PK	Vertic	PASS
	4804.00	-	13.70	-	54.00	40.30	AV	Vertic	PASS
2	7206.00	42.80	41.18	-1.65	74.00	32.82	PK	Vertic	PASS
	7206.00	-	16.39	-	54.00	37.61	AV	Vertic	PASS
3	9608.00	42.60	44.39	1.81	74.00	29.61	PK	Vertic	PASS
	9608.00	-	19.60	-	54.00	34.40	AV	Vertic	PASS

Transmit at 2402MHz by 3DH5


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	37.52	22.3	35.92	13.630	40.00	4.08	PK	Horizo	PASS
2	92.81	29.9	38.53	8.670	43.50	4.97	PK	Horizo	PASS
3	127.73	28.1	40.52	12.440	43.50	2.98	PK	Horizo	PASS
4	244.37	29.5	41.77	12.320	46.00	4.23	PK	Horizo	PASS
5	479.60	25.4	43.90	18.460	46.00	2.10	PK	Horizo	PASS
6	722.82	19.0	41.84	22.800	46.00	4.16	PK	Horizo	PASS

Transmit at 2402MHz by 3DH5



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	37.28	22.0	35.55	13.600	40.00	4.45	PK	Vertic	PASS
2	94.02	31.0	39.82	8.810	43.50	3.68	PK	Vertic	PASS
3	128.94	27.1	39.66	12.540	43.50	3.84	PK	Vertic	PASS
4	243.89	29.2	41.51	12.310	46.00	4.49	PK	Vertic	PASS
5	478.63	18.9	37.33	18.440	46.00	8.67	PK	Vertic	PASS
6	744.89	17.2	40.29	23.130	46.00	5.71	PK	Vertic	PASS

The End