



Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	41.5	46.46	4.950	74.00	27.54	PK	Vertic	PASS
2	11550.00	31.7	36.67	4.950	54.00	17.33	AV	Vertic	PASS
3	17325.00	35.7	46.48	10.750	68.30	21.82	PK	Vertic	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	42.3	45.06	2.800	68.30	23.24	PK	Horizo	PASS
2	15630.00	37.2	47.96	10.730	74.00	26.04	PK	Horizo	PASS
3	15630.00	28.2	38.93	10.730	54.00	15.07	AV	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	41.3	44.10	2.800	68.30	24.20	PK	Vertic	PASS
2	15630.00	36.0	46.75	10.730	74.00	27.25	PK	Vertic	PASS
3	15630.00	29.0	39.77	10.730	54.00	14.23	AV	Vertic	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	41.8	44.74	2.960	68.30	23.56	PK	Horizo	PASS
2	15870.00	36.6	47.26	10.630	74.00	26.74	PK	Horizo	PASS
3	15870.00	28.1	38.69	10.630	54.00	15.31	AV	Horizo	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	41.5	44.48	2.960	68.30	23.82	PK	Vertic	PASS
2	15870.00	37.6	48.26	10.630	74.00	25.74	PK	Vertic	PASS
3	15870.00	28.2	38.80	10.630	54.00	15.20	AV	Vertic	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	40.1	44.40	4.280	74.00	29.60	PK	Horizo	PASS
2	11060.00	33.4	37.71	4.280	54.00	16.29	AV	Horizo	PASS
3	16590.00	36.3	47.50	11.220	68.30	20.80	PK	Horizo	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	40.4	44.63	4.280	74.00	29.37	PK	Vertic	PASS
2	11060.00	31.4	35.66	4.280	54.00	18.34	AV	Vertic	PASS
3	16590.00	36.9	48.07	11.220	68.30	20.23	PK	Vertic	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11234.08	37.4	41.84	4.490	54.00	12.16	AV	Horizo	PASS
2	11254.71	45.1	49.63	4.550	74.00	24.37	PK	Horizo	PASS
3	16830.00	36.8	48.36	11.580	68.30	19.94	PK	Horizo	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	40.4	44.89	4.460	74.00	29.11	PK	Vertic	PASS
2	11220.00	31.3	35.74	4.460	54.00	18.26	AV	Vertic	PASS
3	16830.00	36.3	47.91	11.580	68.30	20.39	PK	Vertic	PASS


Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.5	45.40	4.950	74.00	28.60	PK	Horizo	PASS
2	11550.00	32.6	37.51	4.950	54.00	16.49	AV	Horizo	PASS
3	17325.00	35.7	46.45	10.750	68.30	21.85	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.9	45.83	4.950	74.00	28.17	PK	Vertic	PASS
2	11550.00	32.1	37.09	4.950	54.00	16.91	AV	Vertic	PASS
3	17325.00	36.1	46.87	10.750	68.30	21.43	PK	Vertic	PASS

Note :

- 1.Level=Reading+Factor .
- 2. Margin=Limit-Level.
- 3. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
- 4. The test frequency range, 18GHz~40GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.

The worst case of Radiated Emission below 1GHz:


Transmit at 5180MHz by 802.11a with Ant2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	34.61	21.6	35.04	13.410	40.00	4.96	PK	Horizo	PASS
2	54.98	22.0	35.83	13.790	40.00	4.17	PK	Horizo	PASS
3	96.93	29.4	38.55	9.140	43.50	4.95	PK	Horizo	PASS
4	127.00	27.3	39.64	12.380	43.50	3.86	PK	Horizo	PASS
5	242.19	29.3	41.55	12.260	46.00	4.45	PK	Horizo	PASS
6	691.78	16.3	38.64	22.310	46.00	7.36	PK	Horizo	PASS

Transmit at 5180MHz by 802.11a with Ant2

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	35.34	26.4	39.88	13.460	40.00	0.12	PK	Vertic	PASS
2	55.22	20.8	34.56	13.760	40.00	5.44	PK	Vertic	PASS
3	94.51	27.0	35.83	8.860	43.50	7.67	PK	Vertic	PASS
4	127.73	26.1	38.57	12.440	43.50	4.93	PK	Vertic	PASS
5	243.89	29.1	41.43	12.310	46.00	4.57	PK	Vertic	PASS
6	475.72	18.6	36.95	18.400	46.00	9.05	PK	Vertic	PASS

Note:

1. All Readings below 1GHz are PK, PK as an alternative to CISPR quasi-peak measurements or average measurements.
2. Level=Reading+Factor.


FPC Antenna:

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10358.67	49.2	51.93	2.760	68.30	16.37	PK	Horizo	PASS
2	15540.00	36.8	47.62	10.800	74.00	26.38	PK	Horizo	PASS
3	15540.00	29.1	39.90	10.800	54.00	14.10	AV	Horizo	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10369.21	48.1	50.90	2.760	68.30	17.40	PK	Vertic	PASS
2	15540.00	36.6	47.37	10.800	74.00	26.63	PK	Vertic	PASS
3	15540.00	28.8	39.64	10.800	54.00	14.36	AV	Vertic	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	37.28	21.3	34.92	13.600	40.00	5.08	PK	Horizo	PASS
2	94.51	26.4	35.23	8.860	43.50	8.27	PK	Horizo	PASS
3	128.94	28.2	40.73	12.540	43.50	2.77	PK	Horizo	PASS
4	244.61	28.6	40.91	12.330	46.00	5.09	PK	Horizo	PASS
5	477.17	19.6	37.97	18.420	46.00	8.03	PK	Horizo	PASS
6	824.43	17.9	41.69	23.770	46.00	4.31	PK	Horizo	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.31	21.9	35.43	13.540	40.00	4.57	PK	Vertic	PASS
2	55.71	20.6	34.36	13.720	40.00	5.64	PK	Vertic	PASS
3	94.26	27.1	35.95	8.840	43.50	7.55	PK	Vertic	PASS
4	244.37	28.6	40.91	12.320	46.00	5.09	PK	Vertic	PASS
5	475.96	18.5	36.88	18.400	46.00	9.12	PK	Vertic	PASS
6	760.90	17.5	40.80	23.310	46.00	5.20	PK	Vertic	PASS


FIFA Antenna:

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10369.21	47.8	50.57	2.760	68.30	17.73	PK	Horizo	PASS
2	15540.00	38.6	49.37	10.800	74.00	24.63	PK	Horizo	PASS
3	15540.00	28.6	39.38	10.800	54.00	14.62	AV	Horizo	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	33.7	36.41	2.760	-	-	AV	Vertic	NA
2	10360.50	45.2	47.96	2.760	68.30	20.34	PK	Vertic	PASS
3	15540.00	27.9	38.68	10.800	54.00	15.32	AV	Vertic	PASS
4	15540.00	37.6	48.42	10.800	74.00	25.58	PK	Vertic	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.31	20.8	34.35	13.540	40.00	5.65	PK	Horizo	PASS
2	55.46	20.2	33.97	13.740	40.00	6.03	PK	Horizo	PASS
3	94.02	26.7	35.49	8.810	43.50	8.01	PK	Horizo	PASS
4	128.94	28.3	40.83	12.540	43.50	2.67	PK	Horizo	PASS
5	244.37	28.3	40.60	12.320	46.00	5.40	PK	Horizo	PASS
6	481.54	18.9	37.34	18.490	46.00	8.66	PK	Horizo	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.31	22.4	35.96	13.540	40.00	4.04	PK	Vertic	PASS
2	94.51	26.6	35.41	8.860	43.50	8.09	PK	Vertic	PASS
3	127.73	27.3	39.73	12.440	43.50	3.77	PK	Vertic	PASS
4	244.61	29.0	41.28	12.330	46.00	4.72	PK	Vertic	PASS
5	479.84	19.6	38.02	18.460	46.00	7.98	PK	Vertic	PASS
6	719.19	22.4	45.14	22.760	46.00	0.86	PK	Vertic	PASS


PCB Antenna:

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10358.67	47.9	50.63	2.760	68.30	17.67	PK	Horizo	PASS
2	15540.00	37.0	47.83	10.800	74.00	26.17	PK	Horizo	PASS
3	15540.00	28.4	39.22	10.800	54.00	14.78	AV	Horizo	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10356.38	47.3	50.01	2.760	68.30	18.29	PK	Vertic	PASS
2	15540.00	37.3	48.06	10.800	74.00	25.94	PK	Vertic	PASS
3	15540.00	29.0	39.76	10.800	54.00	14.24	AV	Vertic	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.31	24.3	37.88	13.540	40.00	2.12	PK	Horizo	PASS
2	92.57	28.1	36.74	8.650	43.50	6.76	PK	Horizo	PASS
3	129.18	28.4	40.92	12.560	43.50	2.58	PK	Horizo	PASS
4	244.37	29.5	41.84	12.320	46.00	4.16	PK	Horizo	PASS
5	481.78	18.9	37.41	18.500	46.00	8.59	PK	Horizo	PASS
6	806.49	17.1	40.68	23.560	46.00	5.32	PK	Horizo	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	34.61	19.6	33.01	13.410	40.00	6.99	PK	Vertic	PASS
2	64.68	16.4	29.03	12.660	40.00	10.97	PK	Vertic	PASS
3	127.97	27.7	40.20	12.460	43.50	3.30	PK	Vertic	PASS
4	244.37	29.4	41.76	12.320	46.00	4.24	PK	Vertic	PASS
5	360.04	18.9	34.38	15.520	46.00	11.62	PK	Vertic	PASS
6	719.43	18.0	40.71	22.760	46.00	5.29	PK	Vertic	PASS

Appendix B: Emission bandwidth and occupied bandwidth

Emission Bandwidth:

TestMode	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	5180	25.560	5167.120	5192.680	---	---
11A	5200	24.760	5188.240	5213.000	---	---
11A	5240	21.120	5230.000	5251.120	---	---
11A	5260	25.640	5247.560	5273.200	---	---
11A	5280	25.440	5268.400	5293.840	---	---
11A	5320	25.760	5306.520	5332.280	---	---
11A	5500	25.520	5487.560	5513.080	---	---
11A	5580	24.360	5568.000	5592.360	---	---
11A	5700	25.080	5687.440	5712.520	---	---
11A	5745	25.120	5731.840	5756.960	---	---
11A	5785	24.560	5773.360	5797.920	---	---
11A	5825	25.520	5812.400	5837.920	---	---
11N20	5180	25.600	5166.520	5192.120	---	---
11N20	5200	25.200	5187.400	5212.600	---	---
11N20	5240	20.160	5230.040	5250.200	---	---
11N20	5260	23.920	5248.280	5272.200	---	---
11N20	5280	25.440	5267.640	5293.080	---	---
11N20	5320	25.120	5307.600	5332.720	---	---
11N20	5500	26.160	5487.120	5513.280	---	---
11N20	5580	25.160	5567.600	5592.760	---	---
11N20	5700	25.520	5686.920	5712.440	---	---
11N20	5745	25.400	5732.440	5757.840	---	---
11N20	5785	24.880	5772.760	5797.640	---	---
11N20	5825	24.360	5812.800	5837.160	---	---
11N40	5190	40.880	5169.600	5210.480	---	---
11N40	5230	40.800	5209.520	5250.320	---	---
11N40	5270	40.240	5250.000	5290.240	---	---
11N40	5310	40.720	5289.760	5330.480	---	---
11N40	5510	40.640	5489.600	5530.240	---	---
11N40	5550	40.880	5529.600	5570.480	---	---
11N40	5670	40.800	5649.520	5690.320	---	---
11N40	5755	40.400	5734.840	5775.240	---	---
11N40	5795	40.480	5774.680	5815.160	---	---
11AC20	5180	25.240	5167.280	5192.520	---	---
11AC20	5200	24.200	5188.080	5212.280	---	---
11AC20	5240	20.120	5230.000	5250.120	---	---
11AC20	5260	24.480	5247.680	5272.160	---	---
11AC20	5280	25.520	5267.760	5293.280	---	---
11AC20	5320	24.520	5307.560	5332.080	---	---
11AC20	5500	25.800	5487.080	5512.880	---	---
11AC20	5580	24.760	5567.040	5591.800	---	---
11AC20	5700	25.280	5687.160	5712.440	---	---
11AC20	5745	22.960	5733.480	5756.440	---	---
11AC20	5785	25.480	5772.000	5797.480	---	---
11AC20	5825	24.480	5813.000	5837.480	---	---
11AC40	5190	40.800	5169.920	5210.720	---	---

11AC40	5230	40.640	5209.760	5250.400	---	---
11AC40	5270	40.720	5249.760	5290.480	---	---
11AC40	5310	40.960	5289.520	5330.480	---	---
11AC40	5510	40.560	5489.920	5530.480	---	---
11AC40	5550	40.720	5529.840	5570.560	---	---
11AC40	5670	40.400	5649.840	5690.240	---	---
11AC40	5755	40.400	5734.840	5775.240	---	---
11AC40	5795	40.480	5774.840	5815.320	---	---
11AC80	5210	80.320	5169.840	5250.160	---	---
11AC80	5290	80.000	5250.000	5330.000	---	---
11AC80	5530	80.320	5490.000	5570.320	---	---
11AC80	5610	79.840	5570.320	5650.160	---	---
11AC80	5775	80.160	5735.000	5815.160	---	---
11AX20	5180	22.520	5169.040	5191.560	---	---
11AX20	5200	24.640	5188.800	5213.440	---	---
11AX20	5240	20.160	5230.000	5250.160	---	---
11AX20	5260	22.240	5249.000	5271.240	---	---
11AX20	5280	22.480	5268.760	5291.240	---	---
11AX20	5320	22.200	5309.000	5331.200	---	---
11AX20	5500	22.400	5488.280	5510.680	---	---
11AX20	5580	24.800	5566.280	5591.080	---	---
11AX20	5700	22.320	5688.360	5710.680	---	---
11AX20	5745	23.880	5732.240	5756.120	---	---
11AX20	5785	25.840	5774.200	5800.040	---	---
11AX20	5825	21.760	5814.280	5836.040	---	---
11AX40	5190	40.080	5169.920	5210.000	---	---
11AX40	5230	40.000	5210.080	5250.080	---	---
11AX40	5270	40.000	5250.080	5290.080	---	---
11AX40	5310	40.000	5289.920	5329.920	---	---
11AX40	5510	39.920	5490.160	5530.080	---	---
11AX40	5550	40.080	5530.080	5570.160	---	---
11AX40	5670	40.000	5650.000	5690.000	---	---
11AX40	5755	40.000	5735.000	5775.000	---	---
11AX40	5795	39.840	5775.080	5814.920	---	---
11AX80	5210	81.120	5169.680	5250.800	---	---
11AX80	5290	81.600	5249.360	5330.960	---	---
11AX80	5530	81.280	5489.520	5570.800	---	---
11AX80	5610	81.440	5569.520	5650.960	---	---
11AX80	5775	81.440	5734.360	5815.800	---	---



11A-5180



11A-5200




11A-5240



11A-5260



11A-5280



11A-5320




11A-5500



11A-5580



11A-5700



11A-5745




11A-5785




11A-5825



11N20-5180



11N20-5200



11N20-5240



11N20-5260



11N20-5280



11N20-5320



11N20-5500




11N20-5580




11N20-5700



11N20-5745



11N20-5785



11N20-5825



11N40-5190



11N40-5230



11N40-5270



11N40-5310



11N40-5510



11N40-5550



11N40-5670



11N40-5755



11N40-5795



11AC20-5180



11AC20-5200




11AC20-5240



11AC20-5260



11AC20-5280



11AC20-5320




11AC20-5500



11AC20-5580



11AC20-5700



11AC20-5745



11AC20-5785




11AC20-5825




11AC40-5190




11AC40-5230




11AC40-5270



11AC40-5310




11AC40-5510



11AC40-5550




11AC40-5670



11AC40-5755



11AC40-5795



11AC80-5210



11AC80-5290



11AC80-5530



11AC80-5610




11AC80-5775



11AX20-5180



11AX20-5200




11AX20-5240



11AX20-5260



11AX20-5280




11AX20-5320



11AX20-5500



11AX20-5580



11AX20-5700



11AX20-5745



11AX20-5785