





11AX80-5775-PASS

Appendix D: Duty cycle

TestMode	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A	5180	1.39	2.01	69.15
11A	5200	1.39	2.01	69.15
11A	5240	1.39	2.01	69.15
11A	5260	1.40	2.02	69.31
11A	5280	1.39	2.01	69.15
11A	5320	1.40	2.03	68.97
11A	5500	1.39	2.02	68.81
11A	5580	1.39	2.01	69.15
11A	5700	1.39	2.02	68.81
11A	5745	1.39	2.01	69.15
11A	5785	1.39	2.01	69.15
11A	5825	1.39	2.02	68.81
11N20	5180	1.30	1.93	67.36
11N20	5200	1.30	1.93	67.36
11N20	5240	1.30	1.92	67.71
11N20	5260	1.30	1.93	67.36
11N20	5280	1.30	1.93	67.36
11N20	5320	1.30	1.92	67.71
11N20	5500	1.30	1.93	67.36
11N20	5580	1.30	1.93	67.36
11N20	5700	1.30	1.93	67.36
11N20	5745	1.30	1.93	67.36
11N20	5785	1.30	1.92	67.71
11N20	5825	1.30	1.93	67.36
11N40	5190	0.65	1.26	51.59
11N40	5230	0.65	1.26	51.59
11N40	5270	0.65	1.26	51.59
11N40	5310	0.64	1.25	51.20
11N40	5510	0.65	1.26	51.59
11N40	5550	0.64	1.25	51.20
11N40	5670	0.64	1.25	51.20
11N40	5755	0.65	1.26	51.59
11N40	5795	0.64	1.25	51.20
11AC20	5180	0.68	1.31	51.91
11AC20	5200	0.68	1.30	52.31
11AC20	5240	0.68	1.31	51.91
11AC20	5260	0.68	1.34	50.75
11AC20	5280	0.68	1.31	51.91
11AC20	5320	0.68	1.31	51.91
11AC20	5500	0.68	1.31	51.91
11AC20	5580	0.68	1.31	51.91
11AC20	5700	0.68	1.31	51.91
11AC20	5745	0.68	1.31	51.91
11AC20	5785	0.68	1.31	51.91
11AC20	5825	0.68	1.31	51.91
11AC40	5190	0.35	0.98	35.71
11AC40	5230	0.35	1.00	35.00


11AC40	5270	0.35	0.98	35.71
11AC40	5310	0.35	0.98	35.71
11AC40	5510	0.35	1.00	35.00
11AC40	5550	0.35	1.00	35.00
11AC40	5670	0.35	1.00	35.00
11AC40	5755	0.35	0.98	35.71
11AC40	5795	0.35	0.98	35.71
11AC80	5210	0.18	0.80	22.50
11AC80	5290	0.19	0.80	23.75
11AC80	5530	0.19	0.80	23.75
11AC80	5610	0.19	0.80	23.75
11AC80	5775	0.19	0.80	23.75
11AX20	5180	0.56	1.16	48.28
11AX20	5200	0.55	1.16	47.41
11AX20	5240	0.55	1.25	44.00
11AX20	5260	0.56	1.16	48.28
11AX20	5280	0.56	1.16	48.28
11AX20	5320	0.56	1.16	48.28
11AX20	5500	0.55	1.17	47.01
11AX20	5580	0.56	1.16	48.28
11AX20	5700	0.56	1.16	48.28
11AX20	5745	0.56	1.16	48.28
11AX20	5785	0.56	1.16	48.28
11AX20	5825	0.56	1.19	47.06
11AX40	5190	0.32	0.95	33.68
11AX40	5230	0.32	0.95	33.68
11AX40	5270	0.32	0.95	33.68
11AX40	5310	0.32	0.95	33.68
11AX40	5510	0.32	0.95	33.68
11AX40	5550	0.32	0.95	33.68
11AX40	5670	0.32	0.95	33.68
11AX40	5755	0.32	0.95	33.68
11AX40	5795	0.32	0.94	34.04
11AX80	5210	0.19	0.82	23.17
11AX80	5290	0.19	0.82	23.17
11AX80	5530	0.19	0.82	23.17
11AX80	5610	0.20	0.83	24.10
11AX80	5775	0.20	0.83	24.10




NTNV-11A-5180



NTNV-11A-5200




NTNV-11A-5240



NTNV-11A-5260




NTNV-11A-5280




NTNV-11A-5320




NTNV-11A-5500




NTNV-11A-5580




NTNV-11A-5700




NTNV-11A-5745




NTNV-11A-5785




NTNV-11A-5825




NTNV-11N20-5180



NTNV-11N20-5200




NTNV-11N20-5240



NTNV-11N20-5260




NTNV-11N20-5280




NTNV-11N20-5320




NTNV-11N20-5500




NTNV-11N20-5580




NTNV-11N20-5700




NTNV-11N20-5745




NTNV-11N20-5785




NTNV-11N20-5825




NTNV-11N40-5190




NTNV-11N40-5230




NTNV-11N40-5270




NTNV-11N40-5310




NTNV-11N40-5510




NTNV-11N40-5550




NTNV-11N40-5670




NTNV-11N40-5755




NTNV-11N40-5795




NTNV-11AC20-5180




NTNV-11AC20-5200




NTNV-11AC20-5240




NTNV-11AC20-5260




NTNV-11AC20-5280




NTNV-11AC20-5320




NTNV-11AC20-5500




NTNV-11AC20-5580




NTNV-11AC20-5700




NTNV-11AC20-5745




NTNV-11AC20-5785




NTNV-11AC20-5825




NTNV-11AC40-5190




NTNV-11AC40-5230




NTNV-11AC40-5270




NTNV-11AC40-5310




NTNV-11AC40-5510




NTNV-11AC40-5550




NTNV-11AC40-5670




NTNV-11AC40-5755




NTNV-11AC40-5795




NTNV-11AC80-5210




NTNV-11AC80-5290




NTNV-11AC80-5530




NTNV-11AC80-5610




NTNV-11AC80-5775




NTNV-11AX20-5180




NTNV-11AX20-5200




NTNV-11AX20-5240




NTNV-11AX20-5260




NTNV-11AX20-5280




NTNV-11AX20-5320




NTNV-11AX20-5500




NTNV-11AX20-5580




NTNV-11AX20-5700




NTNV-11AX20-5745




NTNV-11AX20-5785




NTNV-11AX20-5825




NTNV-11AX40-5190




NTNV-11AX40-5230




NTNV-11AX40-5270




NTNV-11AX40-5310




NTNV-11AX40-5510




NTNV-11AX40-5550




NTNV-11AX40-5670




NTNV-11AX40-5755




NTNV-11AX40-5795




NTNV-11AX80-5210




NTNV-11AX80-5290



NTNV-11AX80-5530



NTNV-11AX80-5610



NTNV-11AX80-5775

Appendix E: Power Output

Mode	Channel	Frequency (MHz)	Average power (dBm)			Limit (dBm)	Result
			Ant 1	Ant 2	Ant 1+2		
802.11a 6Mbps	36	5180	15.17	16.32	N/A	24.00	Pass
	40	5200	15.28	16.38		24.00	Pass
	48	5240	15.01	16.28		24.00	Pass
	52	5260	15.22	16.29		24.00	Pass
	56	5280	15.31	16.47		24.00	Pass
	64	5320	15.09	16.21		24.00	Pass
	100	5500	14.98	16.49		24.00	Pass
	116	5580	14.32	15.89		24.00	Pass
	140	5700	15.08	16.35		24.00	Pass
	149	5745	14.54	16.10		30.00	Pass
	157	5785	14.07	15.87		30.00	Pass
	165	5825	14.09	15.71		30.00	Pass
802.11n-HT20 MCS0	36	5180	12.42	13.54	16.03	24.00	Pass
	40	5200	12.49	13.67	16.13	24.00	Pass
	48	5240	12.34	13.64	16.05	24.00	Pass
	52	5260	12.31	13.46	15.93	24.00	Pass
	56	5280	12.36	13.51	15.98	24.00	Pass
	64	5320	12.09	13.38	15.79	24.00	Pass
	100	5500	12.04	13.51	15.85	24.00	Pass
	116	5580	12.12	13.48	15.86	24.00	Pass
	140	5700	10.93	13.54	15.44	24.00	Pass
	149	5745	10.36	13.31	15.09	30.00	Pass
	157	5785	10.04	13.12	14.86	30.00	Pass
	165	5825	10.17	13.12	14.90	30.00	Pass
802.11n-HT40 MCS0	38	5190	10.62	12.78	14.84	24.00	Pass
	46	5230	10.54	12.42	14.59	24.00	Pass
	54	5270	10.48	12.48	14.60	24.00	Pass
	62	5310	10.1	12.43	14.43	24.00	Pass
	102	5510	10.91	12.53	14.81	24.00	Pass
	110	5550	10.95	12.67	14.90	24.00	Pass
	134	5670	10.24	12.78	14.70	24.00	Pass
	151	5755	10.45	12.51	14.61	30.00	Pass
	159	5795	10.59	12.41	14.60	30.00	Pass
802.11ac-VHT20 MCS0	36	5180	12.33	13.48	15.95	24.00	Pass
	40	5200	12.38	13.60	16.04	24.00	Pass

	48	5240	12.24	13.56	15.96	24.00	Pass
	52	5260	12.19	13.38	15.84	24.00	Pass
	56	5280	12.28	13.46	15.92	24.00	Pass
	64	5320	10.96	13.31	15.30	24.00	Pass
	100	5500	10.93	13.43	15.37	24.00	Pass
	116	5580	10.99	13.41	15.38	24.00	Pass
	140	5700	10.83	13.48	15.36	24.00	Pass
	149	5745	10.23	13.26	15.01	30.00	Pass
	157	5785	10.93	13.04	15.12	30.00	Pass
	165	5825	10.06	13.05	14.82	30.00	Pass
802.11ac-VHT40 MCS0	38	5190	10.54	13.72	15.43	24.00	Pass
	46	5230	10.42	13.34	15.13	24.00	Pass
	54	5270	10.45	13.39	15.17	24.00	Pass
	62	5310	10.01	13.37	15.02	24.00	Pass
	102	5510	10.82	13.46	15.35	24.00	Pass
	110	5550	10.87	13.61	15.46	24.00	Pass
	134	5670	10.1	13.70	15.27	24.00	Pass
	151	5755	10.36	13.45	15.18	30.00	Pass
	159	5795	10.46	13.33	15.14	30.00	Pass
802.11ac-VHT80 MCS0	42	5210	10.36	12.45	14.54	24.00	Pass
	58	5290	10.29	12.63	14.63	24.00	Pass
	106	5530	10.41	12.26	14.44	24.00	Pass
	122	5610	10.49	12.32	14.51	24.00	Pass
	155	5775	10.52	12.47	14.61	30.00	Pass
802.11ax-HE20 MCS0	36	5180	10.34	12.45	14.53	24.00	Pass
	40	5200	10.35	12.60	14.63	24.00	Pass
	48	5240	10.25	12.58	14.58	24.00	Pass
	52	5260	10.17	12.39	14.43	24.00	Pass
	56	5280	10.27	12.43	14.49	24.00	Pass
	64	5320	10.01	12.30	14.31	24.00	Pass
	100	5500	10.93	12.45	14.77	24.00	Pass
	116	5580	10.99	12.42	14.77	24.00	Pass
	140	5700	10.81	12.46	14.72	24.00	Pass
	149	5745	10.25	12.25	14.37	30.00	Pass
	157	5785	9.92	12.06	14.13	30.00	Pass
	165	5825	10.04	12.05	14.17	30.00	Pass
802.11ax-HE40 MCS0	38	5190	10.51	11.69	14.15	24.00	Pass
	46	5230	10.44	11.33	13.92	24.00	Pass
	54	5270	10.37	11.39	13.92	24.00	Pass

	62	5310	10.24	11.38	13.86	24.00	Pass
	102	5510	9.55	11.97	13.94	24.00	Pass
	110	5550	9.61	11.93	13.93	24.00	Pass
	134	5670	10.12	11.72	14.00	24.00	Pass
	151	5755	10.33	11.43	13.93	30.00	Pass
	159	5795	10.46	11.32	13.92	30.00	Pass
802.11ax-HE80 MCS0	42	5210	9.25	10.34	12.84	24.00	Pass
	58	5290	9.18	10.51	12.91	24.00	Pass
	106	5530	9.32	10.18	12.78	24.00	Pass
	122	5610	9.37	10.27	12.85	24.00	Pass
	155	5775	9.41	10.32	12.90	30.00	Pass
802.11ax-HE20 RU26-0	36	5180	3.37	4.95	7.24	24.00	Pass
	40	5200	3.29	4.97	7.22	24.00	Pass
	48	5240	3.05	4.64	6.93	24.00	Pass
	52	5260	2.81	4.35	6.66	24.00	Pass
	56	5280	3.08	4.56	6.89	24.00	Pass
	64	5320	3.11	4.45	6.84	24.00	Pass
	100	5500	3.45	5.08	7.35	24.00	Pass
	116	5580	2.83	4.32	6.65	24.00	Pass
	140	5700	3.04	5.13	7.22	24.00	Pass
	149	5745	1.25	3.34	5.43	30.00	Pass
	157	5785	1.86	4.16	6.17	30.00	Pass
	165	5825	0.57	2.31	4.54	30.00	Pass
802.11ax-HE20 RU26-8	36	5180	3.74	5.51	7.72	24.00	Pass
	40	5200	3.32	5.12	7.32	24.00	Pass
	48	5240	2.95	4.71	6.93	24.00	Pass
	52	5260	3.06	4.78	7.01	24.00	Pass
	56	5280	3.21	4.85	7.12	24.00	Pass
	64	5320	3.05	4.53	6.86	24.00	Pass
	100	5500	4.22	5.38	7.85	24.00	Pass
	116	5580	3.25	4.86	7.14	24.00	Pass
	140	5700	3.19	4.54	6.93	24.00	Pass
	149	5745	1.64	3.34	5.58	30.00	Pass
	157	5785	2.28	4.02	6.25	30.00	Pass
	165	5825	1.02	2.85	5.04	30.00	Pass
802.11ax-HE20 RU52-37	36	5180	3.65	5.52	7.70	24.00	Pass
	40	5200	4.85	6.18	8.58	24.00	Pass
	48	5240	4.51	5.82	8.22	24.00	Pass
	52	5260	4.38	5.41	7.94	24.00	Pass

	56	5280	3.28	4.62	7.01	24.00	Pass
	64	5320	4.37	5.12	7.77	24.00	Pass
	100	5500	4.43	5.25	7.87	24.00	Pass
	116	5580	4.52	5.46	8.03	24.00	Pass
	140	5700	3.27	5.22	7.36	24.00	Pass
	149	5745	4.32	5.36	7.88	30.00	Pass
	157	5785	3.36	5.19	7.38	30.00	Pass
	165	5825	3.61	4.56	7.12	30.00	Pass
802.11ax-HE20 RU52-40	36	5180	3.81	5.57	7.79	24.00	Pass
	40	5200	4.98	6.15	8.61	24.00	Pass
	48	5240	4.74	5.95	8.40	24.00	Pass
	52	5260	4.65	5.73	8.23	24.00	Pass
	56	5280	3.07	4.72	6.98	24.00	Pass
	64	5320	4.51	5.57	8.08	24.00	Pass
	100	5500	4.35	5.63	8.05	24.00	Pass
	116	5580	4.89	5.84	8.40	24.00	Pass
	140	5700	3.09	5.17	7.26	24.00	Pass
	149	5745	4.06	5.43	7.81	30.00	Pass
	157	5785	3.73	4.94	7.39	30.00	Pass
	165	5825	3.76	5.13	7.51	30.00	Pass
802.11ax-HE20 RU106-53	36	5180	8.44	9.09	11.79	24.00	Pass
	40	5200	8.42	9.31	11.90	24.00	Pass
	48	5240	8.46	8.98	11.74	24.00	Pass
	52	5260	8.15	8.53	11.35	24.00	Pass
	56	5280	8.19	8.76	11.49	24.00	Pass
	64	5320	8.12	8.57	11.36	24.00	Pass
	100	5500	7.73	8.49	11.14	24.00	Pass
	116	5580	8.12	8.34	11.24	24.00	Pass
	140	5700	8.41	9.25	11.86	24.00	Pass
	149	5745	7.85	8.82	11.37	30.00	Pass
	157	5785	6.75	7.74	10.28	30.00	Pass
	165	5825	7.12	8.11	10.65	30.00	Pass
802.11ax-HE20 RU106-54	36	5180	8.27	9.15	11.74	24.00	Pass
	40	5200	8.32	9.72	12.09	24.00	Pass
	48	5240	8.54	8.79	11.68	24.00	Pass
	52	5260	8.11	8.58	11.36	24.00	Pass
	56	5280	8.06	8.66	11.38	24.00	Pass
	64	5320	7.75	8.63	11.22	24.00	Pass
	100	5500	7.92	8.58	11.27	24.00	Pass
	116	5580	8.32	8.65	11.50	24.00	Pass
	140	5700	8.25	9.14	11.73	24.00	Pass
	149	5745	7.92	8.54	11.25	30.00	Pass

	157	5785	7.15	8.61	10.95	30.00	Pass
	165	5825	7.11	7.74	10.45	30.00	Pass
802.11ax-HE40 RU242-61	38	5190	7.91	8.57	11.26	24.00	Pass
	46	5230	7.53	8.18	10.88	24.00	Pass
	54	5270	7.57	7.89	10.74	24.00	Pass
	62	5310	7.31	8.01	10.68	24.00	Pass
	102	5510	7.52	8.24	10.91	24.00	Pass
	110	5550	8.67	9.22	11.96	24.00	Pass
	134	5670	7.05	7.89	10.50	24.00	Pass
	151	5755	6.32	7.11	9.74	30.00	Pass
	159	5795	6.89	8.62	10.85	30.00	Pass
802.11ax-HE40 RU242-62	38	5190	8.18	8.91	11.57	24.00	Pass
	46	5230	7.72	8.32	11.04	24.00	Pass
	54	5270	7.68	8.43	11.08	24.00	Pass
	62	5310	7.66	8.24	10.97	24.00	Pass
	102	5510	7.34	8.72	11.09	24.00	Pass
	110	5550	9.12	9.51	12.33	24.00	Pass
	134	5670	7.43	8.11	10.79	24.00	Pass
	151	5755	6.34	7.35	9.88	30.00	Pass
	159	5795	6.78	7.47	10.15	30.00	Pass
802.11ax-HE80 RU484-65	42	5210	9.87	10.14	13.02	24.00	Pass
	58	5290	6.24	7.37	9.85	24.00	Pass
	106	5530	6.98	7.54	10.28	24.00	Pass
	122	5610	6.62	7.13	9.89	24.00	Pass
	155	5775	8.68	9.72	12.24	30.00	Pass
802.11ax-HE80 RU484-66	42	5210	10.03	10.15	13.10	24.00	Pass
	58	5290	6.51	7.67	10.14	24.00	Pass
	106	5530	7.11	7.85	10.51	24.00	Pass
	122	5610	6.89	7.46	10.19	24.00	Pass
	155	5775	9.03	9.98	12.54	30.00	Pass

Appendix F: Maximum Power Spectral Density

TestMode	Frequency[MHz]	Result [dBm/MHz]		Limit[dBm/MHz]		Verdict
		SISO	MIMO	SISO	MIMO	
11A	5180	8.28	N/A	≤11.00	N/A	PASS
11A	5200	7.65		≤11.00		PASS
11A	5240	8.33		≤11.00		PASS
11A	5260	8.62		≤11.00		PASS
11A	5280	8.79		≤11.00		PASS
11A	5320	8.98		≤11.00		PASS
11A	5500	7.96		≤11.00		PASS
11A	5580	6.71		≤11.00		PASS
11A	5700	7.77		≤11.00		PASS
11A	5745	3.56		≤30.00		PASS
11A	5785	2.86		≤30.00		PASS
11A	5825	3.89		≤30.00		PASS
11N20	5180	2.40	5.41	≤11.00	≤9.92	PASS
11N20	5200	2.17	5.18	≤11.00	≤9.92	PASS
11N20	5240	2.39	5.40	≤11.00	≤9.92	PASS
11N20	5260	2.30	5.31	≤11.00	≤9.92	PASS
11N20	5280	1.99	5.00	≤11.00	≤9.92	PASS
11N20	5320	2.73	5.74	≤11.00	≤9.92	PASS
11N20	5500	2.99	6.00	≤11.00	≤9.92	PASS
11N20	5580	2.27	5.28	≤11.00	≤9.92	PASS
11N20	5700	1.87	4.88	≤11.00	≤9.92	PASS
11N20	5745	-1.28	1.73	≤30.00	≤28.92	PASS
11N20	5785	-2.06	0.95	≤30.00	≤9.92	PASS
11N20	5825	-1.69	1.32	≤30.00	≤9.92	PASS
11N40	5190	-1.49	1.52	≤11.00	≤9.92	PASS
11N40	5230	-1.85	1.16	≤11.00	≤9.92	PASS
11N40	5270	-1.24	1.77	≤11.00	≤9.92	PASS
11N40	5310	-0.94	2.07	≤11.00	≤9.92	PASS
11N40	5510	-0.09	2.92	≤11.00	≤9.92	PASS
11N40	5550	-0.51	2.50	≤11.00	≤9.92	PASS
11N40	5670	-2.16	0.85	≤11.00	≤9.92	PASS
11N40	5755	-4.37	-1.36	≤30.00	≤28.92	PASS
11N40	5795	-4.38	-1.37	≤30.00	≤28.92	PASS
11AC20	5180	2.09	5.10	≤11.00	≤9.92	PASS
11AC20	5200	0.49	3.50	≤11.00	≤9.92	PASS
11AC20	5240	2.28	5.29	≤11.00	≤9.92	PASS
11AC20	5260	2.37	5.38	≤11.00	≤9.92	PASS
11AC20	5280	2.70	5.71	≤11.00	≤9.92	PASS
11AC20	5320	2.22	5.23	≤11.00	≤9.92	PASS
11AC20	5500	3.39	6.40	≤11.00	≤9.92	PASS
11AC20	5580	2.82	5.83	≤11.00	≤9.92	PASS
11AC20	5700	1.64	4.65	≤11.00	≤9.92	PASS
11AC20	5745	-0.54	2.47	≤30.00	≤28.92	PASS
11AC20	5785	-1.05	1.96	≤30.00	≤28.92	PASS
11AC20	5825	-1.62	1.39	≤30.00	≤28.92	PASS
11AC40	5190	-1.80	1.21	≤11.00	≤9.92	PASS
11AC40	5230	-1.16	1.85	≤11.00	≤9.92	PASS


11AC40	5270	-0.65	2.36	≤11.00	≤9.92	PASS
11AC40	5310	-0.60	2.41	≤11.00	≤9.92	PASS
11AC40	5510	0.22	3.23	≤11.00	≤9.92	PASS
11AC40	5550	-0.22	2.79	≤11.00	≤9.92	PASS
11AC40	5670	-0.99	2.02	≤11.00	≤9.92	PASS
11AC40	5755	-5.10	-2.09	≤30.00	≤28.92	PASS
11AC40	5795	-3.67	-0.66	≤30.00	≤28.92	PASS
11AC80	5210	-4.00	-0.99	≤11.00	≤9.92	PASS
11AC80	5290	-3.45	-0.44	≤11.00	≤9.92	PASS
11AC80	5530	-5.20	-2.19	≤11.00	≤9.92	PASS
11AC80	5610	-3.91	-0.90	≤11.00	≤9.92	PASS
11AC80	5775	-8.36	-5.35	≤30.00	≤28.92	PASS
11AX20	5180	0.68	3.69	≤11.00	≤9.92	PASS
11AX20	5200	1.19	4.20	≤11.00	≤9.92	PASS
11AX20	5240	2.00	5.01	≤11.00	≤9.92	PASS
11AX20	5260	1.09	4.10	≤11.00	≤9.92	PASS
11AX20	5280	0.87	3.88	≤11.00	≤9.92	PASS
11AX20	5320	1.78	4.79	≤11.00	≤9.92	PASS
11AX20	5500	1.95	4.96	≤11.00	≤9.92	PASS
11AX20	5580	1.56	4.57	≤11.00	≤9.92	PASS
11AX20	5700	0.71	3.72	≤11.00	≤9.92	PASS
11AX20	5745	-2.22	0.79	≤30.00	≤28.92	PASS
11AX20	5785	-2.71	0.30	≤30.00	≤28.92	PASS
11AX20	5825	-2.17	0.84	≤30.00	≤28.92	PASS
11AX40	5190	-2.69	0.32	≤11.00	≤9.92	PASS
11AX40	5230	-2.35	0.66	≤11.00	≤9.92	PASS
11AX40	5270	-2.11	0.90	≤11.00	≤9.92	PASS
11AX40	5310	-2.01	1.00	≤11.00	≤9.92	PASS
11AX40	5510	-0.41	2.60	≤11.00	≤9.92	PASS
11AX40	5550	-0.45	2.56	≤11.00	≤9.92	PASS
11AX40	5670	-2.44	0.57	≤11.00	≤9.92	PASS
11AX40	5755	-6.53	-3.52	≤30.00	≤28.92	PASS
11AX40	5795	-4.69	-1.68	≤30.00	≤28.92	PASS
11AX80	5210	-4.71	-1.7	≤11.00	≤9.92	PASS
11AX80	5290	-6.40	-3.39	≤11.00	≤9.92	PASS
11AX80	5530	-5.01	-2.00	≤11.00	≤9.92	PASS
11AX80	5610	-5.78	-2.77	≤11.00	≤9.92	PASS
11AX80	5775	-11.07	-8.06	≤30.00	≤28.92	PASS

Note1: For 5150-5725MHz, MIMO Limit = 11dBm/MHz - (6dBi-7.08dBi).


Note2: For 5725-5850MHz, MIMO Limit = 30dBm/MHz - (6dBi-7.08dBi).

Note3: For SISO mode, we evaluated WIFI0 and WIFI1. Since WIFI1 has higher output power, the test data is based on WIFI1.


Note4: CDD PSD = SISO PSD + 10*Log(N), N = Antenna number.




11A-5180-PASS



11A-5200-PASS




11A-5240-PASS




11A-5260-PASS



11A-5280-PASS




11A-5320-PASS




11A-5500-PASS




11A-5580-PASS




11A-5700-PASS



11A-5745-PASS



11A-5785-PASS



11A-5825-PASS