



Transmit at 5320MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.3	45.25	9.990	74.00	28.75	PK	Horizo	PASS
2	5379.94	37.3	47.36	10.040	74.00	26.64	PK	Horizo	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	34.3	44.26	9.990	74.00	29.74	PK	Vertic	PASS
2	5388.56	37.7	47.76	10.060	74.00	26.24	PK	Vertic	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	26.1	36.05	9.990	54.00	17.95	AV	Horizo	PASS
2	5368.07	26.9	36.90	10.020	54.00	17.10	AV	Horizo	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	26.2	36.20	9.990	54.00	17.80	AV	Vertic	PASS
2	5369.74	26.7	36.67	10.020	54.00	17.33	AV	Vertic	PASS


Transmit at 5500MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	36.2	46.51	10.300	68.30	21.79	PK	Horizo	PASS
2	5464.24	38.4	48.69	10.320	68.30	19.61	PK	Horizo	PASS


Transmit at 5500MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	36.7	46.95	10.300	68.30	21.35	PK	Vertic	PASS
2	5465.04	38.4	48.73	10.320	68.30	19.57	PK	Vertic	PASS


Transmit at 5500MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5421.78	26.7	36.81	10.160	54.00	17.19	AV	Horizo	PASS
2	5460.00	26.5	36.79	10.300	54.00	17.21	AV	Horizo	PASS


Transmit at 5500MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5433.02	26.9	37.05	10.200	54.00	16.95	AV	Vertic	PASS
2	5460.00	26.2	36.50	10.300	54.00	17.50	AV	Vertic	PASS


Transmit at 5700MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	36.6	48.43	11.830	68.30	19.87	PK	Horizo	PASS
2	5737.00	38.3	50.19	11.870	68.30	18.11	PK	Horizo	PASS


Transmit at 5700MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	36.9	48.76	11.830	68.30	19.54	PK	Vertic	PASS
2	5732.25	39.6	51.49	11.860	68.30	16.81	PK	Vertic	PASS


Transmit at 5745MHz by 802.11ax(20MHz) with 26-0



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.86	38.9	50.02	11.170	68.30	18.28	PK	Horizo	PASS
2	5667.74	38.5	49.93	11.460	81.46	31.53	PK	Horizo	PASS
3	5695.53	38.6	50.26	11.710	102.00	51.74	PK	Horizo	PASS
4	5718.11	38.7	50.48	11.810	110.37	59.89	PK	Horizo	PASS
5	5855.43	38.4	50.58	12.170	110.78	60.20	PK	Horizo	PASS
6	5875.58	39.3	51.53	12.190	104.87	53.34	PK	Horizo	PASS
7	5895.08	38.8	50.95	12.200	90.41	39.46	PK	Horizo	PASS
8	5934.08	39.0	51.26	12.250	68.30	17.04	PK	Horizo	PASS


Transmit at 5745MHz by 802.11ax(20MHz) with 26-0



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.60	38.2	49.38	11.210	68.30	18.92	PK	Vertic	PASS
2	5676.51	38.7	50.18	11.530	87.96	37.78	PK	Vertic	PASS
3	5704.14	38.3	50.07	11.760	106.46	56.39	PK	Vertic	PASS
4	5720.39	38.6	50.43	11.820	111.78	61.35	PK	Vertic	PASS
5	5859.16	38.2	50.41	12.170	109.73	59.32	PK	Vertic	PASS
6	5871.68	38.9	51.06	12.180	106.23	55.17	PK	Vertic	PASS
7	5902.23	38.6	50.85	12.210	85.11	34.26	PK	Vertic	PASS
8	5936.35	38.7	50.95	12.250	68.30	17.35	PK	Vertic	PASS


Transmit at 5825MHz by 802.11ax(20MHz) with 26-0



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.44	38.4	49.57	11.210	68.30	18.73	PK	Horizo	PASS
2	5674.56	38.2	49.73	11.520	86.52	36.79	PK	Horizo	PASS
3	5697.48	38.2	49.91	11.730	103.44	53.53	PK	Horizo	PASS
4	5716.81	38.2	50.03	11.810	110.01	59.98	PK	Horizo	PASS
5	5858.35	38.4	50.52	12.170	109.96	59.44	PK	Horizo	PASS
6	5867.45	38.4	50.59	12.180	107.41	56.82	PK	Horizo	PASS
7	5898.33	37.9	50.12	12.210	88.00	37.88	PK	Horizo	PASS
8	5935.21	38.6	50.87	12.250	68.30	17.43	PK	Horizo	PASS


Transmit at 5825MHz by 802.11ax(20MHz) with 26-0



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5632.96	38.3	49.43	11.140	68.30	18.87	PK	Vertic	PASS
2	5672.94	38.6	50.14	11.500	85.31	35.17	PK	Vertic	PASS
3	5706.58	38.1	49.84	11.770	107.14	57.30	PK	Vertic	PASS
4	5716.49	38.3	50.15	11.810	109.92	59.77	PK	Vertic	PASS
5	5858.84	38.4	50.59	12.170	109.82	59.23	PK	Vertic	PASS
6	5868.59	38.7	50.90	12.180	107.09	56.19	PK	Vertic	PASS
7	5897.35	38.4	50.61	12.210	88.72	38.11	PK	Vertic	PASS
8	5933.91	39.0	51.21	12.250	68.30	17.09	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 52-37




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.79	38.6	49.81	11.190	68.30	18.49	PK	Horizo	PASS
2	5678.30	38.4	49.95	11.550	89.28	39.33	PK	Horizo	PASS
3	5706.41	38.3	50.11	11.770	107.10	56.99	PK	Horizo	PASS
4	5715.84	38.8	50.55	11.800	109.74	59.19	PK	Horizo	PASS
5	5855.43	38.1	50.24	12.170	110.78	60.54	PK	Horizo	PASS
6	5870.21	38.1	50.31	12.180	106.64	56.33	PK	Horizo	PASS
7	5917.83	38.7	50.91	12.220	73.59	22.68	PK	Horizo	PASS
8	5936.19	38.8	51.06	12.250	68.30	17.24	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 52-37




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.06	38.9	50.08	11.220	68.30	18.22	PK	Vertic	PASS
2	5684.64	38.7	50.27	11.610	93.97	43.70	PK	Vertic	PASS
3	5707.06	38.2	49.98	11.770	107.28	57.30	PK	Vertic	PASS
4	5721.04	38.5	50.36	11.820	113.27	62.91	PK	Vertic	PASS
5	5855.59	38.2	50.37	12.170	110.74	60.37	PK	Vertic	PASS
6	5872.65	38.0	50.15	12.180	105.96	55.81	PK	Vertic	PASS
7	5901.58	38.1	50.28	12.210	85.60	35.32	PK	Vertic	PASS
8	5940.41	38.5	50.76	12.250	68.30	17.54	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with 52-37*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.79	38.2	49.42	11.190	68.30	18.88	PK	Horizo	PASS
2	5676.19	38.7	50.20	11.530	87.72	37.52	PK	Horizo	PASS
3	5709.34	38.3	50.07	11.790	107.92	57.85	PK	Horizo	PASS
4	5716.49	39.2	50.96	11.810	109.92	58.96	PK	Horizo	PASS
5	5856.56	38.0	50.16	12.160	110.46	60.30	PK	Horizo	PASS
6	5865.34	38.1	50.32	12.180	108.00	57.68	PK	Horizo	PASS
7	5893.61	38.4	50.62	12.210	91.49	40.87	PK	Horizo	PASS
8	5930.99	38.7	50.98	12.240	68.30	17.32	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with 52-37



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5633.29	39.3	50.39	11.140	68.30	17.91	PK	Vertic	PASS
2	5678.14	38.7	50.28	11.550	89.16	38.88	PK	Vertic	PASS
3	5709.83	38.0	49.82	11.790	108.05	58.23	PK	Vertic	PASS
4	5718.76	38.8	50.59	11.810	110.55	59.96	PK	Vertic	PASS
5	5855.43	38.7	50.91	12.170	110.78	59.87	PK	Vertic	PASS
6	5869.89	38.6	50.77	12.180	106.73	55.96	PK	Vertic	PASS
7	5897.19	38.3	50.49	12.200	88.84	38.35	PK	Vertic	PASS
8	5932.78	38.9	51.19	12.250	68.30	17.11	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 106-53*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.60	38.6	49.85	11.210	68.30	18.45	PK	Horizo	PASS
2	5663.51	38.9	50.27	11.420	78.33	28.06	PK	Horizo	PASS
3	5710.64	38.0	49.78	11.790	108.28	58.50	PK	Horizo	PASS
4	5719.58	38.3	50.06	11.810	110.78	60.72	PK	Horizo	PASS
5	5852.34	37.8	49.94	12.160	116.97	67.03	PK	Horizo	PASS
6	5860.79	38.1	50.28	12.170	109.28	59.00	PK	Horizo	PASS
7	5897.19	38.1	50.28	12.200	88.84	38.56	PK	Horizo	PASS
8	5924.98	38.2	50.43	12.230	68.32	17.89	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 106-53


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.25	38.8	49.96	11.210	68.30	18.34	PK	Vertic	PASS
2	5682.36	38.7	50.31	11.590	92.29	41.98	PK	Vertic	PASS
3	5706.09	38.7	50.50	11.770	107.01	56.51	PK	Vertic	PASS
4	5721.69	38.6	50.38	11.820	114.75	64.37	PK	Vertic	PASS
5	5859.33	39.1	51.23	12.170	109.69	58.46	PK	Vertic	PASS
6	5873.95	38.7	50.85	12.180	105.59	54.74	PK	Vertic	PASS
7	5906.78	38.3	50.47	12.220	81.75	31.28	PK	Vertic	PASS
8	5931.31	38.6	50.84	12.250	68.30	17.46	PK	Vertic	PASS


Transmit at 5825MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.79	38.5	49.68	11.190	68.30	18.62	PK	Horizo	PASS
2	5675.86	38.3	49.83	11.530	87.48	37.65	PK	Horizo	PASS
3	5712.91	39.1	50.86	11.800	108.92	58.06	PK	Horizo	PASS
4	5722.18	38.3	50.08	11.820	115.86	65.78	PK	Horizo	PASS
5	5853.48	38.2	50.35	12.170	114.38	64.03	PK	Horizo	PASS
6	5868.43	38.6	50.81	12.180	107.14	56.33	PK	Horizo	PASS
7	5896.38	38.4	50.59	12.200	89.44	38.85	PK	Horizo	PASS
8	5933.91	38.0	50.20	12.250	68.30	18.10	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with 106-53



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.95	38.2	49.38	11.200	68.30	18.92	PK	Vertic	PASS
2	5681.06	38.7	50.26	11.580	91.32	41.06	PK	Vertic	PASS
3	5707.23	37.8	49.57	11.770	107.33	57.76	PK	Vertic	PASS
4	5722.83	38.1	49.94	11.820	117.34	67.40	PK	Vertic	PASS
5	5853.15	38.0	50.13	12.170	115.12	64.99	PK	Vertic	PASS
6	5872.33	38.4	50.59	12.180	106.05	55.46	PK	Vertic	PASS
7	5898.49	37.6	49.82	12.210	87.88	38.06	PK	Vertic	PASS
8	5932.29	39.3	51.54	12.250	68.30	16.76	PK	Vertic	PASS

Note:

- 1.Level=Reading+Factor
2. Margin=Limit-Level.


FPC Antenna:

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5140.49	43.9	53.86	10.010	74.00	20.14	PK	Horizo	PASS
2	5150.00	39.5	49.47	10.020	74.00	24.53	PK	Horizo	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5030.96	39.2	49.05	9.880	74.00	24.95	PK	Vertic	PASS
2	5150.00	37.9	47.87	10.020	74.00	26.13	PK	Vertic	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5023.45	30.6	40.43	9.850	54.00	13.57	AV	Horizo	PASS
2	5150.00	31.8	41.84	10.020	54.00	12.16	AV	Horizo	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4974.72	27.5	37.14	9.640	54.00	16.86	AV	Vertic	PASS
2	5150.00	28.3	38.33	10.020	54.00	15.67	AV	Vertic	PASS


FIFA Antenna:

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5121.26	46.0	55.97	10.010	74.00	18.03	PK	Horizo	PASS
2	5150.00	43.2	53.19	10.020	74.00	20.81	PK	Horizo	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5084.86	40.9	50.85	9.980	74.00	23.15	PK	Vertic	PASS
2	5150.00	39.4	49.38	10.020	74.00	24.62	PK	Vertic	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5016.64	28.4	38.19	9.830	54.00	15.81	AV	Horizo	PASS
2	5150.00	32.2	42.20	10.020	54.00	11.80	AV	Horizo	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4970.75	27.6	37.26	9.630	54.00	16.74	AV	Vertic	PASS
2	5150.00	29.6	39.57	10.020	54.00	14.43	AV	Vertic	PASS

PCB Antenna:
Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5138.85	45.0	55.03	10.010	74.00	18.97	PK	Horizo	PASS
2	5150.00	43.3	53.35	10.020	74.00	20.65	PK	Horizo	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4996.20	37.4	47.15	9.750	74.00	26.85	PK	Vertic	PASS
2	5150.00	37.3	47.30	10.020	74.00	26.70	PK	Vertic	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5075.12	33.8	43.77	9.970	54.00	10.23	AV	Horizo	PASS
2	5150.00	35.0	45.02	10.020	54.00	8.98	AV	Horizo	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5112.12	29.5	39.49	10.010	54.00	14.51	AV	Vertic	PASS
2	5150.00	29.4	39.40	10.020	54.00	14.60	AV	Vertic	PASS

The End