


Transmit at 2437MHz by 802.11b with Ant2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.50	62.8	48.31	-14.520	74.00	25.69	PK	Horizo	PASS
2	3250.00	61.1	46.61	-14.520	54.00	7.39	AV	Horizo	PASS
3	4874.00	56.6	50.28	-6.350	74.00	23.72	PK	Horizo	PASS
4	4874.00	52.3	45.98	-6.350	54.00	8.02	AV	Horizo	PASS
5	7311.00	37.9	36.78	-1.110	54.00	17.22	AV	Horizo	PASS
6	7311.00	45.8	44.71	-1.110	74.00	29.29	PK	Horizo	PASS
7	9748.00	41.8	43.78	1.950	74.00	30.22	PK	Horizo	PASS
8	9748.00	33.9	35.87	1.950	54.00	18.13	AV	Horizo	PASS

Transmit at 2437MHz by 802.11b with Ant2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.00	61.0	46.50	-14.520	74.00	27.50	PK	Vertic	PASS
2	3250.00	58.1	43.56	-14.520	54.00	10.44	AV	Vertic	PASS
3	4874.00	54.4	48.02	-6.350	74.00	25.98	PK	Vertic	PASS
4	4874.00	48.5	42.10	-6.350	54.00	11.90	AV	Vertic	PASS
5	7311.00	45.2	44.04	-1.110	74.00	29.96	PK	Vertic	PASS
6	7311.00	37.9	36.75	-1.110	54.00	17.25	AV	Vertic	PASS
7	9748.00	34.2	36.13	1.950	54.00	17.87	AV	Vertic	PASS
8	9748.00	43.5	45.49	1.950	74.00	28.51	PK	Vertic	PASS


Transmit at 2462MHz by 802.11b with Ant2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3282.50	58.3	43.74	-14.510	74.00	30.26	PK	Horizo	PASS
2	3283.00	54.5	39.96	-14.510	54.00	14.04	AV	Horizo	PASS
3	4924.00	53.5	47.32	-6.130	74.00	26.68	PK	Horizo	PASS
4	4924.00	48.4	42.25	-6.130	54.00	11.75	AV	Horizo	PASS
5	7386.00	45.7	45.11	-0.610	74.00	28.89	PK	Horizo	PASS
6	7386.00	36.9	36.33	-0.610	54.00	17.67	AV	Horizo	PASS
7	9848.00	41.9	44.17	2.260	74.00	29.83	PK	Horizo	PASS
8	9848.00	33.4	35.63	2.260	54.00	18.37	AV	Horizo	PASS

Transmit at 2462MHz by 802.11b with Ant2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3282.50	55.8	41.28	-14.510	74.00	32.72	PK	Vertic	PASS
2	3283.00	52.6	38.13	-14.510	54.00	15.87	AV	Vertic	PASS
3	4924.00	52.0	45.89	-6.130	74.00	28.11	PK	Vertic	PASS
4	4924.00	46.6	40.48	-6.130	54.00	13.52	AV	Vertic	PASS
5	7386.00	45.5	44.93	-0.610	74.00	29.07	PK	Vertic	PASS
6	7386.00	37.4	36.75	-0.610	54.00	17.25	AV	Vertic	PASS
7	9848.00	33.6	35.87	2.260	54.00	18.13	AV	Vertic	PASS
8	9848.00	42.0	44.28	2.260	74.00	29.72	PK	Vertic	PASS


Transmit at 2412MHz by 802.11g with Ant2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3216.00	60.0	45.51	-14.470	74.00	28.49	PK	Horizo	PASS
2	3216.50	57.8	43.31	-14.470	54.00	10.69	AV	Horizo	PASS
3	4822.50	57.5	50.66	-6.800	74.00	23.34	PK	Horizo	PASS
4	4824.00	47.9	41.15	-6.790	54.00	12.85	AV	Horizo	PASS
5	7236.00	36.4	34.89	-1.520	54.00	19.11	AV	Horizo	PASS
6	7236.00	43.9	42.41	-1.520	74.00	31.59	PK	Horizo	PASS
7	9648.00	33.0	34.76	1.800	54.00	19.24	AV	Horizo	PASS
8	9648.00	41.7	43.52	1.800	74.00	30.48	PK	Horizo	PASS

Transmit at 2412MHz by 802.11g with Ant2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3216.00	57.5	43.00	-14.470	74.00	31.00	PK	Vertic	PASS
2	3216.50	54.7	40.24	-14.470	54.00	13.76	AV	Vertic	PASS
3	4824.00	43.3	36.51	-6.790	54.00	17.49	AV	Vertic	PASS
4	4824.50	53.6	46.80	-6.780	74.00	27.20	PK	Vertic	PASS
5	7236.00	36.2	34.65	-1.520	54.00	19.35	AV	Vertic	PASS
6	7236.00	46.7	45.18	-1.520	74.00	28.82	PK	Vertic	PASS
7	9648.00	33.7	35.45	1.800	54.00	18.55	AV	Vertic	PASS
8	9648.00	40.1	41.92	1.800	74.00	32.08	PK	Vertic	PASS

Transmit at 2437MHz by 802.11g with Ant2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.00	57.9	43.39	-14.520	74.00	30.61	PK	Horizo	PASS
2	3249.50	54.2	39.71	-14.520	54.00	14.29	AV	Horizo	PASS
3	4870.50	53.1	46.73	-6.380	74.00	27.27	PK	Horizo	PASS
4	4874.00	42.7	36.36	-6.350	54.00	17.64	AV	Horizo	PASS
5	7311.00	36.4	35.30	-1.110	54.00	18.70	AV	Horizo	PASS
6	7311.00	48.9	47.79	-1.110	74.00	26.21	PK	Horizo	PASS
7	9748.00	43.1	45.00	1.950	74.00	29.00	PK	Horizo	PASS
8	9748.00	33.3	35.27	1.950	54.00	18.73	AV	Horizo	PASS


Transmit at 2437MHz by 802.11g with Ant2



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.00	55.4	40.85	-14.520	74.00	33.15	PK	Vertic	PASS
2	3249.50	51.9	37.39	-14.520	54.00	16.61	AV	Vertic	PASS
3	4874.00	41.1	34.75	-6.350	54.00	19.25	AV	Vertic	PASS
4	4880.00	51.2	44.90	-6.290	74.00	29.10	PK	Vertic	PASS
5	7311.00	35.9	34.82	-1.110	54.00	19.18	AV	Vertic	PASS
6	7311.00	44.6	43.52	-1.110	74.00	30.48	PK	Vertic	PASS
7	9748.00	33.5	35.44	1.950	54.00	18.56	AV	Vertic	PASS
8	9748.00	41.4	43.34	1.950	74.00	30.66	PK	Vertic	PASS

Transmit at 2462MHz by 802.11g with Ant2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3282.50	59.8	45.27	-14.510	74.00	28.73	PK	Horizo	PASS
2	3283.00	57.6	43.11	-14.510	54.00	10.89	AV	Horizo	PASS
3	4914.50	51.4	45.23	-6.120	74.00	28.77	PK	Horizo	PASS
4	4924.00	41.6	35.45	-6.130	54.00	18.55	AV	Horizo	PASS
5	7386.00	36.3	35.64	-0.610	54.00	18.36	AV	Horizo	PASS
6	7386.00	45.6	44.94	-0.610	74.00	29.06	PK	Horizo	PASS
7	9848.00	33.1	35.37	2.260	54.00	18.63	AV	Horizo	PASS
8	9848.00	42.3	44.58	2.260	74.00	29.42	PK	Horizo	PASS

Transmit at 2462MHz by 802.11g with Ant2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3283.00	55.1	40.62	-14.510	54.00	13.38	AV	Vertic	PASS
2	3283.00	57.9	43.35	-14.510	74.00	30.65	PK	Vertic	PASS
3	4922.50	49.3	43.21	-6.130	74.00	30.79	PK	Vertic	PASS
4	4924.00	39.2	33.09	-6.130	54.00	20.91	AV	Vertic	PASS
5	7386.00	43.8	43.14	-0.610	74.00	30.86	PK	Vertic	PASS
6	7386.00	37.7	37.06	-0.610	54.00	16.94	AV	Vertic	PASS
7	9848.00	42.0	44.26	2.260	74.00	29.74	PK	Vertic	PASS
8	9848.00	33.1	35.37	2.260	54.00	18.63	AV	Vertic	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequeuncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3216.00	59.1	44.64	-14.470	74.00	29.36	PK	Horizo	PASS
2	3216.50	56.3	41.86	-14.470	54.00	12.14	AV	Horizo	PASS
3	4824.00	50.1	43.27	-6.790	74.00	30.73	PK	Horizo	PASS
4	4824.00	40.5	33.71	-6.790	54.00	20.29	AV	Horizo	PASS
5	7236.00	44.9	43.34	-1.520	74.00	30.66	PK	Horizo	PASS
6	7236.00	36.1	34.54	-1.520	54.00	19.46	AV	Horizo	PASS
7	9648.00	33.3	35.14	1.800	54.00	18.86	AV	Horizo	PASS
8	9648.00	42.7	44.48	1.800	74.00	29.52	PK	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequeuncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3216.50	57.0	42.55	-14.470	74.00	31.45	PK	Vertic	PASS
2	3216.50	53.8	39.35	-14.470	54.00	14.65	AV	Vertic	PASS
3	4822.50	49.8	43.03	-6.800	74.00	30.97	PK	Vertic	PASS
4	4824.00	40.5	33.67	-6.790	54.00	20.33	AV	Vertic	PASS
5	7236.00	37.5	36.02	-1.520	54.00	17.98	AV	Vertic	PASS
6	7236.00	44.0	42.46	-1.520	74.00	31.54	PK	Vertic	PASS
7	9648.00	33.2	35.03	1.800	54.00	18.97	AV	Vertic	PASS
8	9648.00	40.8	42.58	1.800	74.00	31.42	PK	Vertic	PASS


Transmit at 2437MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.00	62.2	47.65	-14.520	74.00	26.35	PK	Horizo	PASS
2	3250.00	60.5	45.98	-14.520	54.00	8.02	AV	Horizo	PASS
3	4874.00	38.9	32.50	-6.350	54.00	21.50	AV	Horizo	PASS
4	4874.00	48.1	41.70	-6.350	74.00	32.30	PK	Horizo	PASS
5	6498.50	49.7	47.04	-2.610	74.00	26.96	PK	Horizo	PASS
6	6499.00	44.8	42.15	-2.610	54.00	11.85	AV	Horizo	PASS
7	7311.00	35.6	34.45	-1.110	54.00	19.55	AV	Horizo	PASS
8	7311.00	43.8	42.66	-1.110	74.00	31.34	PK	Horizo	PASS
9	9748.00	33.8	35.71	1.950	54.00	18.29	AV	Horizo	PASS
10	9748.00	41.9	43.82	1.950	74.00	30.18	PK	Horizo	PASS

Transmit at 2437MHz by 802.11n(20MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.50	58.7	44.15	-14.520	74.00	29.85	PK	Vertic	PASS
2	3249.50	55.6	41.12	-14.520	54.00	12.88	AV	Vertic	PASS
3	4874.00	48.0	41.64	-6.350	74.00	32.36	PK	Vertic	PASS
4	4874.00	38.6	32.21	-6.350	54.00	21.79	AV	Vertic	PASS
5	7311.00	43.9	42.74	-1.110	74.00	31.26	PK	Vertic	PASS
6	7311.00	35.7	34.55	-1.110	54.00	19.45	AV	Vertic	PASS
7	9748.00	34.2	36.14	1.950	54.00	17.86	AV	Vertic	PASS
8	9748.00	41.5	43.44	1.950	74.00	30.56	PK	Vertic	PASS


Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3282.50	59.3	44.78	-14.510	74.00	29.22	PK	Horizo	PASS
2	3283.00	56.6	42.10	-14.510	54.00	11.90	AV	Horizo	PASS
3	4924.00	50.0	43.88	-6.130	74.00	30.12	PK	Horizo	PASS
4	4924.00	40.1	33.92	-6.130	54.00	20.08	AV	Horizo	PASS
5	7386.00	43.7	43.11	-0.610	74.00	30.89	PK	Horizo	PASS
6	7386.00	35.6	34.96	-0.610	54.00	19.04	AV	Horizo	PASS
7	9848.00	33.0	35.26	2.260	54.00	18.74	AV	Horizo	PASS
8	9848.00	42.8	45.10	2.260	74.00	28.90	PK	Horizo	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2


Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3282.50	57.2	42.67	-14.510	74.00	31.33	PK	Vertic	PASS
2	3283.00	53.8	39.25	-14.510	54.00	14.75	AV	Vertic	PASS
3	4924.00	40.1	34.00	-6.130	54.00	20.00	AV	Vertic	PASS
4	4925.00	51.8	45.70	-6.120	74.00	28.30	PK	Vertic	PASS
5	7386.00	35.9	35.27	-0.610	54.00	18.73	AV	Vertic	PASS
6	7386.00	44.3	43.69	-0.610	74.00	30.31	PK	Vertic	PASS
7	9848.00	33.5	35.71	2.260	54.00	18.29	AV	Vertic	PASS
8	9848.00	41.9	44.11	2.260	74.00	29.89	PK	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3216.00	61.3	46.81	-14.470	74.00	27.19	PK	Horizo	PASS
2	3216.50	59.8	45.34	-14.470	54.00	8.66	AV	Horizo	PASS
3	4818.00	50.6	43.80	-6.820	74.00	30.20	PK	Horizo	PASS
4	4824.00	40.1	33.32	-6.790	54.00	20.68	AV	Horizo	PASS
5	7236.00	44.9	43.36	-1.520	74.00	30.64	PK	Horizo	PASS
6	7236.00	36.3	34.80	-1.520	54.00	19.20	AV	Horizo	PASS
7	9648.00	41.7	43.46	1.800	74.00	30.54	PK	Horizo	PASS
8	9648.00	33.5	35.29	1.800	54.00	18.71	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3216.00	59.7	45.24	-14.470	74.00	28.76	PK	Vertic	PASS
2	3216.50	58.2	43.71	-14.470	54.00	10.29	AV	Vertic	PASS
3	4822.00	50.0	43.23	-6.800	74.00	30.77	PK	Vertic	PASS
4	4824.00	39.1	32.28	-6.790	54.00	21.72	AV	Vertic	PASS
5	7236.00	36.6	35.07	-1.520	54.00	18.93	AV	Vertic	PASS
6	7236.00	44.8	43.27	-1.520	74.00	30.73	PK	Vertic	PASS
7	9648.00	33.6	35.40	1.800	54.00	18.60	AV	Vertic	PASS
8	9648.00	42.3	44.06	1.800	74.00	29.94	PK	Vertic	PASS


Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.00	61.6	47.12	-14.520	74.00	26.88	PK	Horizo	PASS
2	3250.00	58.7	44.21	-14.520	54.00	9.79	AV	Horizo	PASS
3	4874.00	47.1	40.71	-6.350	74.00	33.29	PK	Horizo	PASS
4	4874.00	39.4	33.04	-6.350	54.00	20.96	AV	Horizo	PASS
5	7311.00	44.2	43.09	-1.110	74.00	30.91	PK	Horizo	PASS
6	7311.00	36.7	35.54	-1.110	54.00	18.46	AV	Horizo	PASS
7	9748.00	34.2	36.17	1.950	54.00	17.83	AV	Horizo	PASS
8	9748.00	41.9	43.82	1.950	74.00	30.18	PK	Horizo	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.50	58.0	43.51	-14.520	74.00	30.49	PK	Vertic	PASS
2	3250.00	55.0	40.49	-14.520	54.00	13.51	AV	Vertic	PASS
3	4874.00	46.4	40.04	-6.350	74.00	33.96	PK	Vertic	PASS
4	4874.00	38.7	32.36	-6.350	54.00	21.64	AV	Vertic	PASS
5	7311.00	44.3	43.15	-1.110	74.00	30.85	PK	Vertic	PASS
6	7311.00	35.5	34.41	-1.110	54.00	19.59	AV	Vertic	PASS
7	9748.00	34.5	36.46	1.950	54.00	17.54	AV	Vertic	PASS
8	9748.00	42.2	44.18	1.950	74.00	29.82	PK	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3283.00	57.3	42.76	-14.510	74.00	31.24	PK	Horizo	PASS
2	3283.00	54.6	40.10	-14.510	54.00	13.90	AV	Horizo	PASS
3	4924.00	39.2	33.04	-6.130	54.00	20.96	AV	Horizo	PASS
4	4925.00	49.3	43.22	-6.120	74.00	30.78	PK	Horizo	PASS
5	7386.00	36.9	36.33	-0.610	54.00	17.67	AV	Horizo	PASS
6	7386.00	44.3	43.64	-0.610	74.00	30.36	PK	Horizo	PASS
7	9848.00	33.4	35.65	2.260	54.00	18.35	AV	Horizo	PASS
8	9848.00	41.2	43.45	2.260	74.00	30.55	PK	Horizo	PASS


Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequeuncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3283.00	55.1	40.63	-14.510	74.00	33.37	PK	Vertic	PASS
2	3283.00	50.8	36.25	-14.510	54.00	17.75	AV	Vertic	PASS
3	4924.00	41.4	35.23	-6.130	54.00	18.77	AV	Vertic	PASS
4	4925.00	51.4	45.26	-6.120	74.00	28.74	PK	Vertic	PASS
5	7386.00	35.6	35.03	-0.610	54.00	18.97	AV	Vertic	PASS
6	7386.00	45.1	44.49	-0.610	74.00	29.51	PK	Vertic	PASS
7	9848.00	33.9	36.11	2.260	54.00	17.89	AV	Vertic	PASS
8	9848.00	43.1	45.37	2.260	74.00	28.63	PK	Vertic	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant1+2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3229.50	59.9	45.45	-14.490	74.00	28.55	PK	Horizo	PASS
2	3230.00	57.7	43.21	-14.490	54.00	10.79	AV	Horizo	PASS
3	4844.00	46.5	39.88	-6.630	74.00	34.12	PK	Horizo	PASS
4	4844.00	38.6	31.99	-6.630	54.00	22.01	AV	Horizo	PASS
5	7266.00	43.7	42.27	-1.380	74.00	31.73	PK	Horizo	PASS
6	7266.00	35.7	34.34	-1.380	54.00	19.66	AV	Horizo	PASS
7	9688.00	33.2	34.98	1.770	54.00	19.02	AV	Horizo	PASS
8	9688.00	42.4	44.18	1.770	74.00	29.82	PK	Horizo	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3229.50	57.7	43.21	-14.490	74.00	30.79	PK	Vertic	PASS
2	3230.00	54.2	39.73	-14.490	54.00	14.27	AV	Vertic	PASS
3	4844.00	46.5	39.89	-6.630	74.00	34.11	PK	Vertic	PASS
4	4844.00	38.4	31.79	-6.630	54.00	22.21	AV	Vertic	PASS
5	7266.00	44.2	42.85	-1.380	74.00	31.15	PK	Vertic	PASS
6	7266.00	35.9	34.48	-1.380	54.00	19.52	AV	Vertic	PASS
7	9688.00	33.5	35.26	1.770	54.00	18.74	AV	Vertic	PASS
8	9688.00	42.8	44.56	1.770	74.00	29.44	PK	Vertic	PASS


Transmit at 2437MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.00	63.1	48.61	-14.520	74.00	25.39	PK	Horizo	PASS
2	3250.00	61.1	46.59	-14.520	54.00	7.41	AV	Horizo	PASS
3	4874.00	37.7	31.30	-6.350	54.00	22.70	AV	Horizo	PASS
4	4874.00	46.5	40.16	-6.350	74.00	33.84	PK	Horizo	PASS
5	6498.50	49.2	46.55	-2.610	74.00	27.45	PK	Horizo	PASS
6	6499.00	45.2	42.61	-2.610	54.00	11.39	AV	Horizo	PASS
7	7311.00	36.0	34.89	-1.110	54.00	19.11	AV	Horizo	PASS
8	7311.00	43.7	42.56	-1.110	74.00	31.44	PK	Horizo	PASS
9	9748.00	33.7	35.69	1.950	54.00	18.31	AV	Horizo	PASS
10	9748.00	42.8	44.79	1.950	74.00	29.21	PK	Horizo	PASS

Transmit at 2437MHz by 802.11n(40MHz) with Ant1+2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.50	59.9	45.39	-14.520	74.00	28.61	PK	Vertic	PASS
2	3250.00	57.8	43.28	-14.520	54.00	10.72	AV	Vertic	PASS
3	4874.00	46.0	39.62	-6.350	74.00	34.38	PK	Vertic	PASS
4	4874.00	37.3	30.93	-6.350	54.00	23.07	AV	Vertic	PASS
5	7311.00	43.9	42.76	-1.110	74.00	31.24	PK	Vertic	PASS
6	7311.00	36.1	35.01	-1.110	54.00	18.99	AV	Vertic	PASS
7	9748.00	34.0	35.99	1.950	54.00	18.01	AV	Vertic	PASS
8	9748.00	42.4	44.37	1.950	74.00	29.63	PK	Vertic	PASS

Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3269.50	59.8	45.24	-14.510	74.00	28.76	PK	Horizo	PASS
2	3270.00	56.1	41.60	-14.510	54.00	12.40	AV	Horizo	PASS
3	4904.00	46.8	40.64	-6.110	74.00	33.36	PK	Horizo	PASS
4	4904.00	37.7	31.62	-6.110	54.00	22.38	AV	Horizo	PASS
5	7356.00	44.7	43.89	-0.770	74.00	30.11	PK	Horizo	PASS
6	7356.00	35.6	34.87	-0.770	54.00	19.13	AV	Horizo	PASS
7	9808.00	33.4	35.54	2.140	54.00	18.46	AV	Horizo	PASS
8	9808.00	41.5	43.62	2.140	74.00	30.38	PK	Horizo	PASS

Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequeuncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3269.50	55.9	41.41	-14.510	74.00	32.59	PK	Vertic	PASS
2	3270.00	51.8	37.32	-14.510	54.00	16.68	AV	Vertic	PASS
3	4904.00	46.0	39.85	-6.110	74.00	34.15	PK	Vertic	PASS
4	4904.00	38.0	31.85	-6.110	54.00	22.15	AV	Vertic	PASS
5	7356.00	44.5	43.72	-0.770	74.00	30.28	PK	Vertic	PASS
6	7356.00	36.2	35.42	-0.770	54.00	18.58	AV	Vertic	PASS
7	9808.00	33.5	35.59	2.140	54.00	18.41	AV	Vertic	PASS
8	9808.00	41.5	43.65	2.140	74.00	30.35	PK	Vertic	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3229.50	62.0	47.50	-14.490	74.00	26.50	PK	Horizo	PASS
2	3230.00	59.8	45.28	-14.490	54.00	8.72	AV	Horizo	PASS
3	4844.00	47.4	40.79	-6.630	74.00	33.21	PK	Horizo	PASS
4	4844.00	38.3	31.64	-6.630	54.00	22.36	AV	Horizo	PASS
5	7266.00	44.4	43.03	-1.380	74.00	30.97	PK	Horizo	PASS
6	7266.00	35.8	34.39	-1.380	54.00	19.61	AV	Horizo	PASS
7	9688.00	33.9	35.65	1.770	54.00	18.35	AV	Horizo	PASS
8	9688.00	41.4	43.15	1.770	74.00	30.85	PK	Horizo	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3229.00	58.8	44.30	-14.490	74.00	29.70	PK	Vertic	PASS
2	3230.00	56.3	41.84	-14.490	54.00	12.16	AV	Vertic	PASS
3	4844.00	46.9	40.26	-6.630	74.00	33.74	PK	Vertic	PASS
4	4844.00	38.2	31.54	-6.630	54.00	22.46	AV	Vertic	PASS
5	7266.00	45.0	43.61	-1.380	74.00	30.39	PK	Vertic	PASS
6	7266.00	35.7	34.35	-1.380	54.00	19.65	AV	Vertic	PASS
7	9688.00	33.6	35.37	1.770	54.00	18.63	AV	Vertic	PASS
8	9688.00	42.4	44.15	1.770	74.00	29.85	PK	Vertic	PASS

Transmit at 2437MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.00	62.9	48.40	-14.520	74.00	25.60	PK	Horizo	PASS
2	3250.00	60.4	45.83	-14.520	54.00	8.17	AV	Horizo	PASS
3	4874.00	45.9	39.52	-6.350	74.00	34.48	PK	Horizo	PASS
4	4874.00	37.6	31.26	-6.350	54.00	22.74	AV	Horizo	PASS
5	7311.00	44.5	43.42	-1.110	74.00	30.58	PK	Horizo	PASS
6	7311.00	35.7	34.61	-1.110	54.00	19.39	AV	Horizo	PASS
7	9748.00	33.7	35.62	1.950	54.00	18.38	AV	Horizo	PASS
8	9748.00	42.3	44.21	1.950	74.00	29.79	PK	Horizo	PASS

Transmit at 2437MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequeuncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.00	59.7	45.13	-14.520	74.00	28.87	PK	Vertic	PASS
2	3250.00	57.9	43.39	-14.520	54.00	10.61	AV	Vertic	PASS
3	4874.00	46.4	40.02	-6.350	74.00	33.98	PK	Vertic	PASS
4	4874.00	37.3	30.98	-6.350	54.00	23.02	AV	Vertic	PASS
5	7311.00	45.7	44.57	-1.110	74.00	29.43	PK	Vertic	PASS
6	7311.00	35.5	34.36	-1.110	54.00	19.64	AV	Vertic	PASS
7	9748.00	33.4	35.37	1.950	54.00	18.63	AV	Vertic	PASS
8	9748.00	42.6	44.54	1.950	74.00	29.46	PK	Vertic	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3269.50	59.8	45.31	-14.510	74.00	28.69	PK	Horizo	PASS
2	3270.00	57.7	43.22	-14.510	54.00	10.78	AV	Horizo	PASS
3	4904.00	45.3	39.22	-6.110	74.00	34.78	PK	Horizo	PASS
4	4904.00	37.9	31.78	-6.110	54.00	22.22	AV	Horizo	PASS
5	7356.00	45.0	44.18	-0.770	74.00	29.82	PK	Horizo	PASS
6	7356.00	35.7	34.92	-0.770	54.00	19.08	AV	Horizo	PASS
7	9808.00	34.0	36.09	2.140	54.00	17.91	AV	Horizo	PASS
8	9808.00	42.5	44.65	2.140	74.00	29.35	PK	Horizo	PASS


Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3269.50	58.1	43.54	-14.510	74.00	30.46	PK	Vertic	PASS
2	3270.00	55.8	41.24	-14.510	54.00	12.76	AV	Vertic	PASS
3	4904.00	46.2	40.07	-6.110	74.00	33.93	PK	Vertic	PASS
4	4904.00	38.2	32.10	-6.110	54.00	21.90	AV	Vertic	PASS
5	7356.00	44.5	43.69	-0.770	74.00	30.31	PK	Vertic	PASS
6	7356.00	35.5	34.69	-0.770	54.00	19.31	AV	Vertic	PASS
7	9808.00	33.8	35.90	2.140	54.00	18.10	AV	Vertic	PASS
8	9808.00	42.8	44.98	2.140	74.00	29.02	PK	Vertic	PASS
9	12400.00	40.1	47.24	7.100	74.00	26.76	PK	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with 26-0


Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3216.00	56.5	42.04	-14.470	74.00	31.96	PK	Horizo	PASS
2	3216.50	53.4	38.97	-14.470	54.00	15.03	AV	Horizo	PASS
3	4807.00	44.3	37.41	-6.920	54.00	16.59	AV	Horizo	PASS
4	4807.50	54.4	47.46	-6.910	74.00	26.54	PK	Horizo	PASS
5	7236.00	43.4	41.88	-1.520	74.00	32.12	PK	Horizo	PASS
6	7236.00	36.5	35.00	-1.520	54.00	19.00	AV	Horizo	PASS
7	9648.00	41.6	43.41	1.800	74.00	30.59	PK	Horizo	PASS
8	9648.00	33.7	35.50	1.800	54.00	18.50	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with 26-0




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3216.00	54.3	39.81	-14.470	74.00	34.19	PK	Vertic	PASS
2	3216.50	51.4	36.92	-14.470	54.00	17.08	AV	Vertic	PASS
3	4806.50	49.8	42.90	-6.920	74.00	31.10	PK	Vertic	PASS
4	4824.00	37.9	31.07	-6.790	54.00	22.93	AV	Vertic	PASS
5	7236.00	36.2	34.70	-1.520	54.00	19.30	AV	Vertic	PASS
6	7236.00	46.0	44.45	-1.520	74.00	29.55	PK	Vertic	PASS
7	9648.00	33.7	35.49	1.800	54.00	18.51	AV	Vertic	PASS
8	9648.00	41.0	42.77	1.800	74.00	31.23	PK	Vertic	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with 26-0*Test Graph***Data List**

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	3249.50	52.4	37.87	-14.520	54.00	16.13	AV	Horizo	PASS
2	3249.50	55.7	41.15	-14.520	74.00	32.85	PK	Horizo	PASS
3	4320.50	61.3	50.81	-10.520	74.00	23.19	PK	Horizo	PASS
4	4321.00	43.1	32.58	-10.520	54.00	21.42	AV	Horizo	PASS
5	4874.00	47.2	40.82	-6.350	74.00	33.18	PK	Horizo	PASS
6	4874.00	38.1	31.73	-6.350	54.00	22.27	AV	Horizo	PASS
7	7311.00	36.5	35.38	-1.110	54.00	18.62	AV	Horizo	PASS
8	7311.00	45.0	43.86	-1.110	74.00	30.14	PK	Horizo	PASS
9	9748.00	35.4	37.30	1.950	54.00	16.70	AV	Horizo	PASS
10	9748.00	42.5	44.45	1.950	74.00	29.55	PK	Horizo	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with 26-0


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.50	54.5	40.01	-14.520	74.00	33.99	PK	Vertic	PASS
2	3249.50	50.2	35.67	-14.520	54.00	18.33	AV	Vertic	PASS
3	4874.00	44.9	38.59	-6.350	74.00	35.41	PK	Vertic	PASS
4	4874.00	37.5	31.13	-6.350	54.00	22.87	AV	Vertic	PASS
5	7311.00	44.0	42.88	-1.110	74.00	31.12	PK	Vertic	PASS
6	7311.00	35.8	34.72	-1.110	54.00	19.28	AV	Vertic	PASS
7	9748.00	34.0	35.95	1.950	54.00	18.05	AV	Vertic	PASS
8	9748.00	43.4	45.37	1.950	74.00	28.63	PK	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with 26-0



Data List									
NO	Frequeuncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	45.3	39.15	-6.130	74.00	34.85	PK	Horizo	PASS
2	4924.00	37.1	30.99	-6.130	54.00	23.01	AV	Horizo	PASS
3	7386.00	44.7	44.11	-0.610	74.00	29.89	PK	Horizo	PASS
4	7386.00	35.9	35.27	-0.610	54.00	18.73	AV	Horizo	PASS
5	9848.00	41.7	43.99	2.260	74.00	30.01	PK	Horizo	PASS
6	9848.00	34.4	36.68	2.260	54.00	17.32	AV	Horizo	PASS


Transmit at 2462MHz by 802.11ax(20MHz) with 26-0



Data List									
NO	Freque ncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	4924.00	46.7	40.57	-6.130	74.00	33.43	PK	Vertic	PASS
2	4924.00	37.1	30.92	-6.130	54.00	23.08	AV	Vertic	PASS
3	7386.00	44.1	43.45	-0.610	74.00	30.55	PK	Vertic	PASS
4	7386.00	35.6	34.98	-0.610	54.00	19.02	AV	Vertic	PASS
5	9848.00	42.1	44.34	2.260	74.00	29.66	PK	Vertic	PASS
6	9848.00	33.6	35.84	2.260	54.00	18.16	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with 52-37


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3216.00	57.1	42.58	-14.470	74.00	31.42	PK	Horizo	PASS
2	3216.50	53.6	39.17	-14.470	54.00	14.83	AV	Horizo	PASS
3	4809.00	51.1	44.23	-6.900	74.00	29.77	PK	Horizo	PASS
4	4824.00	37.9	31.14	-6.790	54.00	22.86	AV	Horizo	PASS
5	7236.00	36.3	34.76	-1.520	54.00	19.24	AV	Horizo	PASS
6	7236.00	44.4	42.91	-1.520	74.00	31.09	PK	Horizo	PASS
7	9648.00	33.4	35.18	1.800	54.00	18.82	AV	Horizo	PASS
8	9648.00	41.7	43.52	1.800	74.00	30.48	PK	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with 52-37




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3216.00	55.5	41.06	-14.470	74.00	32.94	PK	Vertic	PASS
2	3216.50	51.2	36.72	-14.470	54.00	17.28	AV	Vertic	PASS
3	4809.00	50.9	44.03	-6.900	74.00	29.97	PK	Vertic	PASS
4	4824.00	38.5	31.74	-6.790	54.00	22.26	AV	Vertic	PASS
5	7236.00	37.5	35.99	-1.520	54.00	18.01	AV	Vertic	PASS
6	7236.00	45.0	43.52	-1.520	74.00	30.48	PK	Vertic	PASS
7	9648.00	33.7	35.50	1.800	54.00	18.50	AV	Vertic	PASS
8	9648.00	41.7	43.47	1.800	74.00	30.53	PK	Vertic	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with 52-37




Data List									
NO	Frequeuncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.00	56.1	41.61	-14.520	74.00	32.39	PK	Horizo	PASS
2	3249.50	52.2	37.67	-14.520	54.00	16.33	AV	Horizo	PASS
3	4874.00	45.8	39.40	-6.350	74.00	34.60	PK	Horizo	PASS
4	4874.00	37.6	31.21	-6.350	54.00	22.79	AV	Horizo	PASS
5	7311.00	45.8	44.72	-1.110	74.00	29.28	PK	Horizo	PASS
6	7311.00	36.6	35.46	-1.110	54.00	18.54	AV	Horizo	PASS
7	9748.00	34.2	36.19	1.950	54.00	17.81	AV	Horizo	PASS
8	9748.00	43.5	45.42	1.950	74.00	28.58	PK	Horizo	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with 52-37




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3249.00	55.4	40.88	-14.520	74.00	33.12	PK	Vertic	PASS
2	3249.50	50.8	36.23	-14.520	54.00	17.77	AV	Vertic	PASS
3	4874.00	45.4	39.01	-6.350	74.00	34.99	PK	Vertic	PASS
4	4874.00	37.1	30.70	-6.350	54.00	23.30	AV	Vertic	PASS
5	7311.00	45.0	43.88	-1.110	74.00	30.12	PK	Vertic	PASS
6	7311.00	35.6	34.52	-1.110	54.00	19.48	AV	Vertic	PASS
7	9748.00	33.8	35.72	1.950	54.00	18.28	AV	Vertic	PASS
8	9748.00	42.2	44.10	1.950	74.00	29.90	PK	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with 52-37



Data List									
NO	Freque ncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	4924.00	44.8	38.65	-6.130	74.00	35.35	PK	Horizo	PASS
2	4924.00	37.3	31.15	-6.130	54.00	22.85	AV	Horizo	PASS
3	7386.00	46.2	45.61	-0.610	74.00	28.39	PK	Horizo	PASS
4	7386.00	35.7	35.13	-0.610	54.00	18.87	AV	Horizo	PASS
5	9848.00	42.3	44.54	2.260	74.00	29.46	PK	Horizo	PASS
6	9848.00	34.1	36.36	2.260	54.00	17.64	AV	Horizo	PASS


Transmit at 2462MHz by 802.11ax(20MHz) with 52-37



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	44.8	38.70	-6.130	74.00	35.30	PK	Vertic	PASS
2	4924.00	37.1	30.98	-6.130	54.00	23.02	AV	Vertic	PASS
3	7386.00	44.7	44.05	-0.610	74.00	29.95	PK	Vertic	PASS
4	7386.00	36.7	36.05	-0.610	54.00	17.95	AV	Vertic	PASS
5	9848.00	42.9	45.19	2.260	74.00	28.81	PK	Vertic	PASS
6	9848.00	33.4	35.64	2.260	54.00	18.36	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with 106-53


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3215.50	56.3	41.83	-14.470	74.00	32.17	PK	Horizo	PASS
2	3216.50	53.8	39.34	-14.470	54.00	14.66	AV	Horizo	PASS
3	4814.00	51.2	44.29	-6.860	74.00	29.71	PK	Horizo	PASS
4	4824.00	38.1	31.35	-6.790	54.00	22.65	AV	Horizo	PASS
5	7236.00	36.8	35.28	-1.520	54.00	18.72	AV	Horizo	PASS
6	7236.00	43.2	41.65	-1.520	74.00	32.35	PK	Horizo	PASS
7	9648.00	34.0	35.82	1.800	54.00	18.18	AV	Horizo	PASS
8	9648.00	42.8	44.61	1.800	74.00	29.39	PK	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with 106-53




Data List									
NO	Freque ncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	4813.50	50.7	43.79	-6.860	74.00	30.21	PK	Vertic	PASS
2	4824.00	37.8	31.04	-6.790	54.00	22.96	AV	Vertic	PASS
3	7236.00	36.0	34.52	-1.520	54.00	19.48	AV	Vertic	PASS
4	7236.00	44.7	43.22	-1.520	74.00	30.78	PK	Vertic	PASS
5	9648.00	42.2	44.02	1.800	74.00	29.98	PK	Vertic	PASS
6	9648.00	33.6	35.36	1.800	54.00	18.64	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with 106-53




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.4	40.00	-6.350	74.00	34.00	PK	Horizo	PASS
2	4874.00	37.4	31.04	-6.350	54.00	22.96	AV	Horizo	PASS
3	7311.00	45.6	44.53	-1.110	74.00	29.47	PK	Horizo	PASS
4	7311.00	35.8	34.71	-1.110	54.00	19.29	AV	Horizo	PASS
5	9748.00	42.4	44.38	1.950	74.00	29.62	PK	Horizo	PASS
6	9748.00	34.8	36.75	1.950	54.00	17.25	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with 106-53




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.4	40.05	-6.350	74.00	33.95	PK	Vertic	PASS
2	4874.00	37.4	31.09	-6.350	54.00	22.91	AV	Vertic	PASS
3	7311.00	36.0	34.90	-1.110	54.00	19.10	AV	Vertic	PASS
4	7311.00	44.6	43.50	-1.110	74.00	30.50	PK	Vertic	PASS
5	9748.00	43.2	45.15	1.950	74.00	28.85	PK	Vertic	PASS
6	9748.00	34.1	36.09	1.950	54.00	17.91	AV	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with 106-53



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	45.7	39.55	-6.130	74.00	34.45	PK	Horizo	PASS
2	4924.00	37.7	31.54	-6.130	54.00	22.46	AV	Horizo	PASS
3	7386.00	36.3	35.68	-0.610	54.00	18.32	AV	Horizo	PASS
4	7386.00	44.4	43.82	-0.610	74.00	30.18	PK	Horizo	PASS
5	9848.00	41.9	44.19	2.260	74.00	29.81	PK	Horizo	PASS
6	9848.00	33.7	35.93	2.260	54.00	18.07	AV	Horizo	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with 106-53*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	45.4	39.22	-6.130	74.00	34.78	PK	Vertic	PASS
2	4924.00	37.9	31.78	-6.130	54.00	22.22	AV	Vertic	PASS
3	7386.00	44.6	43.97	-0.610	74.00	30.03	PK	Vertic	PASS
4	7386.00	35.6	35.00	-0.610	54.00	19.00	AV	Vertic	PASS
5	9848.00	43.5	45.79	2.260	74.00	28.21	PK	Vertic	PASS
6	9848.00	34.2	36.45	2.260	54.00	17.55	AV	Vertic	PASS

Note:

1. Level = Reading + Factor


2. Margin = Limit - Level

3. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.

4. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.


The worst case of Radiated Emission below 1GHz:

Transmit at 2412MHz by 802.11b with Ant2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	35.09	26.1	39.50	13.440	40.00	0.50	PK	Horizo	PASS
2	54.25	20.1	33.98	13.840	40.00	6.02	PK	Horizo	PASS
3	128.94	25.3	37.87	12.540	43.50	5.63	PK	Horizo	PASS
4	244.61	29.2	41.49	12.330	46.00	4.51	PK	Horizo	PASS
5	476.69	18.9	37.34	18.420	46.00	8.66	PK	Horizo	PASS
6	722.82	17.7	40.46	22.800	46.00	5.54	PK	Horizo	PASS

Transmit at 2412MHz by 802.11b with Ant2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	34.85	24.9	38.32	13.420	40.00	1.68	PK	Vertic	PASS
2	56.19	23.3	36.98	13.690	40.00	3.02	PK	Vertic	PASS
3	129.43	26.6	39.19	12.580	43.50	4.31	PK	Vertic	PASS
4	243.40	28.3	40.62	12.290	46.00	5.38	PK	Vertic	PASS
5	479.35	18.6	37.02	18.450	46.00	8.98	PK	Vertic	PASS
6	712.15	18.1	40.79	22.650	46.00	5.21	PK	Vertic	PASS

Note:


1. All Readings below 1GHz are PK, PK as an alternative to CISPR quasi-peak measurements or average measurements.

2. Level=Reading+Factor.

FPC Antenna:**Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2***Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	40.1	33.27	-6.790	54.00	20.73	AV	Horizo	PASS
2	4825.50	51.5	44.75	-6.770	74.00	29.25	PK	Horizo	PASS
3	7236.00	44.3	42.76	-1.520	74.00	31.24	PK	Horizo	PASS
4	7236.00	37.6	36.08	-1.520	54.00	17.92	AV	Horizo	PASS
5	9648.00	41.1	42.90	1.800	74.00	31.10	PK	Horizo	PASS
6	9648.00	33.6	35.38	1.800	54.00	18.62	AV	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	39.0	32.22	-6.790	54.00	21.78	AV	Vertic	PASS
2	4825.50	49.1	42.31	-6.770	74.00	31.69	PK	Vertic	PASS
3	7236.00	35.9	34.42	-1.520	54.00	19.58	AV	Vertic	PASS
4	7236.00	44.1	42.60	-1.520	74.00	31.40	PK	Vertic	PASS
5	9648.00	41.4	43.15	1.800	74.00	30.85	PK	Vertic	PASS
6	9648.00	34.2	35.97	1.800	54.00	18.03	AV	Vertic	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	38.00	22.1	35.78	13.660	40.00	4.22	PK	Horizo	PASS
2	54.98	19.4	33.19	13.790	40.00	6.81	PK	Horizo	PASS
3	93.78	26.9	35.65	8.780	43.50	7.85	PK	Horizo	PASS
4	127.97	27.9	40.38	12.460	43.50	3.12	PK	Horizo	PASS
5	244.37	29.1	41.42	12.320	46.00	4.58	PK	Horizo	PASS
6	715.55	18.2	40.86	22.700	46.00	5.14	PK	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.31	23.1	36.68	13.540	40.00	3.32	PK	Vertic	PASS
2	94.26	26.6	35.39	8.840	43.50	8.11	PK	Vertic	PASS
3	129.18	26.9	39.47	12.560	43.50	4.03	PK	Vertic	PASS
4	244.37	29.1	41.38	12.320	46.00	4.62	PK	Vertic	PASS
5	480.08	26.4	44.88	18.470	46.00	1.12	PK	Vertic	PASS
6	882.15	18.4	42.92	24.530	46.00	3.08	PK	Vertic	PASS

FIFA Antenna:**Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2****Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4821.50	53.3	46.46	-6.800	74.00	27.54	PK	Horizo	PASS
2	4824.00	44.8	37.99	-6.790	54.00	16.01	AV	Horizo	PASS
3	7236.00	43.8	42.29	-1.520	74.00	31.71	PK	Horizo	PASS
4	7236.00	35.3	33.75	-1.520	54.00	20.25	AV	Horizo	PASS
5	9648.00	43.1	44.86	1.800	74.00	29.14	PK	Horizo	PASS
6	9648.00	33.1	34.85	1.800	54.00	19.15	AV	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	46.6	39.79	-6.790	74.00	34.21	PK	Vertic	PASS
2	4824.00	40.0	33.24	-6.790	54.00	20.76	AV	Vertic	PASS
3	7236.00	44.3	42.78	-1.520	74.00	31.22	PK	Vertic	PASS
4	7236.00	36.3	34.74	-1.520	54.00	19.26	AV	Vertic	PASS
5	9648.00	41.5	43.30	1.800	74.00	30.70	PK	Vertic	PASS
6	9648.00	32.8	34.59	1.800	54.00	19.41	AV	Vertic	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	37.28	22.6	36.17	13.600	40.00	3.83	PK	Horizo	PASS
2	55.71	19.4	33.10	13.720	40.00	6.90	PK	Horizo	PASS
3	95.96	26.5	35.51	9.030	43.50	7.99	PK	Horizo	PASS
4	128.94	29.1	41.60	12.540	43.50	1.90	PK	Horizo	PASS
5	244.37	29.7	42.06	12.320	46.00	3.94	PK	Horizo	PASS
6	476.20	18.5	36.93	18.410	46.00	9.07	PK	Horizo	PASS


Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequeuncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	37.52	22.8	36.45	13.630	40.00	3.55	PK	Vertic	PASS
2	56.68	19.0	32.61	13.660	40.00	7.39	PK	Vertic	PASS
3	94.26	26.8	35.61	8.840	43.50	7.89	PK	Vertic	PASS
4	127.73	27.2	39.61	12.440	43.50	3.89	PK	Vertic	PASS
5	244.61	28.6	40.94	12.330	46.00	5.06	PK	Vertic	PASS
6	480.57	17.9	36.35	18.480	46.00	9.65	PK	Vertic	PASS

PCB Antenna:


Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	43.4	36.60	-6.790	54.00	17.40	AV	Horizo	PASS
2	4828.00	52.9	46.18	-6.750	74.00	27.82	PK	Horizo	PASS
3	7236.00	38.5	37.01	-1.520	54.00	16.99	AV	Horizo	PASS
4	7237.00	56.2	54.67	-1.520	74.00	19.33	PK	Horizo	PASS
5	9648.00	41.5	43.32	1.800	74.00	30.68	PK	Horizo	PASS
6	9648.00	33.0	34.79	1.800	54.00	19.21	AV	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	47.8	41.02	-6.790	74.00	32.98	PK	Vertic	PASS
2	4824.00	38.5	31.67	-6.790	54.00	22.33	AV	Vertic	PASS
3	7236.00	44.9	43.39	-1.520	74.00	30.61	PK	Vertic	PASS
4	7236.00	35.9	34.38	-1.520	54.00	19.62	AV	Vertic	PASS
5	9648.00	42.5	44.29	1.800	74.00	29.71	PK	Vertic	PASS
6	9648.00	33.7	35.52	1.800	54.00	18.48	AV	Vertic	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequeuncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	37.28	22.1	35.71	13.600	40.00	4.29	PK	Horizo	PASS
2	74.14	18.5	29.39	10.880	40.00	10.61	PK	Horizo	PASS
3	126.76	27.1	39.48	12.360	43.50	4.02	PK	Horizo	PASS
4	244.61	28.4	40.72	12.330	46.00	5.28	PK	Horizo	PASS
5	357.13	18.1	33.55	15.460	46.00	12.45	PK	Horizo	PASS
6	656.86	16.1	37.76	21.680	46.00	8.24	PK	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.79	22.6	36.17	13.570	40.00	3.83	PK	Vertic	PASS
2	74.62	18.0	28.75	10.780	40.00	11.25	PK	Vertic	PASS
3	127.00	27.7	40.08	12.380	43.50	3.42	PK	Vertic	PASS
4	207.03	25.1	35.92	10.830	43.50	7.58	PK	Vertic	PASS
5	244.37	28.8	41.11	12.320	46.00	4.89	PK	Vertic	PASS
6	520.34	16.4	35.60	19.200	46.00	10.40	PK	Vertic	PASS

_____ The End _____