


Transmit at 2437MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	38.77	33.69	-5.08	74.00	40.31	PK	Vertic	PASS
2	4874.00	32.25	27.17	-5.08	54.00	26.83	AV	Vertic	PASS
3	7311.00	28.64	31.75	3.11	54.00	22.25	AV	Vertic	PASS
4	7311.00	36.04	39.15	3.11	74.00	34.85	PK	Vertic	PASS
5	9748.00	34.40	41.55	7.15	74.00	32.45	PK	Vertic	PASS
6	9748.00	25.69	32.84	7.15	54.00	21.16	AV	Vertic	PASS

Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	41.96	36.85	-5.11	74.00	37.15	PK	Horizo	PASS
2	4904.00	33.52	28.41	-5.11	54.00	25.59	AV	Horizo	PASS
3	7356.00	27.64	30.82	3.18	54.00	23.18	AV	Horizo	PASS
4	7356.00	34.85	38.03	3.18	74.00	35.97	PK	Horizo	PASS
5	9808.00	32.90	39.54	6.64	74.00	34.46	PK	Horizo	PASS
6	9808.00	24.92	31.56	6.64	54.00	22.44	AV	Horizo	PASS

Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	39.88	34.77	-5.11	74.00	39.23	PK	Vertic	PASS
2	4904.00	31.96	26.85	-5.11	54.00	27.15	AV	Vertic	PASS
3	7356.00	35.74	38.92	3.18	74.00	35.08	PK	Vertic	PASS
4	7356.00	28.64	31.82	3.18	54.00	22.18	AV	Vertic	PASS
5	9808.00	33.78	40.42	6.64	74.00	33.58	PK	Vertic	PASS
6	9808.00	25.82	32.46	6.64	54.00	21.54	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4821.75	49.55	44.55	-5.00	74.00	29.45	PK	Horizo	PASS
2	4822.88	42.13	37.13	-5.00	54.00	16.87	AV	Horizo	PASS
3	7236.00	27.49	30.60	3.11	54.00	23.40	AV	Horizo	PASS
4	7236.00	35.83	38.94	3.11	74.00	35.06	PK	Horizo	PASS
5	9648.00	34.38	41.40	7.02	74.00	32.60	PK	Horizo	PASS
6	9648.00	25.98	33.00	7.02	54.00	21.00	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4822.88	35.33	30.33	-5.00	54.00	23.67	AV	Vertic	PASS
2	4824.00	40.41	35.41	-5.00	74.00	38.59	PK	Vertic	PASS
3	7236.00	27.99	31.10	3.11	54.00	22.90	AV	Vertic	PASS
4	7236.00	35.66	38.77	3.11	74.00	35.23	PK	Vertic	PASS
5	9648.00	26.53	33.55	7.02	54.00	20.45	AV	Vertic	PASS
6	9648.00	35.03	42.05	7.02	74.00	31.95	PK	Vertic	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4870.13	44.79	39.71	-5.08	74.00	34.29	PK	Horizo	PASS
2	4870.50	39.79	34.71	-5.08	54.00	19.29	AV	Horizo	PASS
3	7311.00	28.01	31.12	3.11	54.00	22.88	AV	Horizo	PASS
4	7311.00	36.40	39.51	3.11	74.00	34.49	PK	Horizo	PASS
5	9748.00	25.44	32.59	7.15	54.00	21.41	AV	Horizo	PASS
6	9748.00	33.46	40.61	7.15	74.00	33.39	PK	Horizo	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	38.23	33.15	-5.08	74.00	40.85	PK	Vertic	PASS
2	4874.00	31.08	26.00	-5.08	54.00	28.00	AV	Vertic	PASS
3	7311.00	36.19	39.30	3.11	74.00	34.70	PK	Vertic	PASS
4	7311.00	28.38	31.49	3.11	54.00	22.51	AV	Vertic	PASS
5	9748.00	32.90	40.05	7.15	74.00	33.95	PK	Vertic	PASS
6	9748.00	25.60	32.75	7.15	54.00	21.25	AV	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	39.30	34.24	-5.06	74.00	39.76	PK	Horizo	PASS
2	4924.00	31.92	26.86	-5.06	54.00	27.14	AV	Horizo	PASS
3	7386.00	35.51	38.74	3.23	74.00	35.26	PK	Horizo	PASS
4	7386.00	27.41	30.64	3.23	54.00	23.36	AV	Horizo	PASS
5	9848.00	32.98	39.57	6.59	74.00	34.43	PK	Horizo	PASS
6	9848.00	26.53	33.12	6.59	54.00	20.88	AV	Horizo	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	39.07	34.01	-5.06	74.00	39.99	PK	Vertic	PASS
2	4924.00	31.00	25.94	-5.06	54.00	28.06	AV	Vertic	PASS
3	7386.00	27.69	30.92	3.23	54.00	23.08	AV	Vertic	PASS
4	7397.25	38.39	41.64	3.25	74.00	32.36	PK	Vertic	PASS
5	9848.00	25.16	31.75	6.59	54.00	22.25	AV	Vertic	PASS
6	9848.00	32.32	38.91	6.59	74.00	35.09	PK	Vertic	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4842.38	43.44	38.40	-5.04	74.00	35.60	PK	Horizo	PASS
2	4845.38	36.94	31.90	-5.04	54.00	22.10	AV	Horizo	PASS
3	7266.00	27.31	30.41	3.10	54.00	23.59	AV	Horizo	PASS
4	7266.00	35.36	38.46	3.10	74.00	35.54	PK	Horizo	PASS
5	9688.00	26.83	34.32	7.49	54.00	19.68	AV	Horizo	PASS
6	9688.00	33.71	41.20	7.49	74.00	32.80	PK	Horizo	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	30.83	25.79	-5.04	54.00	28.21	AV	Vertic	PASS
2	4844.00	38.15	33.11	-5.04	74.00	40.89	PK	Vertic	PASS
3	7266.00	27.71	30.81	3.10	54.00	23.19	AV	Vertic	PASS
4	7266.00	35.46	38.56	3.10	74.00	35.44	PK	Vertic	PASS
5	9688.00	32.76	40.25	7.49	74.00	33.75	PK	Vertic	PASS
6	9688.00	25.44	32.93	7.49	54.00	21.07	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4872.75	35.19	30.11	-5.08	54.00	23.89	AV	Horizo	PASS
2	4875.00	43.43	38.34	-5.09	74.00	35.66	PK	Horizo	PASS
3	7311.00	35.40	38.51	3.11	74.00	35.49	PK	Horizo	PASS
4	7311.00	28.07	31.18	3.11	54.00	22.82	AV	Horizo	PASS
5	9748.00	26.08	33.23	7.15	54.00	20.77	AV	Horizo	PASS
6	9748.00	33.05	40.20	7.15	74.00	33.80	PK	Horizo	PASS

Transmit at 2437MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	37.64	32.56	-5.08	74.00	41.44	PK	Vertic	PASS
2	4874.00	30.93	25.85	-5.08	54.00	28.15	AV	Vertic	PASS
3	7311.00	35.19	38.30	3.11	74.00	35.70	PK	Vertic	PASS
4	7311.00	28.60	31.71	3.11	54.00	22.29	AV	Vertic	PASS
5	9748.00	33.78	40.93	7.15	74.00	33.07	PK	Vertic	PASS
6	9748.00	25.23	32.38	7.15	54.00	21.62	AV	Vertic	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	38.82	33.71	-5.11	74.00	40.29	PK	Horizo	PASS
2	4904.00	32.08	26.97	-5.11	54.00	27.03	AV	Horizo	PASS
3	7356.00	36.44	39.62	3.18	74.00	34.38	PK	Horizo	PASS
4	7356.00	27.54	30.72	3.18	54.00	23.28	AV	Horizo	PASS
5	9808.00	33.24	39.88	6.64	74.00	34.12	PK	Horizo	PASS
6	9808.00	25.07	31.71	6.64	54.00	22.29	AV	Horizo	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	37.04	31.93	-5.11	74.00	42.07	PK	Vertic	PASS
2	4904.00	30.78	25.67	-5.11	54.00	28.33	AV	Vertic	PASS
3	7356.00	34.77	37.95	3.18	74.00	36.05	PK	Vertic	PASS
4	7356.00	28.28	31.46	3.18	54.00	22.54	AV	Vertic	PASS
5	9808.00	33.18	39.82	6.64	74.00	34.18	PK	Vertic	PASS
6	9808.00	25.78	32.42	6.64	54.00	21.58	AV	Vertic	PASS

Transmit at 2412MHz by 802.11b with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	48.67	18.3	33.07	14.730	40.00	6.93	PK	Horizo	PASS
2	67.35	13.5	24.40	10.920	40.00	15.60	PK	Horizo	PASS
3	119.48	14.9	25.79	10.940	43.50	17.71	PK	Horizo	PASS
4	206.54	16.2	28.32	12.130	43.50	15.18	PK	Horizo	PASS
5	360.53	15.6	31.13	15.580	46.00	14.87	PK	Horizo	PASS
6	719.43	15.5	36.36	20.860	46.00	9.64	PK	Horizo	PASS

Transmit at 2412MHz by 802.11b with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	32.18	15.0	28.08	13.040	40.00	11.92	PK	Vertic	PASS
2	59.59	13.5	26.35	12.890	40.00	13.65	PK	Vertic	PASS
3	111.00	14.3	26.37	12.100	43.50	17.13	PK	Vertic	PASS
4	226.67	17.3	29.96	12.660	46.00	16.04	PK	Vertic	PASS
5	358.35	15.5	31.08	15.580	46.00	14.92	PK	Vertic	PASS
6	694.45	15.5	35.84	20.340	46.00	10.16	PK	Vertic	PASS

Note: Level = Reading + Factor


Note: In the report, below 1G, only the verification test is carried out for the worst channel of 1~18G worst mode.

Part RU worse case:**Transmit at 2412MHz by 802.11ax(20MHz) with RU26-0 Ant1+2****Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4805.63	55.38	50.40	-4.98	74.00	23.60	PK	Horizo	PASS
2	4807.13	47.17	42.19	-4.98	54.00	11.81	AV	Horizo	PASS
3	7236.00	34.29	37.40	3.11	74.00	36.60	PK	Horizo	PASS
4	7236.00	27.28	30.39	3.11	54.00	23.61	AV	Horizo	PASS
5	9648.00	32.54	39.56	7.02	74.00	34.44	PK	Horizo	PASS
6	9648.00	24.73	31.75	7.02	54.00	22.25	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with RU26-0 Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4807.50	49.67	44.69	-4.98	74.00	29.31	PK	Vertic	PASS
2	4807.50	39.83	34.85	-4.98	54.00	19.15	AV	Vertic	PASS
3	7236.00	27.77	30.88	3.11	54.00	23.12	AV	Vertic	PASS
4	7236.00	35.00	38.11	3.11	74.00	35.89	PK	Vertic	PASS
5	9648.00	33.62	40.64	7.02	74.00	33.36	PK	Vertic	PASS
6	9648.00	26.97	33.99	7.02	54.00	20.01	AV	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with RU26-8 Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4941.00	49.29	44.26	-5.03	74.00	29.74	PK	Horizo	PASS
2	4941.38	40.73	35.70	-5.03	54.00	18.30	AV	Horizo	PASS
3	7386.00	27.54	30.77	3.23	54.00	23.23	AV	Horizo	PASS
4	7386.00	34.97	38.20	3.23	74.00	35.80	PK	Horizo	PASS
5	9848.00	24.91	31.50	6.59	54.00	22.50	AV	Horizo	PASS
6	9848.00	32.42	39.01	6.59	74.00	34.99	PK	Horizo	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with RU26-8 Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4940.25	41.78	36.75	-5.03	74.00	37.25	PK	Vertic	PASS
2	4941.00	34.14	29.11	-5.03	54.00	24.89	AV	Vertic	PASS
3	7386.00	34.62	37.85	3.23	74.00	36.15	PK	Vertic	PASS
4	7386.00	27.92	31.15	3.23	54.00	22.85	AV	Vertic	PASS
5	9848.00	33.53	40.12	6.59	74.00	33.88	PK	Vertic	PASS
6	9848.00	25.46	32.05	6.59	54.00	21.95	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) 26-0 Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	37.76	12.9	26.43	13.570	40.00	13.57	PK	Horizo	PASS
2	67.10	13.7	24.68	10.980	40.00	15.32	PK	Horizo	PASS
3	91.11	16.8	28.10	11.310	43.50	15.40	PK	Horizo	PASS
4	187.87	16.2	27.31	11.080	43.50	16.19	PK	Horizo	PASS
5	261.59	14.3	27.83	13.500	46.00	18.17	PK	Horizo	PASS
6	638.68	14.7	34.69	20.030	46.00	11.31	PK	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) 26-0 Ant1+2

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	30.24	16.1	29.02	12.940	40.00	10.98	PK	Vertic	PASS
2	65.65	14.0	25.32	11.360	40.00	14.68	PK	Vertic	PASS
3	105.18	14.0	26.42	12.440	43.50	17.08	PK	Vertic	PASS
4	226.67	17.4	30.07	12.660	46.00	15.93	PK	Vertic	PASS
5	358.10	14.9	30.48	15.580	46.00	15.52	PK	Vertic	PASS
6	783.69	15.7	37.37	21.710	46.00	8.63	PK	Vertic	PASS

Note: Level = Reading + Factor

Note: In the report, below 1G, only the verification test is carried out for the worst channel of 1~18G worst mode.

The End