


## Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 47.6           | 39.40          | -8.180        | 74.00          | 34.60       | PK  | Horizo | PASS    |
| 2  | 4874.00         | 38.6           | 30.37          | -8.180        | 54.00          | 23.63       | AV  | Horizo | PASS    |
| 3  | 7311.00         | 35.7           | 34.15          | -1.500        | 54.00          | 19.85       | AV  | Horizo | PASS    |
| 4  | 7311.00         | 45.3           | 43.83          | -1.500        | 74.00          | 30.17       | PK  | Horizo | PASS    |
| 5  | 9748.00         | 41.9           | 43.40          | 1.460         | 74.00          | 30.60       | PK  | Horizo | PASS    |
| 6  | 9748.00         | 33.2           | 34.66          | 1.460         | 54.00          | 19.34       | AV  | Horizo | PASS    |

## Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 48.2           | 39.99          | -8.180        | 74.00          | 34.01       | PK  | Vertic | PASS    |
| 2  | 4874.00         | 37.8           | 29.59          | -8.180        | 54.00          | 24.41       | AV  | Vertic | PASS    |
| 3  | 7311.00         | 35.2           | 33.69          | -1.500        | 54.00          | 20.31       | AV  | Vertic | PASS    |
| 4  | 7311.00         | 45.5           | 43.97          | -1.500        | 74.00          | 30.03       | PK  | Vertic | PASS    |
| 5  | 9748.00         | 41.9           | 43.34          | 1.460         | 74.00          | 30.66       | PK  | Vertic | PASS    |
| 6  | 9748.00         | 33.5           | 34.93          | 1.460         | 54.00          | 19.07       | AV  | Vertic | PASS    |

## Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 47.3           | 39.32          | -7.970        | 74.00          | 34.68       | PK  | Horizo | PASS    |
| 2  | 4924.00         | 38.6           | 30.60          | -7.970        | 54.00          | 23.40       | AV  | Horizo | PASS    |
| 3  | 7386.00         | 35.4           | 34.38          | -0.980        | 54.00          | 19.62       | AV  | Horizo | PASS    |
| 4  | 7386.00         | 44.0           | 43.05          | -0.980        | 74.00          | 30.95       | PK  | Horizo | PASS    |
| 5  | 9848.00         | 42.0           | 43.88          | 1.880         | 74.00          | 30.12       | PK  | Horizo | PASS    |
| 6  | 9848.00         | 33.1           | 35.00          | 1.880         | 54.00          | 19.00       | AV  | Horizo | PASS    |

## Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 45.8           | 37.78          | -7.970        | 74.00          | 36.22       | PK  | Vertic | PASS    |
| 2  | 4924.00         | 37.3           | 29.29          | -7.970        | 54.00          | 24.71       | AV  | Vertic | PASS    |
| 3  | 7386.00         | 35.7           | 34.67          | -0.980        | 54.00          | 19.33       | AV  | Vertic | PASS    |
| 4  | 7386.00         | 45.4           | 44.41          | -0.980        | 74.00          | 29.59       | PK  | Vertic | PASS    |
| 5  | 9848.00         | 42.0           | 43.83          | 1.880         | 74.00          | 30.17       | PK  | Vertic | PASS    |
| 6  | 9848.00         | 32.6           | 34.45          | 1.880         | 54.00          | 19.55       | AV  | Vertic | PASS    |

## Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4844.00         | 48.3           | 39.97          | -8.310        | 74.00          | 34.03       | PK  | Horizo | PASS    |
| 2  | 4844.00         | 39.2           | 30.89          | -8.310        | 54.00          | 23.11       | AV  | Horizo | PASS    |
| 3  | 7266.00         | 35.7           | 34.14          | -1.600        | 54.00          | 19.86       | AV  | Horizo | PASS    |
| 4  | 7266.00         | 45.5           | 43.87          | -1.600        | 74.00          | 30.13       | PK  | Horizo | PASS    |
| 5  | 9688.00         | 42.5           | 43.93          | 1.460         | 74.00          | 30.07       | PK  | Horizo | PASS    |
| 6  | 9688.00         | 33.0           | 34.50          | 1.460         | 54.00          | 19.50       | AV  | Horizo | PASS    |

## Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4844.00         | 38.4           | 30.05          | -8.310        | 54.00          | 23.95       | AV  | Vertic | PASS    |
| 2  | 4844.00         | 46.8           | 38.53          | -8.310        | 74.00          | 35.47       | PK  | Vertic | PASS    |
| 3  | 7266.00         | 44.1           | 42.46          | -1.600        | 74.00          | 31.54       | PK  | Vertic | PASS    |
| 4  | 7266.00         | 35.8           | 34.17          | -1.600        | 54.00          | 19.83       | AV  | Vertic | PASS    |
| 5  | 9688.00         | 33.1           | 34.57          | 1.460         | 54.00          | 19.43       | AV  | Vertic | PASS    |
| 6  | 9688.00         | 41.4           | 42.90          | 1.460         | 74.00          | 31.10       | PK  | Vertic | PASS    |

## Transmit at 2437MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 47.2           | 39.01          | -8.180        | 74.00          | 34.99       | PK  | Horizo | PASS    |
| 2  | 4874.00         | 38.9           | 30.69          | -8.180        | 54.00          | 23.31       | AV  | Horizo | PASS    |
| 3  | 7311.00         | 35.6           | 34.10          | -1.500        | 54.00          | 19.90       | AV  | Horizo | PASS    |
| 4  | 7311.00         | 44.4           | 42.88          | -1.500        | 74.00          | 31.12       | PK  | Horizo | PASS    |
| 5  | 9748.00         | 42.3           | 43.77          | 1.460         | 74.00          | 30.23       | PK  | Horizo | PASS    |
| 6  | 9748.00         | 33.6           | 35.01          | 1.460         | 54.00          | 18.99       | AV  | Horizo | PASS    |

## Transmit at 2437MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 46.8           | 38.66          | -8.180        | 74.00          | 35.34       | PK  | Vertic | PASS    |
| 2  | 4874.00         | 38.6           | 30.42          | -8.180        | 54.00          | 23.58       | AV  | Vertic | PASS    |
| 3  | 7311.00         | 35.9           | 34.36          | -1.500        | 54.00          | 19.64       | AV  | Vertic | PASS    |
| 4  | 7311.00         | 44.6           | 43.10          | -1.500        | 74.00          | 30.90       | PK  | Vertic | PASS    |
| 5  | 9748.00         | 42.6           | 44.02          | 1.460         | 74.00          | 29.98       | PK  | Vertic | PASS    |
| 6  | 9748.00         | 33.5           | 34.95          | 1.460         | 54.00          | 19.05       | AV  | Vertic | PASS    |

## Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4904.00         | 46.8           | 38.72          | -8.050        | 74.00          | 35.28       | PK  | Horizo | PASS    |
| 2  | 4904.00         | 39.3           | 31.26          | -8.050        | 54.00          | 22.74       | AV  | Horizo | PASS    |
| 3  | 7356.00         | 35.4           | 34.25          | -1.190        | 54.00          | 19.75       | AV  | Horizo | PASS    |
| 4  | 7356.00         | 44.4           | 43.18          | -1.190        | 74.00          | 30.82       | PK  | Horizo | PASS    |
| 5  | 9808.00         | 41.9           | 43.41          | 1.520         | 74.00          | 30.59       | PK  | Horizo | PASS    |
| 6  | 9808.00         | 32.1           | 33.66          | 1.520         | 54.00          | 20.34       | AV  | Horizo | PASS    |

## Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4904.00         | 46.5           | 38.48          | -8.050        | 74.00          | 35.52       | PK  | Vertic | PASS    |
| 2  | 4904.00         | 37.9           | 29.82          | -8.050        | 54.00          | 24.18       | AV  | Vertic | PASS    |
| 3  | 7356.00         | 35.2           | 33.97          | -1.190        | 54.00          | 20.03       | AV  | Vertic | PASS    |
| 4  | 7356.00         | 44.4           | 43.20          | -1.190        | 74.00          | 30.80       | PK  | Vertic | PASS    |
| 5  | 9808.00         | 42.9           | 44.41          | 1.520         | 74.00          | 29.59       | PK  | Vertic | PASS    |
| 6  | 9808.00         | 32.4           | 33.88          | 1.520         | 54.00          | 20.12       | AV  | Vertic | PASS    |

## Transmit at 2412MHz by 802.11be(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 49.8           | 41.44          | -8.390        | 74.00          | 32.56       | PK  | Horizo | PASS    |
| 2  | 4824.00         | 43.9           | 35.52          | -8.390        | 54.00          | 18.48       | AV  | Horizo | PASS    |
| 3  | 7236.00         | 35.2           | 33.62          | -1.600        | 54.00          | 20.38       | AV  | Horizo | PASS    |
| 4  | 7236.00         | 44.2           | 42.59          | -1.600        | 74.00          | 31.41       | PK  | Horizo | PASS    |
| 5  | 9648.00         | 42.4           | 43.81          | 1.420         | 74.00          | 30.19       | PK  | Horizo | PASS    |
| 6  | 9648.00         | 34.7           | 36.07          | 1.420         | 54.00          | 17.93       | AV  | Horizo | PASS    |

## Transmit at 2412MHz by 802.11be(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 47.7           | 39.30          | -8.390        | 74.00          | 34.70       | PK  | Vertic | PASS    |
| 2  | 4824.00         | 38.5           | 30.11          | -8.390        | 54.00          | 23.89       | AV  | Vertic | PASS    |
| 3  | 7236.00         | 35.2           | 33.63          | -1.600        | 54.00          | 20.37       | AV  | Vertic | PASS    |
| 4  | 7236.00         | 43.9           | 42.26          | -1.600        | 74.00          | 31.74       | PK  | Vertic | PASS    |
| 5  | 9648.00         | 43.0           | 44.41          | 1.420         | 74.00          | 29.59       | PK  | Vertic | PASS    |
| 6  | 9648.00         | 33.5           | 34.94          | 1.420         | 54.00          | 19.06       | AV  | Vertic | PASS    |

## Transmit at 2437MHz by 802.11be(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 50.4           | 42.18          | -8.180        | 74.00          | 31.82       | PK  | Horizo | PASS    |
| 2  | 4874.00         | 42.9           | 34.68          | -8.180        | 54.00          | 19.32       | AV  | Horizo | PASS    |
| 3  | 7311.00         | 35.1           | 33.57          | -1.500        | 54.00          | 20.43       | AV  | Horizo | PASS    |
| 4  | 7311.00         | 44.9           | 43.37          | -1.500        | 74.00          | 30.63       | PK  | Horizo | PASS    |
| 5  | 9748.00         | 42.6           | 44.10          | 1.460         | 74.00          | 29.90       | PK  | Horizo | PASS    |
| 6  | 9748.00         | 33.6           | 35.05          | 1.460         | 54.00          | 18.95       | AV  | Horizo | PASS    |

## Transmit at 2437MHz by 802.11be(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 47.5           | 39.33          | -8.180        | 74.00          | 34.67       | PK  | Vertic | PASS    |
| 2  | 4874.00         | 37.7           | 29.53          | -8.180        | 54.00          | 24.47       | AV  | Vertic | PASS    |
| 3  | 7311.00         | 35.6           | 34.14          | -1.500        | 54.00          | 19.86       | AV  | Vertic | PASS    |
| 4  | 7311.00         | 44.6           | 43.12          | -1.500        | 74.00          | 30.88       | PK  | Vertic | PASS    |
| 5  | 9748.00         | 42.3           | 43.73          | 1.460         | 74.00          | 30.27       | PK  | Vertic | PASS    |
| 6  | 9748.00         | 33.6           | 35.04          | 1.460         | 54.00          | 18.96       | AV  | Vertic | PASS    |

## Transmit at 2462MHz by 802.11be(20MHz) with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 48.1           | 40.15          | -7.970        | 74.00          | 33.85       | PK  | Horizo | PASS    |
| 2  | 4924.00         | 40.8           | 32.80          | -7.970        | 54.00          | 21.20       | AV  | Horizo | PASS    |
| 3  | 7386.00         | 44.5           | 43.56          | -0.980        | 74.00          | 30.44       | PK  | Horizo | PASS    |
| 4  | 7386.00         | 35.3           | 34.33          | -0.980        | 54.00          | 19.67       | AV  | Horizo | PASS    |
| 5  | 9848.00         | 41.3           | 43.18          | 1.880         | 74.00          | 30.82       | PK  | Horizo | PASS    |
| 6  | 9848.00         | 33.4           | 35.24          | 1.880         | 54.00          | 18.76       | AV  | Horizo | PASS    |

## Transmit at 2462MHz by 802.11be(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.3           | 38.32          | -7.970        | 74.00          | 35.68       | PK  | Vertic | PASS    |
| 2  | 4924.00         | 37.1           | 29.12          | -7.970        | 54.00          | 24.88       | AV  | Vertic | PASS    |
| 3  | 7386.00         | 35.5           | 34.47          | -0.980        | 54.00          | 19.53       | AV  | Vertic | PASS    |
| 4  | 7386.00         | 45.2           | 44.23          | -0.980        | 74.00          | 29.77       | PK  | Vertic | PASS    |
| 5  | 9848.00         | 41.4           | 43.25          | 1.880         | 74.00          | 30.75       | PK  | Vertic | PASS    |
| 6  | 9848.00         | 32.6           | 34.44          | 1.880         | 54.00          | 19.56       | AV  | Vertic | PASS    |

## Transmit at 2422MHz by 802.11be(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4844.00         | 48.8           | 40.52          | -8.310        | 74.00          | 33.48       | PK  | Horizo | PASS    |
| 2  | 4844.00         | 40.2           | 31.87          | -8.310        | 54.00          | 22.13       | AV  | Horizo | PASS    |
| 3  | 7266.00         | 36.3           | 34.66          | -1.600        | 54.00          | 19.34       | AV  | Horizo | PASS    |
| 4  | 7266.00         | 44.3           | 42.71          | -1.600        | 74.00          | 31.29       | PK  | Horizo | PASS    |
| 5  | 9688.00         | 41.9           | 43.34          | 1.460         | 74.00          | 30.66       | PK  | Horizo | PASS    |
| 6  | 9688.00         | 33.5           | 34.97          | 1.460         | 54.00          | 19.03       | AV  | Horizo | PASS    |

## Transmit at 2422MHz by 802.11be(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4844.00         | 46.0           | 37.72          | -8.310        | 74.00          | 36.28       | PK  | Vertic | PASS    |
| 2  | 4844.00         | 38.1           | 29.76          | -8.310        | 54.00          | 24.24       | AV  | Vertic | PASS    |
| 3  | 7266.00         | 44.2           | 42.58          | -1.600        | 74.00          | 31.42       | PK  | Vertic | PASS    |
| 4  | 7266.00         | 35.9           | 34.28          | -1.600        | 54.00          | 19.72       | AV  | Vertic | PASS    |
| 5  | 9688.00         | 42.0           | 43.49          | 1.460         | 74.00          | 30.51       | PK  | Vertic | PASS    |
| 6  | 9688.00         | 32.8           | 34.22          | 1.460         | 54.00          | 19.78       | AV  | Vertic | PASS    |

## Transmit at 2437MHz by 802.11be(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 48.8           | 40.64          | -8.180        | 74.00          | 33.36       | PK  | Horizo | PASS    |
| 2  | 4874.00         | 39.7           | 31.56          | -8.180        | 54.00          | 22.44       | AV  | Horizo | PASS    |
| 3  | 7311.00         | 35.5           | 34.00          | -1.500        | 54.00          | 20.00       | AV  | Horizo | PASS    |
| 4  | 7311.00         | 44.8           | 43.25          | -1.500        | 74.00          | 30.75       | PK  | Horizo | PASS    |
| 5  | 9748.00         | 42.0           | 43.49          | 1.460         | 74.00          | 30.51       | PK  | Horizo | PASS    |
| 6  | 9748.00         | 33.5           | 34.96          | 1.460         | 54.00          | 19.04       | AV  | Horizo | PASS    |

## Transmit at 2437MHz by 802.11be(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 47.0           | 38.79          | -8.180        | 74.00          | 35.21       | PK  | Vertic | PASS    |
| 2  | 4874.00         | 38.2           | 30.00          | -8.180        | 54.00          | 24.00       | AV  | Vertic | PASS    |
| 3  | 7311.00         | 35.2           | 33.66          | -1.500        | 54.00          | 20.34       | AV  | Vertic | PASS    |
| 4  | 7311.00         | 44.9           | 43.37          | -1.500        | 74.00          | 30.63       | PK  | Vertic | PASS    |
| 5  | 9748.00         | 42.2           | 43.66          | 1.460         | 74.00          | 30.34       | PK  | Vertic | PASS    |
| 6  | 9748.00         | 33.5           | 34.98          | 1.460         | 54.00          | 19.02       | AV  | Vertic | PASS    |

## Transmit at 2452MHz by 802.11be(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4904.00         | 48.4           | 40.30          | -8.050        | 74.00          | 33.70       | PK  | Horizo | PASS    |
| 2  | 4904.00         | 40.5           | 32.47          | -8.050        | 54.00          | 21.53       | AV  | Horizo | PASS    |
| 3  | 7356.00         | 35.2           | 33.99          | -1.190        | 54.00          | 20.01       | AV  | Horizo | PASS    |
| 4  | 7356.00         | 45.4           | 44.16          | -1.190        | 74.00          | 29.84       | PK  | Horizo | PASS    |
| 5  | 9808.00         | 41.5           | 43.06          | 1.520         | 74.00          | 30.94       | PK  | Horizo | PASS    |
| 6  | 9808.00         | 32.5           | 34.03          | 1.520         | 54.00          | 19.97       | AV  | Horizo | PASS    |

## Transmit at 2452MHz by 802.11be(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4904.00         | 47.3           | 39.21          | -8.050        | 74.00          | 34.79       | PK  | Vertic | PASS    |
| 2  | 4904.00         | 37.7           | 29.66          | -8.050        | 54.00          | 24.34       | AV  | Vertic | PASS    |
| 3  | 7356.00         | 35.7           | 34.47          | -1.190        | 54.00          | 19.53       | AV  | Vertic | PASS    |
| 4  | 7356.00         | 45.1           | 43.93          | -1.190        | 74.00          | 30.07       | PK  | Vertic | PASS    |
| 5  | 9808.00         | 41.1           | 42.62          | 1.520         | 74.00          | 31.38       | PK  | Vertic | PASS    |
| 6  | 9808.00         | 32.9           | 34.44          | 1.520         | 54.00          | 19.56       | AV  | Vertic | PASS    |

## Transmit at 2412MHz by 802.11b with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 46.73           | 13.7           | 28.29          | 14.620        | 40.00          | 11.71       | PK  | Horizo | PASS    |
| 2  | 91.11           | 17.3           | 28.58          | 11.310        | 43.50          | 14.92       | PK  | Horizo | PASS    |
| 3  | 196.84          | 13.4           | 25.13          | 11.710        | 43.50          | 18.37       | PK  | Horizo | PASS    |
| 4  | 321.00          | 14.4           | 29.01          | 14.610        | 46.00          | 16.99       | PK  | Horizo | PASS    |
| 5  | 485.66          | 15.2           | 32.68          | 17.440        | 46.00          | 13.32       | PK  | Horizo | PASS    |
| 6  | 873.17          | 15.5           | 38.03          | 22.540        | 46.00          | 7.97        | PK  | Horizo | PASS    |

## Transmit at 2412MHz by 802.11b with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 49.16           | 18.2           | 32.99          | 14.750        | 40.00          | 7.01        | PK  | Vertic | PASS    |
| 2  | 102.75          | 18.5           | 31.07          | 12.530        | 43.50          | 12.43       | PK  | Vertic | PASS    |
| 3  | 196.60          | 13.5           | 25.23          | 11.700        | 43.50          | 18.27       | PK  | Vertic | PASS    |
| 4  | 354.47          | 13.8           | 29.35          | 15.580        | 46.00          | 16.65       | PK  | Vertic | PASS    |
| 5  | 613.21          | 14.3           | 34.24          | 19.960        | 46.00          | 11.76       | PK  | Vertic | PASS    |
| 6  | 893.30          | 15.6           | 38.47          | 22.830        | 46.00          | 7.53        | PK  | Vertic | PASS    |

Note: Level = Reading + Factor


Note: In the report, below 1G, only the verification test is carried out for the worst channel of 1~18G worst mode.

**Part RU worse case:****Transmit at 2412MHz by 802.11ax (20MHz) RU 26-0with Ant1+2***Test Graph***Data List**

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 45.9           | 37.47          | -8.390        | 74.00          | 36.53       | PK  | Horizo | PASS    |
| 2  | 4824.00         | 38.2           | 29.85          | -8.390        | 54.00          | 24.15       | AV  | Horizo | PASS    |
| 3  | 7236.00         | 43.8           | 42.15          | -1.600        | 74.00          | 31.85       | PK  | Horizo | PASS    |
| 4  | 7236.00         | 35.5           | 33.87          | -1.600        | 54.00          | 20.13       | AV  | Horizo | PASS    |
| 5  | 9648.00         | 41.1           | 42.51          | 1.420         | 74.00          | 31.49       | PK  | Horizo | PASS    |
| 6  | 9648.00         | 34.2           | 35.59          | 1.420         | 54.00          | 18.41       | AV  | Horizo | PASS    |

## Transmit at 2412MHz by 802.11ax (20MHz) RU 26-0with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 46.7           | 38.34          | -8.390        | 74.00          | 35.66       | PK  | Vertic | PASS    |
| 2  | 4824.00         | 38.3           | 29.87          | -8.390        | 54.00          | 24.13       | AV  | Vertic | PASS    |
| 3  | 7236.00         | 44.5           | 42.85          | -1.600        | 74.00          | 31.15       | PK  | Vertic | PASS    |
| 4  | 7236.00         | 35.3           | 33.68          | -1.600        | 54.00          | 20.32       | AV  | Vertic | PASS    |
| 5  | 9648.00         | 42.5           | 43.89          | 1.420         | 74.00          | 30.11       | PK  | Vertic | PASS    |
| 6  | 9648.00         | 34.0           | 35.42          | 1.420         | 54.00          | 18.58       | AV  | Vertic | PASS    |

## Transmit at 2462MHz by 802.11ax (20MHz) RU 26-0with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.2           | 38.27          | -7.970        | 74.00          | 35.73       | PK  | Horizo | PASS    |
| 2  | 4924.00         | 37.7           | 29.73          | -7.970        | 54.00          | 24.27       | AV  | Horizo | PASS    |
| 3  | 7386.00         | 43.8           | 42.77          | -0.980        | 74.00          | 31.23       | PK  | Horizo | PASS    |
| 4  | 7386.00         | 35.8           | 34.85          | -0.980        | 54.00          | 19.15       | AV  | Horizo | PASS    |
| 5  | 9848.00         | 41.1           | 42.95          | 1.880         | 74.00          | 31.05       | PK  | Horizo | PASS    |
| 6  | 9848.00         | 32.1           | 34.02          | 1.880         | 54.00          | 19.98       | AV  | Horizo | PASS    |

## Transmit at 2462MHz by 802.11ax (20MHz) RU 26-0with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.2           | 38.20          | -7.970        | 74.00          | 35.80       | PK  | Vertic | PASS    |
| 2  | 4924.00         | 37.8           | 29.79          | -7.970        | 54.00          | 24.21       | AV  | Vertic | PASS    |
| 3  | 7386.00         | 45.2           | 44.18          | -0.980        | 74.00          | 29.82       | PK  | Vertic | PASS    |
| 4  | 7386.00         | 36.2           | 35.26          | -0.980        | 54.00          | 18.74       | AV  | Vertic | PASS    |
| 5  | 9848.00         | 41.6           | 43.45          | 1.880         | 74.00          | 30.55       | PK  | Vertic | PASS    |
| 6  | 9848.00         | 33.1           | 34.97          | 1.880         | 54.00          | 19.03       | AV  | Vertic | PASS    |

## Transmit at 2412MHz by 802.11ax (20MHz) RU 52-37with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 46.9           | 38.48          | -8.390        | 74.00          | 35.52       | PK  | Horizo | PASS    |
| 2  | 4824.00         | 38.3           | 29.90          | -8.390        | 54.00          | 24.10       | AV  | Horizo | PASS    |
| 3  | 7236.00         | 35.8           | 34.18          | -1.600        | 54.00          | 19.82       | AV  | Horizo | PASS    |
| 4  | 7236.00         | 43.6           | 42.02          | -1.600        | 74.00          | 31.98       | PK  | Horizo | PASS    |
| 5  | 9648.00         | 42.0           | 43.38          | 1.420         | 74.00          | 30.62       | PK  | Horizo | PASS    |
| 6  | 9648.00         | 33.4           | 34.81          | 1.420         | 54.00          | 19.19       | AV  | Horizo | PASS    |

## Transmit at 2412MHz by 802.11ax (20MHz) RU 52-37with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 46.5           | 38.11          | -8.390        | 74.00          | 35.89       | PK  | Vertic | PASS    |
| 2  | 4824.00         | 38.2           | 29.79          | -8.390        | 54.00          | 24.21       | AV  | Vertic | PASS    |
| 3  | 7236.00         | 43.9           | 42.26          | -1.600        | 74.00          | 31.74       | PK  | Vertic | PASS    |
| 4  | 7236.00         | 35.3           | 33.65          | -1.600        | 54.00          | 20.35       | AV  | Vertic | PASS    |
| 5  | 9648.00         | 41.2           | 42.65          | 1.420         | 74.00          | 31.35       | PK  | Vertic | PASS    |
| 6  | 9648.00         | 33.7           | 35.08          | 1.420         | 54.00          | 18.92       | AV  | Vertic | PASS    |

## Transmit at 2462MHz by 802.11ax (20MHz) RU 52-37with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.5           | 38.48          | -7.970        | 74.00          | 35.52       | PK  | Horizo | PASS    |
| 2  | 4924.00         | 37.8           | 29.80          | -7.970        | 54.00          | 24.20       | AV  | Horizo | PASS    |
| 3  | 7386.00         | 43.0           | 42.06          | -0.980        | 74.00          | 31.94       | PK  | Horizo | PASS    |
| 4  | 7386.00         | 35.3           | 34.31          | -0.980        | 54.00          | 19.69       | AV  | Horizo | PASS    |
| 5  | 9848.00         | 41.2           | 43.03          | 1.880         | 74.00          | 30.97       | PK  | Horizo | PASS    |
| 6  | 9848.00         | 31.9           | 33.76          | 1.880         | 54.00          | 20.24       | AV  | Horizo | PASS    |

## Transmit at 2462MHz by 802.11ax (20MHz) RU 52-37with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.4           | 38.44          | -7.970        | 74.00          | 35.56       | PK  | Vertic | PASS    |
| 2  | 4924.00         | 37.7           | 29.74          | -7.970        | 54.00          | 24.26       | AV  | Vertic | PASS    |
| 3  | 7386.00         | 43.3           | 42.33          | -0.980        | 74.00          | 31.67       | PK  | Vertic | PASS    |
| 4  | 7386.00         | 35.8           | 34.82          | -0.980        | 54.00          | 19.18       | AV  | Vertic | PASS    |
| 5  | 9848.00         | 41.6           | 43.44          | 1.880         | 74.00          | 30.56       | PK  | Vertic | PASS    |
| 6  | 9848.00         | 32.6           | 34.47          | 1.880         | 54.00          | 19.53       | AV  | Vertic | PASS    |

## Transmit at 2412MHz by 802.11ax (20MHz) RU 106-53with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 47.0           | 38.60          | -8.390        | 74.00          | 35.40       | PK  | Horizo | PASS    |
| 2  | 4824.00         | 38.3           | 29.92          | -8.390        | 54.00          | 24.08       | AV  | Horizo | PASS    |
| 3  | 7236.00         | 44.1           | 42.51          | -1.600        | 74.00          | 31.49       | PK  | Horizo | PASS    |
| 4  | 7236.00         | 36.1           | 34.54          | -1.600        | 54.00          | 19.46       | AV  | Horizo | PASS    |
| 5  | 9648.00         | 42.5           | 43.88          | 1.420         | 74.00          | 30.12       | PK  | Horizo | PASS    |
| 6  | 9648.00         | 33.7           | 35.11          | 1.420         | 54.00          | 18.89       | AV  | Horizo | PASS    |

## Transmit at 2412MHz by 802.11ax (20MHz) RU 106-53with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 46.6           | 38.24          | -8.390        | 74.00          | 35.76       | PK  | Vertic | PASS    |
| 2  | 4824.00         | 37.6           | 29.23          | -8.390        | 54.00          | 24.77       | AV  | Vertic | PASS    |
| 3  | 7236.00         | 45.3           | 43.73          | -1.600        | 74.00          | 30.27       | PK  | Vertic | PASS    |
| 4  | 7236.00         | 35.4           | 33.80          | -1.600        | 54.00          | 20.20       | AV  | Vertic | PASS    |
| 5  | 9648.00         | 42.7           | 44.14          | 1.420         | 74.00          | 29.86       | PK  | Vertic | PASS    |
| 6  | 9648.00         | 34.2           | 35.59          | 1.420         | 54.00          | 18.41       | AV  | Vertic | PASS    |

## Transmit at 2462MHz by 802.11ax (20MHz) RU 106-53with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 44.9           | 36.96          | -7.970        | 74.00          | 37.04       | PK  | Horizo | PASS    |
| 2  | 4924.00         | 37.4           | 29.39          | -7.970        | 54.00          | 24.61       | AV  | Horizo | PASS    |
| 3  | 7386.00         | 43.5           | 42.55          | -0.980        | 74.00          | 31.45       | PK  | Horizo | PASS    |
| 4  | 7386.00         | 35.1           | 34.09          | -0.980        | 54.00          | 19.91       | AV  | Horizo | PASS    |
| 5  | 9848.00         | 41.4           | 43.26          | 1.880         | 74.00          | 30.74       | PK  | Horizo | PASS    |
| 6  | 9848.00         | 32.3           | 34.17          | 1.880         | 54.00          | 19.83       | AV  | Horizo | PASS    |

## Transmit at 2462MHz by 802.11ax (20MHz) RU 106-53with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 45.6           | 37.59          | -7.970        | 74.00          | 36.41       | PK  | Vertic | PASS    |
| 2  | 4924.00         | 37.5           | 29.48          | -7.970        | 54.00          | 24.52       | AV  | Vertic | PASS    |
| 3  | 7386.00         | 43.6           | 42.60          | -0.980        | 74.00          | 31.40       | PK  | Vertic | PASS    |
| 4  | 7386.00         | 34.8           | 33.86          | -0.980        | 54.00          | 20.14       | AV  | Vertic | PASS    |
| 5  | 9848.00         | 40.2           | 42.04          | 1.880         | 74.00          | 31.96       | PK  | Vertic | PASS    |
| 6  | 9848.00         | 32.4           | 34.32          | 1.880         | 54.00          | 19.68       | AV  | Vertic | PASS    |

## Transmit at 2412MHz by 802.11ax (20MHz) RU 26-0with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 36.79           | 13.9           | 27.36          | 13.430        | 40.00          | 12.64       | PK  | Horizo | PASS    |
| 2  | 68.32           | 16.1           | 26.80          | 10.670        | 40.00          | 13.20       | PK  | Horizo | PASS    |
| 3  | 104.69          | 22.9           | 35.39          | 12.460        | 43.50          | 8.11        | PK  | Horizo | PASS    |
| 4  | 194.90          | 19.4           | 31.01          | 11.590        | 43.50          | 12.49       | PK  | Horizo | PASS    |
| 5  | 282.20          | 18.1           | 31.93          | 13.800        | 46.00          | 14.07       | PK  | Horizo | PASS    |
| 6  | 480.08          | 20.0           | 37.33          | 17.320        | 46.00          | 8.67        | PK  | Horizo | PASS    |

## Transmit at 2412MHz by 802.11ax (20MHz) RU 26-0with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 36.79           | 15.7           | 29.16          | 13.430        | 40.00          | 10.84       | PK  | Vertic | PASS    |
| 2  | 82.14           | 20.2           | 30.28          | 10.090        | 40.00          | 9.72        | PK  | Vertic | PASS    |
| 3  | 104.45          | 23.7           | 36.19          | 12.470        | 43.50          | 7.31        | PK  | Vertic | PASS    |
| 4  | 193.69          | 19.4           | 30.88          | 11.500        | 43.50          | 12.62       | PK  | Vertic | PASS    |
| 5  | 480.08          | 20.8           | 38.15          | 17.320        | 46.00          | 7.85        | PK  | Vertic | PASS    |
| 6  | 864.93          | 16.2           | 38.58          | 22.420        | 46.00          | 7.42        | PK  | Vertic | PASS    |

Note: Level = Reading + Factor


Note: In the report, below 1G, only the verification test is carried out for the worst channel of 1~18G worst mode.

**HANYANG Antenna:****Transmit at 2412MHz by 802.11b with Ant1+2***Test Graph***Data List**

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 41.6           | 33.20          | -8.390        | 54.00          | 20.80       | AV  | Horizo | PASS    |
| 2  | 4824.00         | 49.1           | 40.71          | -8.390        | 74.00          | 33.29       | PK  | Horizo | PASS    |
| 3  | 7236.00         | 36.1           | 34.54          | -1.600        | 54.00          | 19.46       | AV  | Horizo | PASS    |
| 4  | 7236.00         | 45.9           | 44.34          | -1.600        | 74.00          | 29.66       | PK  | Horizo | PASS    |
| 5  | 9648.00         | 34.7           | 36.15          | 1.420         | 54.00          | 17.85       | AV  | Horizo | PASS    |
| 6  | 9648.00         | 45.6           | 47.01          | 1.420         | 74.00          | 26.99       | PK  | Horizo | PASS    |

## Transmit at 2412MHz by 802.11b with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 49.4           | 40.97          | -8.390        | 74.00          | 33.03       | PK  | Vertic | PASS    |
| 2  | 4824.00         | 42.7           | 34.34          | -8.390        | 54.00          | 19.66       | AV  | Vertic | PASS    |
| 3  | 7236.00         | 45.0           | 43.35          | -1.600        | 74.00          | 30.65       | PK  | Vertic | PASS    |
| 4  | 7236.00         | 35.9           | 34.33          | -1.600        | 54.00          | 19.67       | AV  | Vertic | PASS    |
| 5  | 9648.00         | 44.5           | 45.87          | 1.420         | 74.00          | 28.13       | PK  | Vertic | PASS    |
| 6  | 9648.00         | 34.6           | 36.01          | 1.420         | 54.00          | 17.99       | AV  | Vertic | PASS    |

## Transmit at 2437MHz by 802.11b with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 48.9           | 40.67          | -8.180        | 74.00          | 33.33       | PK  | Horizo | PASS    |
| 2  | 4874.00         | 41.4           | 33.26          | -8.180        | 54.00          | 20.74       | AV  | Horizo | PASS    |
| 3  | 7311.00         | 35.8           | 34.31          | -1.500        | 54.00          | 19.69       | AV  | Horizo | PASS    |
| 4  | 7311.00         | 44.4           | 42.93          | -1.500        | 74.00          | 31.07       | PK  | Horizo | PASS    |
| 5  | 9748.00         | 42.4           | 43.88          | 1.460         | 74.00          | 30.12       | PK  | Horizo | PASS    |
| 6  | 9748.00         | 34.1           | 35.57          | 1.460         | 54.00          | 18.43       | AV  | Horizo | PASS    |

## Transmit at 2437MHz by 802.11b with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 49.9           | 41.68          | -8.180        | 74.00          | 32.32       | PK  | Vertic | PASS    |
| 2  | 4874.00         | 41.0           | 32.77          | -8.180        | 54.00          | 21.23       | AV  | Vertic | PASS    |
| 3  | 7311.00         | 45.2           | 43.71          | -1.500        | 74.00          | 30.29       | PK  | Vertic | PASS    |
| 4  | 7311.00         | 36.5           | 35.04          | -1.500        | 54.00          | 18.96       | AV  | Vertic | PASS    |
| 5  | 9748.00         | 42.5           | 43.93          | 1.460         | 74.00          | 30.07       | PK  | Vertic | PASS    |
| 6  | 9748.00         | 35.0           | 36.42          | 1.460         | 54.00          | 17.58       | AV  | Vertic | PASS    |

## Transmit at 2462MHz by 802.11b with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 47.9           | 39.91          | -7.970        | 74.00          | 34.09       | PK  | Horizo | PASS    |
| 2  | 4924.00         | 40.6           | 32.61          | -7.970        | 54.00          | 21.39       | AV  | Horizo | PASS    |
| 3  | 7386.00         | 45.2           | 44.24          | -0.980        | 74.00          | 29.76       | PK  | Horizo | PASS    |
| 4  | 7386.00         | 37.1           | 36.10          | -0.980        | 54.00          | 17.90       | AV  | Horizo | PASS    |
| 5  | 9848.00         | 42.5           | 44.41          | 1.880         | 74.00          | 29.59       | PK  | Horizo | PASS    |
| 6  | 9848.00         | 33.3           | 35.20          | 1.880         | 54.00          | 18.80       | AV  | Horizo | PASS    |

## Transmit at 2462MHz by 802.11b with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 47.4           | 39.46          | -7.970        | 74.00          | 34.54       | PK  | Vertic | PASS    |
| 2  | 4924.00         | 39.2           | 31.20          | -7.970        | 54.00          | 22.80       | AV  | Vertic | PASS    |
| 3  | 7386.00         | 36.8           | 35.78          | -0.980        | 54.00          | 18.22       | AV  | Vertic | PASS    |
| 4  | 7386.00         | 45.0           | 44.03          | -0.980        | 74.00          | 29.97       | PK  | Vertic | PASS    |
| 5  | 9848.00         | 42.5           | 44.40          | 1.880         | 74.00          | 29.60       | PK  | Vertic | PASS    |
| 6  | 9848.00         | 33.6           | 35.50          | 1.880         | 54.00          | 18.50       | AV  | Vertic | PASS    |

## Transmit at 2412MHz by 802.11g with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 47.8           | 39.45          | -8.390        | 74.00          | 34.55       | PK  | Horizo | PASS    |
| 2  | 4824.00         | 39.9           | 31.46          | -8.390        | 54.00          | 22.54       | AV  | Horizo | PASS    |
| 3  | 7236.00         | 44.9           | 43.33          | -1.600        | 74.00          | 30.67       | PK  | Horizo | PASS    |
| 4  | 7236.00         | 36.0           | 34.41          | -1.600        | 54.00          | 19.59       | AV  | Horizo | PASS    |
| 5  | 9648.00         | 42.6           | 44.00          | 1.420         | 74.00          | 30.00       | PK  | Horizo | PASS    |
| 6  | 9648.00         | 34.2           | 35.64          | 1.420         | 54.00          | 18.36       | AV  | Horizo | PASS    |

## Transmit at 2412MHz by 802.11g with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 49.2           | 40.83          | -8.390        | 74.00          | 33.17       | PK  | Vertic | PASS    |
| 2  | 4824.00         | 39.7           | 31.28          | -8.390        | 54.00          | 22.72       | AV  | Vertic | PASS    |
| 3  | 7236.00         | 36.4           | 34.75          | -1.600        | 54.00          | 19.25       | AV  | Vertic | PASS    |
| 4  | 7236.00         | 44.2           | 42.62          | -1.600        | 74.00          | 31.38       | PK  | Vertic | PASS    |
| 5  | 9648.00         | 42.8           | 44.18          | 1.420         | 74.00          | 29.82       | PK  | Vertic | PASS    |
| 6  | 9648.00         | 34.6           | 35.98          | 1.420         | 54.00          | 18.02       | AV  | Vertic | PASS    |

## Transmit at 2437MHz by 802.11g with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 47.0           | 38.77          | -8.180        | 74.00          | 35.23       | PK  | Horizo | PASS    |
| 2  | 4874.00         | 39.0           | 30.84          | -8.180        | 54.00          | 23.16       | AV  | Horizo | PASS    |
| 3  | 7311.00         | 44.9           | 43.41          | -1.500        | 74.00          | 30.59       | PK  | Horizo | PASS    |
| 4  | 7311.00         | 36.6           | 35.12          | -1.500        | 54.00          | 18.88       | AV  | Horizo | PASS    |
| 5  | 9748.00         | 42.4           | 43.82          | 1.460         | 74.00          | 30.18       | PK  | Horizo | PASS    |
| 6  | 9748.00         | 35.2           | 36.63          | 1.460         | 54.00          | 17.37       | AV  | Horizo | PASS    |

## Transmit at 2437MHz by 802.11g with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 47.0           | 38.82          | -8.180        | 74.00          | 35.18       | PK  | Vertic | PASS    |
| 2  | 4874.00         | 38.6           | 30.39          | -8.180        | 54.00          | 23.61       | AV  | Vertic | PASS    |
| 3  | 7311.00         | 44.3           | 42.81          | -1.500        | 74.00          | 31.19       | PK  | Vertic | PASS    |
| 4  | 7311.00         | 36.7           | 35.16          | -1.500        | 54.00          | 18.84       | AV  | Vertic | PASS    |
| 5  | 9748.00         | 43.7           | 45.18          | 1.460         | 74.00          | 28.82       | PK  | Vertic | PASS    |
| 6  | 9748.00         | 34.3           | 35.71          | 1.460         | 54.00          | 18.29       | AV  | Vertic | PASS    |

## Transmit at 2462MHz by 802.11g with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.7           | 38.75          | -7.970        | 74.00          | 35.25       | PK  | Horizo | PASS    |
| 2  | 4924.00         | 37.9           | 29.96          | -7.970        | 54.00          | 24.04       | AV  | Horizo | PASS    |
| 3  | 7386.00         | 45.8           | 44.79          | -0.980        | 74.00          | 29.21       | PK  | Horizo | PASS    |
| 4  | 7386.00         | 36.2           | 35.25          | -0.980        | 54.00          | 18.75       | AV  | Horizo | PASS    |
| 5  | 9848.00         | 41.4           | 43.24          | 1.880         | 74.00          | 30.76       | PK  | Horizo | PASS    |
| 6  | 9848.00         | 33.3           | 35.17          | 1.880         | 54.00          | 18.83       | AV  | Horizo | PASS    |

## Transmit at 2462MHz by 802.11g with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.4           | 38.42          | -7.970        | 74.00          | 35.58       | PK  | Vertic | PASS    |
| 2  | 4924.00         | 38.0           | 30.00          | -7.970        | 54.00          | 24.00       | AV  | Vertic | PASS    |
| 3  | 7386.00         | 46.1           | 45.08          | -0.980        | 74.00          | 28.92       | PK  | Vertic | PASS    |
| 4  | 7386.00         | 36.6           | 35.59          | -0.980        | 54.00          | 18.41       | AV  | Vertic | PASS    |
| 5  | 9848.00         | 41.2           | 43.08          | 1.880         | 74.00          | 30.92       | PK  | Vertic | PASS    |
| 6  | 9848.00         | 34.4           | 36.24          | 1.880         | 54.00          | 17.76       | AV  | Vertic | PASS    |

## Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 48.1           | 39.66          | -8.390        | 74.00          | 34.34       | PK  | Horizo | PASS    |
| 2  | 4824.00         | 39.7           | 31.31          | -8.390        | 54.00          | 22.69       | AV  | Horizo | PASS    |
| 3  | 7236.00         | 45.5           | 43.86          | -1.600        | 74.00          | 30.14       | PK  | Horizo | PASS    |
| 4  | 7236.00         | 35.8           | 34.17          | -1.600        | 54.00          | 19.83       | AV  | Horizo | PASS    |
| 5  | 9648.00         | 43.2           | 44.57          | 1.420         | 74.00          | 29.43       | PK  | Horizo | PASS    |
| 6  | 9648.00         | 34.7           | 36.13          | 1.420         | 54.00          | 17.87       | AV  | Horizo | PASS    |

## Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 47.9           | 39.55          | -8.390        | 74.00          | 34.45       | PK  | Vertic | PASS    |
| 2  | 4824.00         | 39.3           | 30.91          | -8.390        | 54.00          | 23.09       | AV  | Vertic | PASS    |
| 3  | 7236.00         | 43.8           | 42.23          | -1.600        | 74.00          | 31.77       | PK  | Vertic | PASS    |
| 4  | 7236.00         | 36.2           | 34.60          | -1.600        | 54.00          | 19.40       | AV  | Vertic | PASS    |
| 5  | 9648.00         | 43.7           | 45.13          | 1.420         | 74.00          | 28.87       | PK  | Vertic | PASS    |
| 6  | 9648.00         | 35.6           | 36.97          | 1.420         | 54.00          | 17.03       | AV  | Vertic | PASS    |

## Transmit at 2437MHz by 802.11n(20MHz) with Ant1+2


Test Graph



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 47.3           | 39.15          | -8.180        | 74.00          | 34.85       | PK  | Horizo | PASS    |
| 2  | 4874.00         | 38.5           | 30.32          | -8.180        | 54.00          | 23.68       | AV  | Horizo | PASS    |
| 3  | 7311.00         | 44.5           | 43.03          | -1.500        | 74.00          | 30.97       | PK  | Horizo | PASS    |
| 4  | 7311.00         | 36.2           | 34.72          | -1.500        | 54.00          | 19.28       | AV  | Horizo | PASS    |
| 5  | 9748.00         | 43.0           | 44.46          | 1.460         | 74.00          | 29.54       | PK  | Horizo | PASS    |
| 6  | 9748.00         | 34.2           | 35.70          | 1.460         | 54.00          | 18.30       | AV  | Horizo | PASS    |

Transmit at 2437MHz by 802.11n(20MHz) with Ant1+2




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 46.7           | 38.54          | -8.180        | 74.00          | 35.46       | PK  | Vertic | PASS    |
| 2  | 4874.00         | 38.9           | 30.74          | -8.180        | 54.00          | 23.26       | AV  | Vertic | PASS    |
| 3  | 7311.00         | 36.0           | 34.46          | -1.500        | 54.00          | 19.54       | AV  | Vertic | PASS    |
| 4  | 7311.00         | 44.4           | 42.88          | -1.500        | 74.00          | 31.12       | PK  | Vertic | PASS    |
| 5  | 9748.00         | 42.4           | 43.84          | 1.460         | 74.00          | 30.16       | PK  | Vertic | PASS    |
| 6  | 9748.00         | 34.3           | 35.75          | 1.460         | 54.00          | 18.25       | AV  | Vertic | PASS    |

## Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.5           | 38.56          | -7.970        | 74.00          | 35.44       | PK  | Horizo | PASS    |
| 2  | 4924.00         | 37.4           | 29.44          | -7.970        | 54.00          | 24.56       | AV  | Horizo | PASS    |
| 3  | 7386.00         | 36.4           | 35.42          | -0.980        | 54.00          | 18.58       | AV  | Horizo | PASS    |
| 4  | 7386.00         | 44.9           | 43.93          | -0.980        | 74.00          | 30.07       | PK  | Horizo | PASS    |
| 5  | 9848.00         | 42.7           | 44.58          | 1.880         | 74.00          | 29.42       | PK  | Horizo | PASS    |
| 6  | 9848.00         | 33.9           | 35.82          | 1.880         | 54.00          | 18.18       | AV  | Horizo | PASS    |

## Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.4           | 38.44          | -7.970        | 74.00          | 35.56       | PK  | Vertic | PASS    |
| 2  | 4924.00         | 38.3           | 30.28          | -7.970        | 54.00          | 23.72       | AV  | Vertic | PASS    |
| 3  | 7386.00         | 44.3           | 43.33          | -0.980        | 74.00          | 30.67       | PK  | Vertic | PASS    |
| 4  | 7386.00         | 36.4           | 35.41          | -0.980        | 54.00          | 18.59       | AV  | Vertic | PASS    |
| 5  | 9848.00         | 43.3           | 45.22          | 1.880         | 74.00          | 28.78       | PK  | Vertic | PASS    |
| 6  | 9848.00         | 33.7           | 35.53          | 1.880         | 54.00          | 18.47       | AV  | Vertic | PASS    |

## Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 46.7           | 38.32          | -8.390        | 74.00          | 35.68       | PK  | Horizo | PASS    |
| 2  | 4824.00         | 39.7           | 31.32          | -8.390        | 54.00          | 22.68       | AV  | Horizo | PASS    |
| 3  | 7236.00         | 36.3           | 34.69          | -1.600        | 54.00          | 19.31       | AV  | Horizo | PASS    |
| 4  | 7236.00         | 44.2           | 42.59          | -1.600        | 74.00          | 31.41       | PK  | Horizo | PASS    |
| 5  | 9648.00         | 42.7           | 44.16          | 1.420         | 74.00          | 29.84       | PK  | Horizo | PASS    |
| 6  | 9648.00         | 34.6           | 36.03          | 1.420         | 54.00          | 17.97       | AV  | Horizo | PASS    |

## Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 47.2           | 38.84          | -8.390        | 74.00          | 35.16       | PK  | Vertic | PASS    |
| 2  | 4824.00         | 39.3           | 30.93          | -8.390        | 54.00          | 23.07       | AV  | Vertic | PASS    |
| 3  | 7236.00         | 36.3           | 34.72          | -1.600        | 54.00          | 19.28       | AV  | Vertic | PASS    |
| 4  | 7236.00         | 44.0           | 42.38          | -1.600        | 74.00          | 31.62       | PK  | Vertic | PASS    |
| 5  | 9648.00         | 42.3           | 43.72          | 1.420         | 74.00          | 30.28       | PK  | Vertic | PASS    |
| 6  | 9648.00         | 34.7           | 36.14          | 1.420         | 54.00          | 17.86       | AV  | Vertic | PASS    |

## Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 46.8           | 38.63          | -8.180        | 74.00          | 35.37       | PK  | Horizo | PASS    |
| 2  | 4874.00         | 38.3           | 30.15          | -8.180        | 54.00          | 23.85       | AV  | Horizo | PASS    |
| 3  | 7311.00         | 43.7           | 42.17          | -1.500        | 74.00          | 31.83       | PK  | Horizo | PASS    |
| 4  | 7311.00         | 35.7           | 34.20          | -1.500        | 54.00          | 19.80       | AV  | Horizo | PASS    |
| 5  | 9748.00         | 42.1           | 43.60          | 1.460         | 74.00          | 30.40       | PK  | Horizo | PASS    |
| 6  | 9748.00         | 34.9           | 36.31          | 1.460         | 54.00          | 17.69       | AV  | Horizo | PASS    |

## Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.8           | 38.78          | -7.970        | 74.00          | 35.22       | PK  | Vertic | PASS    |
| 2  | 4924.00         | 37.8           | 29.78          | -7.970        | 54.00          | 24.22       | AV  | Vertic | PASS    |
| 3  | 7386.00         | 36.4           | 35.45          | -0.980        | 54.00          | 18.55       | AV  | Vertic | PASS    |
| 4  | 7386.00         | 44.5           | 43.53          | -0.980        | 74.00          | 30.47       | PK  | Vertic | PASS    |
| 5  | 9848.00         | 42.8           | 44.63          | 1.880         | 74.00          | 29.37       | PK  | Vertic | PASS    |
| 6  | 9848.00         | 34.0           | 35.87          | 1.880         | 54.00          | 18.13       | AV  | Vertic | PASS    |

## Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 47.2           | 39.20          | -7.970        | 74.00          | 34.80       | PK  | Horizo | PASS    |
| 2  | 4924.00         | 38.5           | 30.51          | -7.970        | 54.00          | 23.49       | AV  | Horizo | PASS    |
| 3  | 7386.00         | 36.2           | 35.26          | -0.980        | 54.00          | 18.74       | AV  | Horizo | PASS    |
| 4  | 7386.00         | 44.8           | 43.81          | -0.980        | 74.00          | 30.19       | PK  | Horizo | PASS    |
| 5  | 9848.00         | 42.4           | 44.29          | 1.880         | 74.00          | 29.71       | PK  | Horizo | PASS    |
| 6  | 9848.00         | 34.3           | 36.20          | 1.880         | 54.00          | 17.80       | AV  | Horizo | PASS    |

## Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.9           | 38.97          | -7.970        | 74.00          | 35.03       | PK  | Vertic | PASS    |
| 2  | 4924.00         | 38.5           | 30.56          | -7.970        | 54.00          | 23.44       | AV  | Vertic | PASS    |
| 3  | 7386.00         | 44.6           | 43.58          | -0.980        | 74.00          | 30.42       | PK  | Vertic | PASS    |
| 4  | 7386.00         | 37.0           | 36.01          | -0.980        | 54.00          | 17.99       | AV  | Vertic | PASS    |
| 5  | 9848.00         | 42.3           | 44.16          | 1.880         | 74.00          | 29.84       | PK  | Vertic | PASS    |
| 6  | 9848.00         | 33.6           | 35.51          | 1.880         | 54.00          | 18.49       | AV  | Vertic | PASS    |

## Transmit at 2412MHz by 802.be(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 47.0           | 38.62          | -8.390        | 74.00          | 35.38       | PK  | Horizo | PASS    |
| 2  | 4824.00         | 38.6           | 30.25          | -8.390        | 54.00          | 23.75       | AV  | Horizo | PASS    |
| 3  | 7236.00         | 35.7           | 34.14          | -1.600        | 54.00          | 19.86       | AV  | Horizo | PASS    |
| 4  | 7236.00         | 43.9           | 42.28          | -1.600        | 74.00          | 31.72       | PK  | Horizo | PASS    |
| 5  | 9648.00         | 42.4           | 43.77          | 1.420         | 74.00          | 30.23       | PK  | Horizo | PASS    |
| 6  | 9648.00         | 34.8           | 36.23          | 1.420         | 54.00          | 17.77       | AV  | Horizo | PASS    |

## Transmit at 2412MHz by 802.be(20MHz) with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 48.1           | 39.74          | -8.390        | 74.00          | 34.26       | PK  | Vertic | PASS    |
| 2  | 4824.00         | 39.5           | 31.12          | -8.390        | 54.00          | 22.88       | AV  | Vertic | PASS    |
| 3  | 7236.00         | 36.0           | 34.41          | -1.600        | 54.00          | 19.59       | AV  | Vertic | PASS    |
| 4  | 7236.00         | 44.1           | 42.46          | -1.600        | 74.00          | 31.54       | PK  | Vertic | PASS    |
| 5  | 9648.00         | 43.3           | 44.68          | 1.420         | 74.00          | 29.32       | PK  | Vertic | PASS    |
| 6  | 9648.00         | 34.7           | 36.11          | 1.420         | 54.00          | 17.89       | AV  | Vertic | PASS    |

## Transmit at 2437MHz by 802.be(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 46.0           | 37.85          | -8.180        | 74.00          | 36.15       | PK  | Horizo | PASS    |
| 2  | 4874.00         | 37.7           | 29.49          | -8.180        | 54.00          | 24.51       | AV  | Horizo | PASS    |
| 3  | 7311.00         | 35.7           | 34.18          | -1.500        | 54.00          | 19.82       | AV  | Horizo | PASS    |
| 4  | 7311.00         | 45.6           | 44.05          | -1.500        | 74.00          | 29.95       | PK  | Horizo | PASS    |
| 5  | 9748.00         | 42.4           | 43.87          | 1.460         | 74.00          | 30.13       | PK  | Horizo | PASS    |
| 6  | 9748.00         | 34.2           | 35.68          | 1.460         | 54.00          | 18.32       | AV  | Horizo | PASS    |

## Transmit at 2437MHz by 802.be(20MHz) with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 45.8           | 37.58          | -8.180        | 74.00          | 36.42       | PK  | Vertic | PASS    |
| 2  | 4874.00         | 38.2           | 30.04          | -8.180        | 54.00          | 23.96       | AV  | Vertic | PASS    |
| 3  | 7311.00         | 44.9           | 43.42          | -1.500        | 74.00          | 30.58       | PK  | Vertic | PASS    |
| 4  | 7311.00         | 35.9           | 34.40          | -1.500        | 54.00          | 19.60       | AV  | Vertic | PASS    |
| 5  | 9748.00         | 41.7           | 43.17          | 1.460         | 74.00          | 30.83       | PK  | Vertic | PASS    |
| 6  | 9748.00         | 33.7           | 35.13          | 1.460         | 54.00          | 18.87       | AV  | Vertic | PASS    |

## Transmit at 2462MHz by 802.be(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 48.0           | 40.06          | -7.970        | 74.00          | 33.94       | PK  | Horizo | PASS    |
| 2  | 4924.00         | 38.4           | 30.40          | -7.970        | 54.00          | 23.60       | AV  | Horizo | PASS    |
| 3  | 7386.00         | 43.7           | 42.76          | -0.980        | 74.00          | 31.24       | PK  | Horizo | PASS    |
| 4  | 7386.00         | 35.8           | 34.78          | -0.980        | 54.00          | 19.22       | AV  | Horizo | PASS    |
| 5  | 9848.00         | 41.6           | 43.46          | 1.880         | 74.00          | 30.54       | PK  | Horizo | PASS    |
| 6  | 9848.00         | 33.5           | 35.36          | 1.880         | 54.00          | 18.64       | AV  | Horizo | PASS    |

## Transmit at 2462MHz by 802.be(20MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.6           | 38.66          | -7.970        | 74.00          | 35.34       | PK  | Vertic | PASS    |
| 2  | 4924.00         | 38.3           | 30.30          | -7.970        | 54.00          | 23.70       | AV  | Vertic | PASS    |
| 3  | 7386.00         | 43.9           | 42.89          | -0.980        | 74.00          | 31.11       | PK  | Vertic | PASS    |
| 4  | 7386.00         | 35.9           | 34.91          | -0.980        | 54.00          | 19.09       | AV  | Vertic | PASS    |
| 5  | 9848.00         | 42.7           | 44.60          | 1.880         | 74.00          | 29.40       | PK  | Vertic | PASS    |
| 6  | 9848.00         | 33.0           | 34.90          | 1.880         | 54.00          | 19.10       | AV  | Vertic | PASS    |

## Transmit at 2422MHz by 802.11n(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4844.00         | 47.6           | 39.27          | -8.310        | 74.00          | 34.73       | PK  | Horizo | PASS    |
| 2  | 4844.00         | 39.6           | 31.25          | -8.310        | 54.00          | 22.75       | AV  | Horizo | PASS    |
| 3  | 7266.00         | 44.4           | 42.80          | -1.600        | 74.00          | 31.20       | PK  | Horizo | PASS    |
| 4  | 7266.00         | 36.5           | 34.90          | -1.600        | 54.00          | 19.10       | AV  | Horizo | PASS    |
| 5  | 9688.00         | 41.7           | 43.16          | 1.460         | 74.00          | 30.84       | PK  | Horizo | PASS    |
| 6  | 9688.00         | 33.8           | 35.23          | 1.460         | 54.00          | 18.77       | AV  | Horizo | PASS    |

## Transmit at 2422MHz by 802.11n(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4844.00         | 47.1           | 38.75          | -8.310        | 74.00          | 35.25       | PK  | Vertic | PASS    |
| 2  | 4844.00         | 38.9           | 30.60          | -8.310        | 54.00          | 23.40       | AV  | Vertic | PASS    |
| 3  | 7266.00         | 45.1           | 43.47          | -1.600        | 74.00          | 30.53       | PK  | Vertic | PASS    |
| 4  | 7266.00         | 36.5           | 34.86          | -1.600        | 54.00          | 19.14       | AV  | Vertic | PASS    |
| 5  | 9688.00         | 41.5           | 42.91          | 1.460         | 74.00          | 31.09       | PK  | Vertic | PASS    |
| 6  | 9688.00         | 34.4           | 35.85          | 1.460         | 54.00          | 18.15       | AV  | Vertic | PASS    |

## Transmit at 2437MHz by 802.11n(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 47.1           | 38.90          | -8.180        | 74.00          | 35.10       | PK  | Horizo | PASS    |
| 2  | 4874.00         | 38.0           | 29.80          | -8.180        | 54.00          | 24.20       | AV  | Horizo | PASS    |
| 3  | 7311.00         | 45.5           | 43.99          | -1.500        | 74.00          | 30.01       | PK  | Horizo | PASS    |
| 4  | 7311.00         | 36.1           | 34.55          | -1.500        | 54.00          | 19.45       | AV  | Horizo | PASS    |
| 5  | 9748.00         | 42.7           | 44.18          | 1.460         | 74.00          | 29.82       | PK  | Horizo | PASS    |
| 6  | 9748.00         | 34.5           | 35.92          | 1.460         | 54.00          | 18.08       | AV  | Horizo | PASS    |

## Transmit at 2437MHz by 802.11n(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 46.6           | 38.44          | -8.180        | 74.00          | 35.56       | PK  | Vertic | PASS    |
| 2  | 4874.00         | 37.6           | 29.38          | -8.180        | 54.00          | 24.62       | AV  | Vertic | PASS    |
| 3  | 7311.00         | 46.8           | 45.34          | -1.500        | 74.00          | 28.66       | PK  | Vertic | PASS    |
| 4  | 7311.00         | 36.7           | 35.16          | -1.500        | 54.00          | 18.84       | AV  | Vertic | PASS    |
| 5  | 9748.00         | 42.1           | 43.54          | 1.460         | 74.00          | 30.46       | PK  | Vertic | PASS    |
| 6  | 9748.00         | 34.2           | 35.61          | 1.460         | 54.00          | 18.39       | AV  | Vertic | PASS    |

## Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4904.00         | 46.7           | 38.66          | -8.050        | 74.00          | 35.34       | PK  | Horizo | PASS    |
| 2  | 4904.00         | 38.4           | 30.31          | -8.050        | 54.00          | 23.69       | AV  | Horizo | PASS    |
| 3  | 7356.00         | 46.1           | 44.86          | -1.190        | 74.00          | 29.14       | PK  | Horizo | PASS    |
| 4  | 7356.00         | 35.9           | 34.67          | -1.190        | 54.00          | 19.33       | AV  | Horizo | PASS    |
| 5  | 9808.00         | 41.6           | 43.15          | 1.510         | 74.00          | 30.85       | PK  | Horizo | PASS    |
| 6  | 9808.00         | 33.8           | 35.34          | 1.510         | 54.00          | 18.66       | AV  | Horizo | PASS    |

## Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4904.00         | 46.9           | 38.81          | -8.050        | 74.00          | 35.19       | PK  | Vertic | PASS    |
| 2  | 4904.00         | 37.7           | 29.64          | -8.050        | 54.00          | 24.36       | AV  | Vertic | PASS    |
| 3  | 7356.00         | 44.5           | 43.30          | -1.190        | 74.00          | 30.70       | PK  | Vertic | PASS    |
| 4  | 7356.00         | 36.1           | 34.88          | -1.190        | 54.00          | 19.12       | AV  | Vertic | PASS    |
| 5  | 9808.00         | 41.7           | 43.18          | 1.510         | 74.00          | 30.82       | PK  | Vertic | PASS    |
| 6  | 9808.00         | 33.4           | 34.92          | 1.510         | 54.00          | 19.08       | AV  | Vertic | PASS    |

## Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4844.00         | 38.1           | 29.81          | -8.310        | 54.00          | 24.19       | AV  | Horizo | PASS    |
| 2  | 4844.00         | 46.5           | 38.18          | -8.310        | 74.00          | 35.82       | PK  | Horizo | PASS    |
| 3  | 7266.00         | 36.5           | 34.85          | -1.600        | 54.00          | 19.15       | AV  | Horizo | PASS    |
| 4  | 7266.00         | 43.8           | 42.20          | -1.600        | 74.00          | 31.80       | PK  | Horizo | PASS    |
| 5  | 9688.00         | 33.7           | 35.14          | 1.460         | 54.00          | 18.86       | AV  | Horizo | PASS    |
| 6  | 9688.00         | 42.9           | 44.35          | 1.460         | 74.00          | 29.65       | PK  | Horizo | PASS    |

## Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4844.00         | 47.7           | 39.34          | -8.310        | 74.00          | 34.66       | PK  | Vertic | PASS    |
| 2  | 4844.00         | 38.1           | 29.83          | -8.310        | 54.00          | 24.17       | AV  | Vertic | PASS    |
| 3  | 7266.00         | 44.9           | 43.33          | -1.600        | 74.00          | 30.67       | PK  | Vertic | PASS    |
| 4  | 7266.00         | 36.0           | 34.36          | -1.600        | 54.00          | 19.64       | AV  | Vertic | PASS    |
| 5  | 9688.00         | 42.3           | 43.73          | 1.460         | 74.00          | 30.27       | PK  | Vertic | PASS    |
| 6  | 9688.00         | 34.1           | 35.57          | 1.460         | 54.00          | 18.43       | AV  | Vertic | PASS    |

## Transmit at 2437MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 46.0           | 37.84          | -8.180        | 74.00          | 36.16       | PK  | Horizo | PASS    |
| 2  | 4874.00         | 38.6           | 30.39          | -8.180        | 54.00          | 23.61       | AV  | Horizo | PASS    |
| 3  | 7311.00         | 45.0           | 43.50          | -1.500        | 74.00          | 30.50       | PK  | Horizo | PASS    |
| 4  | 7311.00         | 35.3           | 33.78          | -1.500        | 54.00          | 20.22       | AV  | Horizo | PASS    |
| 5  | 9748.00         | 44.5           | 45.92          | 1.460         | 74.00          | 28.08       | PK  | Horizo | PASS    |
| 6  | 9748.00         | 34.0           | 35.49          | 1.460         | 54.00          | 18.51       | AV  | Horizo | PASS    |

## Transmit at 2437MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 46.0           | 37.81          | -8.180        | 74.00          | 36.19       | PK  | Vertic | PASS    |
| 2  | 4874.00         | 37.7           | 29.54          | -8.180        | 54.00          | 24.46       | AV  | Vertic | PASS    |
| 3  | 7311.00         | 44.1           | 42.55          | -1.500        | 74.00          | 31.45       | PK  | Vertic | PASS    |
| 4  | 7311.00         | 35.7           | 34.18          | -1.500        | 54.00          | 19.82       | AV  | Vertic | PASS    |
| 5  | 9748.00         | 42.7           | 44.12          | 1.460         | 74.00          | 29.88       | PK  | Vertic | PASS    |
| 6  | 9748.00         | 34.2           | 35.67          | 1.460         | 54.00          | 18.33       | AV  | Vertic | PASS    |

## Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4904.00         | 46.7           | 38.61          | -8.050        | 74.00          | 35.39       | PK  | Horizo | PASS    |
| 2  | 4904.00         | 37.7           | 29.62          | -8.050        | 54.00          | 24.38       | AV  | Horizo | PASS    |
| 3  | 7356.00         | 44.3           | 43.14          | -1.190        | 74.00          | 30.86       | PK  | Horizo | PASS    |
| 4  | 7356.00         | 35.4           | 34.21          | -1.190        | 54.00          | 19.79       | AV  | Horizo | PASS    |
| 5  | 9808.00         | 42.8           | 44.28          | 1.510         | 74.00          | 29.72       | PK  | Horizo | PASS    |
| 6  | 9808.00         | 33.2           | 34.68          | 1.510         | 54.00          | 19.32       | AV  | Horizo | PASS    |

## Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4904.00         | 46.3           | 38.26          | -8.050        | 74.00          | 35.74       | PK  | Vertic | PASS    |
| 2  | 4904.00         | 37.8           | 29.77          | -8.050        | 54.00          | 24.23       | AV  | Vertic | PASS    |
| 3  | 7356.00         | 43.2           | 41.99          | -1.190        | 74.00          | 32.01       | PK  | Vertic | PASS    |
| 4  | 7356.00         | 35.9           | 34.71          | -1.190        | 54.00          | 19.29       | AV  | Vertic | PASS    |
| 5  | 9808.00         | 41.6           | 43.07          | 1.510         | 74.00          | 30.93       | PK  | Vertic | PASS    |
| 6  | 9808.00         | 33.4           | 34.91          | 1.510         | 54.00          | 19.09       | AV  | Vertic | PASS    |

## Transmit at 2422MHz by 802.11be(40MHz) with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4844.00         | 47.4           | 39.13          | -8.310        | 74.00          | 34.87       | PK  | Horizo | PASS    |
| 2  | 4844.00         | 37.8           | 29.48          | -8.310        | 54.00          | 24.52       | AV  | Horizo | PASS    |
| 3  | 7266.00         | 44.6           | 42.95          | -1.600        | 74.00          | 31.05       | PK  | Horizo | PASS    |
| 4  | 7266.00         | 36.7           | 35.11          | -1.600        | 54.00          | 18.89       | AV  | Horizo | PASS    |
| 5  | 9688.00         | 42.6           | 44.01          | 1.460         | 74.00          | 29.99       | PK  | Horizo | PASS    |
| 6  | 9688.00         | 33.7           | 35.14          | 1.460         | 54.00          | 18.86       | AV  | Horizo | PASS    |

## Transmit at 2422MHz by 802.11be(40MHz) with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4844.00         | 46.2           | 37.87          | -8.310        | 74.00          | 36.13       | PK  | Vertic | PASS    |
| 2  | 4844.00         | 38.3           | 30.01          | -8.310        | 54.00          | 23.99       | AV  | Vertic | PASS    |
| 3  | 7266.00         | 35.8           | 34.22          | -1.600        | 54.00          | 19.78       | AV  | Vertic | PASS    |
| 4  | 7266.00         | 44.6           | 43.04          | -1.600        | 74.00          | 30.96       | PK  | Vertic | PASS    |
| 5  | 9688.00         | 42.8           | 44.28          | 1.460         | 74.00          | 29.72       | PK  | Vertic | PASS    |
| 6  | 9688.00         | 33.9           | 35.31          | 1.460         | 54.00          | 18.69       | AV  | Vertic | PASS    |

## Transmit at 2437MHz by 802.11be(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 39.0           | 30.78          | -8.180        | 54.00          | 23.22       | AV  | Horizo | PASS    |
| 2  | 4874.00         | 46.9           | 38.68          | -8.180        | 74.00          | 35.32       | PK  | Horizo | PASS    |
| 3  | 7311.00         | 36.1           | 34.58          | -1.500        | 54.00          | 19.42       | AV  | Horizo | PASS    |
| 4  | 7311.00         | 43.9           | 42.37          | -1.500        | 74.00          | 31.63       | PK  | Horizo | PASS    |
| 5  | 9748.00         | 33.9           | 35.31          | 1.460         | 54.00          | 18.69       | AV  | Horizo | PASS    |
| 6  | 9748.00         | 42.4           | 43.85          | 1.460         | 74.00          | 30.15       | PK  | Horizo | PASS    |

## Transmit at 2437MHz by 802.11be(40MHz) with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4874.00         | 46.1           | 37.96          | -8.180        | 74.00          | 36.04       | PK  | Vertic | PASS    |
| 2  | 4874.00         | 38.0           | 29.77          | -8.180        | 54.00          | 24.23       | AV  | Vertic | PASS    |
| 3  | 7311.00         | 36.3           | 34.78          | -1.500        | 54.00          | 19.22       | AV  | Vertic | PASS    |
| 4  | 7311.00         | 44.2           | 42.73          | -1.500        | 74.00          | 31.27       | PK  | Vertic | PASS    |
| 5  | 9748.00         | 43.3           | 44.71          | 1.460         | 74.00          | 29.29       | PK  | Vertic | PASS    |
| 6  | 9748.00         | 33.3           | 34.78          | 1.460         | 54.00          | 19.22       | AV  | Vertic | PASS    |

## Transmit at 2452MHz by 802.11be(40MHz) with Ant1+2


Test Graph



## Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4904.00         | 46.5           | 38.47          | -8.050        | 74.00          | 35.53       | PK  | Horizo | PASS    |
| 2  | 4904.00         | 37.8           | 29.79          | -8.050        | 54.00          | 24.21       | AV  | Horizo | PASS    |
| 3  | 7356.00         | 35.4           | 34.25          | -1.190        | 54.00          | 19.75       | AV  | Horizo | PASS    |
| 4  | 7356.00         | 45.2           | 43.98          | -1.190        | 74.00          | 30.02       | PK  | Horizo | PASS    |
| 5  | 9808.00         | 40.5           | 42.05          | 1.510         | 74.00          | 31.95       | PK  | Horizo | PASS    |
| 6  | 9808.00         | 33.4           | 34.90          | 1.510         | 54.00          | 19.10       | AV  | Horizo | PASS    |

Transmit at 2452MHz by 802.11be(40MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 4904.00         | 46.0           | 37.92          | -8.050        | 74.00          | 36.08       | PK  | Vertic | PASS    |
| 2         | 4904.00         | 37.5           | 29.48          | -8.050        | 54.00          | 24.52       | AV  | Vertic | PASS    |
| 3         | 7356.00         | 44.7           | 43.47          | -1.190        | 74.00          | 30.53       | PK  | Vertic | PASS    |
| 4         | 7356.00         | 36.6           | 35.42          | -1.190        | 54.00          | 18.58       | AV  | Vertic | PASS    |
| 5         | 9808.00         | 41.1           | 42.58          | 1.510         | 74.00          | 31.42       | PK  | Vertic | PASS    |
| 6         | 9808.00         | 33.4           | 34.87          | 1.510         | 54.00          | 19.13       | AV  | Vertic | PASS    |

Transmit at 2412MHz by 802.11b with Ant1+2




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 46.49           | 17.1           | 31.69          | 14.610        | 40.00          | 8.31        | PK  | Horizo | PASS    |
| 2  | 102.75          | 14.7           | 27.19          | 12.530        | 43.50          | 16.31       | PK  | Horizo | PASS    |
| 3  | 188.60          | 13.8           | 24.96          | 11.130        | 43.50          | 18.54       | PK  | Horizo | PASS    |
| 4  | 305.24          | 13.9           | 28.05          | 14.180        | 46.00          | 17.95       | PK  | Horizo | PASS    |
| 5  | 539.74          | 14.8           | 33.09          | 18.290        | 46.00          | 12.91       | PK  | Horizo | PASS    |
| 6  | 771.08          | 16.2           | 37.81          | 21.570        | 46.00          | 8.19        | PK  | Horizo | PASS    |

## Transmit at 2412MHz by 802.11b with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 37.28           | 14.8           | 28.27          | 13.500        | 40.00          | 11.73       | PK  | Vertic | PASS    |
| 2  | 75.59           | 14.2           | 24.25          | 10.020        | 40.00          | 15.75       | PK  | Vertic | PASS    |
| 3  | 121.91          | 13.8           | 24.44          | 10.670        | 43.50          | 19.06       | PK  | Vertic | PASS    |
| 4  | 228.85          | 13.8           | 26.49          | 12.730        | 46.00          | 19.51       | PK  | Vertic | PASS    |
| 5  | 400.30          | 15.5           | 31.76          | 16.260        | 46.00          | 14.24       | PK  | Vertic | PASS    |
| 6  | 751.68          | 16.5           | 38.08          | 21.580        | 46.00          | 7.92        | PK  | Vertic | PASS    |

Note: Level = Reading + Factor


Note: In the report, below 1G, only the verification test is carried out for the worst channel of 1~18G worst mode.

**Part RU worse case:****Transmit at 2412MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2***Test Graph***Data List**

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 46.6           | 38.24          | -8.390        | 74.00          | 35.76       | PK  | Horizo | PASS    |
| 2  | 4824.00         | 38.5           | 30.15          | -8.390        | 54.00          | 23.85       | AV  | Horizo | PASS    |
| 3  | 7236.00         | 44.4           | 42.80          | -1.600        | 74.00          | 31.20       | PK  | Horizo | PASS    |
| 4  | 7236.00         | 35.7           | 34.14          | -1.600        | 54.00          | 19.86       | AV  | Horizo | PASS    |
| 5  | 9648.00         | 44.2           | 45.65          | 1.420         | 74.00          | 28.35       | PK  | Horizo | PASS    |
| 6  | 9648.00         | 34.2           | 35.61          | 1.420         | 54.00          | 18.39       | AV  | Horizo | PASS    |

## Transmit at 2412MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 46.3           | 37.90          | -8.390        | 74.00          | 36.10       | PK  | Vertic | PASS    |
| 2  | 4824.00         | 37.9           | 29.53          | -8.390        | 54.00          | 24.47       | AV  | Vertic | PASS    |
| 3  | 7236.00         | 44.3           | 42.69          | -1.600        | 74.00          | 31.31       | PK  | Vertic | PASS    |
| 4  | 7236.00         | 36.2           | 34.57          | -1.600        | 54.00          | 19.43       | AV  | Vertic | PASS    |
| 5  | 9648.00         | 42.2           | 43.62          | 1.420         | 74.00          | 30.38       | PK  | Vertic | PASS    |
| 6  | 9648.00         | 33.9           | 35.30          | 1.420         | 54.00          | 18.70       | AV  | Vertic | PASS    |

## Transmit at 2462MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 45.7           | 37.71          | -7.970        | 74.00          | 36.29       | PK  | Horizo | PASS    |
| 2  | 4924.00         | 37.4           | 29.39          | -7.970        | 54.00          | 24.61       | AV  | Horizo | PASS    |
| 3  | 7386.00         | 44.0           | 43.06          | -0.980        | 74.00          | 30.94       | PK  | Horizo | PASS    |
| 4  | 7386.00         | 36.0           | 35.05          | -0.980        | 54.00          | 18.95       | AV  | Horizo | PASS    |
| 5  | 9848.00         | 42.0           | 43.87          | 1.880         | 74.00          | 30.13       | PK  | Horizo | PASS    |
| 6  | 9848.00         | 32.5           | 34.33          | 1.880         | 54.00          | 19.67       | AV  | Horizo | PASS    |

## Transmit at 2462MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 45.2           | 37.23          | -7.970        | 74.00          | 36.77       | PK  | Vertic | PASS    |
| 2  | 4924.00         | 37.7           | 29.69          | -7.970        | 54.00          | 24.31       | AV  | Vertic | PASS    |
| 3  | 7386.00         | 44.3           | 43.28          | -0.980        | 74.00          | 30.72       | PK  | Vertic | PASS    |
| 4  | 7386.00         | 35.5           | 34.51          | -0.980        | 54.00          | 19.49       | AV  | Vertic | PASS    |
| 5  | 9848.00         | 42.1           | 43.95          | 1.880         | 74.00          | 30.05       | PK  | Vertic | PASS    |
| 6  | 9848.00         | 33.4           | 35.23          | 1.880         | 54.00          | 18.77       | AV  | Vertic | PASS    |

## Transmit at 2412MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 45.8           | 37.39          | -8.390        | 74.00          | 36.61       | PK  | Horizo | PASS    |
| 2  | 4824.00         | 38.3           | 29.95          | -8.390        | 54.00          | 24.05       | AV  | Horizo | PASS    |
| 3  | 7236.00         | 36.3           | 34.69          | -1.600        | 54.00          | 19.31       | AV  | Horizo | PASS    |
| 4  | 7236.00         | 44.7           | 43.06          | -1.600        | 74.00          | 30.94       | PK  | Horizo | PASS    |
| 5  | 9648.00         | 42.6           | 44.04          | 1.420         | 74.00          | 29.96       | PK  | Horizo | PASS    |
| 6  | 9648.00         | 34.2           | 35.64          | 1.420         | 54.00          | 18.36       | AV  | Horizo | PASS    |

## Transmit at 2412MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4824.00         | 47.7           | 39.35          | -8.390        | 74.00          | 34.65       | PK  | Vertic | PASS    |
| 2  | 4824.00         | 38.2           | 29.83          | -8.390        | 54.00          | 24.17       | AV  | Vertic | PASS    |
| 3  | 7236.00         | 36.2           | 34.61          | -1.600        | 54.00          | 19.39       | AV  | Vertic | PASS    |
| 4  | 7236.00         | 44.4           | 42.75          | -1.600        | 74.00          | 31.25       | PK  | Vertic | PASS    |
| 5  | 9648.00         | 43.3           | 44.73          | 1.420         | 74.00          | 29.27       | PK  | Vertic | PASS    |
| 6  | 9648.00         | 34.2           | 35.63          | 1.420         | 54.00          | 18.37       | AV  | Vertic | PASS    |

## Transmit at 2462MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2

Test Graph




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.0           | 38.05          | -7.970        | 74.00          | 35.95       | PK  | Horizo | PASS    |
| 2  | 4924.00         | 38.1           | 30.14          | -7.970        | 54.00          | 23.86       | AV  | Horizo | PASS    |
| 3  | 7386.00         | 35.5           | 34.54          | -0.980        | 54.00          | 19.46       | AV  | Horizo | PASS    |
| 4  | 7386.00         | 45.2           | 44.18          | -0.980        | 74.00          | 29.82       | PK  | Horizo | PASS    |
| 5  | 9848.00         | 41.2           | 43.08          | 1.880         | 74.00          | 30.92       | PK  | Horizo | PASS    |
| 6  | 9848.00         | 33.5           | 35.36          | 1.880         | 54.00          | 18.64       | AV  | Horizo | PASS    |

## Transmit at 2462MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2

Test Graph



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 4924.00         | 46.6           | 38.64          | -7.970        | 74.00          | 35.36       | PK  | Vertic | PASS    |
| 2  | 4924.00         | 37.4           | 29.44          | -7.970        | 54.00          | 24.56       | AV  | Vertic | PASS    |
| 3  | 7386.00         | 36.6           | 35.63          | -0.980        | 54.00          | 18.37       | AV  | Vertic | PASS    |
| 4  | 7386.00         | 43.9           | 42.87          | -0.980        | 74.00          | 31.13       | PK  | Vertic | PASS    |
| 5  | 9848.00         | 41.8           | 43.64          | 1.880         | 74.00          | 30.36       | PK  | Vertic | PASS    |
| 6  | 9848.00         | 33.8           | 35.71          | 1.880         | 54.00          | 18.29       | AV  | Vertic | PASS    |