



Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.93	39.2	50.45	11.260	68.30	17.85	PK	Vertic	PASS
2	5668.55	38.5	49.90	11.380	82.07	32.17	PK	Vertic	PASS
3	5703.81	39.8	51.38	11.540	106.37	54.99	PK	Vertic	PASS
4	5722.83	40.9	52.49	11.640	117.34	64.85	PK	Vertic	PASS
5	5852.66	39.0	51.10	12.070	116.23	65.13	PK	Vertic	PASS
6	5866.80	38.5	50.53	12.070	107.59	57.06	PK	Vertic	PASS
7	5898.98	37.8	49.89	12.090	87.52	37.63	PK	Vertic	PASS
8	5935.38	38.2	50.44	12.220	68.30	17.86	PK	Vertic	PASS


Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.98	39.4	50.65	11.250	68.30	17.65	PK	Horizo	PASS
2	5675.86	40.4	51.83	11.410	87.48	35.65	PK	Horizo	PASS
3	5709.99	39.3	50.83	11.580	108.10	57.27	PK	Horizo	PASS
4	5724.61	39.9	51.54	11.650	121.42	69.88	PK	Horizo	PASS
5	5853.80	43.6	55.63	12.070	113.64	58.01	PK	Horizo	PASS
6	5864.85	41.4	53.47	12.070	108.14	54.67	PK	Horizo	PASS
7	5900.60	40.8	52.90	12.090	86.32	33.42	PK	Horizo	PASS
8	5937.00	39.6	51.86	12.220	68.30	16.44	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.63	39.2	50.48	11.250	68.30	17.82	PK	Vertic	PASS
2	5669.69	38.2	49.57	11.390	82.91	33.34	PK	Vertic	PASS
3	5707.71	38.3	49.83	11.560	107.46	57.63	PK	Vertic	PASS
4	5723.31	38.2	49.80	11.640	118.45	68.65	PK	Vertic	PASS
5	5853.31	38.7	50.78	12.070	114.75	63.97	PK	Vertic	PASS
6	5869.73	38.2	50.23	12.070	106.78	56.55	PK	Vertic	PASS
7	5905.80	38.0	50.08	12.110	82.47	32.39	PK	Vertic	PASS
8	5940.58	38.3	50.49	12.240	68.30	17.81	PK	Vertic	PASS


Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.49	41.3	52.53	11.250	68.30	15.77	PK	Horizo	PASS
2	5665.63	41.1	52.45	11.370	79.90	27.45	PK	Horizo	PASS
3	5711.29	44.1	55.68	11.580	108.46	52.78	PK	Horizo	PASS
4	5723.64	53.3	64.93	11.650	119.19	54.26	PK	Horizo	PASS
5	5851.85	40.2	52.26	12.070	118.08	65.82	PK	Horizo	PASS
6	5867.78	39.9	51.98	12.070	107.32	55.34	PK	Horizo	PASS
7	5899.30	40.4	52.47	12.090	87.28	34.81	PK	Horizo	PASS
8	5932.78	39.0	51.20	12.210	68.30	17.10	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2*Test Graph***Data List**

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5638.98	38.5	49.72	11.250	68.30	18.58	PK	Vertic	PASS
2	5658.96	38.6	49.89	11.340	74.96	25.07	PK	Vertic	PASS
3	5709.50	39.7	51.29	11.570	107.96	56.67	PK	Vertic	PASS
4	5724.61	44.0	55.63	11.650	121.42	65.79	PK	Vertic	PASS
5	5851.20	38.0	50.05	12.070	119.56	69.51	PK	Vertic	PASS
6	5870.38	37.6	49.71	12.080	106.59	56.88	PK	Vertic	PASS
7	5902.06	39.4	51.47	12.100	85.23	33.76	PK	Vertic	PASS
8	5947.08	39.3	51.52	12.260	68.30	16.78	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.21	40.8	52.06	11.240	68.30	16.24	PK	Horizo	PASS
2	5675.21	40.1	51.53	11.410	87.00	35.47	PK	Horizo	PASS
3	5707.39	39.9	51.50	11.560	107.37	55.87	PK	Horizo	PASS
4	5724.13	41.0	52.65	11.650	120.31	67.66	PK	Horizo	PASS
5	5852.50	54.4	66.43	12.070	116.60	50.17	PK	Horizo	PASS
6	5860.14	52.9	64.98	12.070	109.46	44.48	PK	Horizo	PASS
7	5883.38	44.1	56.20	12.080	99.08	42.88	PK	Horizo	PASS
8	5927.58	41.4	53.58	12.190	68.30	14.72	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.89	38.1	49.36	11.240	68.30	18.94	PK	Vertic	PASS
2	5676.68	38.1	49.53	11.420	88.08	38.55	PK	Vertic	PASS
3	5711.78	38.5	50.05	11.580	108.60	58.55	PK	Vertic	PASS
4	5723.48	37.8	49.48	11.640	118.82	69.34	PK	Vertic	PASS
5	5851.69	48.3	60.32	12.070	118.45	58.13	PK	Vertic	PASS
6	5864.36	42.3	54.40	12.070	108.28	53.88	PK	Vertic	PASS
7	5893.29	37.9	49.94	12.090	91.73	41.79	PK	Vertic	PASS
8	5936.68	38.1	50.33	12.220	68.30	17.97	PK	Vertic	PASS


Transmit at 5745MHz by 802.11be(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.85	41.5	52.76	11.280	68.30	15.54	PK	Horizo	PASS
2	5673.75	43.4	54.85	11.410	85.92	31.07	PK	Horizo	PASS
3	5719.09	54.9	66.53	11.620	110.64	44.11	PK	Horizo	PASS
4	5724.13	58.3	69.96	11.650	120.31	50.35	PK	Horizo	PASS
5	5852.18	41.0	53.05	12.070	117.34	64.29	PK	Horizo	PASS
6	5867.78	40.5	52.58	12.070	107.32	54.74	PK	Horizo	PASS
7	5900.60	39.9	52.01	12.090	86.32	34.31	PK	Horizo	PASS
8	5933.75	40.1	52.29	12.210	68.30	16.01	PK	Horizo	PASS


Transmit at 5745MHz by 802.11be(20MHz) with Ant1+2



Data List


NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5638.33	38.9	50.19	11.250	68.30	18.11	PK	Vertic	PASS
2	5665.63	40.1	51.42	11.370	79.90	28.48	PK	Vertic	PASS
3	5711.45	41.2	52.78	11.580	108.51	55.73	PK	Vertic	PASS
4	5721.85	51.5	63.08	11.630	115.12	52.04	PK	Vertic	PASS
5	5854.45	37.7	49.73	12.070	112.15	62.42	PK	Vertic	PASS
6	5872.65	38.2	50.23	12.080	105.96	55.73	PK	Vertic	PASS
7	5899.63	38.2	50.25	12.090	87.04	36.79	PK	Vertic	PASS
8	5938.79	38.5	50.75	12.230	68.30	17.55	PK	Vertic	PASS

Transmit at 5825MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.90	39.2	50.46	11.260	68.30	17.84	PK	Horizo	PASS
2	5671.48	39.8	51.23	11.400	84.23	33.00	PK	Horizo	PASS
3	5703.81	40.4	51.93	11.540	106.37	54.44	PK	Horizo	PASS
4	5723.48	39.4	51.03	11.640	118.82	67.79	PK	Horizo	PASS
5	5852.34	43.0	55.05	12.070	116.97	61.92	PK	Horizo	PASS
6	5869.89	40.9	52.96	12.070	106.73	53.77	PK	Horizo	PASS
7	5903.53	39.7	51.77	12.100	84.15	32.38	PK	Horizo	PASS
8	5939.60	39.4	51.61	12.230	68.30	16.69	PK	Horizo	PASS

Transmit at 5825MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.44	38.3	49.57	11.260	68.30	18.73	PK	Vertic	PASS
2	5668.23	38.6	49.99	11.380	81.82	31.83	PK	Vertic	PASS
3	5707.88	38.6	50.12	11.560	107.51	57.39	PK	Vertic	PASS
4	5722.50	37.8	49.39	11.640	116.60	67.21	PK	Vertic	PASS
5	5853.64	38.8	50.86	12.070	114.01	63.15	PK	Vertic	PASS
6	5863.55	38.2	50.29	12.070	108.50	58.21	PK	Vertic	PASS
7	5902.23	39.0	51.11	12.100	85.11	34.00	PK	Vertic	PASS
8	5937.00	38.2	50.39	12.220	68.30	17.91	PK	Vertic	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.35	40.1	51.34	11.240	68.30	16.96	PK	Horizo	PASS
2	5670.50	40.2	51.56	11.390	83.51	31.95	PK	Horizo	PASS
3	5717.30	53.1	64.70	11.610	110.15	45.45	PK	Horizo	PASS
4	5722.66	54.2	65.85	11.640	116.97	51.12	PK	Horizo	PASS
5	5851.53	40.3	52.39	12.070	118.82	66.43	PK	Horizo	PASS
6	5866.31	40.6	52.66	12.070	107.73	55.07	PK	Horizo	PASS
7	5894.10	39.0	51.12	12.090	91.13	40.01	PK	Horizo	PASS
8	5933.43	38.4	50.56	12.210	68.30	17.74	PK	Horizo	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5647.43	38.8	50.12	11.290	68.30	18.18	PK	Vertic	PASS
2	5686.26	39.5	50.98	11.460	95.17	44.19	PK	Vertic	PASS
3	5718.76	46.0	57.59	11.620	110.55	52.96	PK	Vertic	PASS
4	5723.31	44.4	56.02	11.640	118.45	62.43	PK	Vertic	PASS
5	5851.20	37.5	49.56	12.070	119.56	70.00	PK	Vertic	PASS
6	5866.31	37.5	49.58	12.070	107.73	58.15	PK	Vertic	PASS
7	5899.14	38.5	50.62	12.090	87.40	36.78	PK	Vertic	PASS
8	5936.84	38.2	50.46	12.220	68.30	17.84	PK	Vertic	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.74	38.6	49.88	11.260	68.30	18.42	PK	Horizo	PASS
2	5674.56	40.0	51.42	11.410	86.52	35.10	PK	Horizo	PASS
3	5710.80	42.5	54.06	11.580	108.33	54.27	PK	Horizo	PASS
4	5724.13	44.0	55.62	11.650	120.31	64.69	PK	Horizo	PASS
5	5852.50	46.6	58.65	12.070	116.60	57.95	PK	Horizo	PASS
6	5864.53	45.3	57.37	12.070	108.23	50.86	PK	Horizo	PASS
7	5900.44	39.4	51.53	12.090	86.44	34.91	PK	Horizo	PASS
8	5943.18	38.6	50.80	12.240	68.30	17.50	PK	Horizo	PASS


Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.24	38.2	49.41	11.240	68.30	18.89	PK	Vertic	PASS
2	5667.74	37.7	49.06	11.370	81.46	32.40	PK	Vertic	PASS
3	5709.01	38.9	50.43	11.560	107.83	57.40	PK	Vertic	PASS
4	5722.50	39.1	50.69	11.640	116.60	65.91	PK	Vertic	PASS
5	5851.36	40.9	52.94	12.070	119.19	66.25	PK	Vertic	PASS
6	5870.21	38.8	50.92	12.080	106.64	55.72	PK	Vertic	PASS
7	5900.93	38.6	50.73	12.090	86.08	35.35	PK	Vertic	PASS
8	5937.33	38.0	50.19	12.230	68.30	18.11	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.00	40.9	52.15	11.250	68.30	16.15	PK	Horizo	PASS
2	5679.11	41.3	52.76	11.420	89.88	37.12	PK	Horizo	PASS
3	5712.59	44.9	56.52	11.590	108.83	52.31	PK	Horizo	PASS
4	5722.01	50.6	62.27	11.640	115.49	53.22	PK	Horizo	PASS
5	5852.99	40.3	52.34	12.070	115.49	63.15	PK	Horizo	PASS
6	5869.89	39.8	51.82	12.070	106.73	54.91	PK	Horizo	PASS
7	5898.49	39.8	51.89	12.090	87.88	35.99	PK	Horizo	PASS
8	5939.11	38.6	50.86	12.230	68.30	17.44	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.54	38.4	49.62	11.240	68.30	18.68	PK	Vertic	PASS
2	5664.16	38.4	49.72	11.360	78.81	29.09	PK	Vertic	PASS
3	5705.93	39.2	50.72	11.550	106.96	56.24	PK	Vertic	PASS
4	5721.85	41.8	53.44	11.630	115.12	61.68	PK	Vertic	PASS
5	5850.88	37.9	49.96	12.070	120.30	70.34	PK	Vertic	PASS
6	5866.48	38.0	50.06	12.070	107.68	57.62	PK	Vertic	PASS
7	5906.13	38.1	50.16	12.110	82.23	32.07	PK	Vertic	PASS
8	5933.59	38.3	50.52	12.210	68.30	17.78	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.76	39.4	50.61	11.260	68.30	17.69	PK	Horizo	PASS
2	5672.13	41.0	52.39	11.400	84.71	32.32	PK	Horizo	PASS
3	5709.18	42.7	54.27	11.560	107.87	53.60	PK	Horizo	PASS
4	5722.99	44.4	56.08	11.640	117.71	61.63	PK	Horizo	PASS
5	5853.31	45.3	57.39	12.070	114.75	57.36	PK	Horizo	PASS
6	5869.56	44.7	56.74	12.070	106.82	50.08	PK	Horizo	PASS
7	5896.21	40.8	52.92	12.090	89.56	36.64	PK	Horizo	PASS
8	5937.49	38.8	50.99	12.230	68.30	17.31	PK	Horizo	PASS


Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.55	38.6	49.90	11.260	68.30	18.40	PK	Vertic	PASS
2	5673.91	37.8	49.16	11.410	86.04	36.88	PK	Vertic	PASS
3	5712.91	39.8	51.42	11.590	108.92	57.50	PK	Vertic	PASS
4	5723.15	39.1	50.75	11.640	118.08	67.33	PK	Vertic	PASS
5	5851.36	39.5	51.59	12.070	119.19	67.60	PK	Vertic	PASS
6	5862.58	38.8	50.84	12.070	108.78	57.94	PK	Vertic	PASS
7	5899.63	38.4	50.44	12.090	87.04	36.60	PK	Vertic	PASS
8	5936.35	38.4	50.65	12.220	68.30	17.65	PK	Vertic	PASS




Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.30	43.0	54.29	11.250	68.30	14.01	PK	Horizo	PASS
2	5668.23	44.7	56.03	11.380	81.82	25.79	PK	Horizo	PASS
3	5705.44	57.3	68.85	11.550	106.82	37.97	PK	Horizo	PASS
4	5722.01	61.6	73.24	11.640	115.49	42.25	PK	Horizo	PASS
5	5852.01	43.3	55.35	12.070	117.71	62.36	PK	Horizo	PASS
6	5867.61	41.1	53.13	12.070	107.37	54.24	PK	Horizo	PASS
7	5900.76	40.5	52.57	12.090	86.20	33.63	PK	Horizo	PASS
8	5940.74	40.9	53.10	12.240	68.30	15.20	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.68	38.7	49.91	11.250	68.30	18.39	PK	Vertic	PASS
2	5674.89	38.2	49.64	11.410	86.76	37.12	PK	Vertic	PASS
3	5708.69	44.3	55.87	11.560	107.73	51.86	PK	Vertic	PASS
4	5721.69	50.0	61.66	11.630	114.75	53.09	PK	Vertic	PASS
5	5851.69	38.1	50.19	12.070	118.45	68.26	PK	Vertic	PASS
6	5863.39	38.1	50.13	12.070	108.55	58.42	PK	Vertic	PASS
7	5894.10	38.4	50.51	12.090	91.13	40.62	PK	Vertic	PASS
8	5932.29	38.0	50.20	12.210	68.30	18.10	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.25	42.2	53.47	11.260	68.30	14.83	PK	Horizo	PASS
2	5670.34	45.5	56.89	11.390	83.39	26.50	PK	Horizo	PASS
3	5712.10	51.4	62.93	11.580	108.69	45.76	PK	Horizo	PASS
4	5723.48	51.0	62.68	11.640	118.82	56.14	PK	Horizo	PASS
5	5851.04	54.4	66.49	12.070	119.93	53.44	PK	Horizo	PASS
6	5870.05	53.7	65.75	12.080	106.68	40.93	PK	Horizo	PASS
7	5915.55	43.7	55.86	12.150	75.27	19.41	PK	Horizo	PASS
8	5937.81	40.1	52.36	12.230	68.30	15.94	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2*Test Graph***Data List**

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5641.58	39.3	50.53	11.260	68.30	17.77	PK	Vertic	PASS
2	5675.86	38.0	49.42	11.410	87.48	38.06	PK	Vertic	PASS
3	5710.96	39.3	50.86	11.580	108.37	57.51	PK	Vertic	PASS
4	5723.80	40.6	52.25	11.650	119.56	67.31	PK	Vertic	PASS
5	5852.50	42.8	54.90	12.070	116.60	61.70	PK	Vertic	PASS
6	5865.50	42.7	54.79	12.070	107.96	53.17	PK	Vertic	PASS
7	5895.89	38.1	50.18	12.090	89.81	39.63	PK	Vertic	PASS
8	5937.16	38.6	50.80	12.230	68.30	17.50	PK	Vertic	PASS




Transmit at 5755MHz by 802.11be(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5648.08	43.6	54.88	11.290	68.30	13.42	PK	Horizo	PASS
2	5674.73	44.0	55.40	11.410	86.64	31.24	PK	Horizo	PASS
3	5708.69	55.9	67.45	11.560	107.73	40.28	PK	Horizo	PASS
4	5721.69	57.6	69.21	11.630	114.75	45.54	PK	Horizo	PASS
5	5852.99	42.5	54.58	12.070	115.49	60.91	PK	Horizo	PASS
6	5863.71	41.9	53.97	12.070	108.46	54.49	PK	Horizo	PASS
7	5896.70	40.9	52.96	12.090	89.20	36.24	PK	Horizo	PASS
8	5937.98	39.4	51.65	12.230	68.30	16.65	PK	Horizo	PASS

Transmit at 5755MHz by 802.11be(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.74	38.6	49.88	11.260	68.30	18.42	PK	Vertic	PASS
2	5672.13	39.3	50.71	11.400	84.71	34.00	PK	Vertic	PASS
3	5709.83	41.5	53.07	11.580	108.05	54.98	PK	Vertic	PASS
4	5724.61	42.9	54.57	11.650	121.42	66.85	PK	Vertic	PASS
5	5852.18	38.1	50.21	12.070	117.34	67.13	PK	Vertic	PASS
6	5865.50	38.4	50.42	12.070	107.96	57.54	PK	Vertic	PASS
7	5901.09	37.9	50.02	12.090	85.96	35.94	PK	Vertic	PASS
8	5939.76	38.9	51.11	12.230	68.30	17.19	PK	Vertic	PASS


Transmit at 5795MHz by 802.11be(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5651.16	44.1	55.35	11.300	69.16	13.81	PK	Horizo	PASS
2	5670.34	41.2	52.58	11.390	83.39	30.81	PK	Horizo	PASS
3	5704.30	44.6	56.11	11.550	106.51	50.40	PK	Horizo	PASS
4	5722.66	49.6	61.26	11.640	116.97	55.71	PK	Horizo	PASS
5	5852.34	49.7	61.81	12.070	116.97	55.16	PK	Horizo	PASS
6	5864.36	50.3	62.33	12.070	108.28	45.95	PK	Horizo	PASS
7	5905.31	41.9	54.03	12.110	82.83	28.80	PK	Horizo	PASS
8	5937.16	39.6	51.85	12.230	68.30	16.45	PK	Horizo	PASS


Transmit at 5795MHz by 802.11be(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.25	38.2	49.47	11.260	68.30	18.83	PK	Vertic	PASS
2	5675.70	37.9	49.32	11.410	87.36	38.04	PK	Vertic	PASS
3	5708.36	38.3	49.81	11.560	107.64	57.83	PK	Vertic	PASS
4	5722.34	39.9	51.58	11.640	116.23	64.65	PK	Vertic	PASS
5	5851.85	41.0	53.04	12.070	118.08	65.04	PK	Vertic	PASS
6	5865.01	41.1	53.15	12.070	108.09	54.94	PK	Vertic	PASS
7	5893.29	38.2	50.25	12.090	91.73	41.48	PK	Vertic	PASS
8	5932.45	38.1	50.26	12.210	68.30	18.04	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.68	45.3	56.51	11.250	68.30	11.79	PK	Horizo	PASS
2	5678.30	60.1	71.51	11.420	89.28	17.77	PK	Horizo	PASS
3	5709.66	66.7	78.29	11.570	108.01	29.72	PK	Horizo	PASS
4	5723.48	69.4	81.04	11.640	118.82	37.78	PK	Horizo	PASS
5	5851.20	59.3	71.34	12.070	119.56	48.22	PK	Horizo	PASS
6	5863.71	58.4	70.45	12.070	108.46	38.01	PK	Horizo	PASS
7	5896.05	46.0	58.06	12.090	89.68	31.62	PK	Horizo	PASS
8	5937.65	39.8	52.07	12.230	68.30	16.23	PK	Horizo	PASS




Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.33	38.6	49.85	11.250	68.30	18.45	PK	Vertic	PASS
2	5678.46	48.6	59.98	11.420	89.40	29.42	PK	Vertic	PASS
3	5711.13	53.0	64.61	11.580	108.42	43.81	PK	Vertic	PASS
4	5723.48	56.7	68.31	11.640	118.82	50.51	PK	Vertic	PASS
5	5851.53	47.7	59.76	12.070	118.82	59.06	PK	Vertic	PASS
6	5864.20	47.3	59.33	12.070	108.32	48.99	PK	Vertic	PASS
7	5899.14	38.5	50.56	12.090	87.40	36.84	PK	Vertic	PASS
8	5938.30	38.6	50.85	12.230	68.30	17.45	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.18	51.5	62.79	11.280	68.30	5.51	PK	Horizo	PASS
2	5678.63	67.3	78.71	11.420	89.52	10.81	PK	Horizo	PASS
3	5709.18	70.2	81.71	11.560	107.87	26.16	PK	Horizo	PASS
4	5723.96	74.7	86.34	11.650	119.94	33.60	PK	Horizo	PASS
5	5852.66	65.8	77.85	12.070	116.23	38.38	PK	Horizo	PASS
6	5858.51	64.9	77.01	12.070	109.92	32.91	PK	Horizo	PASS
7	5894.91	53.0	65.08	12.090	90.53	25.45	PK	Horizo	PASS
8	5932.45	46.4	58.56	12.210	68.30	9.74	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.56	40.9	52.13	11.240	68.30	16.17	PK	Vertic	PASS
2	5678.79	54.4	65.77	11.420	89.64	23.87	PK	Vertic	PASS
3	5708.85	57.6	69.13	11.560	107.78	38.65	PK	Vertic	PASS
4	5723.96	62.3	73.95	11.650	119.94	45.99	PK	Vertic	PASS
5	5852.66	55.4	67.50	12.070	116.23	48.73	PK	Vertic	PASS
6	5872.16	51.6	63.64	12.080	106.09	42.45	PK	Vertic	PASS
7	5889.88	44.0	56.12	12.080	94.26	38.14	PK	Vertic	PASS
8	5930.50	41.3	53.47	12.200	68.30	14.83	PK	Vertic	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.09	45.9	57.11	11.260	68.30	11.19	PK	Horizo	PASS
2	5679.44	62.5	73.96	11.430	90.12	16.16	PK	Horizo	PASS
3	5719.25	70.2	81.83	11.620	110.69	28.86	PK	Horizo	PASS
4	5721.53	67.0	78.64	11.630	114.38	35.74	PK	Horizo	PASS
5	5851.36	58.0	70.03	12.070	119.19	49.16	PK	Horizo	PASS
6	5866.48	55.3	67.35	12.070	107.68	40.33	PK	Horizo	PASS
7	5890.53	47.5	59.61	12.090	93.78	34.17	PK	Horizo	PASS
8	5932.78	41.4	53.63	12.210	68.30	14.67	PK	Horizo	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5627.60	39.0	50.18	11.200	68.30	18.12	PK	Vertic	PASS
2	5679.44	48.9	60.35	11.430	90.12	29.77	PK	Vertic	PASS
3	5711.29	52.4	63.94	11.580	108.46	44.52	PK	Vertic	PASS
4	5721.04	54.5	66.14	11.630	113.27	47.13	PK	Vertic	PASS
5	5851.69	47.2	59.31	12.070	118.45	59.14	PK	Vertic	PASS
6	5865.34	45.2	57.22	12.070	108.00	50.78	PK	Vertic	PASS
7	5896.70	38.8	50.91	12.090	89.20	38.29	PK	Vertic	PASS
8	5943.18	39.4	51.66	12.240	68.30	16.64	PK	Vertic	PASS

Note: Level = Reading + Factor


Part RU worse case:
Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5107.29	38.4	48.19	9.830	74.00	25.81	PK	Horizo	PASS
2	5150.00	35.0	44.84	9.880	74.00	29.16	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5115.57	39.4	49.28	9.840	74.00	24.72	PK	Vertic	PASS
2	5150.00	36.2	46.03	9.880	74.00	27.97	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5031.04	28.0	37.85	9.810	54.00	16.15	AV	Horizo	PASS
2	5150.00	27.6	37.47	9.880	54.00	16.53	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5025.69	28.0	37.83	9.810	54.00	16.17	AV	Vertic	PASS
2	5150.00	27.6	37.48	9.880	54.00	16.52	AV	Vertic	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.0	47.95	10.990	68.30	20.35	PK	Horizo	PASS
2	5469.47	38.5	49.47	10.970	68.30	18.83	PK	Horizo	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.0	48.02	10.990	68.30	20.28	PK	Vertic	PASS
2	5466.69	38.4	49.35	10.980	68.30	18.95	PK	Vertic	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5451.40	27.1	38.06	10.990	54.00	15.94	AV	Horizo	PASS
2	5460.00	26.3	37.29	10.990	54.00	16.71	AV	Horizo	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5444.74	27.0	37.99	11.000	54.00	16.01	AV	Vertic	PASS
2	5460.00	26.2	37.14	10.990	54.00	16.86	AV	Vertic	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5116.08	38.2	48.09	9.850	74.00	25.91	PK	Horizo	PASS
2	5150.00	35.3	45.21	9.880	74.00	28.79	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5063.13	38.4	48.25	9.820	74.00	25.75	PK	Vertic	PASS
2	5150.00	35.7	45.57	9.880	74.00	28.43	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5022.50	27.9	37.68	9.810	54.00	16.32	AV	Horizo	PASS
2	5150.00	27.3	37.21	9.880	54.00	16.79	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5104.96	27.9	37.74	9.830	54.00	16.26	AV	Vertic	PASS
2	5150.00	27.4	37.23	9.880	54.00	16.77	AV	Vertic	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	36.9	47.84	10.990	68.30	20.46	PK	Horizo	PASS
2	5468.40	37.7	48.71	10.970	68.30	19.59	PK	Horizo	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.4	48.40	10.990	68.30	19.90	PK	Vertic	PASS
2	5463.71	38.7	49.71	10.980	68.30	18.59	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5449.86	27.0	37.99	11.000	54.00	16.01	AV	Horizo	PASS
2	5460.00	26.3	37.30	10.990	54.00	16.70	AV	Horizo	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5431.48	26.9	37.92	11.020	54.00	16.08	AV	Vertic	PASS
2	5460.00	26.4	37.36	10.990	54.00	16.64	AV	Vertic	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5044.58	39.2	49.01	9.820	74.00	24.99	PK	Horizo	PASS
2	5150.00	37.3	47.16	9.880	74.00	26.84	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5098.14	39.1	48.94	9.820	74.00	25.06	PK	Vertic	PASS
2	5150.00	36.3	46.17	9.880	74.00	27.83	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4996.89	27.8	37.63	9.800	54.00	16.37	AV	Horizo	PASS
2	5150.00	27.7	37.55	9.880	54.00	16.45	AV	Horizo	PASS


Transmit at 5180MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5030.87	27.9	37.66	9.810	54.00	16.34	AV	Vertic	PASS
2	5150.00	27.8	37.63	9.880	54.00	16.37	AV	Vertic	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	36.8	47.77	10.990	68.30	20.53	PK	Horizo	PASS
2	5463.76	38.2	49.18	10.980	68.30	19.12	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.1	48.12	10.990	68.30	20.18	PK	Vertic	PASS
2	5466.05	38.2	49.16	10.980	68.30	19.14	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5442.96	27.1	38.06	11.010	54.00	15.94	AV	Horizo	PASS
2	5460.00	26.4	37.42	10.990	54.00	16.58	AV	Horizo	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5439.72	27.1	38.08	11.000	54.00	15.92	AV	Vertic	PASS
2	5460.00	26.5	37.46	10.990	54.00	16.54	AV	Vertic	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.58	38.4	49.61	11.260	68.30	18.69	PK	Horizo	PASS
2	5672.29	38.7	50.13	11.400	84.83	34.70	PK	Horizo	PASS
3	5708.20	42.5	54.07	11.560	107.60	53.53	PK	Horizo	PASS
4	5721.04	55.1	66.72	11.630	113.27	46.55	PK	Horizo	PASS
5	5852.66	37.8	49.91	12.070	116.23	66.32	PK	Horizo	PASS
6	5872.65	37.9	49.93	12.080	105.96	56.03	PK	Horizo	PASS
7	5897.84	37.8	49.90	12.090	88.36	38.46	PK	Horizo	PASS
8	5942.53	38.1	50.35	12.240	68.30	17.95	PK	Horizo	PASS


Transmit at 5745MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.09	38.4	49.70	11.260	68.30	18.60	PK	Vertic	PASS
2	5666.60	39.5	50.84	11.370	80.62	29.78	PK	Vertic	PASS
3	5703.65	41.5	53.08	11.540	106.32	53.24	PK	Vertic	PASS
4	5721.69	51.8	63.43	11.630	114.75	51.32	PK	Vertic	PASS
5	5852.66	37.7	49.79	12.070	116.23	66.44	PK	Vertic	PASS
6	5869.40	37.7	49.75	12.070	106.87	57.12	PK	Vertic	PASS
7	5895.24	38.6	50.67	12.090	90.29	39.62	PK	Vertic	PASS
8	5944.15	38.9	51.12	12.250	68.30	17.18	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.41	38.4	49.64	11.260	68.30	18.66	PK	Horizo	PASS
2	5671.31	38.1	49.51	11.400	84.11	34.60	PK	Horizo	PASS
3	5710.80	42.5	54.12	11.580	108.33	54.21	PK	Horizo	PASS
4	5723.64	50.5	62.16	11.650	119.19	57.03	PK	Horizo	PASS
5	5852.66	37.6	49.69	12.070	116.23	66.54	PK	Horizo	PASS
6	5870.05	38.2	50.25	12.080	106.68	56.43	PK	Horizo	PASS
7	5898.49	38.2	50.24	12.090	87.88	37.64	PK	Horizo	PASS
8	5943.34	38.5	50.74	12.240	68.30	17.56	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2*Test Graph***Data List**

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5643.69	39.0	50.26	11.270	68.30	18.04	PK	Vertic	PASS
2	5667.58	37.9	49.22	11.370	81.34	32.12	PK	Vertic	PASS
3	5709.50	42.4	53.94	11.570	107.96	54.02	PK	Vertic	PASS
4	5720.88	53.1	64.76	11.630	112.90	48.14	PK	Vertic	PASS
5	5853.31	37.6	49.65	12.070	114.75	65.10	PK	Vertic	PASS
6	5862.58	38.0	50.04	12.070	108.78	58.74	PK	Vertic	PASS
7	5899.30	39.7	51.78	12.090	87.28	35.50	PK	Vertic	PASS
8	5932.13	38.4	50.65	12.210	68.30	17.65	PK	Vertic	PASS


Transmit at 5745MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5648.08	39.5	50.74	11.290	68.30	17.56	PK	Horizo	PASS
2	5686.59	38.3	49.80	11.460	95.41	45.61	PK	Horizo	PASS
3	5717.79	49.5	61.09	11.610	110.28	49.19	PK	Horizo	PASS
4	5723.96	51.6	63.27	11.650	119.94	56.67	PK	Horizo	PASS
5	5851.69	37.8	49.90	12.070	118.45	68.55	PK	Horizo	PASS
6	5869.08	38.1	50.19	12.070	106.96	56.77	PK	Horizo	PASS
7	5901.25	38.5	50.61	12.090	85.84	35.23	PK	Horizo	PASS
8	5945.94	38.9	51.18	12.250	68.30	17.12	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.74	38.4	49.67	11.260	68.30	18.63	PK	Vertic	PASS
2	5676.68	38.0	49.40	11.420	88.08	38.68	PK	Vertic	PASS
3	5719.58	53.7	65.35	11.620	110.78	45.43	PK	Vertic	PASS
4	5723.31	53.0	64.67	11.640	118.45	53.78	PK	Vertic	PASS
5	5851.20	38.0	50.02	12.070	119.56	69.54	PK	Vertic	PASS
6	5861.60	37.4	49.47	12.070	109.05	59.58	PK	Vertic	PASS
7	5898.33	38.1	50.17	12.090	88.00	37.83	PK	Vertic	PASS
8	5934.08	38.8	51.00	12.220	68.30	17.30	PK	Vertic	PASS


Note: Level = Reading + Factor

HANYANG Antenna:
Transmit at 5180MHz by 802.11a with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5142.74	40.9	50.77	9.880	74.00	23.23	PK	Horizo	PASS
2	5150.00	40.7	50.60	9.880	74.00	23.40	PK	Horizo	PASS


Transmit at 5180MHz by 802.11a with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5142.99	40.2	50.11	9.880	74.00	23.89	PK	Vertic	PASS
2	5150.00	39.1	49.00	9.880	74.00	25.00	PK	Vertic	PASS




Transmit at 5180MHz by 802.11a with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5140.92	31.3	41.16	9.880	54.00	12.84	AV	Horizo	PASS
2	5150.00	31.7	41.53	9.880	54.00	12.47	AV	Horizo	PASS


Transmit at 5180MHz by 802.11a with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5129.28	29.9	39.74	9.860	54.00	14.26	AV	Vertic	PASS
2	5150.00	30.8	40.71	9.880	54.00	13.29	AV	Vertic	PASS

Transmit at 5320MHz by 802.11a with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	38.9	49.61	10.710	74.00	24.39	PK	Horizo	PASS
2	5361.94	44.5	55.25	10.790	74.00	18.75	PK	Horizo	PASS

Transmit at 5320MHz by 802.11a with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	38.6	49.28	10.710	74.00	24.72	PK	Vertic	PASS
2	5356.09	40.6	51.37	10.740	74.00	22.63	PK	Vertic	PASS

Transmit at 5320MHz by 802.11a with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.4	42.11	10.710	54.00	11.89	AV	Horizo	PASS
2	5353.48	32.5	43.21	10.720	54.00	10.79	AV	Horizo	PASS


Transmit at 5320MHz by 802.11a with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	29.8	40.49	10.710	54.00	13.51	AV	Vertic	PASS
2	5359.59	29.9	40.62	10.770	54.00	13.38	AV	Vertic	PASS


Transmit at 5500MHz by 802.11a with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	43.3	54.27	10.990	68.30	14.03	PK	Horizo	PASS
2	5469.09	53.4	64.37	10.970	68.30	3.93	PK	Horizo	PASS

Transmit at 5500MHz by 802.11a with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	41.9	52.85	10.990	68.30	15.45	PK	Vertic	PASS
2	5468.19	49.2	60.14	10.970	68.30	8.16	PK	Vertic	PASS


Transmit at 5500MHz by 802.11a with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5449.04	31.4	42.43	11.000	54.00	11.57	AV	Horizo	PASS
2	5460.00	33.1	44.12	10.990	54.00	9.88	AV	Horizo	PASS




Transmit at 5500MHz by 802.11a with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5449.92	30.4	41.38	11.000	54.00	12.62	AV	Vertic	PASS
2	5460.00	30.9	41.93	10.990	54.00	12.07	AV	Vertic	PASS

Transmit at 5700MHz by 802.11a with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	45.5	57.15	11.650	68.30	11.15	PK	Horizo	PASS
2	5729.05	47.9	59.53	11.670	68.30	8.77	PK	Horizo	PASS


Transmit at 5700MHz by 802.11a with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	45.7	57.32	11.650	68.30	10.98	PK	Vertic	PASS
2	5727.65	47.0	58.66	11.660	68.30	9.64	PK	Vertic	PASS




Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5133.94	39.3	49.13	9.860	74.00	24.87	PK	Horizo	PASS
2	5150.00	36.9	46.73	9.880	74.00	27.27	PK	Horizo	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5092.02	39.4	49.24	9.820	74.00	24.76	PK	Vertic	PASS
2	5150.00	37.4	47.27	9.880	74.00	26.73	PK	Vertic	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5094.09	28.7	38.55	9.820	54.00	15.45	AV	Horizo	PASS
2	5150.00	29.6	39.52	9.880	54.00	14.48	AV	Horizo	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5137.73	29.5	39.34	9.870	54.00	14.66	AV	Vertic	PASS
2	5150.00	29.6	39.48	9.880	54.00	14.52	AV	Vertic	PASS


Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.9	47.62	10.710	74.00	26.38	PK	Horizo	PASS
2	5364.94	40.0	50.84	10.810	74.00	23.16	PK	Horizo	PASS


Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.4	47.06	10.710	74.00	26.94	PK	Vertic	PASS
2	5353.11	39.4	50.11	10.720	74.00	23.89	PK	Vertic	PASS


Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	29.6	40.32	10.710	54.00	13.68	AV	Horizo	PASS
2	5355.98	30.5	41.22	10.740	54.00	12.78	AV	Horizo	PASS


Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	28.7	39.43	10.710	54.00	14.57	AV	Vertic	PASS
2	5353.22	29.4	40.10	10.720	54.00	13.90	AV	Vertic	PASS


Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	38.6	49.62	10.990	68.30	18.68	PK	Horizo	PASS
2	5468.99	41.7	52.65	10.970	68.30	15.65	PK	Horizo	PASS


Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.7	48.66	10.990	68.30	19.64	PK	Vertic	PASS
2	5465.84	40.8	51.75	10.980	68.30	16.55	PK	Vertic	PASS


Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5437.82	28.6	39.64	11.010	54.00	14.36	AV	Horizo	PASS
2	5460.00	28.6	39.55	10.990	54.00	14.45	AV	Horizo	PASS


Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5440.66	28.4	39.35	11.000	54.00	14.65	AV	Vertic	PASS
2	5460.00	28.0	38.98	10.990	54.00	15.02	AV	Vertic	PASS

Transmit at 5700MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	37.7	49.34	11.650	68.30	18.96	PK	Horizo	PASS
2	5741.20	39.2	50.90	11.740	68.30	17.40	PK	Horizo	PASS

Transmit at 5700MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	37.0	48.61	11.650	68.30	19.69	PK	Vertic	PASS
2	5738.00	39.8	51.55	11.720	68.30	16.75	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5129.54	41.5	51.34	9.860	74.00	22.66	PK	Horizo	PASS
2	5150.00	40.7	50.57	9.880	74.00	23.43	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5136.61	41.3	51.17	9.870	74.00	22.83	PK	Vertic	PASS
2	5150.00	40.7	50.54	9.880	74.00	23.46	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5126.87	32.1	41.90	9.850	54.00	12.10	AV	Horizo	PASS
2	5150.00	33.5	43.35	9.880	54.00	10.65	AV	Horizo	PASS


Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5123.33	31.3	41.12	9.850	54.00	12.88	AV	Vertic	PASS
2	5150.00	32.4	42.25	9.880	54.00	11.75	AV	Vertic	PASS


Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	40.8	51.53	10.710	74.00	22.47	PK	Horizo	PASS
2	5359.46	43.8	54.61	10.770	74.00	19.39	PK	Horizo	PASS

Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	39.0	49.72	10.710	74.00	24.28	PK	Vertic	PASS
2	5353.73	41.8	52.52	10.730	74.00	21.48	PK	Vertic	PASS

Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.5	44.19	10.710	54.00	9.81	AV	Horizo	PASS
2	5351.55	34.0	44.69	10.710	54.00	9.31	AV	Horizo	PASS

Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.7	42.37	10.710	54.00	11.63	AV	Vertic	PASS
2	5352.56	33.0	43.67	10.720	54.00	10.33	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	41.4	52.43	10.990	68.30	15.87	PK	Horizo	PASS
2	5469.79	49.9	60.90	10.970	68.30	7.40	PK	Horizo	PASS


Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	40.8	51.81	10.990	68.30	16.49	PK	Vertic	PASS
2	5468.45	47.3	58.23	10.970	68.30	10.07	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5451.98	32.2	43.16	10.990	54.00	10.84	AV	Horizo	PASS
2	5460.00	31.7	42.69	10.990	54.00	11.31	AV	Horizo	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5437.40	29.8	40.80	11.010	54.00	13.20	AV	Vertic	PASS
2	5460.00	30.5	41.48	10.990	54.00	12.52	AV	Vertic	PASS

Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	42.7	54.30	11.650	68.30	14.00	PK	Horizo	PASS
2	5730.20	44.1	55.81	11.680	68.30	12.49	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	44.1	55.78	11.650	68.30	12.52	PK	Vertic	PASS
2	5726.65	45.8	57.43	11.660	68.30	10.87	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5144.55	46.4	56.30	9.880	74.00	17.70	PK	Horizo	PASS
2	5150.00	42.8	52.66	9.880	74.00	21.34	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5147.74	48.1	57.96	9.890	74.00	16.04	PK	Vertic	PASS
2	5150.00	43.7	53.61	9.880	74.00	20.39	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5140.67	33.5	43.37	9.880	54.00	10.63	AV	Horizo	PASS
2	5150.00	34.8	44.68	9.880	54.00	9.32	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5147.57	36.5	46.39	9.890	54.00	7.61	AV	Vertic	PASS
2	5150.00	34.0	43.84	9.880	54.00	10.16	AV	Vertic	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	43.7	54.44	10.710	74.00	19.56	PK	Horizo	PASS
2	5350.80	48.8	59.51	10.710	74.00	14.49	PK	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	46.5	57.22	10.710	74.00	16.78	PK	Vertic	PASS
2	5353.05	48.8	59.53	10.720	74.00	14.47	PK	Vertic	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	34.8	45.51	10.710	54.00	8.49	AV	Horizo	PASS
2	5350.48	36.6	47.31	10.710	54.00	6.69	AV	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.7	46.45	10.710	54.00	7.55	AV	Vertic	PASS
2	5351.74	36.4	47.07	10.710	54.00	6.93	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	46.9	57.90	10.990	68.30	10.40	PK	Horizo	PASS
2	5469.20	55.0	66.01	10.970	68.30	2.29	PK	Horizo	PASS