



Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	45.4	56.41	10.970	68.30	11.89	PK	Horizo	PASS
2	5725.00	49.5	61.13	11.650	68.30	7.17	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	43.4	54.35	10.970	68.30	13.95	PK	Vertic	PASS
2	5725.00	47.2	58.87	11.650	68.30	9.43	PK	Vertic	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5445.29	33.4	44.43	11.000	54.00	9.57	AV	Horizo	PASS
2	5460.00	34.6	45.63	10.990	54.00	8.37	AV	Horizo	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5447.11	32.2	43.19	11.000	54.00	10.81	AV	Vertic	PASS
2	5460.00	30.7	41.65	10.990	54.00	12.35	AV	Vertic	PASS


Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5119.03	42.1	51.92	9.840	74.00	22.08	PK	Horizo	PASS
2	5150.00	38.9	48.78	9.880	74.00	25.22	PK	Horizo	PASS


Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5132.44	41.9	51.72	9.860	74.00	22.28	PK	Vertic	PASS
2	5150.00	39.0	48.84	9.880	74.00	25.16	PK	Vertic	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5124.28	35.4	45.24	9.850	54.00	8.76	AV	Horizo	PASS
2	5150.00	34.2	44.08	9.880	54.00	9.92	AV	Horizo	PASS


Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5146.59	33.2	43.11	9.880	54.00	10.89	AV	Vertic	PASS
2	5150.00	32.3	42.21	9.880	54.00	11.79	AV	Vertic	PASS


Transmit at 5290MHz by 802.11be(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	42.9	53.60	10.710	74.00	20.40	PK	Horizo	PASS
2	5368.78	44.6	55.40	10.840	74.00	18.60	PK	Horizo	PASS


Transmit at 5290MHz by 802.11be(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	44.9	55.62	10.710	74.00	18.38	PK	Vertic	PASS
2	5352.40	45.1	55.86	10.720	74.00	18.14	PK	Vertic	PASS


Transmit at 5290MHz by 802.11be(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	34.5	45.18	10.710	54.00	8.82	AV	Horizo	PASS
2	5355.03	36.5	47.19	10.740	54.00	6.81	AV	Horizo	PASS

Transmit at 5290MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.7	44.37	10.710	54.00	9.63	AV	Vertic	PASS
2	5353.37	35.7	46.41	10.720	54.00	7.59	AV	Vertic	PASS

Transmit at 5530MHz by 802.11be(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	43.9	54.92	10.990	68.30	13.38	PK	Horizo	PASS
2	5464.55	50.9	61.87	10.980	68.30	6.43	PK	Horizo	PASS


Transmit at 5530MHz by 802.11be(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	41.6	52.58	10.990	68.30	15.72	PK	Vertic	PASS
2	5465.57	47.4	58.34	10.980	68.30	9.96	PK	Vertic	PASS


Transmit at 5530MHz by 802.11be(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5439.29	32.5	43.47	11.000	54.00	10.53	AV	Horizo	PASS
2	5460.00	32.9	43.84	10.990	54.00	10.16	AV	Horizo	PASS

Transmit at 5530MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5451.26	32.7	43.71	10.990	54.00	10.29	AV	Vertic	PASS
2	5460.00	32.9	43.88	10.990	54.00	10.12	AV	Vertic	PASS

Transmit at 5610MHz by 802.11be(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5469.38	50.7	61.71	10.970	68.30	6.59	PK	Horizo	PASS
2	5470.00	47.7	58.70	10.970	68.30	9.60	PK	Horizo	PASS
3	5725.00	45.5	57.13	11.650	68.30	11.17	PK	Horizo	PASS
4	5734.15	50.7	62.40	11.690	68.30	5.90	PK	Horizo	PASS


Transmit at 5610MHz by 802.11be(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	46.1	57.06	10.970	68.30	11.24	PK	Vertic	PASS
2	5725.00	45.2	56.81	11.650	68.30	11.49	PK	Vertic	PASS
3	5733.05	49.1	60.83	11.690	68.30	7.47	PK	Vertic	PASS

Transmit at 5610MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5429.01	30.5	41.55	11.020	54.00	12.45	AV	Horizo	PASS
2	5460.00	31.0	41.94	10.990	54.00	12.06	AV	Horizo	PASS

Transmit at 5610MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5409.35	28.5	39.58	11.040	54.00	14.42	AV	Vertic	PASS
2	5460.00	29.7	40.73	10.990	54.00	13.27	AV	Vertic	PASS

Transmit at 5250MHz by 802.11ac(160MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5114.16	47.5	57.35	9.840	74.00	16.65	PK	Horizo	PASS
2	5150.00	41.6	51.45	9.880	74.00	22.55	PK	Horizo	PASS
3	5350.00	36.0	46.71	10.710	74.00	27.29	PK	Horizo	PASS
4	5406.60	44.4	55.47	11.040	74.00	18.53	PK	Horizo	PASS


Transmit at 5250MHz by 802.11ac(160MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5121.72	45.2	55.05	9.840	74.00	18.95	PK	Vertic	PASS
2	5150.00	41.1	50.96	9.880	74.00	23.04	PK	Vertic	PASS
3	5350.00	37.0	47.75	10.710	74.00	26.25	PK	Vertic	PASS
4	5406.36	42.6	53.68	11.040	74.00	20.32	PK	Vertic	PASS

Transmit at 5250MHz by 802.11ac(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5123.64	39.9	49.76	9.850	54.00	4.24	AV	Horizo	PASS
2	5150.00	34.0	43.84	9.880	54.00	10.16	AV	Horizo	PASS
3	5350.00	30.5	41.17	10.710	54.00	12.83	AV	Horizo	PASS
4	5398.56	35.0	46.00	11.040	54.00	8.00	AV	Horizo	PASS

Transmit at 5250MHz by 802.11ac(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5121.36	37.1	46.94	9.840	54.00	7.06	AV	Vertic	PASS
2	5150.00	33.6	43.48	9.880	54.00	10.52	AV	Vertic	PASS
3	5350.00	28.8	39.48	10.710	54.00	14.52	AV	Vertic	PASS
4	5406.96	34.4	45.43	11.040	54.00	8.57	AV	Vertic	PASS

Transmit at 5570MHz by 802.11ac(160MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	39.6	50.54	10.990	68.30	17.76	PK	Horizo	PASS
2	5467.80	42.1	53.05	10.970	68.30	15.25	PK	Horizo	PASS


Transmit at 5570MHz by 802.11ac(160MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	40.2	51.16	10.990	68.30	17.14	PK	Vertic	PASS
2	5467.40	41.1	52.06	10.980	68.30	16.24	PK	Vertic	PASS

Transmit at 5570MHz by 802.11ac(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5435.43	30.6	41.56	11.010	54.00	12.44	AV	Horizo	PASS
2	5460.00	29.2	40.18	10.990	54.00	13.82	AV	Horizo	PASS

Transmit at 5570MHz by 802.11ac(160MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5450.13	30.7	41.72	10.990	54.00	12.28	AV	Vertic	PASS
2	5460.00	27.4	38.42	10.990	54.00	15.58	AV	Vertic	PASS


Transmit at 5250MHz by 802.11ax(160MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5133.24	47.5	57.36	9.860	74.00	16.64	PK	Horizo	PASS
2	5150.00	40.3	50.17	9.880	74.00	23.83	PK	Horizo	PASS
3	5350.00	35.8	46.55	10.710	74.00	27.45	PK	Horizo	PASS
4	5381.52	40.4	51.29	10.920	74.00	22.71	PK	Horizo	PASS

Transmit at 5250MHz by 802.11ax(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5124.96	44.5	54.32	9.850	74.00	19.68	PK	Vertic	PASS
2	5150.00	38.6	48.45	9.880	74.00	25.55	PK	Vertic	PASS
3	5350.00	39.6	50.32	10.710	74.00	23.68	PK	Vertic	PASS
4	5388.12	40.0	50.99	10.970	74.00	23.01	PK	Vertic	PASS

Transmit at 5250MHz by 802.11ax(160MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5117.16	36.8	46.65	9.840	54.00	7.35	AV	Horizo	PASS
2	5150.00	33.6	43.52	9.880	54.00	10.48	AV	Horizo	PASS
3	5350.00	29.3	40.05	10.710	54.00	13.95	AV	Horizo	PASS
4	5397.24	33.2	44.22	11.030	54.00	9.78	AV	Horizo	PASS


Transmit at 5250MHz by 802.11ax(160MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5125.68	35.2	45.00	9.850	54.00	9.00	AV	Vertic	PASS
2	5150.00	33.5	43.39	9.880	54.00	10.61	AV	Vertic	PASS
3	5350.00	30.0	40.73	10.710	54.00	13.27	AV	Vertic	PASS
4	5405.28	33.0	44.07	11.040	54.00	9.93	AV	Vertic	PASS

Transmit at 5570MHz by 802.11ax(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	41.0	51.97	10.990	68.30	16.33	PK	Horizo	PASS
2	5467.60	45.3	56.27	10.980	68.30	12.03	PK	Horizo	PASS

Transmit at 5570MHz by 802.11ax(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	41.0	51.98	10.990	68.30	16.32	PK	Vertic	PASS
2	5468.40	43.1	54.09	10.970	68.30	14.21	PK	Vertic	PASS

Transmit at 5570MHz by 802.11ax(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5451.85	33.3	44.29	10.990	54.00	9.71	AV	Horizo	PASS
2	5460.00	33.0	43.99	10.990	54.00	10.01	AV	Horizo	PASS

Transmit at 5570MHz by 802.11ax(160MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5456.80	33.1	44.12	10.980	54.00	9.88	AV	Vertic	PASS
2	5460.00	30.7	41.67	10.990	54.00	12.33	AV	Vertic	PASS


Transmit at 5250MHz by 802.11be(160MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5134.80	45.1	55.01	9.870	74.00	18.99	PK	Horizo	PASS
2	5150.00	41.7	51.61	9.880	74.00	22.39	PK	Horizo	PASS
3	5350.00	37.2	47.88	10.710	74.00	26.12	PK	Horizo	PASS
4	5370.36	42.3	53.13	10.840	74.00	20.87	PK	Horizo	PASS

Transmit at 5250MHz by 802.11be(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5123.76	43.8	53.69	9.850	74.00	20.31	PK	Vertic	PASS
2	5150.00	39.7	49.60	9.880	74.00	24.40	PK	Vertic	PASS
3	5350.00	37.3	47.99	10.710	74.00	26.01	PK	Vertic	PASS
4	5367.00	41.1	51.92	10.820	74.00	22.08	PK	Vertic	PASS

Transmit at 5250MHz by 802.11be(160MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5121.12	39.1	48.97	9.840	54.00	5.03	AV	Horizo	PASS
2	5150.00	32.4	42.32	9.880	54.00	11.68	AV	Horizo	PASS
3	5350.00	29.4	40.09	10.710	54.00	13.91	AV	Horizo	PASS
4	5397.84	34.0	45.02	11.030	54.00	8.98	AV	Horizo	PASS


Transmit at 5250MHz by 802.11be(160MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5124.72	36.4	46.23	9.850	54.00	7.77	AV	Vertic	PASS
2	5150.00	34.0	43.88	9.880	54.00	10.12	AV	Vertic	PASS
3	5350.00	30.4	41.12	10.710	54.00	12.88	AV	Vertic	PASS
4	5395.08	33.1	44.08	11.020	54.00	9.92	AV	Vertic	PASS


Transmit at 5570MHz by 802.11be(160MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	41.6	52.55	10.990	68.30	15.75	PK	Horizo	PASS
2	5467.40	44.1	55.12	10.980	68.30	13.18	PK	Horizo	PASS


Transmit at 5570MHz by 802.11be(160MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	41.3	52.32	10.990	68.30	15.98	PK	Vertic	PASS
2	5467.40	43.5	54.49	10.980	68.30	13.81	PK	Vertic	PASS

Transmit at 5570MHz by 802.11be(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5447.80	32.1	43.13	11.000	54.00	10.87	AV	Horizo	PASS
2	5460.00	31.3	42.29	10.990	54.00	11.71	AV	Horizo	PASS

Transmit at 5570MHz by 802.11be(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5446.64	31.2	42.18	11.000	54.00	11.82	AV	Vertic	PASS
2	5460.00	29.5	40.48	10.990	54.00	13.52	AV	Vertic	PASS

Transmit at 5745MHz by 802.11a with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.51	39.7	50.93	11.250	68.30	17.37	PK	Horizo	PASS
2	5670.18	40.5	51.88	11.390	83.27	31.39	PK	Horizo	PASS
3	5715.19	59.7	71.33	11.590	109.55	38.22	PK	Horizo	PASS
4	5722.99	59.9	71.54	11.640	117.71	46.17	PK	Horizo	PASS
5	5852.18	38.2	50.24	12.070	117.34	67.10	PK	Horizo	PASS
6	5865.18	39.2	51.27	12.070	108.05	56.78	PK	Horizo	PASS
7	5893.13	38.2	50.32	12.090	91.85	41.53	PK	Horizo	PASS
8	5940.58	39.0	51.24	12.240	68.30	17.06	PK	Horizo	PASS


Transmit at 5745MHz by 802.11a with Ant1+2



Data List


NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5641.09	39.1	50.31	11.260	68.30	17.99	PK	Vertic	PASS
2	5693.25	46.8	58.30	11.490	100.32	42.02	PK	Vertic	PASS
3	5716.00	57.7	69.33	11.610	109.78	40.45	PK	Vertic	PASS
4	5723.48	57.2	68.79	11.640	118.82	50.03	PK	Vertic	PASS
5	5852.83	38.9	50.94	12.070	115.86	64.92	PK	Vertic	PASS
6	5874.28	38.6	50.68	12.080	105.50	54.82	PK	Vertic	PASS
7	5916.04	38.9	51.09	12.150	74.91	23.82	PK	Vertic	PASS
8	5935.05	39.4	51.57	12.220	68.30	16.73	PK	Vertic	PASS

Transmit at 5825MHz by 802.11a with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.11	38.9	50.15	11.250	68.30	18.15	PK	Horizo	PASS
2	5680.25	38.2	49.59	11.430	90.72	41.13	PK	Horizo	PASS
3	5709.50	39.4	50.99	11.570	107.96	56.97	PK	Horizo	PASS
4	5723.15	38.6	50.24	11.640	118.08	67.84	PK	Horizo	PASS
5	5851.20	58.9	71.00	12.070	119.56	48.56	PK	Horizo	PASS
6	5859.81	56.0	68.10	12.070	109.55	41.45	PK	Horizo	PASS
7	5893.61	41.0	53.04	12.090	91.49	38.45	PK	Horizo	PASS
8	5932.29	39.6	51.77	12.210	68.30	16.53	PK	Horizo	PASS

Transmit at 5825MHz by 802.11a with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.14	38.9	50.17	11.250	68.30	18.13	PK	Vertic	PASS
2	5677.00	38.6	50.06	11.420	88.32	38.26	PK	Vertic	PASS
3	5710.31	38.9	50.50	11.580	108.19	57.69	PK	Vertic	PASS
4	5723.15	38.4	50.01	11.640	118.08	68.07	PK	Vertic	PASS
5	5851.85	59.0	71.10	12.070	118.08	46.98	PK	Vertic	PASS
6	5862.74	50.7	62.78	12.070	108.73	45.95	PK	Vertic	PASS
7	5899.95	39.4	51.49	12.090	86.80	35.31	PK	Vertic	PASS
8	5931.96	38.8	51.00	12.210	68.30	17.30	PK	Vertic	PASS

Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.24	41.3	52.57	11.240	68.30	15.73	PK	Horizo	PASS
2	5673.43	47.2	58.62	11.400	85.68	27.06	PK	Horizo	PASS
3	5712.10	62.2	73.82	11.580	108.69	34.87	PK	Horizo	PASS
4	5724.29	68.1	79.70	11.650	120.68	40.98	PK	Horizo	PASS
5	5852.99	39.6	51.62	12.070	115.49	63.87	PK	Horizo	PASS
6	5867.45	38.3	50.36	12.070	107.41	57.05	PK	Horizo	PASS
7	5903.69	38.5	50.62	12.100	84.03	33.41	PK	Horizo	PASS
8	5933.10	39.2	51.43	12.210	68.30	16.87	PK	Horizo	PASS

Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.33	39.8	51.05	11.250	68.30	17.25	PK	Vertic	PASS
2	5669.04	45.0	56.35	11.390	82.43	26.08	PK	Vertic	PASS
3	5711.78	61.0	72.62	11.580	108.60	35.98	PK	Vertic	PASS
4	5723.80	66.9	78.50	11.650	119.56	41.06	PK	Vertic	PASS
5	5851.20	38.8	50.86	12.070	119.56	68.70	PK	Vertic	PASS
6	5865.83	38.7	50.73	12.070	107.87	57.14	PK	Vertic	PASS
7	5902.55	38.3	50.42	12.100	84.87	34.45	PK	Vertic	PASS
8	5946.26	38.9	51.16	12.250	68.30	17.14	PK	Vertic	PASS

Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.44	39.3	50.55	11.260	68.30	17.75	PK	Horizo	PASS
2	5673.43	38.7	50.08	11.400	85.68	35.60	PK	Horizo	PASS
3	5702.51	38.6	50.15	11.530	106.00	55.85	PK	Horizo	PASS
4	5723.31	39.4	51.07	11.640	118.45	67.38	PK	Horizo	PASS
5	5852.34	63.3	75.34	12.070	116.97	41.63	PK	Horizo	PASS
6	5867.78	56.1	68.14	12.070	107.32	39.18	PK	Horizo	PASS
7	5909.70	40.0	52.07	12.120	79.59	27.52	PK	Horizo	PASS
8	5943.18	39.0	51.28	12.240	68.30	17.02	PK	Horizo	PASS


Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5635.40	38.8	50.05	11.240	68.30	18.25	PK	Vertic	PASS
2	5663.84	38.6	49.98	11.360	78.57	28.59	PK	Vertic	PASS
3	5707.55	39.2	50.72	11.560	107.42	56.70	PK	Vertic	PASS
4	5720.55	40.0	51.63	11.620	112.15	60.52	PK	Vertic	PASS
5	5851.85	65.0	77.11	12.070	118.08	40.97	PK	Vertic	PASS
6	5867.78	56.8	68.91	12.070	107.32	38.41	PK	Vertic	PASS
7	5900.76	42.1	54.22	12.090	86.20	31.98	PK	Vertic	PASS
8	5937.49	38.8	51.07	12.230	68.30	17.23	PK	Vertic	PASS


Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.36	40.2	51.46	11.270	68.30	16.84	PK	Horizo	PASS
2	5671.96	40.1	51.46	11.400	84.59	33.13	PK	Horizo	PASS
3	5707.88	40.6	52.20	11.560	107.51	55.31	PK	Horizo	PASS
4	5724.29	44.6	56.21	11.650	120.68	64.47	PK	Horizo	PASS
5	5852.83	38.8	50.82	12.070	115.86	65.04	PK	Horizo	PASS
6	5863.23	38.9	50.93	12.070	108.59	57.66	PK	Horizo	PASS
7	5891.66	38.8	50.87	12.090	92.93	42.06	PK	Horizo	PASS
8	5937.49	38.8	51.06	12.230	68.30	17.24	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.98	39.7	50.92	11.250	68.30	17.38	PK	Vertic	PASS
2	5663.35	39.4	50.71	11.360	78.21	27.50	PK	Vertic	PASS
3	5704.30	41.8	53.32	11.550	106.51	53.19	PK	Vertic	PASS
4	5723.64	49.1	60.76	11.650	119.19	58.43	PK	Vertic	PASS
5	5852.34	38.8	50.86	12.070	116.97	66.11	PK	Vertic	PASS
6	5872.81	38.5	50.60	12.080	105.91	55.31	PK	Vertic	PASS
7	5903.04	39.6	51.73	12.100	84.51	32.78	PK	Vertic	PASS
8	5934.89	38.9	51.13	12.220	68.30	17.17	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.30	38.3	49.58	11.250	68.30	18.72	PK	Horizo	PASS
2	5666.11	38.9	50.27	11.370	80.26	29.99	PK	Horizo	PASS
3	5708.69	38.8	50.35	11.560	107.73	57.38	PK	Horizo	PASS
4	5723.15	38.3	49.98	11.640	118.08	68.10	PK	Horizo	PASS
5	5851.04	46.4	58.46	12.070	119.93	61.47	PK	Horizo	PASS
6	5863.55	42.0	54.08	12.070	108.50	54.42	PK	Horizo	PASS
7	5889.39	39.9	51.94	12.080	94.62	42.68	PK	Horizo	PASS
8	5934.73	38.9	51.13	12.220	68.30	17.17	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.03	38.9	50.11	11.240	68.30	18.19	PK	Vertic	PASS
2	5678.63	38.3	49.71	11.420	89.52	39.81	PK	Vertic	PASS
3	5706.25	38.7	50.20	11.550	107.05	56.85	PK	Vertic	PASS
4	5721.85	39.1	50.73	11.630	115.12	64.39	PK	Vertic	PASS
5	5851.53	47.8	59.84	12.070	118.82	58.98	PK	Vertic	PASS
6	5864.36	42.4	54.44	12.070	108.28	53.84	PK	Vertic	PASS
7	5897.68	38.9	51.01	12.090	88.48	37.47	PK	Vertic	PASS
8	5934.24	38.9	51.16	12.220	68.30	17.14	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.46	39.4	50.65	11.250	68.30	17.65	PK	Horizo	PASS
2	5673.10	40.2	51.64	11.400	85.43	33.79	PK	Horizo	PASS
3	5713.24	47.7	59.31	11.590	109.01	49.70	PK	Horizo	PASS
4	5723.31	48.9	60.55	11.640	118.45	57.90	PK	Horizo	PASS
5	5850.88	38.9	51.00	12.070	120.30	69.30	PK	Horizo	PASS
6	5864.69	39.0	51.05	12.070	108.19	57.14	PK	Horizo	PASS
7	5899.14	39.3	51.37	12.090	87.40	36.03	PK	Horizo	PASS
8	5932.94	38.9	51.06	12.210	68.30	17.24	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.25	40.9	52.16	11.260	68.30	16.14	PK	Vertic	PASS
2	5671.48	40.1	51.52	11.400	84.23	32.71	PK	Vertic	PASS
3	5700.56	44.7	56.21	11.520	105.46	49.25	PK	Vertic	PASS
4	5722.66	50.8	62.40	11.640	116.97	54.57	PK	Vertic	PASS
5	5852.66	39.4	51.46	12.070	116.23	64.77	PK	Vertic	PASS
6	5866.96	39.1	51.20	12.070	107.55	56.35	PK	Vertic	PASS
7	5905.48	38.9	51.03	12.110	82.71	31.68	PK	Vertic	PASS
8	5941.39	38.3	50.52	12.240	68.30	17.78	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.65	38.6	49.89	11.250	68.30	18.41	PK	Horizo	PASS
2	5666.28	40.3	51.62	11.370	80.38	28.76	PK	Horizo	PASS
3	5709.99	40.2	51.79	11.580	108.10	56.31	PK	Horizo	PASS
4	5721.69	38.9	50.57	11.630	114.75	64.18	PK	Horizo	PASS
5	5850.71	60.3	72.35	12.070	120.67	48.32	PK	Horizo	PASS
6	5863.55	54.8	66.89	12.070	108.50	41.61	PK	Horizo	PASS
7	5903.85	40.4	52.51	12.100	83.91	31.40	PK	Horizo	PASS
8	5935.54	38.6	50.86	12.220	68.30	17.44	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.60	38.4	49.70	11.260	68.30	18.60	PK	Vertic	PASS
2	5683.83	40.3	51.73	11.450	93.37	41.64	PK	Vertic	PASS
3	5710.96	39.6	51.13	11.580	108.37	57.24	PK	Vertic	PASS
4	5723.15	39.3	50.93	11.640	118.08	67.15	PK	Vertic	PASS
5	5851.04	60.1	72.21	12.070	119.93	47.72	PK	Vertic	PASS
6	5856.89	61.5	73.53	12.070	110.37	36.84	PK	Vertic	PASS
7	5895.73	43.2	55.29	12.090	89.93	34.64	PK	Vertic	PASS
8	5935.86	39.0	51.25	12.220	68.30	17.05	PK	Vertic	PASS




Transmit at 5745MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.63	39.7	50.96	11.250	68.30	17.34	PK	Horizo	PASS
2	5674.73	39.9	51.27	11.410	86.64	35.37	PK	Horizo	PASS
3	5707.06	40.9	52.45	11.560	107.28	54.83	PK	Horizo	PASS
4	5721.69	42.4	54.05	11.630	114.75	60.70	PK	Horizo	PASS
5	5851.69	38.7	50.75	12.070	118.45	67.70	PK	Horizo	PASS
6	5867.94	38.5	50.60	12.070	107.28	56.68	PK	Horizo	PASS
7	5901.58	40.1	52.20	12.090	85.60	33.40	PK	Horizo	PASS
8	5936.19	38.5	50.71	12.220	68.30	17.59	PK	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.21	40.8	52.06	11.240	68.30	16.24	PK	Vertic	PASS
2	5671.31	40.2	51.58	11.400	84.11	32.53	PK	Vertic	PASS
3	5711.13	41.6	53.20	11.580	108.42	55.22	PK	Vertic	PASS
4	5722.83	44.9	56.57	11.640	117.34	60.77	PK	Vertic	PASS
5	5852.01	39.4	51.44	12.070	117.71	66.27	PK	Vertic	PASS
6	5866.64	38.7	50.78	12.070	107.64	56.86	PK	Vertic	PASS
7	5897.19	38.9	51.00	12.090	88.84	37.84	PK	Vertic	PASS
8	5932.61	38.8	50.99	12.210	68.30	17.31	PK	Vertic	PASS

Transmit at 5825MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequeuncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.39	38.0	49.29	11.260	68.30	19.01	PK	Horizo	PASS
2	5668.23	38.7	50.07	11.380	81.82	31.75	PK	Horizo	PASS
3	5708.85	38.1	49.68	11.560	107.78	58.10	PK	Horizo	PASS
4	5723.80	39.0	50.63	11.650	119.56	68.93	PK	Horizo	PASS
5	5852.83	42.9	55.00	12.070	115.86	60.86	PK	Horizo	PASS
6	5862.74	40.6	52.71	12.070	108.73	56.02	PK	Horizo	PASS
7	5904.34	39.4	51.51	12.100	83.55	32.04	PK	Horizo	PASS
8	5935.86	38.6	50.82	12.220	68.30	17.48	PK	Horizo	PASS

Transmit at 5825MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.30	38.7	49.94	11.250	68.30	18.36	PK	Vertic	PASS
2	5670.66	39.2	50.54	11.390	83.63	33.09	PK	Vertic	PASS
3	5711.94	39.1	50.67	11.580	108.64	57.97	PK	Vertic	PASS
4	5722.01	39.0	50.59	11.640	115.49	64.90	PK	Vertic	PASS
5	5852.50	42.5	54.54	12.070	116.60	62.06	PK	Vertic	PASS
6	5864.04	41.2	53.23	12.070	108.37	55.14	PK	Vertic	PASS
7	5897.35	38.2	50.33	12.090	88.72	38.39	PK	Vertic	PASS
8	5932.94	38.8	51.01	12.210	68.30	17.29	PK	Vertic	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.85	39.2	50.49	11.280	68.30	17.81	PK	Horizo	PASS
2	5674.08	40.3	51.74	11.410	86.16	34.42	PK	Horizo	PASS
3	5709.99	43.3	54.91	11.580	108.10	53.19	PK	Horizo	PASS
4	5722.83	45.9	57.56	11.640	117.34	59.78	PK	Horizo	PASS
5	5852.34	38.2	50.27	12.070	116.97	66.70	PK	Horizo	PASS
6	5873.63	38.6	50.70	12.080	105.68	54.98	PK	Horizo	PASS
7	5903.36	39.2	51.28	12.100	84.27	32.99	PK	Horizo	PASS
8	5938.46	39.1	51.34	12.230	68.30	16.96	PK	Horizo	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.23	39.3	50.60	11.260	68.30	17.70	PK	Vertic	PASS
2	5668.06	39.1	50.46	11.380	81.70	31.24	PK	Vertic	PASS
3	5707.55	40.5	52.10	11.560	107.42	55.32	PK	Vertic	PASS
4	5723.15	46.8	58.47	11.640	118.08	59.61	PK	Vertic	PASS
5	5852.34	38.1	50.21	12.070	116.97	66.76	PK	Vertic	PASS
6	5868.26	39.0	51.06	12.070	107.18	56.12	PK	Vertic	PASS
7	5904.34	37.8	49.91	12.100	83.55	33.64	PK	Vertic	PASS
8	5937.16	38.4	50.58	12.230	68.30	17.72	PK	Vertic	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5630.04	39.4	50.56	11.210	68.30	17.74	PK	Horizo	PASS
2	5677.00	39.7	51.13	11.420	88.32	37.19	PK	Horizo	PASS
3	5711.78	42.2	53.73	11.580	108.60	54.87	PK	Horizo	PASS
4	5721.69	43.0	54.60	11.630	114.75	60.15	PK	Horizo	PASS
5	5851.36	45.3	57.37	12.070	119.19	61.82	PK	Horizo	PASS
6	5865.34	42.1	54.19	12.070	108.00	53.81	PK	Horizo	PASS
7	5901.25	38.5	50.55	12.090	85.84	35.29	PK	Horizo	PASS
8	5937.16	38.9	51.14	12.230	68.30	17.16	PK	Horizo	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.98	38.7	49.92	11.250	68.30	18.38	PK	Vertic	PASS
2	5672.78	39.2	50.58	11.400	85.19	34.61	PK	Vertic	PASS
3	5706.74	41.6	53.17	11.550	107.19	54.02	PK	Vertic	PASS
4	5722.83	44.0	55.65	11.640	117.34	61.69	PK	Vertic	PASS
5	5852.99	45.1	57.21	12.070	115.49	58.28	PK	Vertic	PASS
6	5867.78	41.5	53.57	12.070	107.32	53.75	PK	Vertic	PASS
7	5891.18	39.6	51.71	12.090	93.30	41.59	PK	Vertic	PASS
8	5939.93	38.3	50.57	12.230	68.30	17.73	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.51	39.7	50.95	11.250	68.30	17.35	PK	Horizo	PASS
2	5674.40	40.7	52.09	11.410	86.40	34.31	PK	Horizo	PASS
3	5709.01	41.9	53.42	11.560	107.83	54.41	PK	Horizo	PASS
4	5721.85	44.0	55.59	11.630	115.12	59.53	PK	Horizo	PASS
5	5850.88	38.9	50.92	12.070	120.30	69.38	PK	Horizo	PASS
6	5866.48	39.0	51.06	12.070	107.68	56.62	PK	Horizo	PASS
7	5899.30	39.3	51.34	12.090	87.28	35.94	PK	Horizo	PASS
8	5934.73	38.7	50.92	12.220	68.30	17.38	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.74	39.9	51.19	11.260	68.30	17.11	PK	Vertic	PASS
2	5672.45	41.0	52.36	11.400	84.95	32.59	PK	Vertic	PASS
3	5712.10	42.8	54.34	11.580	108.69	54.35	PK	Vertic	PASS
4	5721.53	44.7	56.33	11.630	114.38	58.05	PK	Vertic	PASS
5	5852.83	39.2	51.29	12.070	115.86	64.57	PK	Vertic	PASS
6	5861.60	39.2	51.26	12.070	109.05	57.79	PK	Vertic	PASS
7	5894.26	38.6	50.65	12.090	91.01	40.36	PK	Vertic	PASS
8	5940.09	38.7	50.88	12.230	68.30	17.42	PK	Vertic	PASS


Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.71	40.8	52.05	11.260	68.30	16.25	PK	Horizo	PASS
2	5680.74	40.6	51.99	11.430	91.08	39.09	PK	Horizo	PASS
3	5712.10	41.6	53.16	11.580	108.69	55.53	PK	Horizo	PASS
4	5722.99	44.3	55.93	11.640	117.71	61.78	PK	Horizo	PASS
5	5851.69	43.1	55.19	12.070	118.45	63.26	PK	Horizo	PASS
6	5866.31	43.1	55.16	12.070	107.73	52.57	PK	Horizo	PASS
7	5899.46	39.2	51.31	12.090	87.16	35.85	PK	Horizo	PASS
8	5935.38	38.6	50.84	12.220	68.30	17.46	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.53	38.8	50.09	11.270	68.30	18.21	PK	Vertic	PASS
2	5670.99	40.5	51.94	11.400	83.87	31.93	PK	Vertic	PASS
3	5706.09	40.6	52.17	11.550	107.01	54.84	PK	Vertic	PASS
4	5721.69	44.3	55.90	11.630	114.75	58.85	PK	Vertic	PASS
5	5852.99	43.1	55.20	12.070	115.49	60.29	PK	Vertic	PASS
6	5868.43	42.6	54.71	12.070	107.14	52.43	PK	Vertic	PASS
7	5907.26	39.3	51.39	12.110	81.39	30.00	PK	Vertic	PASS
8	5940.58	39.0	51.22	12.240	68.30	17.08	PK	Vertic	PASS


Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.40	40.6	51.84	11.240	68.30	16.46	PK	Horizo	PASS
2	5668.23	45.4	56.76	11.380	81.82	25.06	PK	Horizo	PASS
3	5710.31	53.0	64.61	11.580	108.19	43.58	PK	Horizo	PASS
4	5723.64	56.1	67.72	11.650	119.19	51.47	PK	Horizo	PASS
5	5853.31	40.1	52.19	12.070	114.75	62.56	PK	Horizo	PASS
6	5870.38	39.3	51.39	12.080	106.59	55.20	PK	Horizo	PASS
7	5890.69	40.1	52.19	12.090	93.66	41.47	PK	Horizo	PASS
8	5937.00	38.7	50.88	12.220	68.30	17.42	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.06	39.8	51.07	11.260	68.30	17.23	PK	Vertic	PASS
2	5667.74	45.7	57.03	11.370	81.46	24.43	PK	Vertic	PASS
3	5707.55	50.7	62.30	11.560	107.42	45.12	PK	Vertic	PASS
4	5722.01	55.3	66.97	11.640	115.49	48.52	PK	Vertic	PASS
5	5851.20	40.6	52.69	12.070	119.56	66.87	PK	Vertic	PASS
6	5868.91	39.6	51.68	12.070	107.00	55.32	PK	Vertic	PASS
7	5907.43	38.5	50.58	12.110	81.27	30.69	PK	Vertic	PASS
8	5935.54	39.5	51.73	12.220	68.30	16.57	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.34	40.1	51.42	11.280	68.30	16.88	PK	Horizo	PASS
2	5680.09	47.4	58.79	11.430	90.60	31.81	PK	Horizo	PASS
3	5703.98	47.8	59.33	11.540	106.41	47.08	PK	Horizo	PASS
4	5723.80	51.1	62.73	11.650	119.56	56.83	PK	Horizo	PASS
5	5853.15	51.1	63.20	12.070	115.12	51.92	PK	Horizo	PASS
6	5864.85	46.4	58.48	12.070	108.14	49.66	PK	Horizo	PASS
7	5899.30	45.0	57.05	12.090	87.28	30.23	PK	Horizo	PASS
8	5937.33	39.6	51.78	12.230	68.30	16.52	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.09	40.7	51.99	11.260	68.30	16.31	PK	Vertic	PASS
2	5692.11	45.0	56.48	11.480	99.48	43.00	PK	Vertic	PASS
3	5713.08	48.1	59.66	11.590	108.96	49.30	PK	Vertic	PASS
4	5723.31	49.3	60.91	11.640	118.45	57.54	PK	Vertic	PASS
5	5849.74	52.1	64.14	12.060	-	-	PK	Vertic	NA
6	5871.19	47.5	59.56	12.080	106.37	46.81	PK	Vertic	PASS
7	5899.46	40.9	53.00	12.090	87.16	34.16	PK	Vertic	PASS
8	5937.16	39.2	51.41	12.230	68.30	16.89	PK	Vertic	PASS

Transmit at 5755MHz by 802.11be(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.58	40.8	52.02	11.260	68.30	16.28	PK	Horizo	PASS
2	5672.29	41.0	52.37	11.400	84.83	32.46	PK	Horizo	PASS
3	5713.56	44.8	56.40	11.590	109.10	52.70	PK	Horizo	PASS
4	5722.99	50.5	62.18	11.640	117.71	55.53	PK	Horizo	PASS
5	5853.15	39.0	51.07	12.070	115.12	64.05	PK	Horizo	PASS
6	5870.21	39.0	51.10	12.080	106.64	55.54	PK	Horizo	PASS
7	5901.09	38.8	50.91	12.090	85.96	35.05	PK	Horizo	PASS
8	5939.44	38.8	51.03	12.230	68.30	17.27	PK	Horizo	PASS




Transmit at 5755MHz by 802.11be(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.66	39.1	50.37	11.280	68.30	17.93	PK	Vertic	PASS
2	5668.71	39.4	50.78	11.380	82.19	31.41	PK	Vertic	PASS
3	5707.23	41.5	53.02	11.560	107.33	54.31	PK	Vertic	PASS
4	5721.53	48.4	59.98	11.630	114.38	54.40	PK	Vertic	PASS
5	5851.20	39.1	51.14	12.070	119.56	68.42	PK	Vertic	PASS
6	5866.96	38.5	50.60	12.070	107.55	56.95	PK	Vertic	PASS
7	5894.91	38.5	50.55	12.090	90.53	39.98	PK	Vertic	PASS
8	5934.56	38.3	50.47	12.220	68.30	17.83	PK	Vertic	PASS


Transmit at 5795MHz by 802.11be(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.23	44.4	55.69	11.260	68.30	12.61	PK	Horizo	PASS
2	5661.24	46.9	58.20	11.350	76.64	18.44	PK	Horizo	PASS
3	5696.50	52.5	64.04	11.510	102.72	38.68	PK	Horizo	PASS
4	5722.18	54.8	66.43	11.640	115.86	49.43	PK	Horizo	PASS
5	5859.16	51.0	63.02	12.070	109.73	46.71	PK	Horizo	PASS
6	5877.69	47.5	59.60	12.080	103.30	43.70	PK	Horizo	PASS
7	5913.60	39.1	51.24	12.140	76.71	25.47	PK	Horizo	PASS
8	5934.08	40.8	53.06	12.220	68.30	15.24	PK	Horizo	PASS


Transmit at 5795MHz by 802.11be(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.56	40.7	51.97	11.240	68.30	16.33	PK	Vertic	PASS
2	5659.78	45.6	56.90	11.350	75.56	18.66	PK	Vertic	PASS
3	5696.83	49.6	61.14	11.510	102.96	41.82	PK	Vertic	PASS
4	5721.04	53.3	64.95	11.630	113.27	48.32	PK	Vertic	PASS
5	5850.39	48.5	60.60	12.070	121.42	60.82	PK	Vertic	PASS
6	5859.65	52.7	64.80	12.070	109.60	44.80	PK	Vertic	PASS
7	5885.00	46.2	58.23	12.080	97.87	39.64	PK	Vertic	PASS
8	5933.59	40.3	52.49	12.210	68.30	15.81	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5646.94	46.9	58.18	11.290	68.30	10.12	PK	Horizo	PASS
2	5666.93	49.3	60.70	11.370	80.86	20.16	PK	Horizo	PASS
3	5697.80	58.3	69.78	11.510	103.68	33.90	PK	Horizo	PASS
4	5722.66	63.7	75.35	11.640	116.97	41.62	PK	Horizo	PASS
5	5854.13	57.0	69.07	12.070	112.89	43.82	PK	Horizo	PASS
6	5871.19	55.4	67.50	12.080	106.37	38.87	PK	Horizo	PASS
7	5904.18	43.6	55.66	12.100	83.67	28.01	PK	Horizo	PASS
8	5936.19	39.9	52.14	12.220	68.30	16.16	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5631.83	43.0	54.18	11.220	68.30	14.12	PK	Vertic	PASS
2	5679.76	53.4	64.87	11.430	90.36	25.49	PK	Vertic	PASS
3	5710.96	61.2	72.81	11.580	108.37	35.56	PK	Vertic	PASS
4	5723.96	64.1	75.73	11.650	119.94	44.21	PK	Vertic	PASS
5	5850.71	58.9	70.97	12.070	120.67	49.70	PK	Vertic	PASS
6	5870.86	55.9	68.02	12.080	106.46	38.44	PK	Vertic	PASS
7	5904.50	43.0	55.07	12.100	83.43	28.36	PK	Vertic	PASS
8	5934.56	39.0	51.18	12.220	68.30	17.12	PK	Vertic	PASS


Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5651.49	52.9	64.16	11.310	69.41	5.25	PK	Horizo	PASS
2	5678.30	60.7	72.12	11.420	89.28	17.16	PK	Horizo	PASS
3	5712.59	70.0	81.54	11.590	108.83	27.29	PK	Horizo	PASS
4	5721.04	70.2	81.85	11.630	113.27	31.42	PK	Horizo	PASS
5	5852.50	66.2	78.27	12.070	116.60	38.33	PK	Horizo	PASS
6	5863.23	63.8	75.87	12.070	108.59	32.72	PK	Horizo	PASS
7	5918.31	46.0	58.19	12.160	73.23	15.04	PK	Horizo	PASS
8	5930.34	45.2	57.35	12.200	68.30	10.95	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5629.39	49.2	60.39	11.210	68.30	7.91	PK	Vertic	PASS
2	5670.34	56.3	67.70	11.390	83.39	15.69	PK	Vertic	PASS
3	5703.98	65.1	76.59	11.540	106.41	29.82	PK	Vertic	PASS
4	5723.80	70.5	82.11	11.650	119.56	37.45	PK	Vertic	PASS
5	5852.34	64.5	76.54	12.070	116.97	40.43	PK	Vertic	PASS
6	5858.68	65.1	77.12	12.070	109.87	32.75	PK	Vertic	PASS
7	5891.66	49.6	61.70	12.090	92.93	31.23	PK	Vertic	PASS
8	5934.40	43.9	56.08	12.220	68.30	12.22	PK	Vertic	PASS


Transmit at 5775MHz by 802.11be(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.63	49.3	60.50	11.250	68.30	7.80	PK	Horizo	PASS
2	5681.88	59.9	71.32	11.440	91.93	20.61	PK	Horizo	PASS
3	5696.66	63.7	75.22	11.510	102.84	27.62	PK	Horizo	PASS
4	5722.01	67.2	78.85	11.640	115.49	36.64	PK	Horizo	PASS
5	5862.09	60.4	72.46	12.070	108.91	36.45	PK	Horizo	PASS
6	5873.46	54.0	66.03	12.080	105.73	39.70	PK	Horizo	PASS
7	5909.38	42.0	54.10	12.120	79.83	25.73	PK	Horizo	PASS
8	5935.21	40.2	52.37	12.220	68.30	15.93	PK	Horizo	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5634.43	46.1	57.35	11.230	68.30	10.95	PK	Vertic	PASS
2	5679.60	59.0	70.45	11.430	90.24	19.79	PK	Vertic	PASS
3	5699.75	61.6	73.09	11.520	105.12	32.03	PK	Vertic	PASS
4	5719.25	66.2	77.77	11.620	110.69	32.92	PK	Vertic	PASS
5	5859.81	59.8	71.86	12.070	109.55	37.69	PK	Vertic	PASS
6	5881.26	48.3	60.35	12.080	100.65	40.30	PK	Vertic	PASS
7	5911.98	41.0	53.13	12.140	77.91	24.78	PK	Vertic	PASS
8	5932.78	39.4	51.56	12.210	68.30	16.74	PK	Vertic	PASS

Note: Level = Reading + Factor


Part RU worse case:
Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5138.42	44.3	54.12	9.870	74.00	19.88	PK	Horizo	PASS
2	5150.00	40.4	50.29	9.880	74.00	23.71	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5134.97	43.3	53.14	9.870	74.00	20.86	PK	Vertic	PASS
2	5150.00	39.6	49.44	9.880	74.00	24.56	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5138.68	37.6	47.46	9.870	54.00	6.54	AV	Horizo	PASS
2	5150.00	34.1	43.95	9.880	54.00	10.05	AV	Horizo	PASS


Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5137.39	35.0	44.86	9.870	54.00	9.14	AV	Vertic	PASS
2	5150.00	32.0	41.88	9.880	54.00	12.12	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 26-0with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	44.5	55.48	10.990	68.30	12.82	PK	Horizo	PASS
2	5468.67	42.9	53.90	10.970	68.30	14.40	PK	Horizo	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 26-0with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	39.9	50.89	10.990	68.30	17.41	PK	Vertic	PASS
2	5465.09	41.9	52.89	10.980	68.30	15.41	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 26-0with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5445.08	31.3	42.34	11.000	54.00	11.66	AV	Horizo	PASS
2	5460.00	31.6	42.55	10.990	54.00	11.45	AV	Horizo	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 26-0with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5441.84	30.3	41.34	11.010	54.00	12.66	AV	Vertic	PASS
2	5460.00	30.2	41.18	10.990	54.00	12.82	AV	Vertic	PASS


Transmit at 5180MHz by 802.11ax (20MHz) RU 52-37with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5138.77	43.7	53.60	9.870	74.00	20.40	PK	Horizo	PASS
2	5150.00	42.2	52.08	9.880	74.00	21.92	PK	Horizo	PASS


Transmit at 5180MHz by 802.11ax (20MHz) RU 52-37with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5139.20	41.9	51.76	9.870	74.00	22.24	PK	Vertic	PASS
2	5150.00	40.5	50.34	9.880	74.00	23.66	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax (20MHz) RU 52-37with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5135.40	34.2	44.11	9.870	54.00	9.89	AV	Horizo	PASS
2	5150.00	34.8	44.65	9.880	54.00	9.35	AV	Horizo	PASS


Transmit at 5180MHz by 802.11ax (20MHz) RU 52-37with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5144.63	32.9	42.81	9.880	54.00	11.19	AV	Vertic	PASS
2	5150.00	32.3	42.17	9.880	54.00	11.83	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 52-37with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	41.5	52.48	10.990	68.30	15.82	PK	Horizo	PASS
2	5468.03	46.6	57.55	10.970	68.30	10.75	PK	Horizo	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 52-37with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	39.5	50.53	10.990	68.30	17.77	PK	Vertic	PASS
2	5468.99	43.2	54.19	10.970	68.30	14.11	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 52-37with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5444.94	32.2	43.17	11.000	54.00	10.83	AV	Horizo	PASS
2	5460.00	32.0	42.98	10.990	54.00	11.02	AV	Horizo	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 52-37with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5456.88	31.3	42.23	10.980	54.00	11.77	AV	Vertic	PASS
2	5460.00	30.4	41.41	10.990	54.00	12.59	AV	Vertic	PASS