



Transmit at 5240MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	42.5	44.78	2.300	68.30	23.52	PK	Vertic	PASS
2	15720.00	36.7	47.15	10.450	74.00	26.85	PK	Vertic	PASS
3	15720.00	28.3	38.71	10.450	54.00	15.29	AV	Vertic	PASS

Transmit at 5260MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequenc y [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdi ct
1	10520.00	42.0	44.28	2.310	68.30	24.02	PK	Horizo	PASS
2	15780.00	37.8	48.11	10.280	74.00	25.89	PK	Horizo	PASS
3	15780.00	28.1	38.39	10.280	54.00	15.61	AV	Horizo	PASS

Transmit at 5260MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	43.4	45.68	2.310	68.30	22.62	PK	Vertic	PASS
2	15780.00	36.5	46.75	10.280	74.00	27.25	PK	Vertic	PASS
3	15780.00	28.2	38.48	10.280	54.00	15.52	AV	Vertic	PASS

Transmit at 5280MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10560.00	41.0	43.23	2.240	68.30	25.07	PK	Horizo	PASS
2	15840.00	37.1	47.31	10.210	74.00	26.69	PK	Horizo	PASS
3	15840.00	28.7	38.92	10.210	54.00	15.08	AV	Horizo	PASS


Transmit at 5280MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10560.00	41.1	43.30	2.240	68.30	25.00	PK	Vertic	PASS
2	15840.00	37.4	47.56	10.210	74.00	26.44	PK	Vertic	PASS
3	15840.00	28.3	38.47	10.210	54.00	15.53	AV	Vertic	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	41.8	44.25	2.420	74.00	29.75	PK	Horizo	PASS
2	10640.00	33.2	35.63	2.420	54.00	18.37	AV	Horizo	PASS
3	15960.00	36.0	46.38	10.410	74.00	27.62	PK	Horizo	PASS
4	15960.00	27.7	38.13	10.410	54.00	15.87	AV	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	41.0	43.37	2.420	74.00	30.63	PK	Vertic	PASS
2	10640.00	32.4	34.86	2.420	54.00	19.14	AV	Vertic	PASS
3	15960.00	36.5	46.88	10.410	74.00	27.12	PK	Vertic	PASS
4	15960.00	27.5	37.87	10.410	54.00	16.13	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	41.3	43.89	2.630	74.00	30.11	PK	Horizo	PASS
2	11000.00	32.7	35.35	2.630	54.00	18.65	AV	Horizo	PASS
3	16500.00	35.6	45.81	10.200	68.30	22.49	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	41.4	44.02	2.630	74.00	29.98	PK	Vertic	PASS
2	11000.00	32.9	35.57	2.630	54.00	18.43	AV	Vertic	PASS
3	16500.00	36.0	46.24	10.200	68.30	22.06	PK	Vertic	PASS


Transmit at 5580MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	39.7	44.12	4.380	74.00	29.88	PK	Horizo	PASS
2	11160.00	31.3	35.70	4.380	54.00	18.30	AV	Horizo	PASS
3	16740.00	37.1	47.50	10.440	68.30	20.80	PK	Horizo	PASS



Transmit at 5580MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	40.7	45.04	4.380	74.00	28.96	PK	Vertic	PASS
2	11160.00	31.4	35.76	4.380	54.00	18.24	AV	Vertic	PASS
3	16740.00	37.5	47.94	10.440	68.30	20.36	PK	Vertic	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	40.1	44.80	4.690	74.00	29.20	PK	Horizo	PASS
2	11400.00	31.5	36.19	4.690	54.00	17.81	AV	Horizo	PASS
3	17100.00	36.7	47.24	10.570	68.30	21.06	PK	Horizo	PASS


Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	39.7	44.40	4.690	74.00	29.60	PK	Vertic	PASS
2	11400.00	31.0	35.68	4.690	54.00	18.32	AV	Vertic	PASS
3	17100.00	37.2	47.77	10.570	68.30	20.53	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	40.6	45.44	4.870	74.00	28.56	PK	Horizo	PASS
2	11490.00	31.6	36.45	4.870	54.00	17.55	AV	Horizo	PASS
3	17235.00	36.0	47.22	11.200	68.30	21.08	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	41.3	46.18	4.870	74.00	27.82	PK	Vertic	PASS
2	11490.00	30.9	35.73	4.870	54.00	18.27	AV	Vertic	PASS
3	17235.00	36.9	48.07	11.200	68.30	20.23	PK	Vertic	PASS

Transmit at 5785MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.00	40.1	45.23	5.110	74.00	28.77	PK	Horizo	PASS
2	11570.00	30.9	36.04	5.110	54.00	17.96	AV	Horizo	PASS
3	17355.00	35.8	47.22	11.390	68.30	21.08	PK	Horizo	PASS

Transmit at 5785MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.00	39.7	44.83	5.110	74.00	29.17	PK	Vertic	PASS
2	11570.00	30.9	36.04	5.110	54.00	17.96	AV	Vertic	PASS
3	17355.00	35.9	47.32	11.390	68.30	20.98	PK	Vertic	PASS


Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	41.1	46.15	5.080	74.00	27.85	PK	Horizo	PASS
2	11650.00	31.6	36.63	5.080	54.00	17.37	AV	Horizo	PASS
3	17475.00	35.7	46.90	11.230	68.30	21.40	PK	Horizo	PASS


Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	40.3	45.41	5.080	74.00	28.59	PK	Vertic	PASS
2	11650.00	32.3	37.42	5.080	54.00	16.58	AV	Vertic	PASS
3	17475.00	36.9	48.09	11.230	68.30	20.21	PK	Vertic	PASS


Transmit at 5180MHz by 802.11be(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	43.2	45.42	2.200	68.30	22.88	PK	Horizo	PASS
2	15540.00	38.1	48.14	10.000	74.00	25.86	PK	Horizo	PASS
3	15540.00	28.2	38.15	10.000	54.00	15.85	AV	Horizo	PASS


Transmit at 5180MHz by 802.11be(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	42.4	44.61	2.200	68.30	23.69	PK	Vertic	PASS
2	15540.00	37.0	46.97	10.000	74.00	27.03	PK	Vertic	PASS
3	15540.00	28.2	38.16	10.000	54.00	15.84	AV	Vertic	PASS


Transmit at 5200MHz by 802.11be(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10400.00	43.6	45.71	2.140	68.30	22.59	PK	Horizo	PASS
2	15600.00	36.1	46.34	10.200	74.00	27.66	PK	Horizo	PASS
3	15600.00	28.0	38.21	10.200	54.00	15.79	AV	Horizo	PASS


Transmit at 5200MHz by 802.11be(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	41.8	44.13	2.300	68.30	24.17	PK	Vertic	PASS
2	15600.00	36.4	46.64	10.200	74.00	27.36	PK	Vertic	PASS
3	15600.00	28.2	38.37	10.200	54.00	15.63	AV	Vertic	PASS

Transmit at 5240MHz by 802.11be(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	42.6	44.93	2.300	68.30	23.37	PK	Horizo	PASS
2	15720.00	37.3	47.71	10.450	74.00	26.29	PK	Horizo	PASS
3	15720.00	28.2	38.69	10.450	54.00	15.31	AV	Horizo	PASS


Transmit at 5240MHz by 802.11be(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	43.1	45.42	2.300	68.30	22.88	PK	Vertic	PASS
2	15720.00	36.3	46.76	10.450	74.00	27.24	PK	Vertic	PASS
3	15720.00	28.6	39.08	10.450	54.00	14.92	AV	Vertic	PASS


Transmit at 5260MHz by 802.11be(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	42.5	44.77	2.310	68.30	23.53	PK	Horizo	PASS
2	15780.00	37.3	47.61	10.280	74.00	26.39	PK	Horizo	PASS
3	15780.00	28.7	39.00	10.280	54.00	15.00	AV	Horizo	PASS


Transmit at 5260MHz by 802.11be(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	42.7	45.04	2.310	68.30	23.26	PK	Vertic	PASS
2	15780.00	37.6	47.84	10.280	74.00	26.16	PK	Vertic	PASS
3	15780.00	28.8	39.11	10.280	54.00	14.89	AV	Vertic	PASS


Transmit at 5280MHz by 802.11be(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10560.00	41.3	43.58	2.240	68.30	24.72	PK	Horizo	PASS
2	15840.00	36.8	46.99	10.210	74.00	27.01	PK	Horizo	PASS
3	15840.00	28.1	38.28	10.210	54.00	15.72	AV	Horizo	PASS

Transmit at 5280MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10560.00	42.3	44.56	2.240	68.30	23.74	PK	Vertic	PASS
2	15840.00	37.9	48.14	10.210	74.00	25.86	PK	Vertic	PASS
3	15840.00	28.6	38.82	10.210	54.00	15.18	AV	Vertic	PASS

Transmit at 5320MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	42.8	45.19	2.420	74.00	28.81	PK	Horizo	PASS
2	10640.00	32.4	34.80	2.420	54.00	19.20	AV	Horizo	PASS
3	15960.00	36.0	46.44	10.410	74.00	27.56	PK	Horizo	PASS
4	15960.00	27.1	37.52	10.410	54.00	16.48	AV	Horizo	PASS

Transmit at 5320MHz by 802.11be(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	41.4	43.86	2.420	74.00	30.14	PK	Vertic	PASS
2	10640.00	32.7	35.13	2.420	54.00	18.87	AV	Vertic	PASS
3	15960.00	35.6	45.97	10.410	74.00	28.03	PK	Vertic	PASS
4	15960.00	27.2	37.65	10.410	54.00	16.35	AV	Vertic	PASS


Transmit at 5500MHz by 802.11be(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	41.6	44.20	2.630	74.00	29.80	PK	Horizo	PASS
2	11000.00	33.1	35.72	2.630	54.00	18.28	AV	Horizo	PASS
3	16500.00	36.1	46.27	10.200	68.30	22.03	PK	Horizo	PASS




Transmit at 5500MHz by 802.11be(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	41.2	43.79	2.630	74.00	30.21	PK	Vertic	PASS
2	11000.00	32.9	35.53	2.630	54.00	18.47	AV	Vertic	PASS
3	16500.00	35.8	45.99	10.200	68.30	22.31	PK	Vertic	PASS




Transmit at 5580MHz by 802.11be(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	39.9	44.32	4.380	74.00	29.68	PK	Horizo	PASS
2	11160.00	32.2	36.58	4.380	54.00	17.42	AV	Horizo	PASS
3	16740.00	36.4	46.80	10.440	68.30	21.50	PK	Horizo	PASS

Transmit at 5580MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	39.9	44.31	4.380	74.00	29.69	PK	Vertic	PASS
2	11160.00	31.4	35.73	4.380	54.00	18.27	AV	Vertic	PASS
3	16740.00	36.4	46.80	10.440	68.30	21.50	PK	Vertic	PASS

Transmit at 5700MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	40.0	44.65	4.690	74.00	29.35	PK	Horizo	PASS
2	11400.00	30.9	35.58	4.690	54.00	18.42	AV	Horizo	PASS
3	17100.00	36.4	47.01	10.570	68.30	21.29	PK	Horizo	PASS

Transmit at 5700MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	41.6	46.27	4.690	74.00	27.73	PK	Vertic	PASS
2	11400.00	31.5	36.19	4.690	54.00	17.81	AV	Vertic	PASS
3	17100.00	36.8	47.38	10.570	68.30	20.92	PK	Vertic	PASS

Transmit at 5745MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	39.8	44.70	4.870	74.00	29.30	PK	Horizo	PASS
2	11490.00	31.3	36.21	4.870	54.00	17.79	AV	Horizo	PASS
3	17235.00	35.9	47.08	11.200	68.30	21.22	PK	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	39.5	44.39	4.870	74.00	29.61	PK	Vertic	PASS
2	11490.00	31.5	36.39	4.870	54.00	17.61	AV	Vertic	PASS
3	17235.00	38.7	49.87	11.200	68.30	18.43	PK	Vertic	PASS

Transmit at 5785MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.00	39.8	44.94	5.110	74.00	29.06	PK	Horizo	PASS
2	11570.00	30.9	36.02	5.110	54.00	17.98	AV	Horizo	PASS
3	17355.00	35.8	47.21	11.390	68.30	21.09	PK	Horizo	PASS

Transmit at 5785MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.00	40.8	45.87	5.110	74.00	28.13	PK	Vertic	PASS
2	11570.00	30.8	35.89	5.110	54.00	18.11	AV	Vertic	PASS
3	17355.00	36.0	47.41	11.390	68.30	20.89	PK	Vertic	PASS

Transmit at 5825MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	41.4	46.49	5.080	74.00	27.51	PK	Horizo	PASS
2	11650.00	32.3	37.40	5.080	54.00	16.60	AV	Horizo	PASS
3	17475.00	36.4	47.66	11.230	68.30	20.64	PK	Horizo	PASS

Transmit at 5825MHz by 802.11be(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	41.0	46.04	5.080	74.00	27.96	PK	Vertic	PASS
2	11650.00	32.0	37.05	5.080	54.00	16.95	AV	Vertic	PASS
3	17475.00	36.5	47.69	11.230	68.30	20.61	PK	Vertic	PASS


Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.3	43.46	2.170	68.30	24.84	PK	Horizo	PASS
2	15570.00	36.9	46.99	10.100	74.00	27.01	PK	Horizo	PASS
3	15570.00	28.6	38.65	10.100	54.00	15.35	AV	Horizo	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	42.1	44.25	2.170	68.30	24.05	PK	Vertic	PASS
2	15570.00	36.1	46.23	10.100	74.00	27.77	PK	Vertic	PASS
3	15570.00	28.4	38.50	10.100	54.00	15.50	AV	Vertic	PASS

Transmit at 5230MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	42.0	44.25	2.260	68.30	24.05	PK	Horizo	PASS
2	15690.00	37.2	47.67	10.480	74.00	26.33	PK	Horizo	PASS
3	15690.00	28.0	38.51	10.480	54.00	15.49	AV	Horizo	PASS

Transmit at 5230MHz by 802.11n(40MHz) with Ant1+2
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.7	43.99	2.260	68.30	24.31	PK	Vertic	PASS
2	15690.00	36.8	47.26	10.480	74.00	26.74	PK	Vertic	PASS
3	15690.00	28.5	39.01	10.480	54.00	14.99	AV	Vertic	PASS


Transmit at 5270MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	40.8	43.06	2.280	68.30	25.24	PK	Horizo	PASS
2	15810.00	36.7	46.88	10.220	74.00	27.12	PK	Horizo	PASS
3	15810.00	28.4	38.65	10.220	54.00	15.35	AV	Horizo	PASS

Transmit at 5270MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	40.8	43.05	2.280	68.30	25.25	PK	Vertic	PASS
2	15810.00	36.8	47.03	10.220	74.00	26.97	PK	Vertic	PASS
3	15810.00	28.2	38.39	10.220	54.00	15.61	AV	Vertic	PASS


Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	40.3	42.59	2.310	74.00	31.41	PK	Horizo	PASS
2	10620.00	32.0	34.27	2.310	54.00	19.73	AV	Horizo	PASS
3	15930.00	36.7	46.99	10.300	74.00	27.01	PK	Horizo	PASS
4	15930.00	27.7	38.00	10.300	54.00	16.00	AV	Horizo	PASS

Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	40.6	42.93	2.310	74.00	31.07	PK	Vertic	PASS
2	10620.00	31.8	34.12	2.310	54.00	19.88	AV	Vertic	PASS
3	15930.00	38.5	48.81	10.300	74.00	25.19	PK	Vertic	PASS
4	15930.00	28.4	38.68	10.300	54.00	15.32	AV	Vertic	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	40.9	43.88	2.940	74.00	30.12	PK	Horizo	PASS
2	11020.00	32.9	35.79	2.940	54.00	18.21	AV	Horizo	PASS
3	16530.00	35.9	46.20	10.260	68.30	22.10	PK	Horizo	PASS




Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	40.2	43.13	2.940	74.00	30.87	PK	Vertic	PASS
2	11020.00	32.1	35.02	2.940	54.00	18.98	AV	Vertic	PASS
3	16530.00	37.5	47.73	10.260	68.30	20.57	PK	Vertic	PASS

Transmit at 5550MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11100.00	39.1	43.30	4.180	74.00	30.70	PK	Horizo	PASS
2	11100.00	31.0	35.15	4.180	54.00	18.85	AV	Horizo	PASS
3	16650.00	36.3	46.67	10.350	68.30	21.63	PK	Horizo	PASS


Transmit at 5550MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11100.00	40.1	44.23	4.180	74.00	29.77	PK	Vertic	PASS
2	11100.00	31.3	35.52	4.180	54.00	18.48	AV	Vertic	PASS
3	16650.00	36.7	47.00	10.350	68.30	21.30	PK	Vertic	PASS

Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	39.1	43.57	4.460	74.00	30.43	PK	Horizo	PASS
2	11340.00	31.1	35.51	4.460	54.00	18.49	AV	Horizo	PASS
3	17010.00	34.8	45.58	10.740	68.30	22.72	PK	Horizo	PASS


Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	40.5	44.93	4.460	74.00	29.07	PK	Vertic	PASS
2	11340.00	31.4	35.81	4.460	54.00	18.19	AV	Vertic	PASS
3	17010.00	35.9	46.60	10.740	68.30	21.70	PK	Vertic	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	40.2	45.09	4.920	74.00	28.91	PK	Horizo	PASS
2	11510.00	30.7	35.62	4.920	54.00	18.38	AV	Horizo	PASS
3	17265.00	36.8	47.98	11.210	68.30	20.32	PK	Horizo	PASS




Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	39.5	44.42	4.920	74.00	29.58	PK	Vertic	PASS
2	11510.00	30.4	35.36	4.920	54.00	18.64	AV	Vertic	PASS
3	17265.00	36.2	47.37	11.210	68.30	20.93	PK	Vertic	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	41.3	46.45	5.180	74.00	27.55	PK	Horizo	PASS
2	11590.00	31.2	36.36	5.180	54.00	17.64	AV	Horizo	PASS
3	17385.00	36.7	48.15	11.490	68.30	20.15	PK	Horizo	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	39.0	44.21	5.180	74.00	29.79	PK	Vertic	PASS
2	11590.00	30.9	36.05	5.180	54.00	17.95	AV	Vertic	PASS
3	17385.00	35.9	47.42	11.490	68.30	20.88	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	43.4	45.59	2.170	68.30	22.71	PK	Horizo	PASS
2	15570.00	36.6	46.68	10.100	74.00	27.32	PK	Horizo	PASS
3	15570.00	28.2	38.30	10.100	54.00	15.70	AV	Horizo	PASS


Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.2	43.34	2.170	68.30	24.96	PK	Vertic	PASS
2	15570.00	36.9	46.95	10.100	74.00	27.05	PK	Vertic	PASS
3	15570.00	28.3	38.41	10.100	54.00	15.59	AV	Vertic	PASS




Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.8	44.06	2.260	68.30	24.24	PK	Horizo	PASS
2	15690.00	36.9	47.42	10.480	74.00	26.58	PK	Horizo	PASS
3	15690.00	28.1	38.61	10.480	54.00	15.39	AV	Horizo	PASS


Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.6	43.82	2.260	68.30	24.48	PK	Vertic	PASS
2	15690.00	37.2	47.66	10.480	74.00	26.34	PK	Vertic	PASS
3	15690.00	27.5	37.94	10.480	54.00	16.06	AV	Vertic	PASS

Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	40.6	42.87	2.280	68.30	25.43	PK	Horizo	PASS
2	15810.00	37.5	47.67	10.220	74.00	26.33	PK	Horizo	PASS
3	15810.00	28.0	38.24	10.220	54.00	15.76	AV	Horizo	PASS

Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	40.7	43.02	2.280	68.30	25.28	PK	Vertic	PASS
2	15810.00	37.1	47.36	10.220	74.00	26.64	PK	Vertic	PASS
3	15810.00	28.2	38.45	10.220	54.00	15.55	AV	Vertic	PASS

Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	41.4	43.66	2.310	74.00	30.34	PK	Horizo	PASS
2	10620.00	32.2	34.48	2.310	54.00	19.52	AV	Horizo	PASS
3	15930.00	36.5	46.82	10.300	74.00	27.18	PK	Horizo	PASS
4	15930.00	27.5	37.81	10.300	54.00	16.19	AV	Horizo	PASS

Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	41.4	43.75	2.310	74.00	30.25	PK	Vertic	PASS
2	10620.00	31.8	34.14	2.310	54.00	19.86	AV	Vertic	PASS
3	15930.00	36.4	46.66	10.300	74.00	27.34	PK	Vertic	PASS
4	15930.00	27.7	37.96	10.300	54.00	16.04	AV	Vertic	PASS


Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	40.0	42.95	2.940	74.00	31.05	PK	Horizo	PASS
2	11020.00	31.1	34.02	2.940	54.00	19.98	AV	Horizo	PASS
3	16530.00	36.7	46.91	10.260	68.30	21.39	PK	Horizo	PASS

Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	40.5	43.47	2.940	74.00	30.53	PK	Vertic	PASS
2	11020.00	31.4	34.37	2.940	54.00	19.63	AV	Vertic	PASS
3	16530.00	34.8	45.10	10.260	68.30	23.20	PK	Vertic	PASS

Transmit at 5550MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11100.00	39.5	43.66	4.180	74.00	30.34	PK	Horizo	PASS
2	11100.00	31.0	35.16	4.180	54.00	18.84	AV	Horizo	PASS
3	16650.00	34.7	45.08	10.350	68.30	23.22	PK	Horizo	PASS

Transmit at 5550MHz by 802.11ac(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11100.00	38.7	42.84	4.180	74.00	31.16	PK	Vertic	PASS
2	11100.00	30.1	34.23	4.180	54.00	19.77	AV	Vertic	PASS
3	16650.00	34.7	45.05	10.350	68.30	23.25	PK	Vertic	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	39.1	43.52	4.460	74.00	30.48	PK	Horizo	PASS
2	11340.00	31.1	35.57	4.460	54.00	18.43	AV	Horizo	PASS
3	17010.00	34.7	45.47	10.740	68.30	22.83	PK	Horizo	PASS


Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	39.9	44.36	4.460	74.00	29.64	PK	Vertic	PASS
2	11340.00	31.3	35.71	4.460	54.00	18.29	AV	Vertic	PASS
3	17010.00	33.9	44.65	10.740	68.30	23.65	PK	Vertic	PASS


Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	38.7	43.59	4.920	74.00	30.41	PK	Horizo	PASS
2	11510.00	30.5	35.42	4.920	54.00	18.58	AV	Horizo	PASS
3	17265.00	35.4	46.63	11.210	68.30	21.67	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	40.0	44.95	4.920	74.00	29.05	PK	Vertic	PASS
2	11510.00	31.1	35.99	4.920	54.00	18.01	AV	Vertic	PASS
3	17265.00	35.5	46.70	11.210	68.30	21.60	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	39.9	45.08	5.180	74.00	28.92	PK	Horizo	PASS
2	11590.00	30.5	35.67	5.180	54.00	18.33	AV	Horizo	PASS
3	17385.00	35.6	47.04	11.490	68.30	21.26	PK	Horizo	PASS


Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	39.2	44.40	5.180	74.00	29.60	PK	Vertic	PASS
2	11590.00	30.3	35.52	5.180	54.00	18.48	AV	Vertic	PASS
3	17385.00	35.6	47.09	11.490	68.30	21.21	PK	Vertic	PASS


Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.4	43.55	2.170	68.30	24.75	PK	Horizo	PASS
2	15570.00	38.0	48.06	10.100	74.00	25.94	PK	Horizo	PASS
3	15570.00	28.6	38.70	10.100	54.00	15.30	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	42.1	44.27	2.170	68.30	24.03	PK	Vertic	PASS
2	15570.00	36.6	46.68	10.100	74.00	27.32	PK	Vertic	PASS
3	15570.00	27.9	37.98	10.100	54.00	16.02	AV	Vertic	PASS


Transmit at 5230MHz by 802.11ax(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.4	43.69	2.260	68.30	24.61	PK	Horizo	PASS
2	15690.00	35.9	46.40	10.480	74.00	27.60	PK	Horizo	PASS
3	15690.00	27.8	38.31	10.480	54.00	15.69	AV	Horizo	PASS


Transmit at 5230MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.4	43.67	2.260	68.30	24.63	PK	Vertic	PASS
2	15690.00	37.1	47.57	10.480	74.00	26.43	PK	Vertic	PASS
3	15690.00	27.6	38.05	10.480	54.00	15.95	AV	Vertic	PASS

Transmit at 5270MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	41.9	44.15	2.280	68.30	24.15	PK	Horizo	PASS
2	15810.00	36.0	46.19	10.220	74.00	27.81	PK	Horizo	PASS
3	15810.00	28.2	38.40	10.220	54.00	15.60	AV	Horizo	PASS

Transmit at 5270MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	42.0	44.27	2.280	68.30	24.03	PK	Vertic	PASS
2	15810.00	37.6	47.80	10.220	74.00	26.20	PK	Vertic	PASS
3	15810.00	28.1	38.35	10.220	54.00	15.65	AV	Vertic	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	41.7	44.03	2.310	74.00	29.97	PK	Horizo	PASS
2	10620.00	31.5	33.85	2.310	54.00	20.15	AV	Horizo	PASS
3	15930.00	36.1	46.36	10.300	74.00	27.64	PK	Horizo	PASS
4	15930.00	26.7	37.04	10.300	54.00	16.96	AV	Horizo	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	39.9	42.21	2.310	74.00	31.79	PK	Vertic	PASS
2	10620.00	31.6	33.86	2.310	54.00	20.14	AV	Vertic	PASS
3	15930.00	37.5	47.76	10.300	74.00	26.24	PK	Vertic	PASS
4	15930.00	26.7	37.04	10.300	54.00	16.96	AV	Vertic	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	40.9	43.82	2.940	74.00	30.18	PK	Horizo	PASS
2	11020.00	31.5	34.46	2.940	54.00	19.54	AV	Horizo	PASS
3	16530.00	35.2	45.41	10.260	68.30	22.89	PK	Horizo	PASS


Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	41.8	44.70	2.940	74.00	29.30	PK	Vertic	PASS
2	11020.00	32.1	35.05	2.940	54.00	18.95	AV	Vertic	PASS
3	16530.00	35.7	45.94	10.260	68.30	22.36	PK	Vertic	PASS

Transmit at 5550MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11100.00	39.6	43.76	4.180	74.00	30.24	PK	Horizo	PASS
2	11100.00	30.5	34.68	4.180	54.00	19.32	AV	Horizo	PASS
3	16650.00	35.0	45.38	10.350	68.30	22.92	PK	Horizo	PASS

Transmit at 5550MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11100.00	39.8	43.97	4.180	74.00	30.03	PK	Vertic	PASS
2	11100.00	31.3	35.47	4.180	54.00	18.53	AV	Vertic	PASS
3	16650.00	35.2	45.52	10.350	68.30	22.78	PK	Vertic	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	39.5	43.99	4.460	74.00	30.01	PK	Horizo	PASS
2	11340.00	30.9	35.40	4.460	54.00	18.60	AV	Horizo	PASS
3	17010.00	34.7	45.45	10.740	68.30	22.85	PK	Horizo	PASS


Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	39.1	43.57	4.460	74.00	30.43	PK	Vertic	PASS
2	11340.00	30.9	35.38	4.460	54.00	18.62	AV	Vertic	PASS
3	17010.00	34.9	45.66	10.740	68.30	22.64	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	38.8	43.75	4.920	74.00	30.25	PK	Horizo	PASS
2	11510.00	31.3	36.18	4.920	54.00	17.82	AV	Horizo	PASS
3	17265.00	36.7	47.92	11.210	68.30	20.38	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	39.5	44.37	4.920	74.00	29.63	PK	Vertic	PASS
2	11510.00	30.7	35.57	4.920	54.00	18.43	AV	Vertic	PASS
3	17265.00	36.0	47.23	11.210	68.30	21.07	PK	Vertic	PASS