



Transmit at 2437MHz by 802.11g with Ant0



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4873.00	44.50	39.42	-5.08	74.00	34.58	PK	Vertic	PASS
2	4874.00	35.47	30.39	-5.08	54.00	23.61	AV	Vertic	PASS
3	7311.00	29.19	32.30	3.11	54.00	21.70	AV	Vertic	PASS
4	7311.00	37.07	40.18	3.11	74.00	33.82	PK	Vertic	PASS
5	9748.00	32.89	40.05	7.16	74.00	33.95	PK	Vertic	PASS
6	9748.00	25.43	32.59	7.16	54.00	21.41	AV	Vertic	PASS


Transmit at 2462MHz by 802.11g with Ant0



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4923.50	46.09	41.03	-5.06	74.00	32.97	PK	Horizo	PASS
2	4924.00	35.90	30.84	-5.06	54.00	23.16	AV	Horizo	PASS
3	7386.00	36.19	39.42	3.23	74.00	34.58	PK	Horizo	PASS
4	7386.00	29.43	32.66	3.23	54.00	21.34	AV	Horizo	PASS
5	9848.00	33.37	39.96	6.59	74.00	34.04	PK	Horizo	PASS
6	9848.00	24.05	30.64	6.59	54.00	23.36	AV	Horizo	PASS

Transmit at 2462MHz by 802.11g with Ant0


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	42.79	37.73	-5.06	74.00	36.27	PK	Vertic	PASS
2	4924.00	33.64	28.58	-5.06	54.00	25.42	AV	Vertic	PASS
3	7386.00	37.38	40.61	3.23	74.00	33.39	PK	Vertic	PASS
4	7386.00	29.15	32.38	3.23	54.00	21.62	AV	Vertic	PASS
5	9848.00	33.81	40.40	6.59	74.00	33.60	PK	Vertic	PASS
6	9848.00	24.65	31.24	6.59	54.00	22.76	AV	Vertic	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant0+1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	39.26	34.26	-5.00	74.00	39.74	PK	Horizo	PASS
2	4824.00	31.27	26.27	-5.00	54.00	27.73	AV	Horizo	PASS
3	7236.00	27.05	30.16	3.11	54.00	23.84	AV	Horizo	PASS
4	7236.00	37.50	40.61	3.11	74.00	33.39	PK	Horizo	PASS
5	9648.00	33.19	40.21	7.02	74.00	33.79	PK	Horizo	PASS
6	9648.00	25.23	32.25	7.02	54.00	21.75	AV	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant0+1



Data List									
NO	Frequeuncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	39.48	34.48	-5.00	74.00	39.52	PK	Vertic	PASS
2	4824.00	31.57	26.57	-5.00	54.00	27.43	AV	Vertic	PASS
3	7236.00	27.72	30.83	3.11	54.00	23.17	AV	Vertic	PASS
4	7236.00	35.72	38.83	3.11	74.00	35.17	PK	Vertic	PASS
5	9648.00	32.75	39.77	7.02	74.00	34.23	PK	Vertic	PASS
6	9648.00	25.06	32.08	7.02	54.00	21.92	AV	Vertic	PASS


Transmit at 2437MHz by 802.11n(20MHz) with Ant0+1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	39.59	34.51	-5.08	74.00	39.49	PK	Horizo	PASS
2	4874.00	32.21	27.13	-5.08	54.00	26.87	AV	Horizo	PASS
3	7311.00	27.37	30.48	3.11	54.00	23.52	AV	Horizo	PASS
4	7311.00	35.20	38.31	3.11	74.00	35.69	PK	Horizo	PASS
5	9748.00	33.15	40.31	7.16	74.00	33.69	PK	Horizo	PASS
6	9748.00	25.35	32.51	7.16	54.00	21.49	AV	Horizo	PASS

Transmit at 2437MHz by 802.11n(20MHz) with Ant0+1


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	39.28	34.20	-5.08	74.00	39.80	PK	Vertic	PASS
2	4874.00	32.09	27.01	-5.08	54.00	26.99	AV	Vertic	PASS
3	7311.00	27.68	30.79	3.11	54.00	23.21	AV	Vertic	PASS
4	7311.00	35.38	38.49	3.11	74.00	35.51	PK	Vertic	PASS
5	9748.00	32.71	39.87	7.16	74.00	34.13	PK	Vertic	PASS
6	9748.00	24.68	31.84	7.16	54.00	22.16	AV	Vertic	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant0+1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	40.03	34.97	-5.06	74.00	39.03	PK	Horizo	PASS
2	4924.00	32.40	27.34	-5.06	54.00	26.66	AV	Horizo	PASS
3	7386.00	28.05	31.28	3.23	54.00	22.72	AV	Horizo	PASS
4	7386.00	35.05	38.28	3.23	74.00	35.72	PK	Horizo	PASS
5	9848.00	32.74	39.33	6.59	74.00	34.67	PK	Horizo	PASS
6	9848.00	25.01	31.60	6.59	54.00	22.40	AV	Horizo	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant0+1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	39.50	34.44	-5.06	74.00	39.56	PK	Vertic	PASS
2	4924.00	32.93	27.87	-5.06	54.00	26.13	AV	Vertic	PASS
3	7386.00	27.88	31.11	3.23	54.00	22.89	AV	Vertic	PASS
4	7386.00	36.13	39.36	3.23	74.00	34.64	PK	Vertic	PASS
5	9848.00	32.42	39.01	6.59	74.00	34.99	PK	Vertic	PASS
6	9848.00	23.79	30.38	6.59	54.00	23.62	AV	Vertic	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant0+1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	40.78	35.74	-5.04	74.00	38.26	PK	Horizo	PASS
2	4844.00	32.61	27.57	-5.04	54.00	26.43	AV	Horizo	PASS
3	7266.00	28.00	31.10	3.10	54.00	22.90	AV	Horizo	PASS
4	7266.00	36.26	39.36	3.10	74.00	34.64	PK	Horizo	PASS
5	9688.00	34.20	41.68	7.48	74.00	32.32	PK	Horizo	PASS
6	9688.00	24.71	32.19	7.48	54.00	21.81	AV	Horizo	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant0+1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	40.08	35.04	-5.04	74.00	38.96	PK	Vertic	PASS
2	4844.00	31.42	26.38	-5.04	54.00	27.62	AV	Vertic	PASS
3	7266.00	28.37	31.47	3.10	54.00	22.53	AV	Vertic	PASS
4	7266.00	36.90	40.00	3.10	74.00	34.00	PK	Vertic	PASS
5	9688.00	33.24	40.72	7.48	74.00	33.28	PK	Vertic	PASS
6	9688.00	25.18	32.66	7.48	54.00	21.34	AV	Vertic	PASS

Transmit at 2437MHz by 802.11n(40MHz) with Ant0+1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	39.99	34.91	-5.08	74.00	39.09	PK	Horizo	PASS
2	4874.00	31.79	26.71	-5.08	54.00	27.29	AV	Horizo	PASS
3	7311.00	27.77	30.88	3.11	54.00	23.12	AV	Horizo	PASS
4	7311.00	36.42	39.53	3.11	74.00	34.47	PK	Horizo	PASS
5	9748.00	33.46	40.62	7.16	74.00	33.38	PK	Horizo	PASS
6	9748.00	25.87	33.03	7.16	54.00	20.97	AV	Horizo	PASS


Transmit at 2437MHz by 802.11n(40MHz) with Ant0+1



Data List									
NO	Freque ncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	4874.00	39.69	34.61	-5.08	74.00	39.39	PK	Vertic	PASS
2	4874.00	31.19	26.11	-5.08	54.00	27.89	AV	Vertic	PASS
3	7311.00	35.92	39.03	3.11	74.00	34.97	PK	Vertic	PASS
4	7311.00	27.69	30.80	3.11	54.00	23.20	AV	Vertic	PASS
5	9748.00	33.42	40.58	7.16	74.00	33.42	PK	Vertic	PASS
6	9748.00	25.43	32.59	7.16	54.00	21.41	AV	Vertic	PASS


Transmit at 2452MHz by 802.11n(40MHz) with Ant0+1

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	39.18	34.07	-5.11	74.00	39.93	PK	Horizo	PASS
2	4904.00	32.03	26.92	-5.11	54.00	27.08	AV	Horizo	PASS
3	7356.00	28.02	31.20	3.18	54.00	22.80	AV	Horizo	PASS
4	7356.00	35.53	38.71	3.18	74.00	35.29	PK	Horizo	PASS
5	9808.00	32.40	39.04	6.64	74.00	34.96	PK	Horizo	PASS
6	9808.00	23.97	30.61	6.64	54.00	23.39	AV	Horizo	PASS

Transmit at 2452MHz by 802.11n(40MHz) with Ant0+1*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	39.23	34.12	-5.11	74.00	39.88	PK	Vertic	PASS
2	4904.00	31.49	26.38	-5.11	54.00	27.62	AV	Vertic	PASS
3	7356.00	35.01	38.19	3.18	74.00	35.81	PK	Vertic	PASS
4	7356.00	27.82	31.00	3.18	54.00	23.00	AV	Vertic	PASS
5	9808.00	32.69	39.33	6.64	74.00	34.67	PK	Vertic	PASS
6	9808.00	25.10	31.74	6.64	54.00	22.26	AV	Vertic	PASS

Note:

1. Level=Reading+Factor
2. Margin=Limit-Level
3. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
4. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.


The worst case of Radiated Emission below 1GHz:

Transmit at 2412MHz by 802.11b with Ant0



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.06	17.10	33.76	16.66	40.00	6.24	PK	Horizo	PASS
2	56.92	26.30	34.54	8.24	40.00	5.46	PK	Horizo	PASS
3	85.78	24.44	34.25	9.81	40.00	5.75	PK	Horizo	PASS
4	119.97	26.89	40.96	14.07	43.50	2.54	PK	Horizo	PASS
5	240.01	25.01	39.62	14.61	46.00	6.38	PK	Horizo	PASS
6	715.79	19.50	43.41	23.91	46.00	2.59	PK	Horizo	PASS

Transmit at 2412MHz by 802.11b with Ant0



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	35.34	20.14	37.18	17.04	40.00	2.82	PK	Vertic	PASS
2	56.68	28.76	37.04	8.28	40.00	2.96	PK	Vertic	PASS
3	85.78	28.22	38.03	9.81	40.00	1.97	PK	Vertic	PASS
4	113.91	26.15	40.00	13.85	43.50	3.50	PK	Vertic	PASS
5	237.58	25.14	39.52	14.38	46.00	6.48	PK	Vertic	PASS
6	845.04	15.38	40.78	25.40	46.00	5.22	PK	Vertic	PASS

Note:

1. All Readings below 1GHz are PK, PK as an alternative to CISPR quasi-peak measurements or average measurements.

2. Level=Reading+Factor.

The End