


Transmit at 2480MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	46.70	40.54	-6.16	74.00	33.46	PK	Horizo	PASS
	4960.00	-	15.75	-	54.00	38.25	AV	Horizo	PASS
2	7440.00	44.00	43.30	-0.68	74.00	30.70	PK	Horizo	PASS
	7440.00	-	18.51	-	54.00	35.49	AV	Horizo	PASS
3	9920.00	41.90	44.19	2.29	74.00	29.81	PK	Horizo	PASS
	9920.00	-	19.40	-	54.00	34.60	AV	Horizo	PASS

Transmit at 2402MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	47.60	40.62	-6.93	74.00	33.38	PK	Horizo	PASS
	4804.00	-	15.83	-	54.00	38.17	AV	Horizo	PASS
2	7206.00	45.30	43.66	-1.65	74.00	30.34	PK	Horizo	PASS
	7206.00	-	18.87	-	54.00	35.13	AV	Horizo	PASS
3	9608.00	42.30	44.10	1.81	74.00	29.90	PK	Horizo	PASS
	9608.00	-	19.31	-	54.00	34.69	AV	Horizo	PASS

Transmit at 2402MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	46.60	39.71	-6.93	74.00	34.29	PK	Vertic	PASS
	4804.00	-	14.92	-	54.00	39.08	AV	Vertic	PASS
2	7206.00	43.50	41.88	-1.65	74.00	32.12	PK	Vertic	PASS
	7206.00	-	17.09	-	54.00	36.91	AV	Vertic	PASS
3	9608.00	42.00	43.84	1.81	74.00	30.16	PK	Vertic	PASS
	9608.00	-	19.05	-	54.00	34.95	AV	Vertic	PASS

Transmit at 2441MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	45.50	39.26	-6.27	74.00	34.74	PK	Horizo	PASS
	4882.00	-	14.47	-	54.00	39.53	AV	Horizo	PASS
2	7323.00	45.40	44.37	-1.02	74.00	29.63	PK	Horizo	PASS
	7323.00	-	19.58	-	54.00	34.42	AV	Horizo	PASS
3	9764.00	41.40	43.42	2.01	74.00	30.58	PK	Horizo	PASS
	9764.00	-	18.63	-	54.00	35.37	AV	Horizo	PASS

Transmit at 2441MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	45.60	39.28	-6.27	74.00	34.72	PK	Vertic	PASS
	4882.00	-	14.49	-	54.00	39.51	AV	Vertic	PASS
2	7323.00	43.80	42.77	-1.02	74.00	31.23	PK	Vertic	PASS
	7323.00	-	17.98	-	54.00	36.02	AV	Vertic	PASS
3	9764.00	41.90	43.93	2.01	74.00	30.07	PK	Vertic	PASS
	9764.00	-	19.14	-	54.00	34.86	AV	Vertic	PASS

Transmit at 2480MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	47.10	40.94	-6.16	74.00	33.06	PK	Horizo	PASS
	4960.00	-	16.15	-	54.00	37.85	AV	Horizo	PASS
2	7440.00	43.80	43.09	-0.68	74.00	30.91	PK	Horizo	PASS
	7440.00	-	18.30	-	54.00	35.70	AV	Horizo	PASS
3	9920.00	41.50	43.80	2.29	74.00	30.20	PK	Horizo	PASS
	9920.00	-	19.01	-	54.00	34.99	AV	Horizo	PASS

Transmit at 2480MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	46.70	40.53	-6.16	74.00	33.47	PK	Vertic	PASS
	4960.00	-	15.74	-	54.00	38.26	AV	Vertic	PASS
2	7440.00	43.80	43.11	-0.68	74.00	30.89	PK	Vertic	PASS
	7440.00	-	18.32	-	54.00	35.68	AV	Vertic	PASS
3	9920.00	41.80	44.06	2.29	74.00	29.94	PK	Vertic	PASS
	9920.00	-	19.27	-	54.00	34.73	AV	Vertic	PASS

Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	46.60	39.67	-6.93	74.00	34.33	PK	Horizo	PASS
	4804.00	-	14.88	-	54.00	39.12	AV	Horizo	PASS
2	7206.00	45.60	43.98	-1.65	74.00	30.02	PK	Horizo	PASS
	7206.00	-	19.19	-	54.00	34.81	AV	Horizo	PASS
3	9608.00	43.70	45.48	1.81	74.00	28.52	PK	Horizo	PASS
	9608.00	-	20.69	-	54.00	33.31	AV	Horizo	PASS

Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	46.50	39.55	-6.93	74.00	34.45	PK	Vertic	PASS
	4804.00	-	14.76	-	54.00	39.24	AV	Vertic	PASS
2	7206.00	43.50	41.80	-1.65	74.00	32.20	PK	Vertic	PASS
	7206.00	-	17.01	-	54.00	36.99	AV	Vertic	PASS
3	9608.00	42.00	43.84	1.81	74.00	30.16	PK	Vertic	PASS
	9608.00	-	19.05	-	54.00	34.95	AV	Vertic	PASS

Transmit at 2441MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	46.90	40.64	-6.27	74.00	33.36	PK	Horizo	PASS
	4882.00	-	15.85	-	54.00	38.15	AV	Horizo	PASS
2	7323.00	45.10	44.03	-1.02	74.00	29.97	PK	Horizo	PASS
	7323.00	-	19.24	-	54.00	34.76	AV	Horizo	PASS
3	9764.00	43.90	45.87	2.01	74.00	28.13	PK	Horizo	PASS
	9764.00	-	21.08	-	54.00	32.92	AV	Horizo	PASS

Transmit at 2441MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	45.80	39.51	-6.27	74.00	34.49	PK	Vertic	PASS
	4882.00	-	14.72	-	54.00	39.28	AV	Vertic	PASS
2	7323.00	43.80	42.81	-1.02	74.00	31.19	PK	Vertic	PASS
	7323.00	-	18.02	-	54.00	35.98	AV	Vertic	PASS
3	9764.00	41.70	43.67	2.01	74.00	30.33	PK	Vertic	PASS
	9764.00	-	18.88	-	54.00	35.12	AV	Vertic	PASS

Transmit at 2480MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	46.50	40.37	-6.16	74.00	33.63	PK	Horizo	PASS
	4960.00	-	15.58	-	54.00	38.42	AV	Horizo	PASS
2	7440.00	45.10	44.40	-0.68	74.00	29.60	PK	Horizo	PASS
	7440.00	-	19.61	-	54.00	34.39	AV	Horizo	PASS
3	9920.00	42.30	44.54	2.29	74.00	29.46	PK	Horizo	PASS
	9920.00	-	19.75	-	54.00	34.25	AV	Horizo	PASS

Transmit at 2480MHz by 3DH5

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	46.80	40.60	-6.16	74.00	33.40	PK	Vertic	PASS
	4960.00	-	15.81	-	54.00	38.19	AV	Vertic	PASS
2	7440.00	45.30	44.60	-0.68	74.00	29.40	PK	Vertic	PASS
	7440.00	-	19.81	-	54.00	34.19	AV	Vertic	PASS
3	9920.00	41.20	43.53	2.29	74.00	30.47	PK	Vertic	PASS
	9920.00	-	18.74	-	54.00	35.26	AV	Vertic	PASS

Note:

1. Level = Reading + Factor

2. Margin = Limit - Level, AV Level = PK Level + Duty Cycle Factor.


3. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.

4. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.

The worst case of Radiated Emission below 1GHz :

Transmit at 2402MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	35.09	43.4	24.20	-19.220	40.00	15.80	PK	Horizo	PASS
2	62.74	47.4	28.29	-19.070	40.00	11.71	PK	Horizo	PASS
3	122.39	44.8	24.80	-20.040	43.50	18.70	PK	Horizo	PASS
4	184.72	41.8	22.16	-19.680	43.50	21.34	PK	Horizo	PASS
5	321.00	44.3	27.89	-16.400	46.00	18.11	PK	Horizo	PASS
6	824.67	35.3	28.91	-6.360	46.00	17.09	PK	Horizo	PASS

Transmit at 2402MHz by DH5

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.31	41.9	22.82	-19.050	40.00	17.18	PK	Vertic	PASS
2	82.87	45.8	22.87	-22.890	40.00	17.13	PK	Vertic	PASS
3	127.97	35.9	16.31	-19.560	43.50	27.19	PK	Vertic	PASS
4	252.86	42.6	23.83	-18.730	46.00	22.17	PK	Vertic	PASS
5	584.84	46.5	36.66	-9.850	46.00	9.34	PK	Vertic	PASS
6	912.94	38.4	33.16	-5.200	46.00	12.84	PK	Vertic	PASS

Note:

1. All Readings below 1GHz are PK, PK as an alternative to CISPR quasi-peak measurements or average measurements.
2. Level=Reading+Factor.

_____ The End _____