







Band26-10MHz-16QAM-26840-1RB#0-Range4:1000~26500MHz





Band26-10MHz-16QAM-26915-1RB#0-Range1:0.009~0.15MHz




Band26-10MHz-16QAM-26915-1RB#0-Range2:0.15~30MHz









Band26-15MHz-QPSK-26865-1RB#0-Range1:0.009~0.15MHz




Band26-15MHz-QPSK-26865-1RB#0-Range2:0.15~30MHz




Band26-15MHz-QPSK-26865-1RB#0-Range3:30~1000MHz




Band26-15MHz-QPSK-26865-1RB#0-Range4:1000~26500MHz




Band26-15MHz-QPSK-26915-1RB#0-Range1:0.009~0.15MHz



Band26-15MHz-QPSK-26915-1RB#0-Range2:0.15~30MHz




Band26-15MHz-QPSK-26915-1RB#0-Range3:30~1000MHz




Band26-15MHz-QPSK-26915-1RB#0-Range4:1000~26500MHz




Band26-15MHz-QPSK-26965-1RB#0-Range1:0.009~0.15MHz







Band26-15MHz-16QAM-26865-1RB#0-Range1:0.009~0.15MHz



Band26-15MHz-16QAM-26865-1RB#0-Range2:0.15~30MHz




Band26-15MHz-16QAM-26865-1RB#0-Range3:30~1000MHz




Band26-15MHz-16QAM-26865-1RB#0-Range4:1000~26500MHz





Band26-15MHz-16QAM-26915-1RB#0-Range1:0.009~0.15MHz



Band26-15MHz-16QAM-26915-1RB#0-Range2:0.15~30MHz







Appendix F: Frequency Stability

Test Result

Channel Bandwidth: 1.4 MHz

Channel Bandwidth: 1.4 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	2.77	0.003359	± 2.5	PASS
		VN	TN	3.21	0.003892	± 2.5	PASS
		VH	TN	3.49	0.004232	± 2.5	PASS
	MCH	VL	TN	3.8	0.004543	± 2.5	PASS
		VN	TN	-0.8	-0.000956	± 2.5	PASS
		VH	TN	-1.92	-0.002295	± 2.5	PASS
	HCH	VL	TN	-1.84	-0.002169	± 2.5	PASS
		VN	TN	0.13	0.000153	± 2.5	PASS
		VH	TN	-1.14	-0.001344	± 2.5	PASS
16QAM	LCH	VL	TN	-1.34	-0.001625	± 2.5	PASS
		VN	TN	3.98	0.004826	± 2.5	PASS
		VH	TN	-1.91	-0.002316	± 2.5	PASS
	MCH	VL	TN	3.83	0.004579	± 2.5	PASS
		VN	TN	4.19	0.005009	± 2.5	PASS
		VH	TN	0.3	0.000359	± 2.5	PASS
	HCH	VL	TN	1.44	0.001698	± 2.5	PASS
		VN	TN	0.2	0.000236	± 2.5	PASS
		VH	TN	3.98	0.004692	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	-1.55	-0.001879	± 2.5	PASS
		VN	-20	2.29	0.002777	± 2.5	PASS
		VN	-10	4.69	0.005687	± 2.5	PASS
		VN	0	4.43	0.005372	± 2.5	PASS
		VN	10	4.48	0.005432	± 2.5	PASS
		VN	20	1.34	0.001625	± 2.5	PASS
		VN	30	-1.06	-0.001285	± 2.5	PASS
		VN	40	0.18	0.000218	± 2.5	PASS
		VN	50	2.93	0.003553	± 2.5	PASS
	MCH	VN	-30	2.87	0.003431	± 2.5	PASS

		VN	-20	-0.68	-0.000813	± 2.5	PASS
		VN	-10	4.77	0.005702	± 2.5	PASS
		VN	0	0.72	0.000861	± 2.5	PASS
		VN	10	-0.8	-0.000956	± 2.5	PASS
		VN	20	3.82	0.004567	± 2.5	PASS
		VN	30	3.98	0.004758	± 2.5	PASS
		VN	40	-1.09	-0.001303	± 2.5	PASS
		VN	50	1.49	0.001781	± 2.5	PASS
	HCH	VN	-30	-0.48	-0.000566	± 2.5	PASS
		VN	-20	0.69	0.000813	± 2.5	PASS
		VN	-10	1.46	0.001721	± 2.5	PASS
		VN	0	3.33	0.003925	± 2.5	PASS
		VN	10	3.33	0.003925	± 2.5	PASS
		VN	20	-0.28	-0.000330	± 2.5	PASS
		VN	30	3.24	0.003819	± 2.5	PASS
		VN	40	4.58	0.005399	± 2.5	PASS
		VN	50	0.51	0.000601	± 2.5	PASS
16QAM	LCH	VN	-30	1.81	0.002195	± 2.5	PASS
		VN	-20	2.99	0.003626	± 2.5	PASS
		VN	-10	0.86	0.001043	± 2.5	PASS
		VN	0	0.99	0.001200	± 2.5	PASS
		VN	10	3.51	0.004256	± 2.5	PASS
		VN	20	-1.78	-0.002158	± 2.5	PASS
		VN	30	2.33	0.002825	± 2.5	PASS
		VN	40	-1.75	-0.002122	± 2.5	PASS
		VN	50	-1.33	-0.001613	± 2.5	PASS
	MCH	VN	-30	4.31	0.005081	± 2.5	PASS
		VN	-20	1.79	0.002110	± 2.5	PASS
		VN	-10	3.96	0.004668	± 2.5	PASS
		VN	0	-0.9	-0.001061	± 2.5	PASS
		VN	10	4.75	0.005599	± 2.5	PASS
		VN	20	1.51	0.001780	± 2.5	PASS
		VN	30	-0.75	-0.000884	± 2.5	PASS
		VN	40	2.28	0.002688	± 2.5	PASS
		VN	50	4.33	0.005104	± 2.5	PASS
	HCH	VN	-30	-1.3	-0.001532	± 2.5	PASS
		VN	-20	4.72	0.005564	± 2.5	PASS
		VN	-10	4.67	0.005505	± 2.5	PASS
		VN	0	4.15	0.004892	± 2.5	PASS
		VN	10	1.67	0.001969	± 2.5	PASS
		VN	20	3.58	0.004220	± 2.5	PASS

		VN	30	0.19	0.000224	± 2.5	PASS
		VN	40	0.48	0.000566	± 2.5	PASS
		VN	50	1.37	0.001615	± 2.5	PASS

Channel Bandwidth: 3 MHz

Channel Bandwidth: 3 MHz+							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	2.77	0.003356	± 2.5	PASS
		VN	TN	-0.44	-0.000533	± 2.5	PASS
		VH	TN	-0.2	-0.000242	± 2.5	PASS
	MCH	VL	TN	-1.8	-0.002152	± 2.5	PASS
		VN	TN	-0.89	-0.001064	± 2.5	PASS
		VH	TN	3.44	0.004112	± 2.5	PASS
	HCH	VL	TN	-0.59	-0.000696	± 2.5	PASS
		VN	TN	-1.1	-0.001298	± 2.5	PASS
		VH	TN	3.15	0.003717	± 2.5	PASS
16QAM	LCH	VL	TN	3.71	0.004494	± 2.5	PASS
		VN	TN	2.4	0.002907	± 2.5	PASS
		VH	TN	0.23	0.000279	± 2.5	PASS
	MCH	VL	TN	1.79	0.002140	± 2.5	PASS
		VN	TN	1.11	0.001327	± 2.5	PASS
		VH	TN	2.8	0.003347	± 2.5	PASS
	HCH	VL	TN	0.56	0.000661	± 2.5	PASS
		VN	TN	4.98	0.005876	± 2.5	PASS
		VH	TN	-1.48	-0.001746	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	-1.59	-0.001926	± 2.5	PASS
		VN	-20	1.05	0.001272	± 2.5	PASS
		VN	-10	3.28	0.003973	± 2.5	PASS
		VN	0	0.51	0.000618	± 2.5	PASS
		VN	10	2.63	0.003186	± 2.5	PASS
		VN	20	0.08	0.000097	± 2.5	PASS
		VN	30	-1.39	-0.001684	± 2.5	PASS
		VN	40	0.76	0.000921	± 2.5	PASS
		VN	50	-0.55	-0.000666	± 2.5	PASS
	MCH	VN	-30	-0.4	-0.000478	± 2.5	PASS
		VN	-20	2.07	0.002475	± 2.5	PASS

		VN	-10	1.39	0.001662	± 2.5	PASS	
		VN	0	3.52	0.004208	± 2.5	PASS	
		VN	10	3.66	0.004375	± 2.5	PASS	
		VN	20	1.73	0.002068	± 2.5	PASS	
		VN	30	2.69	0.003216	± 2.5	PASS	
		VN	40	4.46	0.005332	± 2.5	PASS	
		VN	50	4.88	0.005834	± 2.5	PASS	
	HCH	VN	-30	4.53	0.005345	± 2.5	PASS	
		VN	-20	-1.68	-0.001982	± 2.5	PASS	
		VN	-10	3.5	0.004130	± 2.5	PASS	
		VN	0	-1.12	-0.001322	± 2.5	PASS	
		VN	10	1.03	0.001215	± 2.5	PASS	
		VN	20	3.01	0.003552	± 2.5	PASS	
		VN	30	4.91	0.005794	± 2.5	PASS	
		VN	40	3.09	0.003646	± 2.5	PASS	
		VN	50	4.16	0.004909	± 2.5	PASS	
	16QAM	LCH	VN	-30	2.96	0.003539	± 2.5	PASS
			VN	-20	3.04	0.003634	± 2.5	PASS
VN			-10	4.55	0.005439	± 2.5	PASS	
VN			0	3.55	0.004244	± 2.5	PASS	
VN			10	1.56	0.001865	± 2.5	PASS	
VN			20	0.35	0.000418	± 2.5	PASS	
VN			30	4.52	0.005403	± 2.5	PASS	
VN			40	2.2	0.002630	± 2.5	PASS	
VN			50	-1.02	-0.001219	± 2.5	PASS	
MCH		VN	-30	0.94	0.001109	± 2.5	PASS	
		VN	-20	0.61	0.000720	± 2.5	PASS	
		VN	-10	-0.28	-0.000330	± 2.5	PASS	
		VN	0	3.27	0.003858	± 2.5	PASS	
		VN	10	-1.5	-0.001770	± 2.5	PASS	
		VN	20	3.46	0.004083	± 2.5	PASS	
		VN	30	4.95	0.005841	± 2.5	PASS	
		VN	40	-1.91	-0.002254	± 2.5	PASS	
		VN	50	3.45	0.004071	± 2.5	PASS	
HCH		VN	-30	-0.82	-0.000968	± 2.5	PASS	
		VN	-20	1.27	0.001499	± 2.5	PASS	
		VN	-10	0.5	0.000590	± 2.5	PASS	
		VN	0	-1.75	-0.002065	± 2.5	PASS	
		VN	10	1.62	0.001912	± 2.5	PASS	
		VN	20	0.43	0.000507	± 2.5	PASS	
		VN	30	2.03	0.002395	± 2.5	PASS	

		VN	40	-0.85	-0.001003	± 2.5	PASS
		VN	50	0.1	0.000118	± 2.5	PASS

Channel Bandwidth: 5 MHz

Channel Bandwidth: 5 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	2.77	0.003351	± 2.5	PASS
		VN	TN	0.03	0.000036	± 2.5	PASS
		VH	TN	3.14	0.003799	± 2.5	PASS
	MCH	VL	TN	2.13	0.002546	± 2.5	PASS
		VN	TN	3.89	0.004650	± 2.5	PASS
		VH	TN	2.25	0.002690	± 2.5	PASS
	HCH	VL	TN	4.14	0.004891	± 2.5	PASS
		VN	TN	-0.55	-0.000650	± 2.5	PASS
		VH	TN	-1.28	-0.001512	± 2.5	PASS
16QAM	LCH	VL	TN	0.8	0.000968	± 2.5	PASS
		VN	TN	-2	-0.002420	± 2.5	PASS
		VH	TN	4.07	0.004924	± 2.5	PASS
	MCH	VL	TN	4	0.004782	± 2.5	PASS
		VN	TN	-1.9	-0.002271	± 2.5	PASS
		VH	TN	0.12	0.000143	± 2.5	PASS
	HCH	VL	TN	0.03	0.000035	± 2.5	PASS
		VN	TN	1.38	0.001630	± 2.5	PASS
		VH	TN	3.95	0.004666	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	0.57	0.000690	± 2.5	PASS
		VN	-20	3.46	0.004186	± 2.5	PASS
		VN	-10	1.14	0.001379	± 2.5	PASS
		VN	0	3.72	0.004501	± 2.5	PASS
		VN	10	2.95	0.003569	± 2.5	PASS
		VN	20	0.5	0.000605	± 2.5	PASS
		VN	30	3.16	0.003823	± 2.5	PASS
		VN	40	2.05	0.002480	± 2.5	PASS
		VN	50	3.97	0.004803	± 2.5	PASS
	MCH	VN	-30	4.97	0.005941	± 2.5	PASS
		VN	-20	4.51	0.005392	± 2.5	PASS
		VN	-10	1.82	0.002176	± 2.5	PASS

		VN	0	-1.5	-0.001793	± 2.5	PASS
		VN	10	4.35	0.005200	± 2.5	PASS
		VN	20	3.01	0.003598	± 2.5	PASS
		VN	30	4.16	0.004973	± 2.5	PASS
		VN	40	4.9	0.005858	± 2.5	PASS
		VN	50	-1.84	-0.002200	± 2.5	PASS
	HCH	VN	-30	-1.9	-0.002245	± 2.5	PASS
		VN	-20	-0.57	-0.000673	± 2.5	PASS
		VN	-10	4.1	0.004843	± 2.5	PASS
		VN	0	2.21	0.002611	± 2.5	PASS
		VN	10	0.74	0.000874	± 2.5	PASS
		VN	20	2.14	0.002528	± 2.5	PASS
		VN	30	3.6	0.004253	± 2.5	PASS
		VN	40	2.49	0.002942	± 2.5	PASS
		VN	50	3.02	0.003568	± 2.5	PASS
16QAM	LCH	VN	-30	0.61	0.000729	± 2.5	PASS
		VN	-20	-1.83	-0.002188	± 2.5	PASS
		VN	-10	-1.35	-0.001614	± 2.5	PASS
		VN	0	-0.65	-0.000777	± 2.5	PASS
		VN	10	0.24	0.000287	± 2.5	PASS
		VN	20	-1.57	-0.001877	± 2.5	PASS
		VN	30	4.88	0.005834	± 2.5	PASS
		VN	40	4.38	0.005236	± 2.5	PASS
		VN	50	-1.38	-0.001650	± 2.5	PASS
	MCH	VN	-30	2.16	0.002552	± 2.5	PASS
		VN	-20	0.8	0.000945	± 2.5	PASS
		VN	-10	-0.03	-0.000035	± 2.5	PASS
		VN	0	4.2	0.004962	± 2.5	PASS
		VN	10	-0.01	-0.000012	± 2.5	PASS
		VN	20	-1.73	-0.002044	± 2.5	PASS
		VN	30	3.06	0.003615	± 2.5	PASS
		VN	40	0.99	0.001170	± 2.5	PASS
		VN	50	0.42	0.000496	± 2.5	PASS
	HCH	VN	-30	3.28	0.003875	± 2.5	PASS
		VN	-20	4.57	0.005399	± 2.5	PASS
		VN	-10	-1.09	-0.001288	± 2.5	PASS
		VN	0	1.91	0.002256	± 2.5	PASS
		VN	10	3.51	0.004146	± 2.5	PASS
		VN	20	0.95	0.001122	± 2.5	PASS
		VN	30	-1.52	-0.001796	± 2.5	PASS
		VN	40	3.74	0.004418	± 2.5	PASS

		VN	50	3.88	0.004584	± 2.5	PASS
--	--	----	----	------	----------	-------	------

Channel Bandwidth: 10 MHz

Channel Bandwidth: 10 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	2.77	0.003341	± 2.5	PASS
		VN	TN	0.57	0.000688	± 2.5	PASS
		VH	TN	0.28	0.000338	± 2.5	PASS
	MCH	VL	TN	-1.04	-0.001243	± 2.5	PASS
		VN	TN	0.5	0.000598	± 2.5	PASS
		VH	TN	2.69	0.003216	± 2.5	PASS
	HCH	VL	TN	-1.78	-0.002109	± 2.5	PASS
		VN	TN	0.54	0.000640	± 2.5	PASS
		VH	TN	1.78	0.002109	± 2.5	PASS
16QAM	LCH	VL	TN	0.87	0.001049	± 2.5	PASS
		VN	TN	1.74	0.002099	± 2.5	PASS
		VH	TN	1.54	0.001858	± 2.5	PASS
	MCH	VL	TN	-1.78	-0.002128	± 2.5	PASS
		VN	TN	-0.15	-0.000179	± 2.5	PASS
		VH	TN	0.27	0.000323	± 2.5	PASS
	HCH	VL	TN	0.46	0.000545	± 2.5	PASS
		VN	TN	-1.83	-0.002168	± 2.5	PASS
		VH	TN	4.35	0.005154	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	4.37	0.005271	± 2.5	PASS
		VN	-20	1.32	0.001592	± 2.5	PASS
		VN	-10	-0.48	-0.000579	± 2.5	PASS
		VN	0	1.55	0.001870	± 2.5	PASS
		VN	10	3.43	0.004138	± 2.5	PASS
		VN	20	3.39	0.004089	± 2.5	PASS
		VN	30	4.14	0.004994	± 2.5	PASS
		VN	40	1.51	0.001821	± 2.5	PASS
		VN	50	4.02	0.004849	± 2.5	PASS
	MCH	VN	-30	-1.52	-0.001817	± 2.5	PASS
		VN	-20	3.23	0.003861	± 2.5	PASS
		VN	-10	-0.33	-0.000395	± 2.5	PASS
		VN	0	-0.61	-0.000729	± 2.5	PASS

		VN	10	4.87	0.005822	± 2.5	PASS
		VN	20	3.66	0.004375	± 2.5	PASS
		VN	30	1.36	0.001626	± 2.5	PASS
		VN	40	0.29	0.000347	± 2.5	PASS
		VN	50	-0.8	-0.000956	± 2.5	PASS
	HCH	VN	-30	1.98	0.002346	± 2.5	PASS
		VN	-20	2.16	0.002559	± 2.5	PASS
		VN	-10	-0.51	-0.000604	± 2.5	PASS
		VN	0	-1.96	-0.002322	± 2.5	PASS
		VN	10	-0.88	-0.001043	± 2.5	PASS
		VN	20	2.78	0.003294	± 2.5	PASS
		VN	30	4.3	0.005095	± 2.5	PASS
		VN	40	3.59	0.004254	± 2.5	PASS
		VN	50	2.67	0.003164	± 2.5	PASS
16QAM	LCH	VN	-30	3.73	0.004459	± 2.5	PASS
		VN	-20	1.96	0.002343	± 2.5	PASS
		VN	-10	-0.62	-0.000741	± 2.5	PASS
		VN	0	1.18	0.001411	± 2.5	PASS
		VN	10	4.06	0.004854	± 2.5	PASS
		VN	20	2.46	0.002941	± 2.5	PASS
		VN	30	0	0.000000	± 2.5	PASS
		VN	40	2.54	0.003036	± 2.5	PASS
		VN	50	3.69	0.004411	± 2.5	PASS
	MCH	VN	-30	0.01	0.000012	± 2.5	PASS
		VN	-20	2.87	0.003400	± 2.5	PASS
		VN	-10	4.55	0.005391	± 2.5	PASS
		VN	0	-1.8	-0.002133	± 2.5	PASS
		VN	10	4.55	0.005391	± 2.5	PASS
		VN	20	2.01	0.002382	± 2.5	PASS
		VN	30	0.77	0.000912	± 2.5	PASS
		VN	40	-0.47	-0.000557	± 2.5	PASS
		VN	50	0.79	0.000936	± 2.5	PASS
	HCH	VN	-30	2.79	0.003306	± 2.5	PASS
		VN	-20	0.46	0.000545	± 2.5	PASS
		VN	-10	1.81	0.002145	± 2.5	PASS
		VN	0	3.57	0.004230	± 2.5	PASS
		VN	10	3.67	0.004348	± 2.5	PASS
		VN	20	3.01	0.003566	± 2.5	PASS
		VN	30	4.65	0.005509	± 2.5	PASS
		VN	40	3.04	0.003602	± 2.5	PASS
		VN	50	-1.12	-0.001327	± 2.5	PASS

Channel Bandwidth: 15 MHz

Channel Bandwidth: 15 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	2.77	0.003331	± 2.5	PASS
		VN	TN	1.38	0.001660	± 2.5	PASS
		VH	TN	3.76	0.004522	± 2.5	PASS
	MCH	VL	TN	0.39	0.000466	± 2.5	PASS
		VN	TN	3.94	0.004710	± 2.5	PASS
		VH	TN	0.41	0.000490	± 2.5	PASS
	HCH	VL	TN	2.57	0.003054	± 2.5	PASS
		VN	TN	0.65	0.000772	± 2.5	PASS
		VH	TN	2.81	0.003339	± 2.5	PASS
16QAM	LCH	VL	TN	-0.84	-0.001010	± 2.5	PASS
		VN	TN	-0.49	-0.000589	± 2.5	PASS
		VH	TN	3.71	0.004462	± 2.5	PASS
	MCH	VL	TN	4.31	0.005152	± 2.5	PASS
		VN	TN	3.45	0.004124	± 2.5	PASS
		VH	TN	-0.81	-0.000968	± 2.5	PASS
	HCH	VL	TN	0.35	0.000416	± 2.5	PASS
		VN	TN	2.88	0.003422	± 2.5	PASS
		VH	TN	0.99	0.001176	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	3.93	0.004726	± 2.5	PASS
		VN	-20	1.85	0.002225	± 2.5	PASS
		VN	-10	3.77	0.004534	± 2.5	PASS
		VN	0	0.37	0.000445	± 2.5	PASS
		VN	10	3.27	0.003933	± 2.5	PASS
		VN	20	2.35	0.002826	± 2.5	PASS
		VN	30	0.45	0.000541	± 2.5	PASS
		VN	40	-0.97	-0.001167	± 2.5	PASS
		VN	50	1.23	0.001479	± 2.5	PASS
	MCH	VN	-30	-0.72	-0.000861	± 2.5	PASS
		VN	-20	-1.08	-0.001291	± 2.5	PASS
		VN	-10	3.52	0.004208	± 2.5	PASS
		VN	0	4.21	0.005033	± 2.5	PASS
		VN	10	-0.65	-0.000777	± 2.5	PASS

		VN	20	1.05	0.001255	± 2.5	PASS
		VN	30	-1.01	-0.001207	± 2.5	PASS
		VN	40	4.9	0.005858	± 2.5	PASS
		VN	50	-1.35	-0.001614	± 2.5	PASS
	HCH	VN	-30	4.07	0.004837	± 2.5	PASS
		VN	-20	3.57	0.004242	± 2.5	PASS
		VN	-10	-0.54	-0.000642	± 2.5	PASS
		VN	0	-1.13	-0.001343	± 2.5	PASS
		VN	10	-1.72	-0.002044	± 2.5	PASS
		VN	20	-0.97	-0.001153	± 2.5	PASS
		VN	30	1.47	0.001747	± 2.5	PASS
		VN	40	4.29	0.005098	± 2.5	PASS
		VN	50	2.41	0.002864	± 2.5	PASS
16QAM	LCH	VN	-30	-0.08	-0.000096	± 2.5	PASS
		VN	-20	4.23	0.005087	± 2.5	PASS
		VN	-10	4.43	0.005328	± 2.5	PASS
		VN	0	-1.51	-0.001816	± 2.5	PASS
		VN	10	0.6	0.000722	± 2.5	PASS
		VN	20	-0.63	-0.000758	± 2.5	PASS
		VN	30	-0.98	-0.001179	± 2.5	PASS
		VN	40	-1.7	-0.002044	± 2.5	PASS
		VN	50	1.17	0.001407	± 2.5	PASS
	MCH	VN	-30	4.91	0.005870	± 2.5	PASS
		VN	-20	2.02	0.002415	± 2.5	PASS
		VN	-10	-0.2	-0.000239	± 2.5	PASS
		VN	0	1.42	0.001698	± 2.5	PASS
		VN	10	2.45	0.002929	± 2.5	PASS
		VN	20	-0.72	-0.000861	± 2.5	PASS
		VN	30	0.88	0.001052	± 2.5	PASS
		VN	40	2.88	0.003443	± 2.5	PASS
		VN	50	0.54	0.000646	± 2.5	PASS
	HCH	VN	-30	3.17	0.003767	± 2.5	PASS
		VN	-20	0.77	0.000915	± 2.5	PASS
		VN	-10	0.36	0.000428	± 2.5	PASS
		VN	0	-1.14	-0.001355	± 2.5	PASS
		VN	10	0.53	0.000630	± 2.5	PASS
		VN	20	-0.98	-0.001165	± 2.5	PASS
		VN	30	1.18	0.001402	± 2.5	PASS
		VN	40	-0.27	-0.000321	± 2.5	PASS
		VN	50	-1.85	-0.002198	± 2.5	PASS