










Band26(824-849)-10MHz-QPSK-26915-1#0-
0.009-0.15-PASS




Band26(824-849)-10MHz-QPSK-26915-1#0-
0.15-30-PASS




Band26(824-849)-10MHz-QPSK-26915-1#0-30-
1000-PASS




Band26(824-849)-10MHz-QPSK-26915-1#0-
1000-10000-PASS




Band26(824-849)-10MHz-16QAM-26915-1#0-
0.009-0.15-PASS




Band26(824-849)-10MHz-16QAM-26915-1#0-
0.15-30-PASS




Band26(824-849)-10MHz-16QAM-26915-1#0-
30-1000-PASS




Band26(824-849)-10MHz-16QAM-26915-1#0-
1000-10000-PASS




Band26(824-849)-10MHz-QPSK-26990-1#5-
0.009-0.15-PASS




Band26(824-849)-10MHz-QPSK-26990-1#5-
0.15-30-PASS




Band26(824-849)-10MHz-QPSK-26990-1#5-30-
1000-PASS




Band26(824-849)-10MHz-QPSK-26990-1#5-
1000-10000-PASS




Band26(824-849)-15MHz-QPSK-26865-1#0-
0.009-0.15-PASS




Band26(824-849)-15MHz-QPSK-26865-1#0-
0.15-30-PASS





Band26(824-849)-15MHz-QPSK-26865-1#0-30-
1000-PASS




Band26(824-849)-15MHz-QPSK-26865-1#0-
1000-10000-PASS









Band26(824-849)-15MHz-16QAM-26915-1#0-
0.009-0.15-PASS




Band26(824-849)-15MHz-16QAM-26915-1#0-
0.15-30-PASS




Band26(824-849)-15MHz-16QAM-26915-1#0-
30-1000-PASS



Band26(824-849)-15MHz-16QAM-26915-1#0-
1000-10000-PASS





Appendix F: Frequency Stability for M1

Test Result

Voltage												
Band	Bandwidth	Modulation	Channel	RB Size	RB Start	NB Index	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band 26(824-849)	1.4M Hz	16QAM	26797	5	0	Low	VL	NT	0.00	0.00000	±2.5	PASS
Band 26(824-849)	1.4M Hz	16QAM	26797	5	0	Low	VN	NT	-1.80	-0.002183	±2.5	PASS
Band 26(824-849)	1.4M Hz	16QAM	26797	5	0	Low	VH	NT	0.40	0.000485	±2.5	PASS
Band 26(824-849)	1.4M Hz	16QAM	26915	5	0	Low	VL	NT	-4.40	-0.005260	±2.5	PASS
Band 26(824-849)	1.4M Hz	16QAM	26915	5	0	Low	VN	NT	-5.40	-0.006455	±2.5	PASS
Band 26(824-849)	1.4M Hz	16QAM	26915	5	0	Low	VH	NT	-4.10	-0.004901	±2.5	PASS
Band 26(824-849)	1.4M Hz	16QAM	27033	5	1	High	VL	NT	-3.00	-0.003536	±2.5	PASS
Band 26(824-849)	1.4M Hz	16QAM	27033	5	1	High	VN	NT	-2.80	-0.003301	±2.5	PASS
Band 26(824-849)	1.4M Hz	16QAM	27033	5	1	High	VH	NT	-1.40	-0.001650	±2.5	PASS

849)												
Band 26(82 4- 849)	3MHz	16QA M	268 05	5	0	Low	VL	NT	-0.10	- 0.00 0121	±2. 5	PA SS
Band 26(82 4- 849)	3MHz	16QA M	268 05	5	0	Low	VN	NT	-1.30	- 0.00 1575	±2. 5	PA SS
Band 26(82 4- 849)	3MHz	16QA M	268 05	5	0	Low	VH	NT	-1.00	- 0.00 1211	±2. 5	PA SS
Band 26(82 4- 849)	3MHz	16QA M	269 15	5	0	Low	VL	NT	1.60	0.00 1913	±2. 5	PA SS
Band 26(82 4- 849)	3MHz	16QA M	269 15	5	0	Low	VN	NT	1.90	0.00 2271	±2. 5	PA SS
Band 26(82 4- 849)	3MHz	16QA M	269 15	5	0	Low	VH	NT	1.80	0.00 2152	±2. 5	PA SS
Band 26(82 4- 849)	3MHz	16QA M	270 25	5	1	High	VL	NT	-9.10	- 0.01 0737	±2. 5	PA SS
Band 26(82 4- 849)	3MHz	16QA M	270 25	5	1	High	VN	NT	-7.80	- 0.00 9204	±2. 5	PA SS
Band 26(82 4- 849)	3MHz	16QA M	270 25	5	1	High	VH	NT	-8.80	- 0.01 0383	±2. 5	PA SS
Band 26(82 4- 849)	5MHz	16QA M	268 15	5	0	Low	VL	NT	-2.20	- 0.00 2662	±2. 5	PA SS
Band 26(82	5MHz	16QA M	268 15	5	0	Low	VN	NT	-2.30	- 0.00	±2. 5	PA SS

4-849)										2783		
Band 26(824-849)	5MHz	16QAM	26815	5	0	Low	VH	NT	-1.50	- 0.00 1815	±2.5	PASS
Band 26(824-849)	5MHz	16QAM	26915	5	0	Low	VL	NT	-5.60	- 0.00 6695	±2.5	PASS
Band 26(824-849)	5MHz	16QAM	26915	5	0	Low	VN	NT	-5.40	- 0.00 6455	±2.5	PASS
Band 26(824-849)	5MHz	16QAM	26915	5	0	Low	VH	NT	-5.20	- 0.00 6216	±2.5	PASS
Band 26(824-849)	5MHz	16QAM	27015	5	1	High	VL	NT	- 16.3 0	- 0.01 9256	±2.5	PASS
Band 26(824-849)	5MHz	16QAM	27015	5	1	High	VN	NT	- 16.5 0	- 0.01 9492	±2.5	PASS
Band 26(824-849)	5MHz	16QAM	27015	5	1	High	VH	NT	-6.80	- 0.00 8033	±2.5	PASS
Band 26(824-849)	10MHz	16QAM	26840	5	0	Low	VL	NT	2.50	0.00 3016	±2.5	PASS
Band 26(824-849)	10MHz	16QAM	26840	5	0	Low	VN	NT	3.20	0.00 3860	±2.5	PASS
Band 26(824-849)	10MHz	16QAM	26840	5	0	Low	VH	NT	-8.70	- 0.01 0495	±2.5	PASS
Band	10MHz	16QA	269	5	0	Low	VL	NT	-4.60	-	±2.	PA

26(82 4- 849)	z	M	15							0.00 5499	5	SS
Band 26(82 4- 849)	10MH z	16QA M	269 15	5	0	Low	VN	NT	- 10.0 0	- 0.011 955	±2. 5	PA SS
Band 26(82 4- 849)	10MH z	16QA M	269 15	5	0	Low	VH	NT	-4.10	- 0.00 4901	±2. 5	PA SS
Band 26(82 4- 849)	10MH z	16QA M	269 90	5	1	High	VL	NT	-9.50	- 0.011 256	±2. 5	PA SS
Band 26(82 4- 849)	10MH z	16QA M	269 90	5	1	High	VN	NT	-8.90	- 0.01 0545	±2. 5	PA SS
Band 26(82 4- 849)	10MH z	16QA M	269 90	5	1	High	VH	NT	- 10.4 0	- 0.01 2322	±2. 5	PA SS
Band 26(82 4- 849)	15MH z	16QA M	268 65	5	0	Low	VL	NT	-5.00	- 0.00 6013	±2. 5	PA SS
Band 26(82 4- 849)	15MH z	16QA M	268 65	5	0	Low	VN	NT	-4.60	- 0.00 5532	±2. 5	PA SS
Band 26(82 4- 849)	15MH z	16QA M	268 65	5	0	Low	VH	NT	-5.30	- 0.00 6374	±2. 5	PA SS
Band 26(82 4- 849)	15MH z	16QA M	269 15	5	0	Low	VL	NT	-6.70	- 0.00 8010	±2. 5	PA SS
Band 26(82 4- 849)	15MH z	16QA M	269 15	5	0	Low	VN	NT	-8.00	- 0.00 9564	±2. 5	PA SS

Band 26(82 4- 849)	15MH z	16QA M	269 15	5	0	Low	VH	NT	-7.30	- 0.00 8727	±2. 5	PA SS
Band 26(82 4- 849)	15MH z	16QA M	269 65	5	1	High	VL	NT	-6.70	- 0.00 7962	±2. 5	PA SS
Band 26(82 4- 849)	15MH z	16QA M	269 65	5	1	High	VN	NT	-6.50	- 0.00 7724	±2. 5	PA SS
Band 26(82 4- 849)	15MH z	16QA M	269 65	5	1	High	VH	NT	-6.10	- 0.00 7249	±2. 5	PA SS

Temperature												
Band	Bandwi dth	Modula tion	Chan nel	R B Si ze	R B St art	NB Ind ex	Volt age [Vdc]	Temper ature (°C)	Devia tion (Hz)	Devia tion (ppm)	Lim it (pp m)	Ver dict
Band26 (824- 849)	1.4M Hz	16QA M	267 97	5	0	Lo w	NV	-30	1.80	0.002 183	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	267 97	5	0	Lo w	NV	-20	0.90	0.001 091	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	267 97	5	0	Lo w	NV	-10	2.50	0.003 031	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	267 97	5	0	Lo w	NV	0	2.40	0.002 910	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	267 97	5	0	Lo w	NV	10	2.00	0.002 425	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	267 97	5	0	Lo w	NV	20	1.40	0.001 698	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	267 97	5	0	Lo w	NV	30	2.20	0.002 668	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	267 97	5	0	Lo w	NV	40	1.50	0.001 819	±2. 5	PAS S

849)												
Band26 (824- 849)	1.4M Hz	16QA M	267 97	5	0	Lo w	NV	50	1.60	0.001 940	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	269 15	5	0	Lo w	NV	-30	-4.00	- 0.004 782	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	269 15	5	0	Lo w	NV	-20	-3.80	- 0.004 543	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	269 15	5	0	Lo w	NV	-10	-3.60	- 0.004 304	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	269 15	5	0	Lo w	NV	0	-3.20	- 0.003 825	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	269 15	5	0	Lo w	NV	10	-3.70	- 0.004 423	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	269 15	5	0	Lo w	NV	20	-3.50	- 0.004 184	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	269 15	5	0	Lo w	NV	30	-3.20	- 0.003 825	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	269 15	5	0	Lo w	NV	40	-4.10	- 0.004 901	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	269 15	5	0	Lo w	NV	50	-3.40	- 0.004 065	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	270 33	5	1	Hig h	NV	-30	1.00	0.001 179	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	270 33	5	1	Hig h	NV	-20	-1.20	- 0.001 415	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	270 33	5	1	Hig h	NV	-10	-3.60	- 0.004 244	±2. 5	PAS S
Band26 (824- 849)	1.4M Hz	16QA M	270 33	5	1	Hig h	NV	0	1.00	0.001 179	±2. 5	PAS S

Band26 (824-849)	1.4M Hz	16QA M	270 33	5	1	Hig h	NV	10	- 13.80	- 0.016 268	±2. 5	PAS S
Band26 (824-849)	1.4M Hz	16QA M	270 33	5	1	Hig h	NV	20	- 14.60	- 0.017 211	±2. 5	PAS S
Band26 (824-849)	1.4M Hz	16QA M	270 33	5	1	Hig h	NV	30	-9.50	- 0.011 199	±2. 5	PAS S
Band26 (824-849)	1.4M Hz	16QA M	270 33	5	1	Hig h	NV	40	- 12.40	- 0.014 617	±2. 5	PAS S
Band26 (824-849)	1.4M Hz	16QA M	270 33	5	1	Hig h	NV	50	- 10.30	- 0.012 142	±2. 5	PAS S
Band26 (824-849)	3MHz	16QA M	268 05	5	0	Lo w	NV	-30	-0.70	- 0.000 848	±2. 5	PAS S
Band26 (824-849)	3MHz	16QA M	268 05	5	0	Lo w	NV	-20	-0.90	- 0.001 090	±2. 5	PAS S
Band26 (824-849)	3MHz	16QA M	268 05	5	0	Lo w	NV	-10	0.60	0.000 727	±2. 5	PAS S
Band26 (824-849)	3MHz	16QA M	268 05	5	0	Lo w	NV	0	0.00	0.000 000	±2. 5	PAS S
Band26 (824-849)	3MHz	16QA M	268 05	5	0	Lo w	NV	10	-0.20	- 0.000 242	±2. 5	PAS S
Band26 (824-849)	3MHz	16QA M	268 05	5	0	Lo w	NV	20	0.30	0.000 363	±2. 5	PAS S
Band26 (824-849)	3MHz	16QA M	268 05	5	0	Lo w	NV	30	0.40	0.000 485	±2. 5	PAS S
Band26 (824-849)	3MHz	16QA M	268 05	5	0	Lo w	NV	40	-1.00	- 0.001 211	±2. 5	PAS S
Band26 (824-849)	3MHz	16QA M	268 05	5	0	Lo w	NV	50	-2.50	- 0.003 028	±2. 5	PAS S
Band26	3MHz	16QA	269	5	0	Lo	NV	-30	1.20	0.001	±2.	PAS

(824-849)		M	15			w				435	5	S
Band26 (824-849)	3MHz	16QAM	26915	5	0	Low	NV	-20	1.20	0.001435	±2.5	PASS
Band26 (824-849)	3MHz	16QAM	26915	5	0	Low	NV	-10	-0.10	-0.000120	±2.5	PASS
Band26 (824-849)	3MHz	16QAM	26915	5	0	Low	NV	0	-10.30	-0.012313	±2.5	PASS
Band26 (824-849)	3MHz	16QAM	26915	5	0	Low	NV	10	-10.40	-0.012433	±2.5	PASS
Band26 (824-849)	3MHz	16QAM	26915	5	0	Low	NV	20	-10.80	-0.012911	±2.5	PASS
Band26 (824-849)	3MHz	16QAM	26915	5	0	Low	NV	30	-11.30	-0.013509	±2.5	PASS
Band26 (824-849)	3MHz	16QAM	26915	5	0	Low	NV	40	-11.30	-0.013509	±2.5	PASS
Band26 (824-849)	3MHz	16QAM	26915	5	0	Low	NV	50	-11.00	-0.013150	±2.5	PASS
Band26 (824-849)	3MHz	16QAM	27025	5	1	High	NV	-30	-7.90	-0.009322	±2.5	PASS
Band26 (824-849)	3MHz	16QAM	27025	5	1	High	NV	-20	-11.10	-0.013097	±2.5	PASS
Band26 (824-849)	3MHz	16QAM	27025	5	1	High	NV	-10	-9.10	-0.010737	±2.5	PASS
Band26 (824-849)	3MHz	16QAM	27025	5	1	High	NV	0	-10.60	-0.012507	±2.5	PASS
Band26 (824-849)	3MHz	16QAM	27025	5	1	High	NV	10	-12.40	-0.014631	±2.5	PASS
Band26 (824-849)	3MHz	16QAM	27025	5	1	High	NV	20	-10.00	-0.011	±2.5	PASS

849)										799		
Band26 (824- 849)	3MHz	16QA M	270 25	5	1	Hig h	NV	30	- 11.30	- 0.013 333	±2. 5	PAS S
Band26 (824- 849)	3MHz	16QA M	270 25	5	1	Hig h	NV	40	- 10.00	- 0.011 799	±2. 5	PAS S
Band26 (824- 849)	3MHz	16QA M	270 25	5	1	Hig h	NV	50	-9.40	- 0.011 091	±2. 5	PAS S
Band26 (824- 849)	5MHz	16QA M	268 15	5	0	Lo w	NV	-30	-0.60	- 0.000 726	±2. 5	PAS S
Band26 (824- 849)	5MHz	16QA M	268 15	5	0	Lo w	NV	-20	-0.60	- 0.000 726	±2. 5	PAS S
Band26 (824- 849)	5MHz	16QA M	268 15	5	0	Lo w	NV	-10	-2.50	- 0.003 025	±2. 5	PAS S
Band26 (824- 849)	5MHz	16QA M	268 15	5	0	Lo w	NV	0	-1.80	- 0.002 178	±2. 5	PAS S
Band26 (824- 849)	5MHz	16QA M	268 15	5	0	Lo w	NV	10	-2.70	- 0.003 267	±2. 5	PAS S
Band26 (824- 849)	5MHz	16QA M	268 15	5	0	Lo w	NV	20	-0.80	- 0.000 968	±2. 5	PAS S
Band26 (824- 849)	5MHz	16QA M	268 15	5	0	Lo w	NV	30	-2.40	- 0.002 904	±2. 5	PAS S
Band26 (824- 849)	5MHz	16QA M	268 15	5	0	Lo w	NV	40	-1.80	- 0.002 178	±2. 5	PAS S
Band26 (824- 849)	5MHz	16QA M	268 15	5	0	Lo w	NV	50	-1.40	- 0.001 694	±2. 5	PAS S
Band26 (824- 849)	5MHz	16QA M	269 15	5	0	Lo w	NV	-30	-3.40	- 0.004 065	±2. 5	PAS S
Band26 (824- 849)	5MHz	16QA M	269 15	5	0	Lo w	NV	-20	-5.90	- 0.007 053	±2. 5	PAS S

Band26 (824-849)	5MHz	16QA M	269 15	5	0	Lo w	NV	-10	-5.70	- 0.006 814	±2. 5	PAS S
Band26 (824-849)	5MHz	16QA M	269 15	5	0	Lo w	NV	0	-5.10	- 0.006 097	±2. 5	PAS S
Band26 (824-849)	5MHz	16QA M	269 15	5	0	Lo w	NV	10	-5.80	- 0.006 934	±2. 5	PAS S
Band26 (824-849)	5MHz	16QA M	269 15	5	0	Lo w	NV	20	-5.70	- 0.006 814	±2. 5	PAS S
Band26 (824-849)	5MHz	16QA M	269 15	5	0	Lo w	NV	30	-5.70	- 0.006 814	±2. 5	PAS S
Band26 (824-849)	5MHz	16QA M	269 15	5	0	Lo w	NV	40	-4.50	- 0.005 380	±2. 5	PAS S
Band26 (824-849)	5MHz	16QA M	269 15	5	0	Lo w	NV	50	-5.30	- 0.006 336	±2. 5	PAS S
Band26 (824-849)	5MHz	16QA M	270 15	5	1	Hig h	NV	-30	-6.90	- 0.008 151	±2. 5	PAS S
Band26 (824-849)	5MHz	16QA M	270 15	5	1	Hig h	NV	-20	-6.90	- 0.008 151	±2. 5	PAS S
Band26 (824-849)	5MHz	16QA M	270 15	5	1	Hig h	NV	-10	-7.10	- 0.008 387	±2. 5	PAS S
Band26 (824-849)	5MHz	16QA M	270 15	5	1	Hig h	NV	0	-5.60	- 0.006 615	±2. 5	PAS S
Band26 (824-849)	5MHz	16QA M	270 15	5	1	Hig h	NV	10	-5.90	- 0.006 970	±2. 5	PAS S
Band26 (824-849)	5MHz	16QA M	270 15	5	1	Hig h	NV	20	-5.90	- 0.006 970	±2. 5	PAS S
Band26 (824-849)	5MHz	16QA M	270 15	5	1	Hig h	NV	30	-5.20	- 0.006 143	±2. 5	PAS S
Band26	5MHz	16QA	270	5	1	Hig	NV	40	-6.00	-	±2.	PAS

(824-849)		M	15			h				0.007 088	5	S
Band26 (824-849)	5MHz	16QAM	270 15	5	1	Hig h	NV	50	-4.70	- 0.005 552	±2. 5	PAS S
Band26 (824-849)	10MHz z	16QAM	268 40	5	0	Lo w	NV	-30	-7.80	- 0.009 409	±2. 5	PAS S
Band26 (824-849)	10MHz z	16QAM	268 40	5	0	Lo w	NV	-20	-8.60	- 0.010 374	±2. 5	PAS S
Band26 (824-849)	10MHz z	16QAM	268 40	5	0	Lo w	NV	-10	-8.50	- 0.010 253	±2. 5	PAS S
Band26 (824-849)	10MHz z	16QAM	268 40	5	0	Lo w	NV	0	-8.90	- 0.010 736	±2. 5	PAS S
Band26 (824-849)	10MHz z	16QAM	268 40	5	0	Lo w	NV	10	-9.40	- 0.011 339	±2. 5	PAS S
Band26 (824-849)	10MHz z	16QAM	268 40	5	0	Lo w	NV	20	-8.40	- 0.010 133	±2. 5	PAS S
Band26 (824-849)	10MHz z	16QAM	268 40	5	0	Lo w	NV	30	-8.00	- 0.009 650	±2. 5	PAS S
Band26 (824-849)	10MHz z	16QAM	268 40	5	0	Lo w	NV	40	-9.80	- 0.011 821	±2. 5	PAS S
Band26 (824-849)	10MHz z	16QAM	268 40	5	0	Lo w	NV	50	-9.30	- 0.011 218	±2. 5	PAS S
Band26 (824-849)	10MHz z	16QAM	269 15	5	0	Lo w	NV	-30	-4.60	- 0.005 499	±2. 5	PAS S
Band26 (824-849)	10MHz z	16QAM	269 15	5	0	Lo w	NV	-20	-4.40	- 0.005 260	±2. 5	PAS S
Band26 (824-849)	10MHz z	16QAM	269 15	5	0	Lo w	NV	-10	-4.40	- 0.005 260	±2. 5	PAS S
Band26 (824-849)	10MHz z	16QAM	269 15	5	0	Lo w	NV	0	-5.10	- 0.006	±2. 5	PAS S

849)										097		
Band26 (824- 849)	10MH z	16QA M	269 15	5	0	Lo w	NV	10	-4.70	- 0.005 619	±2. 5	PAS S
Band26 (824- 849)	10MH z	16QA M	269 15	5	0	Lo w	NV	20	-4.20	- 0.005 021	±2. 5	PAS S
Band26 (824- 849)	10MH z	16QA M	269 15	5	0	Lo w	NV	30	-5.10	- 0.006 097	±2. 5	PAS S
Band26 (824- 849)	10MH z	16QA M	269 15	5	0	Lo w	NV	40	-5.00	- 0.005 977	±2. 5	PAS S
Band26 (824- 849)	10MH z	16QA M	269 15	5	0	Lo w	NV	50	-5.60	- 0.006 695	±2. 5	PAS S
Band26 (824- 849)	10MH z	16QA M	269 90	5	1	Hig h	NV	-30	-9.70	- 0.011 493	±2. 5	PAS S
Band26 (824- 849)	10MH z	16QA M	269 90	5	1	Hig h	NV	-20	-9.70	- 0.011 493	±2. 5	PAS S
Band26 (824- 849)	10MH z	16QA M	269 90	5	1	Hig h	NV	-10	- 10.30	- 0.012 204	±2. 5	PAS S
Band26 (824- 849)	10MH z	16QA M	269 90	5	1	Hig h	NV	0	- 10.50	- 0.012 441	±2. 5	PAS S
Band26 (824- 849)	10MH z	16QA M	269 90	5	1	Hig h	NV	10	- 10.90	- 0.012 915	±2. 5	PAS S
Band26 (824- 849)	10MH z	16QA M	269 90	5	1	Hig h	NV	20	- 10.20	- 0.012 085	±2. 5	PAS S
Band26 (824- 849)	10MH z	16QA M	269 90	5	1	Hig h	NV	30	- 10.60	- 0.012 559	±2. 5	PAS S
Band26 (824- 849)	10MH z	16QA M	269 90	5	1	Hig h	NV	40	- 10.90	- 0.012 915	±2. 5	PAS S
Band26 (824- 849)	10MH z	16QA M	269 90	5	1	Hig h	NV	50	- 10.70	- 0.012 678	±2. 5	PAS S

Band26 (824-849)	15MH z	16QA M	268 65	5	0	Lo w	NV	-30	-5.30	- 0.006 374	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	268 65	5	0	Lo w	NV	-20	-3.80	- 0.004 570	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	268 65	5	0	Lo w	NV	-10	-5.10	- 0.006 133	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	268 65	5	0	Lo w	NV	0	-4.70	- 0.005 652	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	268 65	5	0	Lo w	NV	10	-6.40	- 0.007 697	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	268 65	5	0	Lo w	NV	20	-5.20	- 0.006 254	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	268 65	5	0	Lo w	NV	30	-7.00	- 0.008 419	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	268 65	5	0	Lo w	NV	40	-4.70	- 0.005 652	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	268 65	5	0	Lo w	NV	50	-6.30	- 0.007 577	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 15	5	0	Lo w	NV	-30	-6.50	- 0.007 770	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 15	5	0	Lo w	NV	-20	-8.00	- 0.009 564	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 15	5	0	Lo w	NV	-10	-6.70	- 0.008 010	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 15	5	0	Lo w	NV	0	-6.80	- 0.008 129	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 15	5	0	Lo w	NV	10	-7.60	- 0.009 085	±2. 5	PAS S
Band26	15MH	16QA	269	5	0	Lo	NV	20	-8.60	-	±2.	PAS

(824-849)	z	M	15			w				0.010 281	5	S
Band26 (824-849)	15MH z	16QA M	269 15	5	0	Lo w	NV	30	-8.60	- 0.010 281	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 15	5	0	Lo w	NV	40	-8.00	- 0.009 564	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 15	5	0	Lo w	NV	50	-8.80	- 0.010 520	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 65	5	1	Hig h	NV	-30	-5.80	- 0.006 892	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 65	5	1	Hig h	NV	-20	-6.80	- 0.008 081	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 65	5	1	Hig h	NV	-10	-7.70	- 0.009 150	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 65	5	1	Hig h	NV	0	-7.60	- 0.009 031	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 65	5	1	Hig h	NV	10	-8.00	- 0.009 507	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 65	5	1	Hig h	NV	20	-7.20	- 0.008 556	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 65	5	1	Hig h	NV	30	-6.60	- 0.007 843	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 65	5	1	Hig h	NV	40	-7.30	- 0.008 675	±2. 5	PAS S
Band26 (824-849)	15MH z	16QA M	269 65	5	1	Hig h	NV	50	-6.70	- 0.007 962	±2. 5	PAS S