





11ac20SISO-Ant0-5500-PASS




11ac20SISO-Ant0-5580-PASS




11ac20SISO-Ant0-5700-PASS




11ac20SISO-Ant0-5745-PASS



11ac20SISO-Ant0-5785-PASS



11ac20SISO-Ant0-5825-PASS





11ac40ISO-Ant0-5670-PASS



11ac40ISO-Ant0-5755-PASS



11ac40ISO-Ant0-5795-PASS





11ac80ISO-Ant0-5210-PASS



11ac80ISO-Ant0-5290-PASS



11ac80ISO-Ant0-5530-PASS




Radiated Spurious Emissions

Test Result Below 1GHz


Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	60.65	48.14	-26.59	21.55	40.00	18.45	PK	Horizontal	PASS
2	146.74	58.59	-30.15	28.44	43.50	15.06	PK	Horizontal	PASS
3	240.01	55.19	-24.91	30.28	46.00	15.72	PK	Horizontal	PASS
4	287.39	51.54	-24.23	27.31	46.00	18.69	PK	Horizontal	PASS
5	310.67	54.47	-23.34	31.13	46.00	14.87	PK	Horizontal	PASS
6	358.73	53.70	-21.08	32.62	46.00	13.38	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	43.73	53.19	-27.04	26.15	40.00	13.85	PK	Vertical	PASS
2	60.12	58.40	-26.53	31.87	40.00	8.13	PK	Vertical	PASS
3	120.02	53.44	-30.17	23.27	43.50	20.23	PK	Vertical	PASS
4	140.68	57.36	-30.57	26.79	43.50	16.71	PK	Vertical	PASS
5	310.43	51.28	-23.34	27.94	46.00	18.06	PK	Vertical	PASS
6	359.51	47.34	-20.93	26.41	46.00	19.59	PK	Vertical	PASS

Test Result Above 1GHz


Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7496.67	30.14	17.32	47.46	54.00	6.54	RMS	Horizontal	PASS
2	15821.67	31.69	11.41	43.10	54.00	10.90	RMS	Horizontal	PASS
3	17999.67	29.57	16.86	46.43	54.00	7.57	RMS	Horizontal	PASS
4	5182.71	88.03	10.89	98.92	-	-	PK	Horizontal	NA
5	6790.34	40.39	15.29	55.68	68.20	12.52	PK	Horizontal	PASS
6	15301.33	39.96	11.95	51.91	68.20	16.29	PK	Horizontal	PASS
7	17157.67	39.93	13.62	53.55	68.20	14.65	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7453.62	30.86	17.12	47.98	54.00	6.02	RMS	Vertical	PASS
2	15835.33	31.61	11.48	43.09	54.00	10.91	RMS	Vertical	PASS
3	17893.67	30.69	16.07	46.76	54.00	7.24	RMS	Vertical	PASS
4	5183.41	96.68	10.89	107.57	-	-	PK	Vertical	NA
5	6701.44	39.97	15.60	55.57	68.20	12.63	PK	Vertical	PASS
6	15249.33	39.06	11.69	50.75	68.20	17.45	PK	Vertical	PASS
7	17043.00	39.38	14.07	53.45	68.20	14.75	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7444.52	30.66	17.03	47.69	54.00	6.31	RMS	Horizontal	PASS
2	15882.00	31.23	11.73	42.96	54.00	11.04	RMS	Horizontal	PASS
3	17982.33	29.89	16.73	46.62	54.00	7.38	RMS	Horizontal	PASS
4	5196.71	89.66	10.85	100.51	-	-	PK	Horizontal	NA
5	6900.60	39.44	15.32	54.76	68.20	13.44	PK	Horizontal	PASS
6	15181.67	39.68	11.07	50.75	68.20	17.45	PK	Horizontal	PASS
7	17494.00	38.80	14.09	52.89	68.20	15.31	PK	Horizontal	PASS


Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7523.63	30.21	17.19	47.40	54.00	6.60	RMS	Horizontal	PASS
2	15835.67	31.97	11.48	43.45	54.00	10.55	RMS	Horizontal	PASS
3	17995.33	30.27	16.82	47.09	54.00	6.91	RMS	Horizontal	PASS
4	5239.06	89.39	11.06	100.45	-	-	PK	Horizontal	NA
5	6752.89	40.37	15.46	55.83	68.20	12.37	PK	Horizontal	PASS
6	15283.33	39.40	11.87	51.27	68.20	16.93	PK	Horizontal	PASS
7	17006.33	37.87	14.45	52.32	68.20	15.88	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7547.43	30.42	17.04	47.46	54.00	6.54	RMS	Vertical	PASS
2	15389.33	31.62	11.90	43.52	54.00	10.48	RMS	Vertical	PASS
3	17990.67	30.29	16.79	47.08	54.00	6.92	RMS	Vertical	PASS
4	5237.31	95.50	11.05	106.55	-	-	PK	Vertical	NA
5	6987.05	45.57	15.46	61.03	68.20	7.17	PK	Vertical	PASS
6	14803.67	38.51	11.66	50.17	68.20	18.03	PK	Vertical	PASS
7	17265.33	38.68	13.76	52.44	68.20	15.76	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7491.07	30.08	17.30	47.38	54.00	6.62	RMS	Horizontal	PASS
2	15707.33	32.33	11.29	43.62	54.00	10.38	RMS	Horizontal	PASS
3	17987.67	30.00	16.77	46.77	54.00	7.23	RMS	Horizontal	PASS
4	5178.86	88.62	10.89	99.51	-	-	PK	Horizontal	NA
5	6714.39	40.39	15.56	55.95	68.20	12.25	PK	Horizontal	PASS
6	14862.33	40.12	10.58	50.70	68.20	17.50	PK	Horizontal	PASS
7	17234.00	39.14	13.75	52.89	68.20	15.31	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7501.23	30.18	17.33	47.51	54.00	6.49	RMS	Vertical	PASS
2	15398.33	32.37	11.89	44.26	54.00	9.74	RMS	Vertical	PASS
3	17958.67	30.40	16.54	46.94	54.00	7.06	RMS	Vertical	PASS
4	5182.01	96.09	10.89	106.98	-	-	PK	Vertical	NA
5	6754.29	40.45	15.45	55.90	68.20	12.30	PK	Vertical	PASS
6	14790.33	38.92	11.53	50.45	68.20	17.75	PK	Vertical	PASS
7	16982.33	38.57	14.17	52.74	68.20	15.46	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7423.87	30.62	16.77	47.39	54.00	6.61	RMS	Horizontal	PASS
2	15387.33	32.61	11.89	44.50	54.00	9.50	RMS	Horizontal	PASS
3	17993.00	29.87	16.80	46.67	54.00	7.33	RMS	Horizontal	PASS
4	5194.96	86.66	10.85	97.51	-	-	PK	Horizontal	NA
5	6725.24	39.77	15.54	55.31	68.20	12.89	PK	Horizontal	PASS
6	14799.00	38.63	11.70	50.33	68.20	17.87	PK	Horizontal	PASS
7	16985.00	38.38	14.22	52.60	68.20	15.60	PK	Horizontal	PASS


Project Information			
Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7557.93	30.75	16.96	47.71	54.00	6.29	RMS	Vertical	PASS
2	15786.33	32.10	11.29	43.39	54.00	10.61	RMS	Vertical	PASS
3	17932.67	30.76	16.35	47.11	54.00	6.89	RMS	Vertical	PASS
4	5186.91	94.31	10.87	105.18	-	-	PK	Vertical	NA
5	6920.20	44.64	15.32	59.96	68.20	8.24	PK	Vertical	PASS
6	14798.67	39.59	11.69	51.28	68.20	16.92	PK	Vertical	PASS
7	17140.67	38.70	13.58	52.28	68.20	15.92	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7505.08	30.11	17.31	47.42	54.00	6.58	RMS	Horizontal	PASS
2	15453.33	31.59	11.88	43.47	54.00	10.53	RMS	Horizontal	PASS
3	17906.33	30.38	16.15	46.53	54.00	7.47	RMS	Horizontal	PASS
4	5214.56	82.45	10.92	93.37	-	-	PK	Horizontal	NA
5	6946.80	41.37	15.32	56.69	68.20	11.51	PK	Horizontal	PASS
6	14834.67	39.66	11.09	50.75	68.20	17.45	PK	Horizontal	PASS
7	17319.67	38.78	13.75	52.53	68.20	15.67	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7447.32	30.79	17.07	47.86	54.00	6.14	RMS	Vertical	PASS
2	15823.00	32.09	11.41	43.50	54.00	10.50	RMS	Vertical	PASS
3	17886.33	30.01	16.03	46.04	54.00	7.96	RMS	Vertical	PASS
4	5214.91	91.09	10.92	102.01	-	-	PK	Vertical	NA
5	6946.45	44.37	15.32	59.69	68.20	8.51	PK	Vertical	PASS
6	14840.33	39.46	10.98	50.44	68.20	17.76	PK	Vertical	PASS
7	17432.00	39.71	13.77	53.48	68.20	14.72	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7453.62	30.49	17.12	47.61	54.00	6.39	RMS	Horizontal	PASS
2	15795.33	31.69	11.29	42.98	54.00	11.02	RMS	Horizontal	PASS
3	17932.00	30.31	16.35	46.66	54.00	7.34	RMS	Horizontal	PASS
4	5260.76	82.55	11.20	93.75	-	-	PK	Horizontal	NA
5	7013.65	41.23	15.61	56.84	68.20	11.36	PK	Horizontal	PASS
6	14815.67	38.68	11.43	50.11	68.20	18.09	PK	Horizontal	PASS
7	17516.67	38.49	14.03	52.52	68.20	15.68	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7396.57	31.28	16.47	47.75	54.00	6.25	RMS	Vertical	PASS
2	15787.33	32.09	11.29	43.38	54.00	10.62	RMS	Vertical	PASS
3	17894.00	30.42	16.07	46.49	54.00	7.51	RMS	Vertical	PASS
4	5260.76	88.60	11.20	99.80	-	-	PK	Vertical	NA
5	7008.75	39.90	15.58	55.48	68.20	12.72	PK	Vertical	PASS
6	15193.00	38.79	11.31	50.10	68.20	18.10	PK	Vertical	PASS
7	17352.00	38.39	13.69	52.08	68.20	16.12	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7501.23	30.24	17.33	47.57	54.00	6.43	RMS	Horizontal	PASS
2	15891.67	32.28	11.79	44.07	54.00	9.93	RMS	Horizontal	PASS
3	17963.33	30.26	16.58	46.84	54.00	7.16	RMS	Horizontal	PASS
4	5301.37	89.98	11.51	101.49	-	-	PK	Horizontal	NA
5	6773.89	40.51	15.37	55.88	68.20	12.32	PK	Horizontal	PASS
6	15189.33	39.72	11.23	50.95	68.20	17.25	PK	Horizontal	PASS
7	17430.33	38.73	13.76	52.49	68.20	15.71	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7452.57	30.57	17.11	47.68	54.00	6.32	RMS	Vertical	PASS
2	15886.33	31.81	11.76	43.57	54.00	10.43	RMS	Vertical	PASS
3	17971.67	30.58	16.65	47.23	54.00	6.77	RMS	Vertical	PASS
4	5298.91	96.92	11.49	108.41	-	-	PK	Vertical	NA
5	7066.85	42.26	15.85	58.11	68.20	10.09	PK	Vertical	PASS
6	14738.67	40.08	10.54	50.62	68.20	17.58	PK	Vertical	PASS
7	17085.33	38.98	13.62	52.60	68.20	15.60	PK	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7486.87	30.26	17.27	47.53	54.00	6.47	RMS	Horizontal	PASS
2	15961.33	33.73	11.13	44.86	54.00	9.14	RMS	Horizontal	PASS
3	17937.33	30.01	16.38	46.39	54.00	7.61	RMS	Horizontal	PASS
4	5323.07	89.66	11.66	101.32	-	-	PK	Horizontal	NA
5	6476.72	41.33	14.91	56.24	68.20	11.96	PK	Horizontal	PASS
6	14752.33	40.17	10.80	50.97	68.20	17.23	PK	Horizontal	PASS
7	17031.00	38.15	14.20	52.35	68.20	15.85	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7511.38	30.52	17.27	47.79	54.00	6.21	RMS	Vertical	PASS
2	15964.67	32.90	11.10	44.00	54.00	10.00	RMS	Vertical	PASS
3	17941.00	30.57	16.41	46.98	54.00	7.02	RMS	Vertical	PASS
4	5319.22	96.82	11.64	108.46	-	-	PK	Vertical	NA
5	7093.80	42.87	15.77	58.64	68.20	9.56	PK	Vertical	PASS
6	14800.00	39.63	11.72	51.35	68.20	16.85	PK	Vertical	PASS
7	16986.67	39.52	14.26	53.78	68.20	14.42	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7504.03	30.14	17.31	47.45	54.00	6.55	RMS	Horizontal	PASS
2	15391.00	31.74	11.89	43.63	54.00	10.37	RMS	Horizontal	PASS
3	17990.67	29.88	16.79	46.67	54.00	7.33	RMS	Horizontal	PASS
4	5320.27	89.24	11.64	100.88	-	-	PK	Horizontal	NA
5	7024.15	40.00	15.69	55.69	68.20	12.51	PK	Horizontal	PASS
6	15172.33	39.69	10.89	50.58	68.20	17.62	PK	Horizontal	PASS
7	17070.00	38.62	13.78	52.40	68.20	15.80	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7464.47	30.57	17.17	47.74	54.00	6.26	RMS	Vertical	PASS
2	15353.33	32.53	11.92	44.45	54.00	9.55	RMS	Vertical	PASS
3	17989.33	30.22	16.78	47.00	54.00	7.00	RMS	Vertical	PASS
4	5316.42	96.45	11.61	108.06	-	-	PK	Vertical	NA
5	6824.64	40.05	15.32	55.37	68.20	12.83	PK	Vertical	PASS
6	14796.33	38.65	11.65	50.30	68.20	17.90	PK	Vertical	PASS
7	17009.00	38.29	14.42	52.71	68.20	15.49	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7514.88	30.11	17.25	47.36	54.00	6.64	RMS	Horizontal	PASS
2	15830.33	31.78	11.45	43.23	54.00	10.77	RMS	Horizontal	PASS
3	17992.67	29.94	16.80	46.74	54.00	7.26	RMS	Horizontal	PASS
4	5308.72	87.39	11.56	98.95	-	-	PK	Horizontal	NA
5	7142.81	39.30	15.85	55.15	68.20	13.05	PK	Horizontal	PASS
6	15271.67	38.58	11.81	50.39	68.20	17.81	PK	Horizontal	PASS
7	17206.67	39.06	13.73	52.79	68.20	15.41	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7516.98	30.15	17.23	47.38	54.00	6.62	RMS	Vertical	PASS
2	15943.00	32.11	11.34	43.45	54.00	10.55	RMS	Vertical	PASS
3	17915.67	30.25	16.22	46.47	54.00	7.53	RMS	Vertical	PASS
4	5312.22	94.22	11.58	105.80	-	-	PK	Vertical	NA
5	7080.15	41.61	15.81	57.42	68.20	10.78	PK	Vertical	PASS
6	15239.00	39.31	11.64	50.95	68.20	17.25	PK	Vertical	PASS
7	17344.67	38.53	13.70	52.23	68.20	15.97	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7683.58	30.99	16.85	47.84	54.00	6.16	RMS	Horizontal	PASS
2	15872.67	32.29	11.68	43.97	54.00	10.03	RMS	Horizontal	PASS
3	17983.67	29.62	16.73	46.35	54.00	7.65	RMS	Horizontal	PASS
4	5282.81	83.68	11.37	95.05	-	-	PK	Horizontal	NA
5	7091.35	39.34	15.78	55.12	68.20	13.08	PK	Horizontal	PASS
6	15304.67	40.58	11.95	52.53	68.20	15.67	PK	Horizontal	PASS
7	17248.67	38.65	13.76	52.41	68.20	15.79	PK	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7471.12	30.07	17.21	47.28	54.00	6.72	RMS	Vertical	PASS
2	15841.00	32.13	11.51	43.64	54.00	10.36	RMS	Vertical	PASS
3	17979.67	30.13	16.71	46.84	54.00	7.16	RMS	Vertical	PASS
4	5301.72	88.96	11.51	100.47	-	-	PK	Vertical	NA
5	7053.20	43.28	15.87	59.15	68.20	9.05	PK	Vertical	PASS
6	14825.33	38.88	11.25	50.13	68.20	18.07	PK	Vertical	PASS
7	17316.33	38.25	13.75	52.00	68.20	16.20	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7443.47	30.55	17.01	47.56	54.00	6.44	RMS	Horizontal	PASS
2	15417.67	31.58	11.89	43.47	54.00	10.53	RMS	Horizontal	PASS
3	17958.33	29.64	16.54	46.18	54.00	7.82	RMS	Horizontal	PASS
4	5498.77	88.29	12.59	100.88	-	-	PK	Horizontal	NA
5	6650.33	41.15	15.43	56.58	68.20	11.62	PK	Horizontal	PASS
6	14790.67	38.21	11.54	49.75	68.20	18.45	PK	Horizontal	PASS
7	17142.00	38.74	13.58	52.32	68.20	15.88	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7333.92	31.43	16.53	47.96	54.00	6.04	RMS	Vertical	PASS
2	15874.67	32.09	11.69	43.78	54.00	10.22	RMS	Vertical	PASS
3	17958.33	30.97	16.54	47.51	54.00	6.49	RMS	Vertical	PASS
4	5498.77	95.38	12.59	107.97	-	-	PK	Vertical	NA
5	6744.49	40.49	15.49	55.98	68.20	12.22	PK	Vertical	PASS
6	14820.33	38.86	11.35	50.21	68.20	17.99	PK	Vertical	PASS
7	17349.00	38.83	13.70	52.53	68.20	15.67	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7543.58	30.45	17.07	47.52	54.00	6.48	RMS	Horizontal	PASS
2	15800.33	32.38	11.29	43.67	54.00	10.33	RMS	Horizontal	PASS
3	17924.00	30.29	16.29	46.58	54.00	7.42	RMS	Horizontal	PASS
4	5603.08	89.10	12.76	101.86	-	-	PK	Horizontal	NA
5	7073.85	39.48	15.82	55.30	68.20	12.90	PK	Horizontal	PASS
6	14838.33	39.78	11.02	50.80	68.20	17.40	PK	Horizontal	PASS
7	17061.67	38.61	13.87	52.48	68.20	15.72	PK	Horizontal	PASS