


Project Information

Mode:	802.11ac40	Band:	UNII-2C
Bandwidth	40MHz	Channel	134
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.79	52.91	13.62	66.53	68.20	1.67	PK	Vertical	PASS
2	5727.49	53.33	13.64	66.97	68.20	1.23	PK	Vertical	PASS
3	5731.39	51.44	13.68	65.12	68.20	3.08	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	UNII-2C
Bandwidth	80MHz	Channel	106
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5455.10	37.02	12.50	49.52	54.00	4.48	RMS	Horizontal	PASS
2	5457.62	37.40	12.51	49.91	54.00	4.09	RMS	Horizontal	PASS
3	5459.90	37.68	12.51	50.19	54.00	3.81	RMS	Horizontal	PASS
4	5460.99	48.96	12.51	61.47	68.20	6.73	PK	Horizontal	PASS
5	5465.07	48.89	12.52	61.41	68.20	6.79	PK	Horizontal	PASS
6	5469.75	48.96	12.53	61.49	68.20	6.71	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	UNII-2C
Bandwidth	80MHz	Channel	106
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5455.22	38.38	12.50	50.88	54.00	3.12	RMS	Vertical	PASS
2	5457.86	38.51	12.51	51.02	54.00	2.98	RMS	Vertical	PASS
3	5459.24	38.17	12.51	50.68	54.00	3.32	RMS	Vertical	PASS
4	5460.81	49.27	12.51	61.78	68.20	6.42	PK	Vertical	PASS
5	5464.89	50.26	12.52	62.78	68.20	5.42	PK	Vertical	PASS
6	5469.15	49.34	12.53	61.87	68.20	6.33	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	UNII-2C
Bandwidth	80MHz	Channel	122
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5727.85	42.33	13.65	55.98	68.20	12.22	PK	Horizontal	PASS
2	5730.19	43.34	13.67	57.01	68.20	11.19	PK	Horizontal	PASS
3	5734.78	42.79	13.71	56.50	68.20	11.70	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	UNII-2C
Bandwidth	80MHz	Channel	122
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5726.14	45.92	13.63	59.55	68.20	8.65	PK	Vertical	PASS
2	5728.75	45.99	13.66	59.65	68.20	8.55	PK	Vertical	PASS
3	5732.98	47.47	13.70	61.17	68.20	7.03	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5633.94	41.28	12.92	54.20	68.20	14.00	PK	Horizontal	PASS
2	5646.95	41.62	12.98	54.60	68.20	13.60	PK	Horizontal	PASS
3	5930.49	41.65	14.00	55.65	68.20	12.55	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5635.24	41.99	12.93	54.92	68.20	13.28	PK	Vertical	PASS
2	5642.72	41.73	12.97	54.70	68.20	13.50	PK	Vertical	PASS
3	5933.58	41.03	13.98	55.01	68.20	13.19	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5641.91	41.61	12.96	54.57	68.20	13.63	PK	Horizontal	PASS
2	5927.56	41.50	14.00	55.50	68.20	12.70	PK	Horizontal	PASS
3	5938.94	41.03	13.97	55.00	68.20	13.20	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5639.31	41.67	12.95	54.62	68.20	13.58	PK	Vertical	PASS
2	5927.24	40.86	14.01	54.87	68.20	13.33	PK	Vertical	PASS
3	5941.38	41.57	13.96	55.53	68.20	12.67	PK	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5633.94	41.85	12.92	54.77	68.20	13.43	PK	Horizontal	PASS
2	5644.18	41.46	12.98	54.44	68.20	13.76	PK	Horizontal	PASS
3	5936.83	41.45	13.98	55.43	68.20	12.77	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5631.83	41.68	12.91	54.59	68.20	13.61	PK	Vertical	PASS
2	5645.65	41.18	12.98	54.16	68.20	14.04	PK	Vertical	PASS
3	5939.59	41.33	13.96	55.29	68.20	12.91	PK	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5641.91	41.44	12.96	54.40	68.20	13.80	PK	Horizontal	PASS
2	5930.98	41.60	14.00	55.60	68.20	12.60	PK	Horizontal	PASS
3	5940.57	42.10	13.96	56.06	68.20	12.14	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5644.18	41.76	12.98	54.74	68.20	13.46	PK	Vertical	PASS
2	5930.33	41.53	14.00	55.53	68.20	12.67	PK	Vertical	PASS
3	5942.03	41.61	13.96	55.57	68.20	12.63	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5633.13	41.62	12.92	54.54	68.20	13.66	PK	Horizontal	PASS
2	5642.88	41.82	12.97	54.79	68.20	13.41	PK	Horizontal	PASS
3	5933.58	41.94	13.98	55.92	68.20	12.28	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5634.59	42.63	12.92	55.55	68.20	12.65	PK	Vertical	PASS
2	5642.40	41.55	12.96	54.51	68.20	13.69	PK	Vertical	PASS
3	5930.17	42.41	14.00	56.41	68.20	11.79	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5641.91	42.15	12.96	55.11	68.20	13.09	PK	Horizontal	PASS
2	5927.40	41.03	14.01	55.04	68.20	13.16	PK	Horizontal	PASS
3	5939.43	41.45	13.96	55.41	68.20	12.79	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5642.07	41.69	12.96	54.65	68.20	13.55	PK	Vertical	PASS
2	5930.33	41.06	14.00	55.06	68.20	13.14	PK	Vertical	PASS
3	5942.52	41.07	13.95	55.02	68.20	13.18	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5631.02	42.25	12.90	55.15	68.20	13.05	PK	Horizontal	PASS
2	5636.87	42.70	12.93	55.63	68.20	12.57	PK	Horizontal	PASS
3	5942.36	41.48	13.96	55.44	68.20	12.76	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5635.73	46.27	12.93	59.20	68.20	9.00	PK	Vertical	PASS
2	5928.86	43.14	14.00	57.14	68.20	11.06	PK	Vertical	PASS
3	5940.25	42.65	13.96	56.61	68.20	11.59	PK	Vertical	PASS

~The End~